

循環器疾患・糖尿病等生活習慣病対策総合研究事業中間・事後評価委員会名簿

(○：委員長)

氏名	勝川 史憲
所属・役職	慶應義塾大学 名誉教授
専門分野	内分泌代謝学
業績・実績	Uemura N, Nishida Y, Sasaki S, Yamada Y, Anzai T, Takahashi K, Yamauchi K, Katsukawa F. BMI trajectory of 8,155,894 Japanese adults from exhaustive health checkup data: the contributions of age-related changes in height and weight. Int J Obes (Lond). 2025 Apr;49(4):742-745. doi: 10.1038/s41366-024-01694-1
	Nishida Y, Anzai T, Takahashi K, Kozuma T, Kanda E, Yamauchi K, Katsukawa F. Multimorbidity patterns in the working age population with the top 10% medical cost from exhaustive insurance claims data of Japan Health Insurance Association. PLoS One. 2023 Sep 28;18(9):e0291554. doi: 10.1371/journal.pone.0291554.
	Katsukawa F. Energy Requirements for Older Patients with Type 2 Diabetes: A Narrative Review of the Current Findings and Future Tasks. Nutrients. 2021 Feb 26;13(3):753. doi: 10.3390/nu13030753.

氏名	合田 敏尚
所属・役職	静岡県立大学食品栄養科学部 名誉教授
専門分野	栄養生理学
業績・実績	Self-reported faster eating is positively associated with accumulation of visceral fat in middle-aged apparently healthy Japanese men. Mochizuki K, Yamada M, Miyauchi R, Misaki Y, Kasezawa N, Tohyama K, Goda T. Eur J Nutr. 53: 1187-1194, 2014.
	The alpha-glucosidase inhibitor miglitol decreases glucose fluctuations and inflammatory cytokine gene expression in peripheral leukocytes of Japanese patients with type 2 diabetes. Osonoi T, Saito M, Mochizuki K, Fukaya N, Muramatsu T, Inoue S, Fuchigami M, Goda T. Metabolism 59: 1816-1822, 2010.
	Availability, fermentability and energy value of resistant maltodextrin: A modeling of short-term indirect calorimetry measurements in healthy adults. Goda T, Kajiya Y, Suruga K, Tagami H, Livesey G. Am J Clin Nutr. 83: 1321-1330, 2006.

氏名	齊藤 延人
所属・役職	国立大学法人東京大学 理事、副学長、教授
専門分野	脳神経外科学
業績・実績	Torazawa S, Miyawaki S, Imai H, Hongo H, Ishigami D, Shimizu M, Sakai Y, Ogawa S, Kiyofuji S, Koizumi S, Komura D, Katoh H, Ono H, Nakatomi H, Ishikawa S, Saito N. Association of rare variants in RNF213 with severe progression of intracranial artery stenosis in quasi-moyamoya disease. J Neurosurg: 1-10, 2024.
	Tsunoda S, Inoue T, Ohwaki K, Takeuchi N, Shinkai T, Fukuda A, Segawa M, Kawashima M, Akabane A, Miyawaki S, Saito N. Influence of an improvement in frontal lobe hemodynamics on neurocognitive function in adult patients with moyamoya disease. Neurosurg Rev 47(1): 395, 2024.
	Umekawa M, Shinya Y, Hasegawa H, Koizumi S, Katano A, Saito N. Headache and Visual Aura Outcomes After Stereotactic Radiosurgery for Patients With Occipital Lobe Arteriovenous Malformations: A Single-Center Retrospective Cohort Study. Neurosurgery, 2024.

氏名	代田 浩之
所属・役職	順天堂大学 学長
専門分野	循環器内科学
業績・実績	Morimoto Y, Lian CPL, Lai C, Kyogoku S, Daida H. “Health literacy in medical imaging: a scoping review of current evidence and future directions.” Public Health, September 2024; 234:84–90. doi: 10.1016/j.puhe.2024.05.032 (Epub July 4, 2024)
	RESPECT-EPA Investigators (Miyauchi K, Iwata H, Nishizaki Y, Inoue T, Hirayama A, Kimura K, Ozaki Y, Murohara T, Ueshima K, Kuwabara Y, Tanaka-Mizuno S, Yanagisawa N, Sato T, Daida H) “Randomized Trial for Evaluation in Secondary Prevention Efficacy of Combination Therapy—Statin and Eicosapentaenoic Acid (RESPECT-EPA)” Circulation, August 6, 2024; 150(6):425–434. doi: 10.1161/CIRCULATIONAHA.123.065520 (Epub June 14, 2024)
	Goto M, Kamagata K, Andica C, Takabayashi K, Uchida W, Goto T, Yuzawa T, Kitamura Y, Hatano T, Hattori N, Aoki S, Sakamoto H, Sakano Y, Kyogoku S, Daida H. “Alzheimer’s Disease Neuroimaging Initiative. Deep Learning-based Hierarchical Brain Segmentation with Preliminary Analysis of the Repeatability and Reproducibility.” Magnetic Resonance in Medical Sciences, Published online July 2, 2024. doi: 10.2463/mrms.mp.2023-0124

氏名	中村 二郎
所属・役職	医療法人TDE 糖尿病・内分泌内科クリニックTOSAKI名東 院長
専門分野	糖尿病学
業績・実績	Dipeptidyl Peptidase (DPP)-4 Inhibitors and Pituitary Adenylate Cyclase-Activating Polypeptide, a DPP-4 Substrate, Extend Neurite Outgrowth of Mouse Dorsal Root Ganglia Neurons: A Promising Approach in Diabetic Polyneuropathy Treatment. Yamaguchi M, Noda-Asano S, Inoue R, Himeno T, Motegi M, Hayami T, Nakai-Shimoda H, Kono A, Sasajima S, Miura-Yura E, Morishita Y, Kondo M, Tsunekawa S, Kato Y, Kato K, Naruse K, Nakamura J, Kamiya H. Int J Mol Sci. 2024 Aug 15;25(16):8881. doi: 10.3390/ijms25168881. PMID: 39201570
	Causes of death in Japanese patients with diabetes based on the results of a survey of 68,555 cases during 2011-2020: Committee report on causes of death in diabetes mellitus, Japan Diabetes Society (English version). Nakamura J, Yoshioka N, Katagiri H, Ueki K, Yamauchi T, Inagaki N, Tanizawa Y, Araki E, Nakayama T, Kamiya H. J Diabetes Investig. 2024 Dec;15(12):1821-1837. doi: 10.1111/jdi.14232. Epub 2024 Oct 4. PMID: 39363847
	A Multicenter, Prospective, Observational, and Single-Arm Interventional Study of Mirogabalin in Diabetic Peripheral Neuropathic Pain: Rationale and Design of Dia-NeP. Kamiya H, Suzuki R, Wada J, Deguchi T, Himeno T, Yamamoto S, Toyama T, Nakamura J. Diabetes Ther. 2025 Oct 24. doi: 10.1007/s13300-025-01809-5. Epub ahead of print. PMID: 41134469.

氏名	中村 好一
所属・役職	宇都宮市保健所 所長
専門分野	疫学・公衆衛生学
業績・実績	Nakamura Y, Yashiro M, Yanagawa H. Epidemiology of Kawasaki disease in Japan in 2021–2022: Results of the 27th nationwide survey Kawasaki disease in Japan in 2021–2022. Pediatr Int 2025;67(1):e70007. doi:10.1111/ped.70007.
	中村好一, 牧野伸子. 日本における英国滞在歴がある者からの献血血液を介した輸血による変異型クロイツフェルト・ヤコブ病感染の危険性. 厚生指標 2025 ; 72 (12) : 13-17.
	中村好一, 春山早苗, 編. なるほどなっとく!公衆衛生学. 東京: 南山堂, 2025.

氏名	成松 英智
所属・役職	札幌医科大学 医学部 救急医学講座 教授 札幌医科大学附属病院高度救命救急センター センター長 札幌医科大学 北海道病院前・航空・災害医学寄附講座 兼任教授
専門分野	救急医学、集中治療医学、麻酔科学
業績・実績	Narimatsu E, Kakizaki R, Nomura K, Sawamoto K, Takahashi K, Uemura S, Ishiguro M. Dexmedetomidine improves excessive extracellular glutamate-induced synaptic depression. Brain Res. 2022 Aug;1789:147949.
	Narimatsu E, Niiya T, Takada Y, Takahashi K, Yamauchi M, Yamakage M. Blockers of adenosine A1, but not muscarinic acetylcholine, receptors improve excessive extracellular glutamate-induced synaptic depression. Neurosci Res. 2013 Feb;75(2):103-11.
	Narimatsu E, Niiya T, Takahashi K, Yamauchi M, Yamakage M. Pralidoxime inhibits paraoxon-induced depression of rocuronium-neuromuscular block in a time-dependent fashion. Am J Emerg Med. 2012 Jul;30(6):901-7.

氏名	細井 雅之
所属・役職	大阪市立総合医療センター糖尿病・内分泌内科 部長
専門分野	内分泌、代謝疾患（糖尿病）
業績・実績	Impact of diabetes and Krebs von den Lungen-6 on coronavirus disease 2019 severity: A single-center study from Japan. Yakushiji Y, Motoyama K, Fukuda M, Takahashi H, Kimura M, Tazoe S, Iida H, Tamai A, Sakura T, Isaka Y, Fukumoto M, Yamagami K, Nakagawa H, Shirano M, Hosoi M.
	Masayuki Hosoi, Yosuke Yakusiji, and Shiro Tanaka “Clinical Application of Exercise Therapy in Diabetes ” Musculoskeletal Disease Associated with Diabetes Mellitus, Springer Japan 2016
	Effect of a Multifactorial Intervention on Retinopathy in People With Type 2 Diabetes: A Secondary Analysis of the J-DOIT3 Randomized Clinical Trial. Sasako T, Ueki K, Miyoshi K, Miyake K, Aoyama T, Okazaki Y, Ishizuka N, Yamauchi T, Noda M, Kadowaki T; J-DOIT3 Study Group. JAMA Ophthalmol. 2025 Oct 23:e253819. doi: 10.1001/jamaophthalmol.2025.3819. Online ahead of print. PMCID: PMC12550739

氏名	三嶋 理晃
所属・役職	大阪府済生会野江病院 名誉院長 大阪済生会野江看護専門学校 校長 社団福祉法人大阪府済生会 支部長 京都大学 名誉教授
専門分野	呼吸器内科
業績・実績	Setoh K, Terao C, Muro S, Kawaguchi T, Tabara Y, Takahashi M, Nakayama T, Kosugi S, Sekine A, Yamada R, Mishima M, Matsuda F. Three missense variants of metabolic syndrome-related genes are associated with alpha-1 antitrypsin levels. Nat Commun. 2015; 6: 7754.
	Setoh K, Terao C, Muro S, Kawaguchi T, Tabara Y, Takahashi M, Nakayama T, Kosugi S, Sekine A, Yamada R, Mishima M, Matsuda F. Three missense variants of metabolic syndrome-related genes are associated with alpha-1 antitrypsin levels. Nat Commun. 2015; 6: 7754.
	Yamamoto Y, Gotoh S, Korogi Y, Seki M, Konishi S, Ikeo S, Sone N, Nagasaki T, Matsumoto H, Muro S, Ito I, Hirai T, Kohno T, Suzuki Y, Mishima M. Long-term expansion of alveolar stem cells derived from human iPS cells in organoids. Nat Methods. 2017; 14(11): 1097-1106.

○ 氏名	水澤 英洋
所属・役職	国立研究開発法人国立精神・神経医療研究センター 理事長特任補佐, 名誉理事長
専門分野	神経内科学
業績・実績	Ohira M, Takano A, Yoshi K, Arai A, Aso Y, Furutani R, Hamano T, Takahashi-Iwata I, Kaneko C, Matsuura T, Maeda N, Nakajima H, Shindo K, Suenaga T, Sugie K, Suzuki Y, Yamashita T, Angulo FJ, Edwards J, Bender CM, Harper LR, Nakayama Y, Ito S, Pilz A, Stark JH, Moisi JC, Mizusawa H, Takao M.: Lyme neuroborreliosis in Japan: Borrelia burgdorferi sensu lato as a cause of meningitis of previously undetermined etiology in hospitalized patients outside of the island of Hokkaido, 2010-2021. Eur J Neurol. 2025; 32 (1): e70005.
	Goto R, Oba K, Bando K, Todoroki K, Yoshida J, Nishida D, Mizuno K, Mizusawa H, Takahashi Y. Gait rhythm analysis as a new continuous scale for cerebellar ataxia: Power law and lognormal components represent the ataxic gait quantity. Neurosci Res, 2024; 208: 39-43. July 2024.
	Honda T, Matsumura K, Hashimoto Y, Yokota T, Mizusawa H, Nagao S, Ishikawa K. Temporal Relationship between Impairment of Cerebellar Motor Learning and Deterioration of Ataxia in Patients with Cerebellar Degeneration. Cerebellum. 2023; 23 (4): 1280-1292.

氏名	森本 明子
所属・役職	大阪公立大学 基礎看護科学 看護情報学 教授
専門分野	看護情報学、成人保健学
業績・実績	Relationship between communicative and critical health literacy, health information sources, and participation in health checkups among middle-aged Japanese community residents. Morimoto A, Koh C, Yasumoto R, Furuki H, Watanabe K, Tsuzuki C, Sonoda N. Preventive Medicine. 2022; 161: 107112.
	Impact of impaired insulin secretion and insulin resistance on the incidence of type 2 diabetes mellitus in a Japanese population: the Saku study. Morimoto A, Tatsumi Y, Deura K, Mizuno S, Ohno Y, Miyamatsu N, Watanabe S. Diabetologia. 2013; 56(8): 1671-1679.
	標準保健師講座 疫学・保健統計学 第3版. 牧本清子, 尾崎米厚, 森本明子, 宮松直美. 医学書院. 2015.

氏名	安井 利一
所属・役職	明海大学 理事、名誉教授
専門分野	口腔衛生学、健康科学、公衆衛生学
業績・実績	Quantification of the Ability of Natural Products to Prevent Herpes Virus Infection. Fukuchi K, Sakagami H, Sugita Y, Takao K, Asai D, Terakubo S, Takemura H, Ohno H, Horiuchi M, Suguro M, Fujisawa T, Toeda K, Oizumi H, Yasui T, Oizumi T. Medicines (Basel). 2020 Oct 6;7(10)
	クマ笹葉アルカリ抽出液（ササヘルス®）は、瞬間的にウイルスを不活化する。坂上宏、福地邦彦、浅井大輔、寺久保繁美、竹村弘、堀内美咲、藤澤知弘、勝呂まどか、戸枝一喜、安井利一、大泉浩史、大泉高明、New Food Industry 62(11): 785-790. 2020.

氏名	横山 啓太郎
所属・役職	慈恵医大晴海トリトンクリニック 所長 東京慈恵会医科大学 教授
専門分野	慢性腎臓病、高血圧
業績・実績	Randomised clinical trial of ferric citrate hydrate on anaemia management in haemodialysis patients with hyperphosphataemia: ASTRIO study. Yokoyama K, Fukagawa M, Akiba T, Nakayama M, Ito K, Hanaki K, Wolf M, Hirakata H. Sci Rep. 2019 Jun 20;9(1):8877. Long-Term Efficacy and Safety of Evocalcet in Japanese Patients with Secondary Hyperparathyroidism Receiving Hemodialysis. Yokoyama K, Shimazaki R, Fukagawa M, Akizawa T; Evocalcet Study Group. Sci Rep. 2019 Apr 23;9(1):6410. Safety and efficacy of etelcalcetide, an intravenous calcimimetic, for up to 52 weeks in hemodialysis patients with secondary hyperparathyroidism: results of a post-marketing surveillance in Japan. Yokoyama K, Fukagawa M, Shigematsu T, Akiba T, Yoshikawa K, Tsuchiya A, Kuwabara M, Akizawa T. Clin Exp Nephrol. 2021 Jan;25(1):66-79. Ferric citrate hydrate improves transferrin saturation in patients with low levels of transferrin saturation undergoing hemodialysis. Yokoyama K, Inoue R, Ito K, Mitobe Y. Ren Fail. 2024 Dec;46(2)
	「健康をマネージメントする」横山啓太郎 単著, C.C.C.メディアハウス, (2019). 「生活習慣病克服プログラム」横山啓太郎 単著, 学研プラス(2021)
	Tenapanor Effect on Decrease in Phosphate Binder Pill Burden for Hyperphosphatemia in Japanese Patients Undergoing Hemodialysis: A Phase 3 Long-Term Study. Yokoyama K. Sato Y. Ohara M. et.al. American Society of Nephrology Kidney Week Philadelphia. 2023 Nov. (J Am Soc Nephrol. 掲載)

氏名	吉池 信男
所属・役職	青森県立保健大学 理事長、学長 健康科学総合教育部門 教授
専門分野	栄養学、公衆衛生学
業績・実績	Impact of an education intervention focusing on comprehensive mindful eating and chewing habits on daily eating practices: A mobile tool-based randomized controlled trial. Chiba A, Yoshiike N. Eat Behav. 2024 Sep 15;55:101923.
	Development of a Reverse-Yield Factor Database Disaggregating Japanese Composite Foods into Raw Primary Commodity Ingredients Based on the Standard Tables of Food Composition in Japan. Koyama T, Nakamura K, Kiuchi T, Chiba S, Akiyama H, Yoshiike N. Foods. 2024 Mar 24;13(7):988.
	Validation of the most cost-effective nudge to promote workers' regular self-weighing: a cluster randomized controlled trial. Takebayashi M, Yoshiike N, Koyama T, Toriyabe M, Nakamura H, Takebayashi K. Sci Rep. 2022 Sep 15;12(1):15501.