


ICD告示改正の流れ（国内）

資料3-2



各分類項目に含まれる内容（告示・和訳対象範囲の検討）

ICD-11 (Mortality and Morbidity Statistics)

Search

[Advanced Search]

Foundation

Linearizations

Contributions

Info

More...

ICD-11 - Mortality and Morbidity Statistics

- 01 Certain infectious or parasitic diseases
- 02 Neoplasms
- 03 Diseases of the blood or blood-forming organs
- 04 Diseases of the immune system
- 05 Endocrine, nutritional or metabolic diseases
- 06 Mental, behavioural or neurodevelopmental disorders
- 07 Sleep-wake disorders
- 08 Diseases of the nervous system
- 09 Diseases of the visual system
- 10 Diseases of the ear or mastoid process
- 11 Diseases of the circulatory system
- 12 Diseases of the respiratory system

Upper respiratory tract disorders

CA00 Acute nasopharyngitis

CA01 Acute sinusitis

- CA02 Acute pharyngitis
- CA03 Acute tonsillitis
- CA04 Acute laryngopharyngitis
- CA05 Acute laryngitis or tracheitis
- CA06 Acute obstructive laryngitis or epiglottitis
- CA07 Acute upper respiratory infections of multiple and unspecified sites
- CA08 Vasomotor or allergic rhinitis
- CA09 Chronic rhinitis, nasopharyngitis or pharyngitis
- CA0A Chronic rhinosinusitis
- CA0B Silent sinus syndrome
- CA0C Cyst or mucocele of nose or nasal sinus
- CA0D Deviated nasal septum
- CA0E Hypertrophy of nasal turbinates
- CA0F Chronic diseases of tonsils or adenoids
- CA0G Chronic laryngitis or laryngotracheitis
- CA0H Diseases of vocal cords or larynx, not elsewhere classified
- CA0J Nasal polyp
- CA0K Abscess of upper respiratory tract
- CA0L Dyskinesia trachea
- CA0M Trachea ossification
- CA0N Perichondritis of trachea
- CA0P Trachea stricture
- CA0Q Tracheomalacia
- CA0R Rhinoscleroma

Foundation Id : <http://id.who.int/icd/entity/2066255370>

CA00 Acute nasopharyngitis

Parent

Upper respiratory tract disorders

Show all ancestors

ICD-10 : J00

Description

A disease of the upper respiratory tract, caused by an infectious agent. This disease is characterized by pharyngitis, runny nose, stuffy nose, or cough. Transmission is by inhalation of respiratory secretions, or direct contact.

Additional Information

The common cold (also known as nasopharyngitis, rhinopharyngitis, acute coryza, or a cold) is a viral infectious disease of the upper respiratory system which affects primarily the nose. The meaning of nasopharynx is the same as epipharynx however the term nasopharyngitis is generally used when the disease involves the nose, pharynx and larynx. Often called "a cold" indicates a "common cold infection". The causative agent is 90% by a viral infection, other causes include bacterial or mycoplasma infections. Patients with nasopharyngitis present with cough, pharyngeal pain, running nose, stuffy nose as local symptoms, and increasing fever, general fatigue and headache as general symptoms. These symptoms usually resolve in seven to ten days, with some symptoms lasting up to three weeks.

Exclusions

- Chronic nasopharyngitis (CA09.1)
- pharyngitis NOS (CA02)
- Acute pharyngitis (CA02)
- Chronic pharyngitis (CA09.2)
- rhinitis NOS (CA09.0)
- sore throat NOS (CA00-CA0Z)
- Vasomotor rhinitis (CA08.3)
- Chronic rhinitis (CA09.0)
- Allergic rhinitis (CA08.0)
- acute sore throat (CA02)
- chronic sore throat (CA09.2)

All Index Terms

- Acute nasopharyngitis
- acute infective rhinitis
- cold
- common cold
- coryza
- head cold
- infective nasopharyngitis
- Rhinopharyngitis
- acute coryza
- acute nasal catarrh
- acute rhinitis
- infective rhinitis
- acute nasopharyngeal catarrh

Hide index terms

①分類名

③解説文

④追加情報

⑤除外用語

②索引用語

死亡・疾病統計用分類
(ICD-11 MMS: Mortality
and Morbidity Statistics)

Proposals

各分類項目に含まれる内容（告示・和訳対象範囲の検討）

ユニークID (URI)

ICD-11 (Foundation)

Search

Advanced Search

Foundation

Linearization

Annotations

Info

More...

ICD-11

Certain infectious or parasitic diseases

Neoplasms

Diseases of the blood or blood-forming organs

Diseases of the immune system

Endocrine, nutritional or metabolic diseases

Mental, behavioural or neurodevelopmental disorders

Sleep-wake disorders

Diseases of the nervous system

Diseases of the visual system

Diseases of the ear or mastoid process

Diseases of the circulatory system

Diseases of the respiratory system

Symptoms, signs or clinical findings of the respiratory system

Neoplasms of the respiratory system

Developmental respiratory diseases

Upper respiratory tract disorders

Acute nasopharyngitis

Streptococcal nasopharyngitis

Acute catarrhal inflammation

Pneumococcal rhinitis

Septic nasopharyngitis

Acute sinusitis

Acute adenoiditis

Acute pharyngitis

Laryngotonsillitis

Acute tonsillitis

Acute laryngopharyngitis

Acute laryngitis or tracheitis

Acute obstructive laryngitis or epiglottitis

Acute upper respiratory infections of multiple and unspecified sites

Vasomotor or allergic rhinitis

Chronic rhinitis, nasopharyngitis or pharyngitis

Chronic rhinosinusitis

Certain specified disorders of nose or nasal sinuses

Chronic diseases of tonsils or adenoids

Chronic laryngitis or laryngotracheitis

Diseases of vocal cords or larynx, not elsewhere classified

Nasal polyp

Abscess of upper respiratory tract

Other diseases of upper respiratory tract

Cricopharyngeal bar

Certain lower respiratory tract diseases

Lung infections

Lung diseases due to external agents

Respiratory diseases principally affecting the lung interstitium

Pleural, diaphragm or mediastinal disorders

Certain diseases of the respiratory system

Respiratory failure

Pulmonary heart disease or diseases of pulmonary circulation

Postprocedural disorders of the respiratory system

Sleep-related breathing disorders

Diseases of the digestive system

Diseases of the skin

Diseases of the musculoskeletal system or connective tissue

Diseases of the genitourinary system

Conditions related to sexual health

Pregnancy, childbirth or the puerperium

Certain conditions originating in the perinatal period

Developmental anomalies

Symptoms, signs or clinical findings, not elsewhere

Foundation ID: <http://id.who.int/icd/entity/2066255370>

Acute nasopharyngitis

Parent(s)

Upper respiratory tract disorders

Infections due to Rhinovirus

5-70 Other and unspecified diseases of the respiratory system

Description

A disease of the upper respiratory tract, caused by an infection with rhinovirus. This disease is characterized by pharyngitis and rhinitis. Transmission is by inhalation or contact.

Additional Information

The common cold (also known as nasopharyngitis, rhinopharyngitis, acute coryza, or a cold) is a viral infectious disease of the upper respiratory tract caused by a variety of viruses. The disease primarily affects the nose. The epipharynx however the term nasopharyngitis is generally used when epipharyngitis extends to the nose, pharynx and larynx. Other names for a cold are "coryza" and "rhinocoryza". The term "common cold infection". The infection, other causes include bacterial or mycoplasma infections. Patients with nasopharyngitis present with a runny nose, sore throat, cough, sneezing, and nasal congestion. Symptoms are usually mild and last for 7-10 days. Headache as general symptoms. These symptoms usually resolve in seven to ten days, with some symptoms lasting up to two weeks.

Synonyms

acute infective rhinitis

cold

common cold

coryza

head cold

infective nasopharyngitis

Rhinopharyngitis

acute coryza

acute nasal catarrh

acute rhinitis

infective rhinitis

acute nasopharyngeal catarrh

infective nasopharyngitis NOS

Nasopharyngitis NOS

epipharyngitis

mucositis NOS

inflammatory disease of mucous membrane

mucosal inflammation

Exclusions

Chronic nasopharyngitis

pharyngitis NOS

Acute pharyngitis

Chronic pharyngitis

rhinitis NOS

sore throat NOS

Vasomotor rhinitis

Chronic rhinitis

Allergic rhinitis

acute sore throat

chronic sore throat

Body Site

Pharyngeal structure (body structure)

Entire pharynx (body structure)

Internal nose structure (body structure)

Nasal cavity structure (body structure)

Entire nasal cavity (body structure)

Signs and Symptoms

Inflammation (qualifier value)

Inflammation (morphologic abnormality)

Etiology Type

Infectious disease (disorder)

①分類名

③解説文

④追加情報

②同義語

②狭義語

⑤除外用語

⑥その他：

身体的部位

症状・兆候

病因の種類

ほか

ファウンダー (Foundation)

MMSに表示される

亡・疾病統計 (Mortality and Morbidity Statistics)

の)のほか、

裏に様々な情報 (Additional information is hidden behind the scenes.)

る。

②索引 (Index)

同義語、細分 (Synonyms, subtypes)

MMSでは、表示 (In MMS, it is displayed)

示される。

ファウンデーション
(Foundation) : 各項目は、
MMSに表示される情報（死
亡・疾病統計として必要なも
の）のほか、基盤情報として、
裏に様々な情報を保有してい
る。

同義語、細分類、狭義語は、MMSでは、索引用語として表示される。

WHO提供資料：翻訳プラットフォーム

Translations ICD-11

stroke

Advanced Search

Browse

Translation Comments

Translations

Japanese

20% 13% Diseases of the blood or blood-forming organs

35% 13% Diseases of the immune system

15% 12% Endocrine, nutritional or metabolic diseases

15% 11% Mental, behavioural or neurodevelopmental disorders

70% 40% Sleep-wake disorders

32% 15% Diseases of the nervous system

32% 17% Movement disorders

70% 10% Disorders with neurocognitive impairment as a major feature

18% 14% Multiple sclerosis or other white matter disorders

0% 13% Epilepsy or seizures

70% 15% Headache disorders

20% 15% Cerebrovascular diseases

23% 7% Intracranial haemorrhage

12% 3% Intracerebral haemorrhage

30% 14% Subarachnoid haemorrhage

0% Nontraumatic subdural haemorrhage

0% Nontraumatic epidural haemorrhage

23% 10% Cerebral ischaemia

23% 12% Transient ischaemic attack

14% 10% Cerebral ischaemic stroke

30% Stroke not known if ischaemic or haemorrhagic

7% 15% Asymptomatic stenosis of intracranial or extracranial artery

8% 42% Asymptomatic occlusion of intracranial or extracranial artery

17% 17% Cerebrovascular disease with no acute cerebral symptom

32% 20% Certain specified cerebrovascular diseases

17% 35% Cerebrovascular abnormalities

4% 11% Hypoxic-ischaemic encephalopathy

26% 20% Late effects of cerebrovascular disease

90% 69% Vascular syndromes of brain in cerebrovascular diseases

70% 23% Spinal cord disorders excluding trauma

0% 11% Motor neuron diseases or related disorders

0% 21% Disorders of nerve root, plexus or peripheral nerves

30% 12% Diseases of neuromuscular junction or muscle

英語

日本語入力箇所

Transient ischaemic attack

English

Japanese

Definition

Transient episode of focal neurological dysfunction caused by focal brain ischemia without acute infarction in the clinically relevant area of the brain or transient monocular visual loss due to retinal ischemia. Symptoms should resolve completely within 24 hours.

Current Stage

Next Stage

Approve

翻訳者レベル

↓

解説文

分類名と同義語

英語にない同義語を追加

狭義語 (狭義語の追加は不可)

単語レベル URI

単語単位のユニークIDが設定されているため、分類レベルではなく索引用語（病名等）レベルの管理が可能


作業用エクスセル
(非公開)

Chapter	Linearization Entity	Linearization Entity Depth	ID	LabelEN	LabelJA	Depth	TermId	Property
01	Chapter	1	http://id.who.int/	Certain infectious or parasitic diseases	感染症及び寄生虫症	1	http://who.int/icd	Title
01				infection NOS		1	http://who.int/icd	Synonym
01				infection of unspecified organism and unspecified site		1	http://who.int/icd	Synonym
01				infectious disease NOS		1	57949_73500745_25	Synonym
01	Block	1	http://id.who.int/	Gastroenteritis and colitis of infectious origin	腸管感染症	2	http://who.int/icd	Title
01	Block	2	http://id.who.int/	Bacterial intestinal infections	細菌性腸管感染症	3	http://who.int/icd	Title
01	Category	1	http://id.who.int/	Cholera	コレラ菌による感染症	4	http://who.int/icd	Title
01				cholera syndrome		4	http://who.int/icd	Synonym
01			http://id.who.int/	Enteritis due to cholera due to Vibrio cholerae non-01 strains		5	http://who.int/icd	Title
01			http://id.who.int/	Cholera due to Vibrio cholerae 01, biovar cholerae	コレラ菌によるコレラ [possible translation]	5	http://who.int/icd	Title

WHO提供資料：レファレンスガイド（旧第2巻総論）

ICD-11 Reference Guide

- 1 Part 1 - What is ICD-11?
- 2 Part 2 - How does ICD-11 work?
- 3 Part 3 - What is new in ICD-11?



ICD-11 Reference Guide

- 2.15 Electronic reporting
- 2.16 Main uses of the ICD: Mortality
- 2.17 Mortality statistics
 - 2.17.1 What is tabulated: Underlying cause of death
- 2.18 Data source: The international death certificate
- 2.19 Basic concepts
- 2.20 Coding instructions for mortality
- 2.21 Check for modifications of the starting point (Steps M1 to M4)
- 2.22 Special instructions in selecting the underlying cause of death
- 2.23 Coding instructions for mortality: multiple cause coding and other specific instructions
- 2.24 Routine use and special cases
- 2.25 Main Uses of the ICD: Morbidity
- 2.26 Special cases
- 2.27 Morbidity for research purposes
- 2.28 General statistical recommendations
- 2.29 International morbidity reporting
- 2.30 Recommendations in relation to statistical tables for international comparison
- 2.31 ICD maintenance and application
 - 2.32 Mortality Rules - Knowledgebase
 - 2.33 Automated coding tools for mortality
- 2.34 Annexes: International forms of death certificate
- 2.35 Annexes: Lists used in mortality coding
 - 2.36 Chapter Structure of the Joint Linearisation
 - 2.37 Chapter Structure of the MMS Linearization
- 3 Part 3 - What is new in ICD-11?

2.18 Data source: The international death certificate

The international mortality coding instructions presuppose that data have been collected with a death certificate conforming to the International form of medical certificate of cause of death as recommended by the WHO (see Figure). The medical data part of the international form (FRAME A) is split into two parts: Part 1 is for diseases related to the train of events leading directly to death, and Part 2 is for other significant conditions contributing to death. All other information in the form is also used in identifying the underlying cause of death for tabulation.

In order to align the way this information is collected internationally, the form should be followed as closely as possible. Otherwise, the causes of death will not be internationally comparable. For example, if a death is caused by a condition related to a condition caused by certain other conditions, and in such cases, the conditions related to the condition should be reported in Part 1 and in Part 2 of the certificate. Further, information about the conditions on the certificate, such as the conditions stated on the certificate and selecting an underlying cause for tabulation.

It is the responsibility of the medical practitioner or other qualified certifier signing the death certificate to indicate which morbid conditions led directly to death and to state any pre-existing conditions giving rise to this cause. The certifier should use his or her clinical judgement in completing the medical certificate of cause of death. Automated systems must not include lists or other prompts to guide the certifier, as these necessarily limit the range of diagnoses and therefore have an adverse effect on the accuracy and usefulness of the report. **Figure 1:** International Death Certificate

Administrative Data (can be further specified by country)			
Sex	☐ Female	☐ Male	☐ Unknown
Date of birth			
Date of death			
Frame A: Medical data: Part 1 and 2			
1	Report disease or condition directly leading to death on line a	Cause of death	Time interval from onset to death
	a		
	b	Due to:	
	c	Due to:	
	d	Due to:	
Report chain of events in due to order (if applicable)			
State the underlying cause on the lowest used line			
2 Other significant conditions contributing to death (time intervals can be included in brackets after the condition)			
Frame B: Other medical data			
Was surgery performed within the last 4 weeks? ☐ Yes ☐ No ☐ Unknown			
If yes please specify date of surgery			
If yes please specify reason for surgery (disease or condition)			
Was an autopsy requested? ☐ Yes ☐ No ☐ Unknown			

ICD-11 Reference Guide

- 1 Part 1 - What is ICD-11?
- 2 Part 2 - How does ICD-11 work?
 - 2.1 ICD maintenance and application
 - 2.2 ICD-11 conventions
 - 2.3 'Code also' and 'Use additional code, if desired' instructions
 - 2.4 Stem codes
 - 2.5 Extension codes
 - 2.6 ICD Print and Electronic version
 - 2.7 Tabular List, Special Tabulation Lists, Qualifiers, and Modifiers
 - 2.8 Reference Guide
 - 2.9 Index
 - 2.10 The Foundation Component
 - 2.11 Online tools
 - 2.12 Basic coding and reporting guidelines
 - 2.13 Coding step by step - clinical term
 - 2.14 Adding detail - postcoordination and cluster coding with multiple stem codes and extension codes
 - 2.15 Electronic reporting
 - 2.16 Main uses of the ICD: Mortality
- 2.17 Mortality statistics
- 2.18 Data source: The international death certificate
- 2.19 Basic concepts
- 2.20 Coding instructions for mortality
- 2.21 Check for modifications of the starting point (Steps M1 to M4)
- 2.22 Special instructions in selecting the underlying cause of death
- 2.23 Coding instructions for mortality: multiple

2.2 ICD-11 conventions

ICD-11 has standard ways of presenting its content. Conventions describe textual content and also apply to the coding structure.

2.2.1 Code structure

The codes of ICD-11 are alphanumeric and cover the range from 1A00.00 to ZZ9Z.ZZ. Codes starting with 'X' indicate an extension code (see Section 2.9 'Extension Codes'). The inclusion of a forced number at the 3rd character position prevents spelling 'undesirable words'. The letters 'O' and 'I' are omitted to prevent confusion with the numbers '0' and '1'. Technically, the coding scheme would be described as below:

ED1E.EE

- E corresponds to a 'base 34 number' (0-9 and A-Z; excluding O, I);
- D corresponds to 'base 24 number' (A-Z; excluding O, I); and
- 1 corresponds to the 'base 10 integers' (0-9)
- The first E starts with '1' and is allocated for the chapter. (i.e. 1 is for the first chapter, 2: chapter 2, ... A chapter 10, etc.)

The terminal letter Y is reserved for the residual category 'other specified' and the terminal letter 'Z' is reserved for the residual category 'unspecified'. For the chapters that have more than 240 blocks, 'F' ('other specified') and 'G' ('unspecified') are also used to indicate residual categories (due to problems with the coding space).

Chapters are indicated by the first character. For example, 1A00 is a code in chapter 1, and BA00 is a code in chapter 11.

Blocks are not coded within this code structure. There is unused coding space available for future expansion and stable.

2.2.2 Inclusions

Within the coded categories there are typical 'other optional diagnostic for tabulation' terms. These terms may refer to different conditions or be synonyms. They are not a sub-classification of the category.

Inclusion terms are listed primarily as a guide to the content of the category, in addition to the definition. Many of the items listed relate to important or common terms belonging to the category. Others are borderline conditions or sites listed to distinguish the boundary between one subcategory and another. The lists of inclusion terms are by no means exhaustive.

Alternative names of diagnostic entities (synonyms) are included and shown in the electronic coding tool and the Alphabetic index.

It is sometimes necessary to read inclusion terms in conjunction with titles. This usually occurs when the inclusion terms describe lists of sites or pharmaceutical products, where appropriate words from the title (e.g. 'malignant

ICD-11コードの表記法 や用語の解説

- ICD-10の第2巻総論にあたる内容をウェブサイト上で提供
- WHOからPDF版が提供される予定（300ページ超）
- 内容は一部未完成（WHA採択までに修正予定）

WHO提供資料：マッピング・テーブル

	11ClassKind	Depth	ICD-10Code	ICD10Chapter	ICD10Title	11ClassKind	Depth	ICD-11 FoundationURI	Linearization (releaseURI)	ICD11Code	ICD11Chapter	ICD11Title	2018-Jun
chapter	1			I	Certain infectious and parasitic diseases	category	1	http://id.who.int/icd/entity/1435254666	http://id.who.int/icd/release/11/2018/mms/1435254666/unspecified	1A0Z		Infection, unspecified	
block	1	A00-A09		I	Intestinal infectious diseases	block	1	http://id.who.int/icd/entity/588616678	http://id.who.int/icd/release/11/2018/mms/588616678		1	Gastroenteritis or colitis of infectious origin	
category	1	A00		I	Cholera	category	1	http://id.who.int/icd/entity/257068234	http://id.who.int/icd/release/11/2018/mms/257068234	1A00	1	Cholera	
category	2	A00.0		I	Cholera due to Vibrio cholerae 01, biovar cholerae	category	1	http://id.who.int/icd/entity/1205958647	http://id.who.int/icd/release/11/2018/mms/257068234	1A00&XN8P1	1	Cholera / Vibrio cholera 01, biovar cholerae	
category	2	A00.1		I	Cholera due to Vibrio cholerae 01, biovar eltor	category	1	http://id.who.int/icd/entity/581614179	http://id.who.int/icd/release/11/2018/mms/257068234	1A00&XN6Z2R	1	Cholera / Vibrio cholera 01, biovar eltor	
category	2	A00.9		I	Cholera, unspecified	category	1	http://id.who.int/icd/entity/257068234	http://id.who.int/icd/release/11/2018/mms/257068234	1A00	1	Cholera	
category	1	A01		I	Typhoid and paratyphoid fevers	category	1	http://id.who.int/icd/entity/1561949126	http://id.who.int/icd/release/11/2018/mms/135352227/unspecified	1A0Z	1	Bacterial intestinal infections, unspecified	
category	2	A01.0		I	Typhoid fever	category	1	http://id.who.int/icd/entity/1528414070	http://id.who.int/icd/release/11/2018/mms/1528414070	1A07	1	Typhoid fever	
category	2	A01.1		I	Paratyphoid fever A	category	1	http://id.who.int/icd/entity/1045590756	http://id.who.int/icd/release/11/2018/mms/1780040028	1A08	1	Paratyphoid Fever	
category	2	A01.2		I	Paratyphoid fever B	category	1	http://id.who.int/icd/entity/1258234397	http://id.who.int/icd/release/11/2018/mms/1780040028	1A08	1	Paratyphoid Fever	
category	2	A01.3		I	Paratyphoid fever C	category	1	http://id.who.int/icd/entity/800386953	http://id.who.int/icd/release/11/2018/mms/1780040028	1A08	1	Paratyphoid Fever	
category	2	A01.4		I	Paratyphoid fever, unspecified	category	1	http://id.who.int/icd/entity/1780040028	http://id.who.int/icd/release/11/2018/mms/1780040028	1A08	1	Paratyphoid Fever	
category	1	A02		I	Other salmonella infections	category	1	http://id.who.int/icd/entity/1561949126	http://id.who.int/icd/release/11/2018/mms/135352227/unspecified	1A0Z	1	Bacterial intestinal infections, unspecified	
category	2	A02.0		I	Salmonella enteritis	category	1	http://id.who.int/icd/entity/1520312138	http://id.who.int/icd/release/11/2018/mms/515117475	1A09	1	Infection, unspecified site	
category	2	A02.1		I	Salmonella sepsis	category	1	http://id.who.int/icd/entity/622600769	http://id.who.int/icd/release/11/2018/mms/622600769	1G40	1	Sepsis, unspecified site	
category	2	A02.2		I	Localized salmonella infection	category	1	http://id.who.int/icd/entity/1561949126	http://id.who.int/icd/release/11/2018/mms/135352227/unspecified	1A0Z	1	Bacterial intestinal infections, unspecified	
category	2	A02.8		I	Other specified salmonella infections	category	1	http://id.who.int/icd/entity/515117475	http://id.who.int/icd/release/11/2018/mms/515117475	1A09	1	Infection, unspecified site	
category	2	A02.9		I	Salmonella infection, unspecified	category	1	http://id.who.int/icd/entity/520429137	http://id.who.int/icd/release/11/2018/mms/520429137	1C41	1	Bacterial infection of unspecified site	
category	1	A03		I	Shigellosis	category	1	http://id.who.int/icd/entity/2080365623	http://id.who.int/icd/release/11/2018/mms/2080365623	1A0Z	1	Intestinal infections due to Shigella	
category	2	A03.0		I	Shigellosis due to Shigella dysenteriae	category	1	http://id.who.int/icd/entity/1181145033	http://id.who.int/icd/release/11/2018/mms/2080365623	1A0Z	1	Intestinal infections due to Shigella	
category	2	A03.1		I	Shigellosis due to Shigella flexneri	category	1	http://id.who.int/icd/entity/590158429	http://id.who.int/icd/release/11/2018/mms/2080365623	1A0Z	1	Intestinal infections due to Shigella	
category	2	A03.2		I	Shigellosis due to Shigella boydii	category	1	http://id.who.int/icd/entity/1468025508	http://id.who.int/icd/release/11/2018/mms/2080365623	1A0Z	1	Intestinal infections due to Shigella	
category	2	A03.3		I	Shigellosis due to Shigella sonnei	category	1	http://id.who.int/icd/entity/852199222	http://id.who.int/icd/release/11/2018/mms/2080365623	1A0Z	1	Intestinal infections due to Shigella	
category	2	A03.8		I	Other shigellosis	category	1	http://id.who.int/icd/entity/520429137	http://id.who.int/icd/release/11/2018/mms/520429137	1C41	1	Bacterial infection of unspecified site	
category	2	A03.9		I	Shigellosis, unspecified	category	1	http://id.who.int/icd/entity/2080365623	http://id.who.int/icd/release/11/2018/mms/2080365623	1A0Z	1	Intestinal infections due to Shigella	
category	1	A04		I	Other bacterial intestinal infections	category	1	http://id.who.int/icd/entity/135352227	http://id.who.int/icd/release/11/2018/mms/135352227/unspecified	1A0Z	1	Bacterial intestinal infections, unspecified	
category	2	A04.0		I	Enteropathogenic Escherichia coli infection	category	2	http://id.who.int/icd/entity/2099226249	http://id.who.int/icd/release/11/2018/mms/2099226249	1A03.0	1	Enteropathogenic Escherichia coli infection	
category	2	A04.1		I	Enterotoxigenic Escherichia coli infection	category	2	http://id.who.int/icd/entity/408185629	http://id.who.int/icd/release/11/2018/mms/408185629	1A03.1	1	Enterotoxigenic Escherichia coli infection	
category	2	A04.2		I	Enteroinvasive Escherichia coli infection	category	2	http://id.who.int/icd/entity/1828273122	http://id.who.int/icd/release/11/2018/mms/1828273122	1A03.2	1	Enteroinvasive Escherichia coli infection	
category	2	A04.3		I	Enterohaemorrhagic Escherichia coli infection	category	2	http://id.who.int/icd/entity/162723448	http://id.who.int/icd/release/11/2018/mms/162723448	1A03.3	1	Enterohaemorrhagic Escherichia coli infection	
category	2	A04.4		I	Other intestinal Escherichia coli infections	category	1	http://id.who.int/icd/entity/344162786	http://id.who.int/icd/release/11/2018/mms/344162786	1A03	1	Intestinal infections due to Escherichia coli	
category	2	A04.5		I	Campylobacter enteritis	category	1	http://id.who.int/icd/entity/794462570	http://id.who.int/icd/release/11/2018/mms/794462570	1A06	1	Gastroenteritis due to Campylobacter	
category	2	A04.6		I	Enteritis due to Yersinia enterocolitica	category	1	http://id.who.int/icd/entity/1000894786	http://id.who.int/icd/release/11/2018/mms/1000894786	1A05	1	Intestinal infections due to Yersinia enterocolitica	
category	2	A04.7		I	Enterocolitis due to Clostridium difficile	category	1	http://id.who.int/icd/entity/250688797	http://id.who.int/icd/release/11/2018/mms/250688797	1A04	1	Enterocolitis due to Clostridium difficile	
category	2	A04.8		I	Other specified bacterial intestinal infections	category	1	http://id.who.int/icd/entity/135352227	http://id.who.int/icd/release/11/2018/mms/135352227/unspecified	1A0Z	1	Bacterial intestinal infections, unspecified	
category	2	A04.9		I	Bacterial intestinal infection, unspecified	category	1	http://id.who.int/icd/entity/135352227	http://id.who.int/icd/release/11/2018/mms/135352227/unspecified	1A0Z	1	Bacterial intestinal infections, unspecified	
category	1	A05		I	Other bacterial foodborne intoxications, not elsewhere classified	category	1	http://id.who.int/icd/entity/135352227	http://id.who.int/icd/release/11/2018/mms/135352227/unspecified	1A0Z	1	Bacterial intestinal infections, unspecified	
category	2	A05.0		I	Foodborne staphylococcal intoxication	category	1	http://id.who.int/icd/entity/135352227	http://id.who.int/icd/release/11/2018/mms/135352227/unspecified	1A0Z	1	Bacterial intestinal infections, unspecified	
category	2	A05.1		I	Botulism	category	1	http://id.who.int/icd/entity/135352227	http://id.who.int/icd/release/11/2018/mms/135352227/unspecified	1A0Z	1	Bacterial intestinal infections, unspecified	
category	2	A05.2		I	Foodborne Clostridium perfringens [Clostridium welchii] intoxication	category	1	http://id.who.int/icd/entity/135352227	http://id.who.int/icd/release/11/2018/mms/135352227/unspecified	1A0Z	1	Bacterial intestinal infections, unspecified	
category	2	A05.3		I	Foodborne Vibrio parahaemolyticus intoxication	category	1	http://id.who.int/icd/entity/135352227	http://id.who.int/icd/release/11/2018/mms/135352227/unspecified	1A0Z	1	Bacterial intestinal infections, unspecified	

Mappings

search ICD-11

Advanced Search

Browse

Contributions

More...

ICD-11

Certain infectious or parasitic diseases

Neoplasms

Diseases of the blood or blood-forming organs

Mapping Statements

Bacterial pneumonia

ICD-10 Version

Certain infectious or parasitic diseases

Neoplasms

Diseases of the blood or blood-forming organs

- 以下の3ファイルを提供
 - ✓ 1CD-10（1対複数）ICD-11
 - ✓ ICD-10（1対1）ICD-11
 - ✓ ICD-11（1対複数）ICD-10
- マッピングは、マッピング・ツール（非公開）によって管理されている。

Mappings

search ICD-11 [Advanced Search] Browse Contributions More...

ICD-11

- Certain infectious or parasitic diseases
- Neoplasms
- Diseases of the blood or blood-forming organs
- Diseases of the immune system
- Endocrine, nutritional or metabolic diseases
- Mental, behavioural or neurodevelopmental disorders
- Sleep-wake disorders
- Diseases of the nervous system
- Diseases of the visual system
- Diseases of the ear or mastoid process
- Diseases of the circulatory system
- Diseases of the respiratory system
 - Neoplasms of the respiratory system
 - Developmental respiratory diseases
 - Upper respiratory tract disorders
 - Certain lower respiratory tract diseases
 - Lung infections
 - Pneumonia
 - Bronchopneumonia
 - Community acquired pneumonia
 - Hospital acquired pneumonia
 - Nosocomially acquired pneumonia

ICD-10 Version:2016

- I Certain infectious and parasitic diseases
- II Neoplasms
- III Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism
- IV Endocrine, nutritional and metabolic diseases
- V Mental and behavioural disorders
- VI Diseases of the nervous system
- VII Diseases of the eye and adnexa
- VIII Diseases of the ear and mastoid process
- IX Diseases of the circulatory system
- X Diseases of the respiratory system
 - J00-J06 Acute upper respiratory infections
 - J09-J18 Influenza and pneumonia
 - J09 Influenza due to identified zoonotic or pandemic influenza virus
 - J10 Influenza due to identified seasonal influenza virus
 - J11 Influenza, virus not identified
 - J12 Viral pneumonia, not elsewhere classified
 - J13 Pneumonia due to Streptococcus pneumoniae
 - J14 Pneumonia due to Haemophilus influenzae
 - J15 Bacterial pneumonia, not elsewhere classified
 - J15.0 Pneumonia due to Klebsiella pneumoniae
 - J15.1 Pneumonia due to Pseudomonas
 - J15.2 Pneumonia due to staphylococcus
 - J15.3 Pneumonia due to streptococcus, group B
 - J15.4 Pneumonia due to other streptococci
 - J15.5 Pneumonia due to Escherichia coli

Mapping Statements

Bacterial pneumonia

Bacterial pneumonia !	=	J15.8 Other bacterial pneumonia
J15.9 Bacterial pneumonia, unspecified	=	J17.0 Pneumonia in bacterial diseases classified elsewhere
Bacterial pneumonia !	=	J15 Bacterial pneumonia, not elsewhere classified

Derived Crosswalks (ICD11 ⇌ ICD10)

Single entity Crosswalk:

ICD11 Bacterial pneumonia (<http://id.who.int/icd/entity/1323682030>)
is mapped to:
ICD10 Bacterial pneumonia, not elsewhere classified (J15)
See the mapping statement that is used to come up with the crosswalk

Multiple entity Crosswalk

ICD11 Bacterial pneumonia (<http://id.who.int/icd/entity/1323682030>)
is mapped to:
ICD10 Bacterial pneumonia, not elsewhere classified (J15)