

(誤) 第28表 BMI・腹囲の区分(性・年齢階級別)

		年 齢 階 級															
		総 数		20-29歳		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		(再掲) 40-74歳	
		人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%
性 別 男 性	BMI・腹囲の区分																
	BMI<25、腹囲<85/90cm	1202	44.9	145	69.7	223	55.3	192	45.2	193	40.8	209	36.3	240	40.7	675	39.1
	BMI≥25、腹囲<85/90cm	645	24.1	18	8.7	65	16.1	91	21.4	112	23.7	174	30.2	185	31.4	465	26.9
	BMI<25、腹囲≥85/90cm	59	2.2	7	3.4	9	2.2	12	2.8	17	3.6	7	1.2	7	1.2	37	2.1
	BMI≥25、腹囲≥85/90cm	769	28.7	38	18.3	106	26.3	130	30.6	151	31.9	186	32.3	158	26.8	549	31.8
	総 数	2675	100	208	100	403	100	425	100	473	100	576	100	590	100	1726	100
女 性	BMI・腹囲の区分																
	BMI<25、腹囲<85/90cm	2490	74.7	235	93.3	479	88.7	408	82.1	453	74.3	450	64.4	465	63.1	1482	71.3
	BMI≥25、腹囲<85/90cm	173	5.2	1	0.4	3	0.6	6	1.2	28	4.6	47	6.7	88	11.9	111	5.3
	BMI<25、腹囲≥85/90cm	249	7.5	6	2.4	36	6.7	40	8.0	65	10.7	63	9.0	39	5.3	187	9.0
	BMI≥25、腹囲≥85/90cm	423	12.7	10	4.0	22	4.1	43	8.7	64	10.5	139	19.9	145	19.7	300	14.4
	総 数	3335	100	252	100	540	100	497	100	610	100	699	100	737	100	2080	100
総 数	BMI・腹囲の区分																
	BMI<25、腹囲<85/90cm	3692	61.4	380	82.6	702	74.4	600	65.1	646	59.6	659	51.7	705	53.1	2157	56.7
	BMI≥25、腹囲<85/90cm	818	13.6	19	4.1	68	7.2	97	10.5	140	12.9	221	17.3	273	20.6	576	15.1
	BMI<25、腹囲≥85/90cm	308	5.1	13	2.8	45	4.8	52	5.6	82	7.6	70	5.5	46	3.5	224	5.9
	BMI≥25、腹囲≥85/90cm	1192	19.8	48	10.4	128	13.6	173	18.8	215	19.9	325	25.5	303	22.8	849	22.3
	総 数	6010	100	460	100	943	100	922	100	1083	100	1275	100	1327	100	3806	100

注) 妊婦除外

(正) 第28表 BMI・腹囲の区分(性・年齢階級別)

		年 齢 階 級															
		総 数		20-29歳		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		(再掲) 40-74歳	
		人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%
性 別 男 性	BMI・腹囲の区分																
	BMI<25、腹囲<85/90cm	1,202	44.9	145	69.7	223	55.3	192	45.2	193	40.8	209	36.3	240	40.7	675	39.1
	BMI≥25、腹囲<85/90cm	59	2.2	7	3.4	9	2.2	12	2.8	17	3.6	7	1.2	7	1.2	37	2.1
	BMI<25、腹囲≥85/90cm	645	24.1	18	8.7	65	16.1	91	21.4	112	23.7	174	30.2	185	31.4	465	26.9
	BMI≥25、腹囲≥85/90cm	769	28.7	38	18.3	106	26.3	130	30.6	151	31.9	186	32.3	158	26.8	549	31.8
	総 数	2,675	100	208	100	403	100	425	100	473	100	576	100	590	100	1,726	100
女 性	BMI・腹囲の区分																
	BMI<25、腹囲<85/90cm	2,490	74.7	235	93.3	479	88.7	408	82.1	453	74.3	450	64.4	465	63.1	1,482	71.3
	BMI≥25、腹囲<85/90cm	249	7.5	6	2.4	36	6.7	40	8.0	65	10.7	63	9.0	39	5.3	187	9.0
	BMI<25、腹囲≥85/90cm	173	5.2	1	0.4	3	0.6	6	1.2	28	4.6	47	6.7	88	11.9	111	5.3
	BMI≥25、腹囲≥85cm	423	12.7	10	4.0	22	4.1	43	8.7	64	10.5	139	19.9	145	19.7	300	14.4
	総 数	3,335	100	252	100	540	100	497	100	610	100	699	100	737	100	2,080	100
総 数	BMI・腹囲の区分																
	BMI<25、腹囲<85/90cm	3,692	61.4	380	82.6	702	74.4	600	65.1	646	59.6	659	51.7	705	53.1	2,157	56.7
	BMI≥25、腹囲<85/90cm	308	5.1	13	2.8	45	4.8	52	5.6	82	7.6	70	5.5	46	3.5	224	5.9
	BMI<25、腹囲≥85/90cm	818	13.6	19	4.1	68	7.2	97	10.5	140	12.9	221	17.3	273	20.6	576	15.1
	BMI≥25、腹囲≥85cm	1,192	19.8	48	10.4	128	13.6	173	18.8	215	19.9	325	25.5	303	22.8	849	22.3
	総 数	6,010	100	460	100	943	100	922	100	1,083	100	1,275	100	1,327	100	3,806	100

注) 妊婦除外

(誤) 第42表の1 血糖値の分布(食後3時間以上, 性・年齢階級別)

		年齢(歳)															
		総数		20-29歳		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		(再掲) 65-69歳	(再掲) 70-74歳
		人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%
性別 男性	血糖値 mg/dl																
	～<40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40～<60	2	0.1	0	0	0	0	0	0	0	0	2	0.5	0	0	1	0.6
	60～<80	47	3.3	5	6.8	10	5.7	13	7.5	7	3.1	4	1.1	8	2.0	3	1.7
	80～<100	737	52.5	57	78.1	131	74.4	113	65.3	142	62.8	155	42.5	139	35.5	72	41.6
	100～<120	367	26.1	11	15.1	26	14.8	32	18.5	56	24.8	111	30.4	131	33.5	49	28.3
	120～<140	111	7.9	0	0	5	2.8	7	4.0	12	5.3	43	11.8	44	11.3	15	8.7
	140～<160	61	4.3	0	0	1	0.6	1	0.6	4	1.8	24	6.6	31	7.9	14	8.1
	160～<180	24	1.7	0	0	0	0	2	1.2	2	0.9	8	2.2	12	3.1	6	3.5
	180～<200	16	1.1	0	0	0	0	1	0.6	0	0	5	1.4	10	2.6	3	1.7
	200～<220	10	0.7	0	0	1	0.6	0	0	1	0.4	5	1.4	3	0.8	5	2.9
	220～<240	7	0.5	0	0	0	0	0	0	0	0	2	0.5	5	1.3	1	0.6
	240～<260	4	0.3	0	0	1	0.6	1	0.6	0	0	1	0.3	1	0.3	1	0.6
	260～	18	1.3	0	0	1	0.6	3	1.7	2	0.9	5	1.4	7	1.8	3	1.7
	(再掲) ≥110	361	25.7	4	5.5	20	11.4	23	13.3	36	15.9	121	33.2	157	40.2	62	35.8
	総数	1404	100	73	100	176	100	173	100	226	100	365	100	391	100	173	100
女性	血糖値 mg/dl																
	～<40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40～<60	3	0.1	0	0	0	0	0	0	0	0	1	0.2	2	0.4	1	0.5
	60～<80	80	3.9	15	16.1	21	6.6	13	4.5	15	3.9	10	2.2	6	1.2	4	2.0
	80～<100	1039	51.2	64	68.8	231	72.9	210	73.2	213	54.8	168	37.2	153	31.1	58	29.0
	100～<120	622	30.6	10	10.8	55	17.4	51	17.8	124	31.9	183	40.5	199	40.4	92	46.0
	120～<140	162	8.0	2	2.2	8	2.5	8	2.8	23	5.9	49	10.8	72	14.6	22	11.0
	140～<160	57	2.8	2	2.2	0	0	2	0.7	5	1.3	16	3.5	32	6.5	9	4.5
	160～<180	24	1.2	0	0	1	0.3	1	0.3	2	0.5	11	2.4	9	1.8	7	3.5
	180～<200	11	0.5	0	0	1	0.3	0	0	3	0.8	3	0.7	4	0.8	2	1.0
	200～<220	9	0.4	0	0	0	0	0	0	2	0.5	3	0.7	4	0.8	1	0.5
	220～<240	5	0.2	0	0	0	0	0	0	1	0.3	1	0.2	3	0.6	1	0.5
	240～<260	3	0.1	0	0	0	0	0	0	0	0	2	0.4	1	0.2	0	0
	260～	15	0.7	0	0	0	0	2	0.7	1	0.3	5	1.1	7	1.4	3	1.5
	(再掲) ≥110	495	24.4	6	6.5	24	7.6	29	10.1	74	19.0	149	33.0	213	43.3	76	38.0
	総数	2030	100	93	100	317	100	287	100	389	100	452	100	492	100	200	100

(誤) 第42表の1 血糖値の平均値及び標準偏差(食後3時間以上, 性・年齢階級別)

		年齢(歳)															
		総数		20-29歳		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		(再掲) 65-69歳	(再掲) 70-74歳
		血糖値 (mg/dl)	標準 偏差	血糖値 (mg/dl)	標準 偏差	血糖値 (mg/dl)	標準 偏差	血糖値 (mg/dl)	標準 偏差	血糖値 (mg/dl)	標準 偏差	血糖値 (mg/dl)	標準 偏差	血糖値 (mg/dl)	標準 偏差	血糖値 (mg/dl)	標準 偏差
性別 男性	平均	107.1	33.6	92.3	9.7	97.1	27.6	100.3	32.0	100.8	26.0	111.6	34.1	116.9	39.2	115.7	39.5
	標準偏差	104.3	30.0	91.5	13.5	93.4	12.3	96.5	26.2	101.8	25.2	109.9	31.2	115.1	38.5	112.3	30.8
女性	平均	105.7	30.8	92.0	9.2	96.0	19.1	98.7	27.7	101.1	26.8	110.2	33.0	114.4	35.9	115.3	41.2
	標準偏差	103.0	26.7	91.3	11.8	93.0	12.1	96.7	27.1	101.1	25.4	109.2	31.7	111.2	27.0	112.0	31.4

(正) 第42表の1 血糖値の分布(食後3時間以上, 性・年齢階級別)

		年齢(歳)															
		総数		20-29歳		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		(再掲) 65-69歳	(再掲) 70-74歳
		人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%
性別 男性	血糖値(mg/dl)																
	～<40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40～<60	1	0.1	0	0	0	0	0	0	0	0	1	0.3	0	0	1	0.7
	60～<80	40	3.3	4	6.8	9	5.7	11	7.2	7	3.3	4	1.3	5	1.5	3	2.0
	80～<100	664	54.9	49	80.3	116	73.0	103	67.3	133	63.0	138	44.2	125	37.2	64	43.0
	100～<120	325	26.4	8	13.1	24	15.3	28	18.3	90	23.7	97	31.1	119	35.1	43	28.9
	120～<140	94	7.6	0	0	5	3.2	5	3.3	12	5.7	35	11.2	37	11.0	12	8.1
	140～<160	45	3.7	0	0	1	0.6	1	0.7	4	1.9	15	4.8	24	7.1	9	6.0
	160～<180	18	1.5	0	0	0	0	2	1.3	2	0.9	6	1.9	8	2.4	4	2.7
	180～<200	13	1.1	0	0	0	0	1	0.7	0	0	5	1.6	7	2.1	3	2.0
	200～<220	10	0.8	0	0	1	0.6	0	0	1	0.5	5	1.6	3	0.9	5	3.4
	220～<240	6	0.5	0	0	0	0	0	0	0	0	2	0.6	4	1.2	1	0.7
	240～<260	3	0.2	0	0	1	0.6	0	0	0	0	1	0.3	1	0.3	1	0.7
	260～	11	0.9	0	0	0	0	2	1.3	2	0.9	3	1.0	4	1.2	3	2.0
	(再掲) ≥110	294	23.9	2	3.3	19	12.1	17	11.1	35	16.6	95	30.4	128	37.5	50	33.6
	総数	1,236	100	61	100	157	100	153	100	211	100	312	100	336	100	149	100
女性	血糖値(mg/dl)																
	～<40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40～<60	2	0.1	0	0	0	0	0	0	0	0	1	0.3	1	0.2	1	0.6
	60～<80	60	3.5	11	14.1	15	5.7	9	3.6	12	3.7	8	2.6	5	1.2	4	2.2
	80～<100	921	53.4	55	70.5	203	76.0	189	74.7	185	56.7	150	38.3	139	33.7	52	29.1
	100～<120	534	30.9	9	11.3	41	15.3	45	17.8	104	31.9	164	41.8	171	41.5	84	46.9
	120～<140	123	7.1	2	2.6	4	1.5	6	2.4	16	4.9	38	9.7	57	13.8	19	10.6
	140～<160	40	2.3	1	1.3	0	0	2	0.8	3	0.9	11	2.8	23	5.6	7	3.9
	160～<180	17	1.0	0	0	1	0.4	0	0	0	0.0	8	2.0	8	1.9	5	2.8
	180～<200	7	0.4	0	0	1	0.4	0	0	2	0.6	2	0.5	2	1.1	1	0.6
	200～<220	6	0.3	0	0	0	0	0	0	2	0.6	2	0.5	2	0.5	1	0.6
	220～<240	3	0.2	0	0	0	0	0	0	1	0.3	1	0.3	1	0.2	1	0.6
	240～<260	2	0.1	0	0	0	0	0	0	0	0	2	0.5	0	0	0	0
	260～	11	0.6	0	0	0	0	2	0.8	1	0.3	5	1.3	3	0.7	3	1.7
	(再掲) ≥110	383	22.3	4	5.1	17	6.4	23	9.1	56	17.2	120	30.4	163	39.6	66	36.9
	総数	1,726	100	78	100	265	100	253	100	326	100	392	100	412	100	179	100

(正) 第42表の1 血糖値の平均値及び標準偏差(食後3時間以上, 性・年齢階級別)

		年 齢 (歳)																						
		総 数		20-29歳		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		(再掲) 65-69歳	(再掲) 70-74歳	(再掲) 75-79歳	(再掲) 80-84歳	(再掲) 85歳以上				
		血糖値 (mg/dl)		血糖値 (mg/dl)		血糖値 (mg/dl)		血糖値 (mg/dl)		血糖値 (mg/dl)		血糖値 (mg/dl)		血糖値 (mg/dl)		血糖値 (mg/dl)		血糖値 (mg/dl)		血糖値 (mg/dl)				
		平均	標準 偏差	平均	標準 偏差	平均	標準 偏差	平均	標準 偏差	平均	標準 偏差	平均	標準 偏差	平均	標準 偏差	平均	標準 偏差	平均	標準 偏差	平均	標準 偏差			
		性 別																						
男 性	105.7	30.8	92.0	9.2	96.0	19.1	98.7	27.7	101.1	26.8	110.2	33.0	114.4	35.9	115.3	41.2	114.5	39.8	112.5	30.4	122.0	40.5	108.0	20.3
女 性	103.0	26.7	91.3	11.8	93.0	12.1	96.7	27.1	101.1	25.4	109.2	31.7	111.2	27.0	112.0	31.4	108.4	24.4	112.6	28.2	117.5	32.1	107.4	21.4

(誤) 第42表の2 血糖値の分布(食後3時間以上、性・年齢階級別)

		年齢(歳)															
		総数		20-29歳		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		(再掲) 65-69歳	(再掲) 70-74歳
		人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%
性別 男性	血糖値(mg/dl)																
	<40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40<-60	1	0.1	0	0	0	0	0	0	0	0	1	0.3	0	0	0	0
	60<-80	45	3.5	5	6.9	10	5.7	12	7.2	7	3.2	3	0.9	8	2.3	2	1.3
	80<-100	722	55.5	57	79.2	131	75.3	112	67.5	140	63.6	147	45.8	135	38.7	68	45.6
	100<-120	349	26.8	10	13.9	26	14.9	31	18.7	53	24.1	106	33.0	123	35.2	45	30.2
	120<-140	95	7.3	0	0	5	2.9	7	4.2	11	5.0	34	10.6	38	10.9	12	8.1
	140<-160	44	3.4	0	0	1	0.6	1	0.6	4	1.8	14	4.4	24	6.9	8	5.4
	160<-180	15	1.2	0	0	0	0	1	0.6	2	0.9	6	1.9	6	1.7	5	3.4
	180<-200	8	0.6	0	0	0	0	1	0.6	0	0	2	0.6	5	1.4	2	1.3
	200<-220	7	0.5	0	0	0	0	0	0	1	0.5	4	1.2	2	0.6	4	2.7
	220<-240	4	0.3	0	0	0	0	0	0	0	0	1	0.3	3	0.9	0	0
	240<-260	3	0.2	0	0	1	0.6	0	0	0	0	1	0.3	1	0.7	0	0
	260<-	3	0.7	0	0	0	0	1	0.6	2	0.9	2	0.6	4	1.1	2	1.3
性別 女性	(再掲) ≥110	290	22.3	3	4.2	18	10.3	19	11.4	35	15.9	50	28.0	125	35.8	47	31.5
	総数	1302	100	72	100	174	100	166	100	220	100	321	100	349	100	149	100
	血糖値(mg/dl)																
	<40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40<-60	2	0.1	0	0	0	0	0	0	0	0	1	0.2	1	0.2	1	0.6
	60<-80	79	40	15	16.1	21	6.6	13	4.6	15	3.9	10	2.4	5	1.1	4	2.2
	80<-100	1029	52.5	64	68.8	231	72.9	210	74.2	211	55.1	163	38.9	150	32.3	56	31.5
	100<-120	612	31.2	10	10.8	55	17.4	49	17.3	123	32.1	179	42.7	196	42.2	89	50.0
	120<-140	151	7.7	2	2.2	8	2.5	8	2.8	23	6.0	44	10.5	66	14.2	19	10.7
	140<-160	49	2.5	2	2.2	0	0	2	0.7	5	1.3	12	2.9	28	6.0	5	2.8
	160<-180	15	0.8	0	0	1	0.3	1	0.4	2	0.5	4	1.0	7	1.5	3	1.7
	180<-200	5	0.3	0	0	1	0.3	0	0	1	0.3	0	0	3	0.6	0	0
	200<-220	6	0.3	0	0	0	0	0	0	1	0.3	2	0.5	3	0.6	0	0
	220<-240	2	0.1	0	0	0	0	0	0	1	0.3	0	0	1	0.2	0	0
	240<-260	2	0.1	0	0	0	0	0	0	0	0	1	0.2	0	0	1	0.5
	260<-	8	0.4	0	0	0	0	0	0	1	0.3	3	0.7	4	0.9	1	0.6
	(再掲) ≥110	442	22.6	6	6.5	24	7.6	27	9.5	70	18.3	124	29.6	191	41.1	58	32.8
	総数	1960	100	93	100	317	100	283	100	383	100	419	100	465	100	178	100

注) インスリン注射または血糖を下げる薬服用者除外

(誤) 第42表の2 血糖値の平均値及び標準偏差(食後3時間以上、性・年齢階級別)

		年齢(歳)															
		総数		20-29歳		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		(再掲) 65-69歳	(再掲) 70-74歳
		血糖値 (mg/dl)	標準 偏差	血糖値 (mg/dl)	標準 偏差	血糖値 (mg/dl)	標準 偏差	血糖値 (mg/dl)	標準 偏差	血糖値 (mg/dl)	標準 偏差	血糖値 (mg/dl)	標準 偏差	血糖値 (mg/dl)	標準 偏差	血糖値 (mg/dl)	標準 偏差
性別 男性	血糖値(mg/dl)																
	<40	103.6	27.5	91.9	9.2	94.9	16.2	97.0	21.3	100.7	26.3	107.5	28.8	111.9	33.2	112.3	36.1
	40<-60	102.4	25.8	91.5	13.5	93.4	12.3	94.5	12.0	101.1	23.9	106.6	26.5	111.8	35.2	106.8	21.6
	60<-80	95.3	11.8	93.0	12.1	94.5	10.8	100.6	24.4	106.0	26.7	109.1	21.3	106.7	21.8	108.1	23.3
	80<-100	102.7	26.1	91.6	8.6	95.3	16.8	97.1	21.7	101.0	27.0	107.1	29.7	108.7	28.0	111.9	37.9
	100<-120	101.2	21.5	91.3	11.8	93.0	12.1	94.5	10.8	100.6	24.4	106.0	26.7	109.1	21.3	106.7	21.8
	120<-140	102.7	26.1	91.6	8.6	95.3	16.8	97.1	21.7	101.0	27.0	107.1	29.7	108.7	28.0	111.9	37.9
	140<-160	101.2	21.5	91.3	11.8	93.0	12.1	94.5	10.8	100.6	24.4	106.0	26.7	109.1	21.3	106.7	21.8
	160<-180	102.7	26.1	91.6	8.6	95.3	16.8	97.1	21.7	101.0	27.0	107.1	29.7	108.7	28.0	111.9	37.9
	180<-200	101.2	21.5	91.3	11.8	93.0	12.1	94.5	10.8	100.6	24.4	106.0	26.7	109.1	21.3	106.7	21.8
	200<-220	102.7	26.1	91.6	8.6	95.3	16.8	97.1	21.7	101.0	27.0	107.1	29.7	108.7	28.0	111.9	37.9
	220<-240	101.2	21.5	91.3	11.8	93.0	12.1	94.5	10.8	100.6	24.4	106.0	26.7	109.1	21.3	106.7	21.8
	240<-260	102.7	26.1	91.6	8.6	95.3	16.8	97.1	21.7	101.0	27.0	107.1	29.7	108.7	28.0	111.9	37.9
	260<-	101.2	21.5	91.3	11.8	93.0	12.1	94.5	10.8	100.6	24.4	106.0	26.7	109.1	21.3	106.7	21.8
性別 女性	血糖値(mg/dl)																
	<40	102.7	26.1	91.6	8.6	95.3	16.8	97.1	21.7	101.0	27.0	107.1	29.7	108.7	28.0	111.9	37.9
	40<-60	101.2	21.5	91.3	11.8	93.0	12.1	94.5	10.8	100.6	24.4	106.0	26.7	109.1	21.3	106.7	21.8
	60<-80	102.7	26.1	91.6	8.6	95.3	16.8	97.1	21.7	101.0	27.0	107.1	29.7	108.7	28.0	111.9	37.9
	80<-100	101.2	21.5	91.3	11.8	93.0	12.1	94.5	10.8	100.6	24.4	106.0	26.7	109.1	21.3	106.7	21.8
	100<-120	102.7	26.1	91.6	8.6	95.3	16.8	97.1	21.7	101.0	27.0	107.1	29.7	108.7	28.0	111.9	37.9
	120<-140	101.2	21.5	91.3	11.8	93.0	12.1	94.5	10.8	100.6	24.4	106.0	26.7	109.1	21.3	106.7	21.8
	140<-160	102.7	26.1	91.6	8.6	95.3	16.8	97.1	21.7	101.0	27.0	107.1	29.7	108.7	28.0	111.9	37.9
	160<-180	101.2	21.5	91.3	11.8	93.0	12.1	94.5	10.8	100.6	24.4	106.0	26.7	109.1	21.3	106.7	21.8
	180<-200	102.7	26.1	91.6	8.6	95.3	16.8	97.1	21.7	101.0	27.0	107.1	29.7	108.7	28.0	111.9	37.9
	200<-220	101.2	21.5	91.3	11.8	93.0	12.1	94.5	10.8	100.6	24.4	106.0	26.7	109.1	21.3	106.7	21.8
	220<-240	102.7	26.1	91.6	8.6	95.3	16.8	97.1	21.7	101.0	27.0	107.1	29.7	108.7	28.0	111.9	37.9
	240<-260	101.2	21.5	91.3	11.8	93.0	12.1	94.5	10.8	100.6	24.4	106.0	26.7	109.1	21.3	106.7	21.8
	260<-	102.7	26.1	91.6	8.6	95.3	16.8	97.1	21.7	101.0	27.0	107.1	29.7	108.7	28.0	111.9	37.9
	(再掲) ≥110	101.2	21.5	91.3	11.8	93.0	12.1	94.5	10.8	100.6	24.4	106.0	26.7	109.1	21.3	106.7	21.8
	総数	1,666	100	78	100	265	100	249	100	321	100	363	100	390	100	160	100

注) インスリン注射または血糖を下げる薬服用者除外

(正) 第42表の2 血糖値の分布(食後3時間以上、性・年齢階級別)

		年齢(歳)																			
		総数		20-29歳		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		(再掲) 65-69歳	(再掲) 70-74歳	(再掲) 75-79歳	(再掲) 80-84歳	(再掲) 85歳以上	
		人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%
性 別 男 性	血糖値(mg/dl)																				
	<40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40<-60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60<-80	38	3.3	4	6.7	9	5.8	10	6.8	7	3.4	3	1.1	5	1.7	2	1.6	3	2.3	0	0
	80<-100	650	57.0	49	81.7	116	74.4	102	68.9	132	64.1	130	47.4	121	40.9	60	47.2	60	45.8	38	40.4
	100<-120	308	27.0	7	11.7	24	15.4	27	18.2	47	22.8	92	33.6	111	37.5	39	30.7	48	36.6	38	34.1
	120<-140	78	6.8	0	0	5	3.2	5	3.4	11	5.3	26	9.5	31	10.5	9	7.1	11	8.4	11	11.7
	140<-160	31	2.7	0	0	1	0.6	1	0.7	4	1.9	8	2.9	17	5.7	4	3.1	6	4.6	6	4.1
	160<-180	10	0.9	0	0	0	0	1	0.7	2	1.0	5	1.8	2	0.7	4	3.1	0	0	1	1.1
	180<-200	5	0.4	0	0	0	0	1	0.7	0	0	2	0.7	2	0.7	2	1.6	1	0.8	1	1.1
	200<-220	7	0.6	0	0	0	0	0	0	1	0.5	4	1.5	2	0.7	4	3.1	0	0	1	1.1
	220<-240	3	0.3	0	0	0	0	0	0	0	0	1	0.4	2	0.7	0	0	0	0	0	0
	240<-260	3	0.3	0	0	1	0.6	0	0	0	0	1	0.4	1	0.3	1	0.8	0	0	0	0
	260-	7	0.6	0	0	0	0	1	0.7	2	1.0	2	0.7	2	0.7	2	1.6	2	1.5	0	0
(再掲) ≥110	234	20.5	1	1.7	18	11.5	15	10.1	34	16.5	70	25.5	96	32.4	37	29.1	33	25.2	32	34.0	
総 数	1,140	100	60	100	156	100	148	100	206	100	274	100	296	100	127	100	131	100	94	100	
女 性	血糖値(mg/dl)																				
	<40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40<-60	1	0.1	0	0	0	0	0	0	0	0	1	0.3	0	0	1	0.6	0	0	0	0
	60<-80	59	3.5	11	14.1	15	5.7	9	3.6	12	3.7	8	2.2	4	1.0	4	2.5	1	0.7	3	2.2
	80<-100	911	54.7	55	70.5	203	76.6	189	75.9	183	57.0	145	39.9	136	34.9	50	31.3	54	36.0	46	33.6
	100<-120	524	31.5	9	11.5	41	15.5	43	17.3	103	32.1	160	44.1	168	43.1	81	50.6	71	47.3	57	41.6
	120<-140	114	6.8	2	2.6	4	1.5	6	2.4	16	5.0	33	9.1	53	13.6	16	10.0	14	9.3	23	16.8
	140<-160	33	2.0	1	1.3	0	0	2	0.8	3	0.9	8	2.2	19	4.9	4	2.5	7	4.7	6	4.4
	160<-180	11	0.7	0	0	1	0.4	0	0	0	0	3	0.8	7	1.8	3	1.9	1	0.7	2	1.5
	180<-200	3	0.2	0	0	1	0.4	0	0	1	0.3	0	0	1	0.3	0	0	1	0.7	0	0
	200<-220	3	0.2	0	0	0	0	0	0	1	0.3	1	0.3	1	0.3	0	0	0	0	0	0
	220<-240	1	0.1	0	0	0	0	0	0	1	0.3	0	0	0	0	0	0	0	0	0	0
	240<-260	1	0.1	0	0	0	0	0	0	0	0	1	0.3	0	0	0	0	0	0	0	0
	260-	5	0.3	0	0	0	0	0	0	1	0.3	3	0.8	1	0.3	1	0.6	1	0.7	0	0
(再掲) ≥110	340	20.4	4	5.1	17	6.4	21	8.4	53	16.5	99	27.3	146	37.4	51	31.9	53	35.3	51	37.2	
総 数	1,666	100	78	100	265	100	249	100	321	100	363	100	390	100	160	100	150	100	137	100	