

| NO | 一般名 | 文献名 |
|----|---|---|
| 1 | リスペリドン オランザピン プロナゼリン クエチアピンフマル酸塩 | Maeshima,T.et al. Risk of unfavorable outcomes of thromboembolism with antipsychotic drug use:analysis Using the Japanese Adverse Drug Event Report database 臨床薬理 2022;53(1),3-10 |
| 2 | クロピドグレル硫酸塩 | Desai,A.et al. Risk of GI bleeding after urgent ERCP in patients on dual anti-platelet therapy:A nationwide population-based cohort study Am.J.Gastroenterol.2021;116(Suppl.),S296 |
| 3 | オクスカルバゼピン | Effect of levetiracetam and oxcarbazepine on 4-year fragility fracture risk among prepubertal and pubertal children with epilepsy. Whitney D, Caird M, Hurvitz E, Rajapakse C, Fedak Romanowski E. Epilepsia. 2021 SEP;62(9):2180-2189. |
| 4 | アルプラゾラム | Noh, Y.. First-trimester exposure to benzodiazepines and risk of congenital malformations in offspring: A population-based cohort study in South Korea. PLoS medicine. 2022;19(3):e1003945 |
| 5 | アセトアミノフェン | Chao Zeng, Lynn Rosenberg, Xiaoxiao Li, et al. Sodium-containing acetaminophen and cardiovascular outcomes in individuals with and without hypertension. European Heart Journal. 2022; 0(0): 1-14. |
| 6 | トラスツズマブ(遺伝子組換え)[後続3] | Yang, H.. Risk of heart disease following treatment for breast cancer: results from a population-based cohort study. eLife. 2022;11 |
| 7 | ボリコナゾール | Hendrix, M.. Voriconazole Versus Itraconazole for the Initial and Step-down Treatment of Histoplasmosis: A Retrospective Cohort. Clinical infectious disease: an official publication of the Infectious Diseases. 2021;73(11):e3727-e3732 |
| 8 | ノルアドレナリン | Klitgaard TL, et al..Lower versus higher oxygenation targets in critically ill patients with severe hypoxaemia: secondary Bayesian analysis to explore heterogeneous treatment effects in the Handling Oxygenation Targets in the Intensive Care Unit (HOT-ICU) trial.British journal of anaesthesia.2022;128(1):55-64. |
| 9 | クロピドグレル硫酸塩 | Effects of the CYP2C19 LoF allele on major adverse cardiovascular events associated with clopidogrel in acute coronary syndrome patients undergoing percutaneous coronary intervention: a meta-analysis M Biswas, C Sukasem, MS Khatun Kali, B Ibrahim Pharmacogenomics. 2022 Feb;23(3):207-220 |
| 10 | ハロペリドール | Fife D, et al.. Stroke Risk Among Non-Elderly Users of Haloperidol or First-Generation Antipsychotics vs Second-Generation Antipsychotics: A Cohort Study from a US Health Insurance Claims Database.. Drugs – Real World Outcomes. 2021;8(4):481-496 |
| 11 | トラマドール塩酸塩・アセトアミノフェン配合剤 | Tarar, Z.I. et al.. Non-alcoholic fatty liver disease is associated with worse outcomes in hospitalized patients with acetaminophen toxicity: A retrospective cohort study. Am. J. Gastroenterol.. 2021; 116(Suppl.): S509-. |
| 12 | トラマドール塩酸塩・アセトアミノフェン配合剤 | Bowie, A.C. et al. Prescribed opioid analgesics in early pregnancy and the risk of congenital anomalies: a population-based cohort study. CMAJ 2022;194(5):E152-E162. |
| 13 | 乾燥BCGワクチン | Chua N, et al. A systematic review of live vaccine outcomes in infants exposed to biologic disease modifying anti-rheumatic medications (DMARDs) in-utero. Rheumatology (Oxford). 2022 Mar 8;keac141. doi: 10.1093/rheumatology/keac141. |
| 14 | リスペリドン オランザピン | Rahman, T. et al.. Risk of breast cancer with prolactin elevating antipsychotic drugs: an observational study of US women (ages 18–64 years). J. Clin. Psychopharmacol.. 2022; 42(1): 7-16. |
| 15 | フェノバルビタール フェニトイン カルバマゼピン | Neuropsychological effects in children exposed to anticonvulsant monotherapy during gestation: Phenobarbital, carbamazepine, and phenytoin Epilepsy & behavior, 2022, 127, 108533 |
| 16 | クロピドグレル硫酸塩 | Desai, A. et al. (MetroHealth Medical Center, OH., USA). Comparison of post-ERCP GI bleeding between patients on dual anti-platelet therapy and aspirin alone: A nationwide population-based cohort study. Am. J. Gastroenterol.. 2021; 116(Suppl.): S296-S297-. |
| 17 | クロピドグレル硫酸塩 ランソプラゾール | Kim, B.J. et al. (Chung-Ang University College of Medicine, Seoul, Korea). Systematic review with meta-analysis: influence of individual proton pump inhibitors on clinical outcomes in patients receiving clopidogrel following percutaneous coronary intervention. Am. J. Gastroenterol.. 2021; 116(Suppl.): S292-. |
| 18 | アセトアミノフェン | Tarar, Z.I. et al. (University of Missouri School of Medicine, MO., USA). Non-alcoholic fatty liver disease is associated with worse outcomes in hospitalized patients with acetaminophen toxicity: A retrospective cohort study. Am. J. Gastroenterol.. 2021; 116(Suppl.): S509-. |
| 19 | エタネルセプト(遺伝子組換え)[後続1] | Tumor Necrosis Factor Inhibitors and the Risk of Cancer among Older Americans with Rheumatoid Arthritis Monica E. D'Arcy, Daniel C. Beachler, Ruth M. Pfeiffer, Jeffrey R. Curtis, Xavier Mariette, Raphaele Seror, Parag Mahale, Donna R. Rivera, Elizabeth L. Yanik, and Eric A. Engels Cancer Epidemiology, Biomarkers & Prevention 30,11 2059-2067 2021 |
| 20 | アルテプラーゼ(遺伝子組換え) | Lindsey R. Kuohn B.A., Alison L. Herman B.A., Alexandria L. Soto B.S., Emily J. Gilmore M.D., Kevin N. Sheth M.D., Jennifer A. Kim M.D.Ph.D., Stacy C. Brown M. D., Lawrence J. Hirsch M. D., et.al.. Hospital Revisits for Post-Ischemic Stroke Epilepsy after Acute Stroke Interventions. Journal of Stroke and Cerebrovascular Diseases. 2022;31(1):1-11 |

研究報告の報告状況
(2022年4月1日～2022年7月31日)

| NO | 一般名 | 文献名 |
|----|--|---|
| 21 | アドレナリン ツロブテロール | Sato K, et al. Stress cardiomyopathy (Takotsubo syndrome) in patients who received adrenergic agonist drugs: A pharmacovigilance study using the Japanese Adverse Drug Event Report (JADER) database. Journal of Cardiology. 2022;79(1):36-41 |
| 22 | カルバゾクロム・アスコルビン酸配合剤 | High dose intravenous vitamin C treatment in Sepsis: associations with acute kidney injury and mortality. McCune TR, et al. •Division of Nephrology, Department of Internal Medicine, Eastern Virginia Medical School, 301 Riverview Ave, Suite 600, Norfolk, Virginia, 23510, USA. BMC nephrology 22巻1号、387頁、2021年 |
| 23 | ホスフェニトイソナトリウム水和物 フェノバルビタールナトリウム | Kang L, Duan Y, Chen C, Li S, Li M, Chen L, Wen Z. Structure–Activity Relationship (SAR) Model for Predicting Teratogenic Risk of Antiseizure Medications in Pregnancy by Using Support Vector Machine. Frontiers in pharmacology. 2022 FEB 25;13:747935. |
| 24 | オキシコドン塩酸塩水和物 | Wen X, et al.. Maternal Complications and Prescription Opioid Exposure During Pregnancy: Using Marginal Structural Models.. Drug Safety. 2021; 44(12): 1297–1309 DOI:10.1007/s40264-021-01115-6. |
| 25 | プレドニゾロン プレドニゾロンコハク酸エステルナトリウム プレドニゾロン酢酸エステル | Masao Hagihara et al. Practical management of patients with hematological diseases during the COVID-19 pandemic in Japan. International Journal of Hematology. 2021; 114(6): 709–718. Shin Ohara et al. Clinical characteristics and risk factors associated with nosocomial COVID-19 infection in patients with hematological disorders in Japan. International Journal of Hematology. 2021; 114(6): 719–724. |
| 26 | 炭酸リチウム | Yeh, Ta-Chuan et al.. Bipolar women's antepartum psychotropic exposure and offspring risk of attention-deficit/hyperactivity disorder and autism spectrum disorder. Journal of Affective Disorders. 2021; 295: 1407–1414. |
| 27 | パンコマイシン塩酸塩 | Yu, K. C. et al. Relationships between creatinine increase and mortality rates in patients given vancomycin in 76 hospitals: The increasing role of infectious disease pharmacists Am. J. Health-Syst. Pharm. 2021, 78(23), 2116–2125 |
| 28 | リスペリドン オランザピン | Rahman, T. et al. Risk of breast cancer with prolactin elevating antipsychotic drugs: an observational study of US women (ages 18–64 Years) J. Clin. Psychopharmacol. 2022, 42(1), 7–16 |
| 29 | カプトプリル エナラプリルマレイン酸塩 | Song, G. et al. Antihypertensive drug use and psoriasis: A systematic review, meta- and network meta-analysis Brit. J. Clin. Pharmacol. 2022, 88(3), 933–941 |
| 30 | インドメタシンナトリウム水和物 | Wolfes J, Ellermann C, Baumer S, Fehr M, Willy K, Wegner F, Leitz P, Eckardt L, Frommeyer G. Experimental evidence for proarrhythmic effects of nonsteroidal anti-inflammatory drugs in a sensitive whole-heart model. Basic & clinical pharmacology & toxicology. 2022 JAN;130(1):103–109. |
| 31 | ジゴキシン | Digoxin in Patients With Advanced Heart Failure and Sinus Rhythm Submitted to Cardiac Resynchronization Therapy—Is There Any Benefit?. Fernandes C, et al. •Faculty of Medicine, University of Coimbra, Coimbra, Portugal. Journal of cardiovascular pharmacology 79巻1号、e87–e93頁、2022年 |
| 32 | ヘパリンナトリウム | Maura Marcucci 等.Benefits and harms of direct oral anticoagulation and low molecular weight heparin for thromboprophylaxis in patients undergoing non-cardiac surgery: systematic review and network meta-analysis of randomised trials .British medical journal 2022;::. |
| 33 | トラマドール塩酸塩・アセトアミノフェン配合剤 | Bowie, A.C. et al. Prescribed opioid analgesics in early pregnancy and the risk of congenital anomalies: a population-based cohort study. CMAJ. 2022, 194(5), E152–E162 |
| 34 | トラマドール塩酸塩・アセトアミノフェン配合剤 | Bowie, A.C. et al.. Prescribed opioid analgesics in early pregnancy and the risk of congenital anomalies: a population-based cohort study. CMAJ. 2022; 194(5): E152–E162. |
| 35 | ヘパリンナトリウム | Wouter van der Steen et al.Safety and efficacy of aspirin, unfractionated heparin, both, or neither during endovascular strok treatment (MR CLEAN-MED): an open-label, multicentre, randomised controlled trial.The Lancet 2022;:1059–1069. |
| 36 | カシリビマブ(遺伝子組換え)・イムデビマブ(遺伝子組換え) | 【社内資料】Regeneron Pharmaceuticals, Inc.. Omicron BA.2 Response to Information Request from 22Mar2022. 2022 |
| 37 | ノルフロキサシン | Jo, T. et al.. Risk of drug-induced interstitial lung disease in hospitalised patients: a nested case-control study. Thorax. 2021; 76(12): 1193–1199. |
| 38 | L-アスパラギナーゼ | Kunihiro Moriya, Toshihiko Imamura, Saori Katayama, Akira Kaino, Kenji Okamoto, Norihumi Yokoyama, Suguru Uemura, Hironobu Kitazawa, Masahiro Sekimizu, Hidefumi Hiramatsu, Ikuya Usami, et al.. The incidence of symptomatic osteonecrosis is similar between Japanese children and children in Western countries with acute lymphoblastic leukaemia treated with a Berlin–Frankfurt–Munster (BFM)95-based protocol. Br. J. Haematol.. 2022;196(5):1257–1261 |

研究報告の報告状況
(2022年4月1日～2022年7月31日)

| NO | 一般名 | 文献名 |
|----|--|--|
| 39 | エストリオール エストラジオール吉草酸エステル テストステロンエナント酸エステル・エストラジオール 吉草酸エステル ヒドロキシプロゲステロンカプロン酸エステル・エストラジオール安息香酸エステル(2) プロゲステロン ヒドロキシプロゲステロンカプロン酸エステル | Breast Cancer Incidence and Mortality in Relation to Hormone Replacement Therapy Use Among Postmenopausal Women: Results From a Prospective Cohort Study Yi Jiang, QinLi Xie, Rong Chen Clinical Breast Cancer 22(2)e206-e213 2022 |
| 40 | ハロペリドール リスペリドン | Rahman T, Sahrmann J.M, Olsen M.A, et al. Risk of breast cancer with prolactin elevating antipsychotic drugs: an observational study of US women (ages 18–64 years). Journal of Clinical Psychopharmacology. 2022; 42(1):7–16. |
| 41 | バンコマイシン塩酸塩 | Yu KC, et al.. Relationships between creatinine increase and mortality rates in patients given vancomycin in 76 hospitals: The increasing role of infectious disease pharmacists.. Am J Health Syst Pharm. 2021; 78(23): 2116–2125. |
| 42 | カプトプリル エナラプリルマレイン酸塩 セリプロロール塩酸塩 アムロジピンベシル酸塩 イルベサルタン・アムロジピンベシル酸塩配合剤 ジルチアゼム塩酸塩 マニジビン塩酸塩 ニソルジビン | Song G, Yoon H.Y, Yee J, Kim M.G, Gwak H.S. Antihypertensive drug use and psoriasis: A systematic review, meta-and network meta-analysis. British Journal of Clinical Pharmacology. 2022;88(3):933–941. |
| 43 | モルヒネ塩酸塩水和物 コデインリン酸塩水和物 コデインリン酸塩水和物(10%) ジヒドロコデインリン酸塩 ジヒドロコデインリン酸塩(10%) | Wen X, et al. Maternal Complications and Prescription Opioid Exposure During Pregnancy: Using Marginal Structural Models. Drug safety. 2021;44(12):1297–1309. |
| 44 | ドルテグラビルナトリウム ドルテグラビルナトリウム・アバカビル硫酸塩・ラミブジン ドルテグラビルナトリウム・リルピビリン塩酸塩 ドルテグラビルナトリウム・ラミブジン | Vannappagari V, MBBS, MPH, Albano J, Ragone L, Cook T, Scheuerle A, Short WR, Thorne C, Beckerman KP, Chaktoura N, Mofenson L. Maternal Dolutegravir (DTG) Use during Pregnancy and Birth Outcomes: The Antiretroviral Pregnancy Registry (APR). (Abstract Number: 74). Open Forum Infectious Diseases (Infectious Diseases Week, IDWeek 2021. Virtual.). 2021;8:S48–S49 |
| 45 | メクロプラミド | Benard-Laribiere A et. al. Risk of first ischaemic stroke and use of antidopaminergic antiemetics: nationwide case time-control study. BMJ. 2022; 375: e066192– |
| 46 | ロサルタンカリウム・ヒドロクロロチアジド | Kim, J.C. et al. Use of hydrochlorothiazide and risk of nonmelanoma skin cancer in Koreans: a retrospective cohort study using administrative healthcare data. Clin. Exp. Dermatol. 46(4),680–686,2021 |
| 47 | モルヒネ塩酸塩水和物 コデインリン酸塩水和物 オキシコドン塩酸塩水和物 ヒドロモルフォン塩酸塩 | Bowie A.C, et al., Prescribed opioid analgesics in early pregnancy and the risk of congenital anomalies: a population-based cohort study. CMAJ. 2022; 194(5); E152–E162 |
| 48 | フェンタニルクエン酸塩 オキシコドン塩酸塩水和物 ヒドロモルフォン塩酸塩 | Lambourg E, et al., Analgesic use and associated adverse events in patients with chronic kidney disease: a systematic review and meta-analysis. British Journal of Anaesthesia, 2022; 128(3); 546–561 |
| 49 | 乾燥濃縮人アンチトロンビン3 | P44–2 敗血症性DICに対する抗凝固療法使用による出血性合併症の解析 第49回日本集中治療医学会学術集会(2022.3.18,19,20) 2022;469. |
| 50 | トラネキサム酸 | Tranexamic Acid in Gastrointestinal Bleeding: A Systematic Review and Meta-Analysis. Dionne JC, et al. Department of Medicine, McMaster University, Hamilton, ON, Canada. Critical care medicine.2022.50.3.e313–e319 |
| 51 | トラマドール塩酸塩・アセトアミノフェン配合剤 | Emilie Lambourg. Analgesic use and associated adverse events in patients with chronic kidney disease: a systematic review and meta-analysis. British Journal of Anaesthesia. 2022;128(3):546–561. |
| 52 | アクチノマイシン D | Jodlowska A, Postek-Stefanska L. Duration and dose of chemotherapy and dental development. Dental and medical problems. 2022 JAN;59(1):45–58. |
| 53 | オメプラゾール ランソプラゾール ラベプラゾール エソメプラゾール ボノプラザン ヒスタミンH2受容体拮抗薬 抗がん剤 免疫抑制剤 コルチコステロイド ペチジン塩酸塩 ジアゼパム ミダゾラム セフメタゾール タゾバクタム・ピペラシリン | Ryunosuke Hakuta, Yousuke Nakai, Tsuyoshi Hamada, Tomotaka Saito, Naminatsu Takahara, Suguru Mizuno, Hirofumi Kogure, Kazuhiko Koike, Ryunosuke Hakuta, Yousuke Nakai, Yusuke Nomura, Kyoji Moriya. ORIGINAL ARTICLE Use of proton pump inhibitors and cholangitis complicated with multi-drug resistant bacteria. Journal of Hepato-Biliary-Pancreatic Sciences 2022;29(2):230–238. |
| 54 | ミダゾラム | Sun W, et al. The effects of midazolam or propofol plus fentanyl on ICU mortality: a retrospective study based on the MIMIC-IV database. Annals of Translational Medicine. 2022;10(4):219(Article #) |

研究報告の報告状況
(2022年4月1日～2022年7月31日)

| NO | 一般名 | 文献名 |
|----|---|---|
| 55 | ミダゾラム | Hu AM, et al. Comparative Effectiveness of Midazolam, Propofol, and Dexmedetomidine in Patients With or at Risk for Acute Respiratory Distress Syndrome: A Propensity Score-Matched Cohort Study. <i>Frontiers in Pharmacology.</i> 2021;12:614465(Article #) |
| 56 | リスペリドン | Scarpone, M. et al. Previous psychiatric disorders and antipsychotic drugs in COVID-19 patients: early findings on possible worse outcome. <i>Europ. Heart J.</i> 2021;42(Suppl.1):2753. |
| 57 | ジクロフェナクナトリウム | Jafarzadeh, S.R. et al. Long-term effect of prescription non-steroidal anti-inflammatory drug regular use on the risk of a knee replacement. <i>Arthritis Rheumatol.</i> 2021;73(Suppl.9):3040–3042. |
| 58 | アスピリン・ボノプラザンマル酸塩配合剤 | Chang W, et al. Increased relative risk of delayed hemorrhage in patients taking anticoagulant/antiplatelet medications with concurrent aspirin therapy: implications for clinical practice based on 3-year retrospective analysis in a large health system. <i>Emergency radiology.</i> 2022;29(2):353–358 |
| 59 | アスピリン・ボノプラザンマル酸塩配合剤 | Pallikadavath S, et al. Aspirin for the primary prevention of cardiovascular disease in individuals with chronic kidney disease: a systematic review and meta-analysis. <i>European Journal of Preventive Cardiology.</i> 2021;28(17):1953–1960 |
| 60 | リスペリドン | Rahman, T. et al..Risk of breast cancer with prolactin elevating antipsychotic drugs: an observational study of US women (ages 18–64 years). <i>J. Clin. Psychopharmacol.</i> 2022;42(1):7–16. |
| 61 | ドルテグラビルナトリウム ドルテグラビルナトリウム・アバカビル硫酸塩・ラミブジン ドルテグラビルナトリウム・リルピビリン塩酸塩 ドルテグラビルナトリウム・ラミブジン | Asif S, Baxevanidi E, Hill A, Venter WDF, Fairlie L, Masenya M, Serenata C, Sokhela S, Chandiwana N. The predicted risk of adverse pregnancy outcomes as a result of treatment-associated obesity in a hypothetical population receiving tenofovir alafenamide/emtricitabine/dolutegravir , tenofovir disoproxil fumarate/emtricitabine/ dolutegravir or teno. <i>AIDS (London, England).</i> 2021;35:S117–S125 |
| 62 | ヨウ化ナトリウム(131I) | Pasqual E, Schonfeld S, Morton LM, Villoing D, Lee C, Gonzalez AB, et al. Association Between Radioactive Iodine Treatment for Pediatric and Young Adulthood Differentiated Thyroid Cancer and Risk of Second Primary Malignancies. <i>Journal of Clinical Oncology.</i> 2022 Jan; |
| 63 | バンコマイシン塩酸塩 | Mitsuboshi,S.et al. Risk of kidney injury in patients on concomitant oral vancomycin and piperacillin-tazobactam: Analysis of the pharmacovigilance database in Japan <i>Basic Clin. Pharmacol.Toxicol.</i> 2022,130(1),208–212 |
| 64 | バルプロ酸ナトリウム | Larsson,D.et al. Association between antiseizure drug monotherapy and mortality for patients with poststroke epilepsy <i>JAMA Neurol.</i> 2022,79(2),169–175 |
| 65 | エルデカルシトール | Toriumi S, Kobayashi A, Uesawa Y. Comprehensive Study of the Risk Factors for Medication-Related Osteonecrosis of the Jaw Based on the Japanese Adverse Drug Event Report Database. <i>Pharmaceuticals.</i> 2020 |
| 66 | ミゾリビン | 吉田 優汰 他.有害事象自発報告データベースを用いたミゾリビン関連急性腎障害リスクに対する併用薬ならびに患者背景の影響解析.第38回 日本薬学会九州山口支部大会 プログラム集・要旨集(Web) (第38回 日本薬学会九州山口支部大会(2021.11.13)) 2021;;A2-2-08./第38回 日本薬学会九州山口支部大会;; |
| 67 | レムデシビル | Miyazaki K, Yoshimura Y, Miyata N, Sasaki H, Shiba A, Aga M, et al.. Acute pancreatitis or severe increase in pancreatic enzyme levels following remdesivir administration in COVID-19 patients: an observational study. <i>scientific reports.</i> 2022;12:1–10 |
| 68 | イコサペント酸エチル | Berger Christine, et al. Omega-3 fortement doses pour la prevention cardiovasculaire : une fausse bonne idee ? <i>Rev. Med. Suisse.</i> 2022 Mar 09;18(772):434–7. |
| 69 | バンコマイシン塩酸塩 | Yu KC, et al.. Relationships between creatinine increase and mortality rates in patients given vancomycin in 76 hospitals: The increasing role of infectious disease pharmacists. <i>Am J Health Syst Pharm.</i> 2021; 78(23): 2116–2125. |
| 70 | 精製ヒアルロン酸ナトリウム 精製ヒアルロン酸ナトリウム・コンドロイチン硫酸エステルナトリウム(1) | Yang X. Do preoperative intra-articular injections of corticosteroids or hyaluronic acid increase the risk of infection after total knee arthroplasty?. <i>Bone & joint research.</i> 2022;11:171–179. |
| 71 | アスピリン・ボノプラザンマル酸塩配合剤 | Calderone D, et al. Efficacy and Safety of Aspirin for Primary Cardiovascular Risk Prevention in Younger and Older Age: An Updated Systematic Review and Meta-analysis of 173,810 Subjects from 21 Randomized Studies. <i>Thrombosis and haemostasis.</i> 2022;122(3):445–455 |
| 72 | ジゴキシン | P. Dominguez Erquicia, S. Raposeiras Roubin, E. Abu-Asi, M. Cespon Fernandez, D. Alonso Rodriguez, S.J. Camacho Freire, N. Curbelos Fernandez, A. Lopez Masjuan Rios, M. Melendo Viu, A. Iniguez Romo. Safety of Digoxin in Nonagenarian Patients with Atrial Fibrillation. Lessons from a Spanishmulticenter registry. <i>Europ. Heart J.</i> 42(Suppl.1),2927,2021 |
| 73 | オキシコドン塩酸塩水和物 | Fugelstad A, et al.. Oxycodone-related deaths in Sweden 2006–2018.. <i>Drug and Alcohol Dependence.</i> 2022; 234: 109402(Article #)-DOI:10.1016/j.drugalcdep.2022.109402. |
| 74 | オメプラゾール | Xuejiao Xun,Qifan yin,Yuhao Fu,Xueru He,Zhanju Dong. Proton pump inhibitors and the risk of community-acquired pneumonia: an updated meta-analysis. <i>Ann. Pharmacother.</i> 56(5),524–532,2022 |
| 75 | ラベプラゾールナトリウム | Xuejiao Xun. Proton Pump Inhibitors and the Risk of Community-Acquired Pneumonia: An Updated Metaanalysis. <i>Ann. Pharmacother..</i> 2022; 56(5): 524–532. |

研究報告の報告状況
(2022年4月1日～2022年7月31日)

| NO | 一般名 | 文献名 |
|----|---|--|
| 76 | 酸化マグネシウム | 吉野俊平. 緊急血液透析を要した重度高マグネシウム血症に関する記述疫学的研究. 第49回日本集中治療医学会学術集会(2022.3.18,19,20)/0527 |
| 77 | 酸化マグネシウム | 吉野俊平. 緊急血液透析を要した重度高マグネシウム血症に関する記述疫学的研究. 第49回日本集中治療医学会学術集会(2022.3.18,19,20)/0527 |
| 78 | ロスバスタチンカルシウム | Deshayes, S. et al. A worldwide pharmacoepidemiologic update on drug-induced antineutrophil cytoplasmic antibody-associated vasculitis in the era of targeted therapies. Arthritis Rheumatol. 2022;74(1):134–139. |
| 79 | メトホルミン塩酸塩 | Yen F-S, Huang Y-H, Hou M-C, et al. Metformin use and cirrhotic decompensation in patients with type 2 diabetes and liver cirrhosis. Br J Clin Pharmacol. 2022; 88(1):311–322. |
| 80 | テネリグリプチン臭化水素酸塩水和物 | Ujije H, Muramatsu K, Mushiroda T, Ozeki T, Miyoshi H, Iwata H, et al..HLA-DQB1*03:01 as a Biomarker for Genetic Susceptibility to Bullous Pemphigoid Induced by DPP-4 Inhibitors..Journal of Investigative Dermatology.2018;138:5:1201–1204 |
| 81 | 酸化マグネシウム | 統合失調症患者の麻痺性イレウスと向精神薬・下剤の関係(精神神経学雑誌 124(2),84–90,2022) |
| 82 | オキサリプラチニ | Tomoyoshi Miyamoto, et al.. Development of hepatic impairment aggravates chemotherapy-induced peripheral neuropathy following oxaliplatin treatment: Evidence from clinical and preclinical studies. Journal of Pharmacological Sciences. 2022; 148: 315–325. |
| 83 | アスピリン・ボノプラザンマル酸塩配合剤 | Zadeh AV, et al. THE EFFECT OF LONG- TERM USE OF ASPIRIN ON THE OUTCOMES OF COVID-19 INFECTION IN PATIENTS WITH A HISTORY OF CORONARY ARTERY DISEASE AND DIABETES. (ACC 22. Washington, DC, United States.). Journal of the American College of Cardiology. 2022;79(9 Supple):1036 |
| 84 | アスピリン・ボノプラザンマル酸塩配合剤 | Zadeh AV, et al. THE EFFECT OF LONG-TERM USE OF ASPIRIN ON THE OUTCOMES OF COVID-19 INFECTION IN PATIENTS WITH A HISTORY OF CORONARY ARTERY DISEASE AND CHRONIC KIDNEY DISEASE. (ACC 22. Washington, DC,United States.). Journal of the American College of Cardiology. 2022;79(9 Supple):1035 |
| 85 | リツキシマブ(遺伝子組換え)[後続2] | Al-adhoubi, N.. COVID-19 Mortality in Patients with Rheumatic Diseases: A Real Concern. Current rheumatology reviews. 2022 |
| 86 | ドルテグラビルナトリウム ドルテグラビルナトリウム・アバカビル硫酸塩・ラミブジン ドルテグラビルナトリウム・リルピビリン塩酸塩 ドルテグラビルナトリウム・ラミブジン | Copp AJ, Greene NDE, Jao J, Zash R, Mohan H, Dontsova V, Serghides L. Dolutegravir and rat whole embryo culture.. Birth Defects Research. 2022;114:23–24 |
| 87 | 乾燥BCG膀胱内用(日本株) | 【World Journal of Urology. 40(2022)999–1004】 Recirculating hyperthermic intravesical chemotherapy with mitomycinC (HIVEC) versus BCG in high?risk non?muscle?invasive bladder cancer: results of the HIVEC?HR randomized clinical trial |
| 88 | シリデナフィルクエン酸塩 | Etminan, Mahyar; Sodhi, Mohit; Mikelberg, Frederick S; Maberley, David. Risk of Ocular Adverse Events Associated With Use of Phosphodiesterase 5 Inhibitors in Men in the US. JAMA ophthalmology. 2022. |
| 89 | メトクロプラミド ドンペリドン | Anne Benard-Laribiere et al.Risk of first ischaemic stroke and use of antidopaminergic antiemetics: nationwide case-time-control study.British Medical Journal 2022;(8331):e066192–e066192. |
| 90 | トラマドール塩酸塩・アセトアミノフェン配合剤 | Bowie, A.C. et al. 『Prescribed opioid analgesics in early pregnancy and the risk of congenital anomalies: a population-based cohort study』 CMAJ 2022; 194(5), E152–E162 |
| 91 | アロプリノール | Ha Pham Tran Thu, et al.. Allopurinol-induced severe cutaneous adverse reactions in Vietnamese: the role of HLA alleles and other risk factors. Pharmacogenomics. 2022;23(5):303–313 |
| 92 | オランザピン | Wallman, P. et al.. Antipsychotic use and pneumonia-related mortality. Brit. J. Clin. Pharmacol.. 2021; 87(12): 4885–4886. |
| 93 | 乾燥BCGワクチン | Wang J, et al. Epidemiological characteristics and trends of Bacillus Calmette–Guerin lymphadenitis in Shanghai, China from 2010 to 2019. Hum Vaccin Immunother. 2022;18(1):1938922. doi: 10.1080/21645515.2021.1938922. |
| 94 | モルヒネ塩酸塩水和物 | Talip E. Eroglu. et al.Opioid use is associated with increased out-of-hospital cardiac arrest risk among 40 000-cases across two countries.Br. J. Clin. Pharmacol. 2022;88(5):2256–2266. |
| 95 | トラマドール塩酸塩・アセトアミノフェン配合剤 | Lambourg, E. et al.. Analgesic use and associated adverse events in patients with chronic kidney disease: a systematic review and meta-analysis. Brit. J. Anaesth.. 2022; 128(3): 546–561. |
| 96 | イマチニブメシル酸塩 | Nakamae, M. et al.. Predictive value of clinical examination parameters for cardiovascular adverse events during treatment of chronic myeloid leukemia with tyrosine kinase inhibitors. Int'l J. Hematol.. 2022; 115(3): 329–335. |
| 97 | ジゴキシン | Dominguez Erquicia, P. et al. Safety of digoxin in nonagenarian patients with atrial fibrillation. Lessons from a Spanish multicenter registry. Europ. Heart J. 2021;42(Suppl.1):2927. |
| 98 | ベンダムスチン塩酸塩 | Baek, G. Late-onset complications with bendamustine versus CHOP or CVP based chemoimmunotherapy in indolent Non-Hodgkin's lymphoma. Leukemia and Lymphoma. 2021;62(13):3138–3146 |

研究報告の報告状況
(2022年4月1日～2022年7月31日)

| NO | 一般名 | 文献名 |
|-----|---|--|
| 99 | オキシコドン塩酸塩水和物 | Jakobsson G, et al.. Oxycodone-Related Deaths: The Significance of Pharmacokinetic and Pharmacodynamic Drug Interactions.. European journal of drug metabolism and pharmacokinetics. 2022; 47(2): 259–270 DOI:10.1007/s13318-021-00750-9. |
| 100 | トラマドール塩酸塩・アセトアミノフェン配合剤 | Talip E. Eroglu et.al.. Opioid use is associated with increased out-of-hospital cardiac arrest risk among 40 000-cases across two countries. Br. J. Clin. Pharmacol.. 2022; 88(5): 2256–2266. |
| 101 | グリメピリド | Hee Nam Y et al. Angiotensin-Converting Enzyme Inhibitors Used Concomitantly with Insulin Secretagogues and the Risk of Serious Hypoglycemia. Clin Pharmacol Ther. 2022; 111(1): 218–226. |
| 102 | 無水カフェイン | Yang Y, Lu K, Cheng R, Zhou Q, Fang G, Li H, Shao J, Wang H, Li Z, Liu S, Li Z, Cai J, Xue M, Chen X, Pan Z, Gao Y, Huang L, Li H, Song L, Wang S, Shu G, Wu W, Yu M, Xu Z, Li H, Xu Y, Bao Z, Wu X, Ye L, Dong X, Yin Q, Yin X, Zhou J. Clinical effect of different maintenance doses of caffeine citrate in the treatment of preterm infants requiring assisted ventilation: a pilot multicenter study. Zhongguo dang dai er ke za zhi = Chinese journal of contemporary pediatrics. 2022 MAR 15;24(3):240–248. |
| 103 | タクロリムス水和物 | Arana A, et al..Long-Term Risk of Skin Cancer and Lymphoma in Users of Topical Tacrolimus and Pimecrolimus: Final Results from the Extension of the Cohort Study Protopic Joint European Longitudinal Lymphoma and Skin Cancer Evaluation (JOELLE)..Clinical Epidemiology 2021;13(1141):1153. |
| 104 | フェンタニル トラマドール塩酸塩・アセトアミノフェン配合剤 | Talip E. Eroglu et al.Opioid use is associated with increased out-of-hospital cardiac arrest risk among 40 000-cases across two countries.Br. J. Clin. Pharmacol. 2022;88(5):2256–2266. |
| 105 | インダパミド | Lin, Z. et al. Proportion of patients taking indapamide developing severe hypokalaemia. Europ. Heart J. 2021;42(Suppl.1):2366. |
| 106 | ビサコジル 乾燥水酸化アルミニウムゲル・水酸化マグネシウム | Lin T.-L, Wu C.-Y, Fan Y.-H, Chang Y.-L, Ho H.J, Chen Y.-J. Association between early life laxative exposure and risk of allergic diseases: A nationwide matched cohort study. Annals of Allergy, Asthma & Immunology. 2022;128(3):291–298.e3. |
| 107 | シリデナフィルクエン酸塩 | Turner, Jessica M; Russo, Francesca; DePrest, Jan; Mol, Ben W; Kumar, Sailesh. Phosphodiesterase-5 inhibitors in Pregnancy: Systematic review and meta-analysis of maternal and perinatal safety and clinical outcomes. BJOG : an international journal of obstetrics and gynaecology. 2022. |
| 108 | ドバミン塩酸塩 | Suzuki R, Uchino S, Sasabuchi Y, Kawarai Lefor A, Sanui M. Dopamine use and its consequences in the intensive care unit: a cohort study utilizing the Japanese Intensive care PAatient Database. Crit-Care. 2022;26(1):90 |
| 109 | ドンペリドン | Benard-Laribiere A, Hucteau E, Debette S, Kirchgesner J, Bezin J, Pariente A. Risk of first ischaemic stroke and use of antidopaminergic antiemetics: nationwide case-time-control study. The BMJ. 2022;376(8331):e066192. |
| 110 | バルプロ酸ナトリウム | David Larsson, MD; Arton Baftiu, PhD; Cecilie Johannessen Landmark, PhD; Mia von Euler, MD, PhD; Eva Kumlien, MD, PhD; Signild Asberg, MD, PhD; Johan Zelano, MD, PhD. Association between antiseizure drug monotherapy and mortality for patients with poststroke epilepsy. JAMA Neurol. 2022;79(2):169–175 |
| 111 | アスピリン・ボノプラザンフマル酸塩配合剤 | van der Steen W, et al. Safety and efficacy of aspirin, unfractionated heparin, both, or neither during endovascular stroke treatment (MR CLEAN-MED): an open-label, multicentre, randomised controlled trial. The Lancet. 2022;399(10329):1059–1069 |
| 112 | オランザピン クエチアピンフマル酸塩 | Wallman, P. et al. (South London and The Maudsley NHS Foundation Trust, London, UK). Antipsychotic use and pneumonia-related mortality. Brit. J. Clin. Pharmacol. 2021;87(12):4885–4886–. |
| 113 | 塩酸メトクロプラミド メトクロプラミド ドンペリドン | Benard-Laribiere, A. et al. (Universite de Bordeaux, Bordeaux, France). Risk of first ischaemic stroke and use of antidopaminergic antiemetics: nationwide case-time-control study. BMJ. 2022; 376(8331): e066192–. |
| 114 | フルコナゾール ボリコナゾール | Ji, H.-H. et al. (Children's Hospital of Chongqing Medical University, Chongqing, China). Antifungal therapy with azoles induced the syndrome of acquired apparent mineralocorticoid excess: a literature and database analysis. Antimicrob. Agents Chemother.. 2022; 66(1): e01668–21. |
| 115 | オランザピン | McNally, H. et al. (Colorado Blood Cancer Institute, CO., USA). Is there a higher incidence of graft failure or delayed time to engraftment in patients undergoing autologous stem cell transplantation who receive olanzapine for anti-emetic prophylaxis?. Blood. 2021; 138(Suppl.1): 4905–. |
| 116 | メトホルミン塩酸塩 | Maarten J. Wensink. Preconception Antidiabetic Drugs in Men and Birth Defects in Offspring A Nationwide Cohort Study. Annals of Internal Medicine. 2022;175(5):665–673 |
| 117 | オランザピン | Wallman, P. et al. 『Antipsychotic use and pneumonia-related mortality』 Brit. J. Clin. Pharmacol. 2021; 87(12), 4885–4886 |
| 118 | コデインリン酸塩水和物(10%) オキシコドン塩酸塩水和物 フェンタニルクエン酸塩 モルヒネ塩酸塩水和物 | Eroglu TE, et al., Opioid use is associated with increased out-of-hospital cardiac arrest risk among 40000-cases across two countries, Brit. J Clinical Pharmacology. 2022; 88; 2256–2266 |
| 119 | クロザピン | Tiihonen J. Long-term treatment with clozapine and other antipsychotic drugs and the risk of haematological malignancies in people with schizophrenia: a nationwide case-control and cohort study in Finland. The Lancet Psychiatry. 2022;9:353–362 |

研究報告の報告状況
(2022年4月1日～2022年7月31日)

| NO | 一般名 | 文献名 |
|-----|------------------------------|--|
| 120 | アスピリン・ボノプラザンマル酸塩配合剤 | Xie J, et al. The risk of aspirin and prednisone using in women with antithyroid antibodies undergoing assisted reproductive technology. (37th Annual Meeting of the European Society of Human Reproduction and Embryology, ESHRE 2021. Virtual. Abst no. P-757). Human Reproduction. 2021;36(SUPPL 1):i481-i482 |
| 121 | モンテルカストナトリウム ロスバスタチンカルシウム | Deshayes, S. et al.. A worldwide pharmacoepidemiologic update on drug-induced antineutrophil cytoplasmic antibody-associated vasculitis in the era of targeted therapies. Arthritis Rheumatol.. 2022; 74(1): 134-139. |
| 122 | イマチニブメシル酸塩 | Maekawa, K. et al. Impacts of SNPs on adverse events and trough concentration of imatinib in patients with gastrointestinal stromal tumors. Drug Metabol. Pharmacokin. 2022;43:100441. |
| 123 | トラマドール塩酸塩・アセトアミノフェン配合剤 | Eroglu, T.E. et al. Opioid use is associated with increased out-of-hospital cardiac arrest risk among 40 000-cases across two countries. Brit. J. Clin. Pharmacol. 2022;88(5):2256-2266. |
| 124 | トラマドール塩酸塩・アセトアミノフェン配合剤 | Montastruc, J.-L. et al. Drug-induced hypohidrosis and anhidrosis: analysis of the WHO pharmacovigilance database 2000–2020. Europ. J. Clin. Pharmacol. 2022;78(5):887-889. |
| 125 | ラタノプロスト | Wu, J.-H. et al., Ocular surface disease in glaucoma patients randomized to benzalkonium chloride-containing latanoprost and preservative-free bimatoprost, J. Ocular Pharmacol. Ther. 37(10),556-564,2021 |
| 126 | メコバラミン | Pakpoom Ruangsomboon, et al. No Effect of Oral Mecobalamin on Skin Numbness at 3 Months After Total Knee Arthroplasty. A Randomized, Double-Blinded, Placebo-Controlled Superiority Trial. JBJS Open Access 2022:e22. |
| 127 | 乾燥スルホ化人免疫グロブリン | 畠 星羅 ほか.自己免疫性神経筋疾患での免疫グロブリン大量静注療法の副作用による汗疱の出現頻度.臨床神経学 2022;62(4):267-271. |
| 128 | レボフロキサシン水和物 モキシフロキサシン塩酸塩 | Creadore A, Desai S, Alloo A, Dewan AK, Bakhtiar M, Cruz-Diaz C et al. Clinical characteristics, disease course, and outcomes of patients with acute generalized exanthematous pustulosis in the US. JAMA Dermatol. 2022;158(2):176-83. |
| 129 | トラマドール塩酸塩・アセトアミノフェン配合剤 | Talip E. Eroglu.Opioid use is associated with increased out-of-hospital cardiac arrest risk among 40 000-cases across two countries.British Journal of Clinical Pharmacology. 2022;88(5):2256-2266. |
| 130 | レボフロキサシン水和物 | Liao SH, et al.. Risk for hypoglycemic emergency with levofloxacin use, a population-based propensity score matched nested case-control study.. PLoS One. 2022; 17(4): e0266471-. |
| 131 | ジヒドロコデインリン酸塩含有一般用医薬品 | Talip E. Eroglu 他. Opioid use is associated with increased out-of-hospital cardiac arrest risk among 40 000-cases across two countries. Br J Clin Pharmacol. 2022;88:2256-2266 |
| 132 | アロプリノール | Ha PTT, Tran QB, Chu CH, Nga DTQ, Nguyen HA, Nguyen DV, Phung TH. Allopurinol-induced severe cutaneous adverse reactions in Vietnamese: the role of HLA alleles and other risk factors. Pharmacogenomics. 2022;23:303-313 |
| 133 | ミルタザピン | Joseph RM, et al.. The risk of all-cause and cause-specific mortality in people prescribed mirtazapine: an active comparator cohort study using electronic health records. BMC Med. 2022; 20(1): 43-. |
| 134 | アリスキレンマル酸塩 | ジスバルカプセル_使用上の注意における相互作用の記載 ジスバルカプセル40mg添付文書 ラジレス錠150mg添付文書_新記載要領第1版 |
| 135 | ミルタザピン | Joseph RM, et al.. The risk of all-cause and cause-specific mortality in people prescribed mirtazapine: an active comparator cohort study using electronic health records. BMC Med. 2022; 20(1): 43-. |
| 136 | モンテルカストナトリウム ロスバスタチンカルシウム | Deshayes,S. et al. A worldwide pharmacoepidemiologic update on drug-induced antineutrophil cytoplasmic antibody-associated vasculitis in the era of targeted therapies Arthritis Rheumatol. 2022,74(1),134-139 |
| 137 | セボフルラン | M. Partanen.Longitudinal associations between exposure to anesthesia and neurocognitive functioning in pediatric medulloblastoma.European Journal of Cancer. 2021;148:103-111. |
| 138 | プロポフォール | M. Partanen.Longitudinal associations between exposure to anesthesia and neurocognitive functioning in pediatric medulloblastoma.European Journal of Cancer. 2021;148:103-111. |
| 139 | ミダゾラム | M. Partanen.Longitudinal associations between exposure to anesthesia and neurocognitive functioning in pediatric medulloblastoma.European Journal of Cancer. 2021;148:103-111. |
| 140 | モルヒネ塩酸塩水和物 | Alaee, Elham.Prenatal exposure to morphine impairs attention and impulsivity in adult rats.Psychopharmacology 2021;238(10):2729-2741. |
| 141 | セルトラリン塩酸塩 | Dev Rie, C.. A Systematic Review and Meta-Analysis Considering the Risk for Congenital Heart Defects of Antidepressant Classes and Individual Antidepressant. Drug Safety. 2021;44:291-312 |
| 142 | 酸化マグネシウム | 吉野俊平.緊急血液透析を要した重度高マグネシウム血症に関する記述疫学的研究.日本集中治療医学会(49);2022. |
| 143 | フェニトイン | Intravenous lacosamide and phenytoin for the treatment of acute exacerbations of trigeminal neuralgia: A retrospective analysis of 144 cases. Cephalgia, 2022, Apr 26, 3331024221092435 |
| 144 | パロキセチン塩酸塩水和物 | Dev Rie, C.. A Systematic Review and Meta-Analysis Considering the Risk for Congenital Heart Defects of Antidepressant Classes and Individual Antidepressant. Drug Safety. 2021;44:291-312 |

研究報告の報告状況
(2022年4月1日～2022年7月31日)

| NO | 一般名 | 文献名 |
|-----|---|---|
| 145 | アロプリノール モンテルカストナトリウム ロスバスタチンカルシウム | Deshayes, S. et al. (Normandie Universite, Caen, France). A worldwide pharmacoepidemiologic update on drug-induced antineutrophil cytoplasmic antibody-associated vasculitis in the era of targeted therapies. <i>Arthritis Rheumatol.</i> . 2022; 74(1): 134–139. |
| 146 | メロペネム水和物 | Ge W, et al.. Safety profile of carbapenems: Data mining of the FDA adverse events reporting system.. <i>International Journal of Clinical Pharmacology and Therapeutics</i> . 2021;59(9):594–602 |
| 147 | グリクラジド | Zhou J, et al.. Metformin versus sulphonylureas for new onset atrial fibrillation and stroke in type 2 diabetes mellitus: a population-based study. <i>Acta diabetologica</i> . 2022;59(5):697–709 |
| 148 | アロプリノール モンテルカストナトリウム ロスバスタチンカルシウム | Deshayes, S. et al., A worldwide pharmacoepidemiologic update on drug-induced antineutrophil cytoplasmic antibody-associated vasculitis in the era of targeted therapies, <i>Arthritis Rheumatol.</i> . 74(1),134–139,2022 |
| 149 | ロサルタンカリウム・ヒドロクロロチアジド | Carney K, et al.. Does hydrochlorothiazide increase the incidence of skin, lip and oral cancer in a UK population?. <i>Evid Based Dent</i> . 2022; 23(1): 38–39. |
| 150 | メトホルミン塩酸塩 | Yen FS, et al.. Metformin use and cirrhotic decompensation in patients with type 2 diabetes and liver cirrhosis. <i>Br J Clin Pharmacol</i> . 2022; 88(1): 311–322. |
| 151 | トラマドール塩酸塩・アセトアミノフェン配合剤 | Li L, et al.. Association of tramadol with all-cause mortality, cardiovascular diseases, venous thromboembolism, and hip fractures among patients with osteoarthritis: a population-based study.. <i>Arthritis Res. Ther.</i> . 2022; 24(1): 85–. |
| 152 | コデインリン酸塩水和物(1%以下) | Talip E. Eroglu et al. Opioid use is associated with increased out-of-hospital cardiac arrest risk among 40 000-cases across two countries. <i>Br J Clin Pharmacol</i> . 2022; 88(5): 2256–2266. |
| 153 | セボフルラン | Wenyu Bai.Hemodynamic changes in children with Down syndrome during and following inhalation induction of anesthesia with sevoflurane. <i>Journal of Clinical Anesthesia</i> 2010;22:592–597. |
| 154 | セボフルラン | Ji Yeon Jemma Kang.Anesthetic Implications of Common Congenital Anomalies. <i>Anesthesiology Clin</i> 2020;38:621–642. |
| 155 | セボフルラン | Jeff Miller.Sedation methods for transthoracic echocardiography in children with Trisomy 21-a retrospective study. <i>Pediatric Anesthesia</i> 2017;27:531–539. |
| 156 | コデインリン酸塩水和物(1%以下) ジヒドロコデインリン酸塩(1%以下) | Talip E.Eroglu et al.Opioid use is associated with increased out-of-hospital cardiac arrest risk among 40000-cases across two countries. <i>British Journal of Clinical Pharmacology</i> 2022;88(5):2256–2266 |
| 157 | アルプラゾラム | Lee, H.. Pregnancy and Neonatal Outcomes After Exposure to Alprazolam in Pregnancy. <i>Frontiers in pharmacology</i> . 2022;13:854562 |
| 158 | コルヒチン | Condello, F. et al. (IRCCS Humanitas Research Hospital, Milan, Italy). Colchicine in patients with coronary artery disease: a meta-analysis of randomized trials. <i>Europ. Heart J. Suppl.</i> . 2021; 23(Suppl.G): G135–. |
| 159 | バルプロ酸ナトリウム | Bjork, M. H. et al. Prenatal exposure to antiseizure medication duootherapy and risk of neurodevelopmental disorders-SCAN-AED: a Nordic nationwide cohort study <i>Epilepsia</i> 2021, 62(Suppl. 3), 24–25 |
| 160 | オキシコドン塩酸塩水和物 | Weiner SG, et al.. Opioid-related overdose and chronic use following an initial prescription of hydrocodone versus oxycodone.. <i>PLoS one</i> . 2022; 17(4): e0266561– DOI:10.1371/journal.pone.0266561. |
| 161 | ラベプラゾールナトリウム | Yan, C. et al.. Does proton pump inhibitor use lead to a higher risk of coronavirus disease 2019 infection and progression to severe disease? A meta-analysis. <i>Jpn J. Infect. Dis.</i> . 2022; 75(1): 10–15. |
| 162 | アンピシリンナトリウム・スルバクタムナトリウム | McDowell, R. et al.. Oral antibiotic use and early-onset colorectal cancer: findings from a case-control study using a national clinical database. <i>Brit. J. Cancer</i> . 2022; 126(6): 957–967. |
| 163 | アリピプラゾール水和物 アリピプラゾール プレクスピプラゾール | Yunusa I, et al.. Comparative Outcomes of Commonly Used Off-Label Atypical Antipsychotics in the Treatment of Dementia-Related Psychosis: A Network Meta-analysis.. <i>Advances in therapy</i> . 2022;39 (5):1993–2008 https://link.springer.com/article/10.1007/s12325-022-02075-8 |
| 164 | アトルバスタチンカルシウム水和物 | Voora, D. et al.. SLCO1B1*5 allele is associated with atorvastatin discontinuation and adverse muscle symptoms in the context of routine care. <i>Clin. Pharmacol. Ther.</i> . 2022; 111(5): 1075–1083. |
| 165 | ベンダムスチン塩酸塩 | Baek GT, et al.. Late-onset complications with bendamustine versus CHOP or CVP based chemoimmunotherapy in indolent Non-Hodgkin's lymphoma.. <i>Leuk Lymphoma</i> . 2021; 62(13): 3138–3146. |
| 166 | オクスカルバゼピン | Oxcarbazepine was associated with risks of newly developed hypothyroxinaemia and impaired central set point of thyroid homeostasis in schizophrenia patients. Zhai D. et al <i>British journal of clinical pharmacology</i> .2022 MAY;88(5):2297–2305. |
| 167 | トラマドール塩酸塩・アセトアミノフェン配合剤 | Talip E. Eroglu et al. Opioid use is associated with increased out-of-hospital cardiac arrest risk among 40 000-cases across two countries: <i>Br. J. Clin. Pharmacol</i> . 2022 88(5): 2256–2266 |
| 168 | トラマドール塩酸塩 | Li L; Marozoff S, Lu N; Xie H; Kopec J; Cibere J; Esdaile J; Zubieta J.Association of tramadol with all-cause mortality,cardiovascular diseases, venous thromboembolism, and hip fractures among patients with osteoarthritis:a population-based study.. <i>Arthritis Research & Therapy</i> 2022;;24–85. |

研究報告の報告状況
(2022年4月1日～2022年7月31日)

| NO | 一般名 | 文献名 |
|-----|--|--|
| 169 | トラマドール塩酸塩 | Sun M., Chang C-L., Lu C-Y., Wu S-Y. and Zhang J.. Survival Impact of Long-Term Tramadol Use on Breast Cancer for Patients with Chronic Pain: A Propensity Score-Matched Population-Based Cohort Study..Journal of Personalized Medicine 2022;12(3):arn. 384.. |
| 170 | ガドテル酸メグルミン | Gadolinium-based contrast agent accelerates the migration of astrocyte via integrin $\alpha v \beta 3$ signaling pathway. doi: https://doi.org/10.1038/s41598-022-09882-7 |
| 171 | クロザピン | Vickers Mark, et al.. Risk factors for clozapine-induced myocarditis and cardiomyopathy: A systematic review and meta-analysis. Acta Psychiatrica Scandinavica. 2022;145:442-455 |
| 172 | テストステロンエナント酸エステル テストステロンエナント酸エステル・エストラジオール 吉草酸エステル | Durcan, Emre et al. TransCOVID: Does Gender-Affirming Hormone Therapy Play a Role in Contracting COVID-19?. Journal of sex & marital therapy 2022; 48 (4): 415-426. |
| 173 | ヨウ化ナトリウム(131I) | Molenaar RJ, Sidana S, Radivoyevitch T, Advani AS, Gerds AT, Carraway HE, Angelini D, Kalaycio M, Nazha A, Adelstein DJ, Nasr C, Maciejewski JP, Majhail NS, Sekeres MA, Mukherjee S. Risk of Hematologic Malignancies After Radioiodine Treatment of Well-Differentiated Thyroid Cancer. J Clin Oncol. 2018 Jun 20;36(18):1831-1839. doi: 10.1200/JCO.2017.75.0232. |
| 174 | アトルバスタチンカルシウム水和物 アムロジピンベシル酸塩・アトルバスタチンカルシウム水和物配合剤(1) アムロジピンベシル酸塩・アトルバスタチンカルシウム水和物配合剤(2) アムロジピンベシル酸塩・アトルバスタチンカルシウム水和物配合剤(3) アムロジピンベシル酸塩・アトルバスタチンカルシウム水和物配合剤(4) ピタバスタチンカルシウム ロスバスタチンカルシウム プラバスタチンナトリウム | Masaru Samura et al.. Incidence of elevated creatine phosphokinase between daptomycin alone and concomitant daptomycin and statins:A systematic review and meta-analysis.Br J Clin Pharmacol 2022;88(5):1985-1998. |
| 175 | ミルタザピン | Kolding, L. et al. Antidepressant use in pregnancy and severe cardiac malformations: Danish register-based study. BJOG 2021;128(12),1949-1957. |
| 176 | ワルファリンカリウム | 渡部可奈子, 他. ワルファリン投与中のPT-INR変動に対するフェンタニル貼付剤の影響. 医療薬学. 2022; 48(4): 143-148. |
| 177 | ピラゾロン系解熱鎮痛消炎配合剤(4) 非ピリン系感冒剤(4) 非ピリン系感冒剤(5) | JHH O, et al.. Estimates of Paracetamol Poisoning in Brazil: Analysis of Official Records From 1990s to 2020.. Frontiers in Pharmacology. 2022; 13: 829547(Article #)- DOI:10.3389/fphar.2022.829547. |
| 178 | アセトアミノフェン | Janell Kwok, Emily Luedcke, Hildigunnur Anna Hall, Aja Louise Murray, Bonnie Auyeung. Analgesic drug use in pregnancy and neurodevelopment outcomes: an umbrella review. Neurosci Biobehav Rev. 2022 May;136:104607. |
| 179 | セボフルラン | Li, Changsheng.Differential Effects of Sevoflurane Exposure on Long-Term Fear Memory in Neonatal and Adult Rats.Molecular neurobiology 2022;59(5):2799-2807. |
| 180 | アトルバスタチンカルシウム水和物 アムロジピンベシル酸塩・アトルバスタチンカルシウム水和物配合剤(1) アムロジピンベシル酸塩・アトルバスタチンカルシウム水和物配合剤(2) アムロジピンベシル酸塩・アトルバスタチンカルシウム水和物配合剤(3) アムロジピンベシル酸塩・アトルバスタチンカルシウム水和物配合剤(4) | Turongkaravee S et al., A systematic review and meta-analysis of genotype-based and individualized data analysis of SLCO1B1 gene and statin-induced myopathy., Pharmacogenomics J. 2021 Jun;21(3):296-307. |
| 181 | オキシトシン | 町村 栄聰 他. 分娩中の臨床的絨毛膜羊膜炎が新生児に与える影響. 日本産科婦人科学会雑誌. 2022; 74(RZ): S582-. |
| 182 | フェニル酪酸ナトリウム | 【社内資料】Immedica.toxicology-written-summary. |
| 183 | ヒドロキシエチルデンプン130000 | Adamik KN, Stoffel MH, Tangermann S, de Breuyn Dietler B, Stokar-Regenscheit N. Assessment of Hydroxyethyl Starch (6% HES 130/0.4) Kidney Storage in Critically Ill Dogs: A Post-mortem Prospective Study. Frontiers in Veterinary Science. 2022 Jan 6;8:802507. |
| 184 | ソムアトロゴン(遺伝子組換え) ソマトロビン(遺伝子組換え) | He, M.. Association Between Recombinant Growth Hormone Therapy and All-Cause Mortality and Cancer Risk in Childhood: Systematic Review and Meta-Analysis. Frontiers in pediatrics. 2022;10:866295 |
| 185 | トラマドール塩酸塩・アセトアミノフェン配合剤 | Eroglu, T.E. et al.. Opioid use is associated with increased out-of-hospital cardiac arrest risk among 40 000-cases across two countries. Brit. J. Clin. Pharmacol.. 2022; 88(5): 2256-2266. |
| 186 | タダラフィル | Etminan, Mahyar, PharmD,MSc; Sodhi, Mohit; Mikelberg, Frederick S.; Maberley, David; et al.Risk of Ocular Adverse Events Associated with Use of Phosphodiesterase 5 Inhibitors in Men in the US.JAMA Ophthalmology 2022;:: |
| 187 | メルカブトプリン水和物 | Khaeso, K. et al.. NUDT15 is a key genetic factor for prediction of hematotoxicity in pediatric patients who received a standard low dosage regimen of 6-mercaptopurine. Drug Metabol. Pharmacokin.. 2022; 43: 100436-. |
| 188 | フィナステリド | Montastruc, J.-L. et al. Drug-induced hypohidrosis and anhidrosis: analysis of the WHO pharmacovigilance database 2000?2020 Europ. J. Clin. Pharmacol. 2022, 78(5), 887-889 |

研究報告の報告状況
(2022年4月1日～2022年7月31日)

| NO | 一般名 | 文献名 |
|-----|--|--|
| 189 | フェンタニルクエン酸塩 フェンタニル | Phuvachoterojanaphokin N. Low-dose lidocaine attenuates fentanyl-induced cough: A double-blind randomized controlled trial. European journal of clinical pharmacology. 2022;78(5):813-821. |
| 190 | デキサメタゾン | Ravi Medikonda et al. The safety and efficacy of dexamethasone in the perioperative management of glioma patients. J. Neurosurg. 2022;136(4):1062-1069. |
| 191 | トラマドール塩酸塩・アセトアミノフェン配合剤 | Eroglu, T.E. et al. Opioid use is associated with increased out-of-hospital cardiac arrest risk among 40 000-cases across two countries. Brit. J. Clin. Pharmacol. 2022, 88(5), 2256-2266 |
| 192 | アクチノマイシンD | Chen L, Xi L, Jiang J, Yin R, Qu P, Li X, Wan X, Chen Y, Hu D, Mao Y, Pan Z, Cheng X, Wang X, Li Q, Weng D, Zhang X, Zhang H, Ping Q, Liu X, Xie X, Kong B, Ma D, Lu W. Chemotherapy initiation with single-course methotrexate alone or combined with dactinomycin versus multi-course methotrexate for low-risk gestational trophoblastic neoplasia: a multi-centric randomized clinical trial. Frontiers of medicine. 2022 APR;16(2):276-284. |
| 193 | フルチカゾンプロピオニ酸エステル・ホルモテロール フルマル酸塩水和物 | Miravitles, M. et al.. Systematic review on long-term adverse effects of inhaled corticosteroids in the treatment of COPD. Europ. Resp. Rev.. 2021; 30(160): 210075-. |
| 194 | トラマドール塩酸塩・アセトアミノフェン配合剤 | .Tramadol use increases mortality and risk of major adverse cardiovascular events in rheumatoid arthritis patients: evidence from a population-based cohort study..European journal of preventive cardiology 2022;29(6):e237-e238. |
| 195 | ラベプラゾールナトリウム | Petra Czarniak. Proton pump inhibitors are associated with incident type 2 diabetes mellitus in a prospective population based cohort study. Br. J. Clin. Pharmacol.. 2022; 88(6): 2718-2726. |
| 196 | モルヒネ塩酸塩水和物 | Al-Mouqdad MM, et al.. Association between morphine exposure and impaired brain development on term-equivalent age brain magnetic resonance imaging in very preterm infants.. Scientific reports. 2022;12(1):1-10 |
| 197 | ロサルタンカリウム・ヒドロクロロチアジド | de Macedo Andrade, A.C. et al. Hydrochlorothiazide use is associated with the risk of cutaneous and lip squamous cell carcinoma: A systematic review and meta-analysis. Europ. J. Clin. Pharmacol. 2022;78(6),919-930. |
| 198 | クロビドグレル硫酸塩 | Higuchi, T. et al. Influence of daily versus alternate-day dosing of vonoprazan on intragastric pH, serum gastrin, and the antiplatelet function of clopidogrel : Influence of alternate-day dosing of vonoprazan. Europ. J. Clin. Pharmacol. 2022;78(6):955-963. |
| 199 | ニトラゼパム フルニトラゼパム | 宮田 晃志, 他.ラモトリギンの皮膚障害リスクに影響する因子の探索.第42回日本臨床薬理学会学術総会.2022;3-P-R-2. |
| 200 | クロビドグレル硫酸塩 | 竹内徹也, 他. クロビドグレルとパクリタキセルの併用が白血球減少に及ぼす影響(第2報). 第42回日本臨床薬理学会学術総会. 2021: 3-P-R-5. |
| 201 | ベンフォチアミン・B6・B12配合剤(1) リン酸チアミジスルファード・B6・B12配合剤 | The association between dietary vitamin B12 and lung cancer risk: findings from a prospective cohort study. Luu HN, et al. •Division of Cancer Control and Population Sciences, UPMC Hillman Cancer Center. European journal of cancer prevention : the official journal of the European Cancer Prevention Organisation (ECP) 30巻3号、275-28頁、2021年 |
| 202 | オメプラゾール | Petra Czarniak. Proton pump inhibitors are associated with incident type 2 diabetes mellitus in a prospective populationbased.Br. J. Clin. Pharmacol 2022;88(6):2718-2726. |
| 203 | オメプラゾール | Jeong Yee. Proton pump inhibitor use and hearing loss in patients with type 2 diabetes: Evidence from a hospital-based case-control study and a population-based cohort study. British journal of clinical pharmacology 2022;88(6):2738-2746. |
| 204 | アログリプチン安息香酸塩・メトホルミン塩酸塩配合剤 | Yen FS, et al. Metformin use and cirrhotic decompensation in patients with type 2 diabetes and liver cirrhosis. British journal of clinical pharmacology. 2022;88(1):311-322 |
| 205 | カンデサルタン シレキセチル・ヒドロクロロチアジド配合剤 | Ana Claudia de Macedo Andrade. Hydrochlorothiazide use is associated with the risk of cutaneous and lip squamous cell carcinoma: A systematic review and meta-analysis. Eur. J. Clin. Pharmacol.. 2022; 78(6). |
| 206 | ラベプラゾールナトリウム | Zhou, M. et al.. Proton pump inhibitors and in-hospital gastrointestinal bleeding in patients with acute coronary syndrome receiving dual antiplatelet therapy. Mayo Clin. Proc.. 2022; 97(4): 682-692. |
| 207 | アミノレブリン酸塩酸塩 | 経尿道的膀胱腫瘍切除術(TUR-BT)における5-アミノレブリン酸(5-ALA)と低血圧の関係性の検討および血管収縮薬使用の有効性の検討. 日本麻酔科学会第69回学術集会(2022.6.16,17,18). |
| 208 | ミダゾラム | Shi HJ, et al. Effect of midazolam on delirium in critically ill patients: a propensity score analysis. Journal of international medical research. 2022;50(4):1-10 |
| 209 | ジクロフェナクナトリウム | 大宮 直木 他.カプセル内視鏡データベースを用いた全国多施設ケースクロスオーバー研究による小腸出血の薬剤リスク.日本消化器病学会雑誌(e-journal) 2022;119(臨108):A98./日本消化器病学会総会(108);2022. |
| 210 | シロリムス | Zivelonghi C, Vescovo G, Agostoni P. Very long-term outcome of saphenous vein graft percutaneous coronary intervention: bare-metal stent versus sirolimus-eluting stent Article. Coronary artery disease. 2022;33(4):327-328. |

研究報告の報告状況
(2022年4月1日～2022年7月31日)

| NO | 一般名 | 文献名 |
|-----|--|---|
| 211 | 無水カフェイン | Zhao X, Li B, Xiong Y, Xia Z, Hu S, Sun Z, Wang H, Ao Y. Prenatal caffeine exposure induced renal developmental toxicity and transgenerational effect in rat offspring. Food and chemical toxicology : an international journal published for the British Industrial Biological Research Association. 2022 MAY 11;165:113082. |
| 212 | アロプリノール | Allopurinol-induced severe cutaneous adverse reactions in Vietnamese: the role of HLA alleles and other risk factors. Ha PTT, et al. • Department of Biochemistry, Hanoi University of Pharmacy, Hanoi, 10000, Vietnam. Pharmacogenomics 23巻5号、303-313頁、2022年 |
| 213 | ロサルタンカリウム・ヒドロクロロチアジド | de Macedo Andrade, A.C. et al.. Hydrochlorothiazide use is associated with the risk of cutaneous and lip squamous cell carcinoma: A systematic review and meta-analysis. ヒドロクロロチアジドの使用は皮膚及び口唇扁平上皮癌のリスクと関連する:システムティックレビュー及びメタ解析. Europ. J. Clin. Pharmacol. 2022;78(6):919-930. |
| 214 | アロプリノール | Kang, E.H. et al., Cardiovascular risk associated with allopurinol vs. benz bromarone in patients with gout, Europ. Heart J. 42(44),4578-4588a,2021 |
| 215 | アトルバスタチンカルシウム水和物 アムロジピンベシル酸塩・アトルバスタチンカルシウム水和物配合剤(1) アムロジピンベシル酸塩・アトルバスタチンカルシウム水和物配合剤(2) アムロジピンベシル酸塩・アトルバスタチンカルシウム水和物配合剤(3) アムロジピンベシル酸塩・アトルバスタチンカルシウム水和物配合剤(4) | Voora, D. et al., SLCO1B1*5 allele is associated with atorvastatin discontinuation and adverse muscle symptoms in the context of routine care, Clin. Pharmacol. Ther. 111(5),1075-1083,2022 |
| 216 | アロプリノール | Kang, E.H. et al. (Seoul National University Bundang Hospital, Seongnam, Korea). Cardiovascular risk associated with allopurinol vs. benz bromarone in patients with gout. Europ. Heart J.. 2021; 42(44): 4578-4588a. |
| 217 | インスリン アスパルト(遺伝子組換え) インスリン デテミル(遺伝子組換え) インスリン ヒト(遺伝子組換え) インスリン デグルデク(遺伝子組換え) インスリン デグルデク(遺伝子組換え)・インスリン アスパルト(遺伝子組換え)配合剤 インスリン デグルデク(遺伝子組換え)・リラグルチド(遺伝子組換え)配合剤 | Liu J, et al. Impact of insulin therapy on outcomes of diabetic patients with heart failure: A systematic review and meta-analysis. Diab Vasc Dis Res. May-Jun 2022;19(3):14791641221093175. |
| 218 | カルバマゼピン バルプロ酸ナトリウム フェノバルビタール フェニトイン | Association of Aggression and Antiepileptic Drugs: Analysis Using the Japanese Adverse Drug Event Report (JADER) Database Biological and Pharmaceutical Bulletin, 2022, 45(6), 720-723 |
| 219 | アミノレブリン酸塩酸塩 | 経尿道的膀胱腫瘍切除術における5-アミノレブリン酸塩(5-ALA)使用が当施設の全身麻酔管理に与えた影響:单施設後方視的研究. 日本麻酔科学会第69回学術集会(2022.6.16,17,18). |
| 220 | カルバマゼピン バルプロ酸ナトリウム フェノバルビタール フェニトイン | Side effects of long-term oral anti-seizure drugs on thyroid hormones in patients with epilepsy: a systematic review and network meta-analysys https://link.springer.com/article/10.1007/s10072-022-06120-w |
| 221 | アテノロール | Satoru Mitsuboshi, Takahiro Niimura, Fuka Aizawa, Mitsuhiro Goda, Yoshito Zamami, Keisuke Ishikawa. Atenolol and mortality events in patients with chronic kidney disease: Analysis of data from the Japanese Adverse Drug Event Report database. 2022. Basic Clin. Pharmacol. Toxicol. 130(4).553-556. |
| 222 | L-アスパラギナーゼ | Seung Min Hahn, Myeongjee Lee, Aaron Huser, Yeonji Gim, Eun Hwa Kim, Minsoo Kim, Amaal M. Aldosari, Inkyung Jung, Yoon Hae Kwak. Osteonecrosis in Korean Paediatric and Young Adults with Acute Lymphoblastic Leukaemia or Lymphoblastic Lymphoma: A Nationwide Epidemiological Study. Journal of Clinical Medicine. 2022;11(9):2489(Article #) |
| 223 | エソメプラゾールマグネシウム水和物 | Czarniak P, Ahmadizar F, Hughes J, Parsons R, Kavousi M, Ikram M, Stricker BH. Proton pump inhibitors are associated with incident type 2 diabetes mellitus in a prospective population-based cohort study. Br J Clin Pharmacol 2022; 88(6): 2718-2726. |
| 224 | オメプラゾールナトリウム | Czarniak P, Ahmadizar F, Hughes J, Parsons R, Kavousi M, Ikram M, Stricker BH. Proton pump inhibitors are associated with incident type 2 diabetes mellitus in a prospective population-based cohort study. Br J Clin Pharmacol 2022; 88(6): 2718-2726. |
| 225 | エソメプラゾールマグネシウム水和物 | Yee J, Han HW, Gwak HS. Proton pump inhibitor use and hearing loss in patients with type 2 diabetes: Evidence from a hospital-based case-control study and a population-based cohort study. Br J Clin Pharmacol 2022; 88(6): 2738-2746. |
| 226 | オメプラゾールナトリウム | Yee J, Han HW, Gwak HS. Proton pump inhibitor use and hearing loss in patients with type 2 diabetes: Evidence from a hospital-based case-control study and a population-based cohort study. Br J Clin Pharmacol 2022; 88(6): 2738-2746. |

研究報告の報告状況
(2022年4月1日～2022年7月31日)

| NO | 一般名 | 文献名 |
|-----|--|---|
| 227 | オメプラゾール | Petra Czarniak, Fariba Ahmadizar , Jeff Hughes, Richard Parsons, Maryam Kavousi, Mohammad Ikram, Bruno H. Stricker. Proton pump inhibitors are associated with incident type 2 diabetes mellitus in a prospective population-based cohort Study. 2022. Brit. J. Clin. Pharmacol. 88(6).2718-2726. |
| 228 | モルヒネ塩酸塩水和物 | Mountasser M. Al-Mouqdad. Association between morphine exposure and impaired brain development on term-equivalent age brain magnetic resonance imaging in very preterm infants. Scientific reports 2022;12(1):. |
| 229 | プレガバリン | Tomoyuki Yamada.Risk of Pregabalin-Induced Hypoglycemia: Analysis of the Japanese Adverse Drug Event Report Database.J Clin Pharmacol ;:. |
| 230 | ボノプラザンマル酸塩・アモキシシリソ水和物・クラリスロマイシン | Rodriguez CL, et al. Drug interactions in hospital prescriptions in Denmark: Prevalence and associations with adverse outcomes. Pharmacoepidemiology and drug safety. 2022;31(6):632-642 |
| 231 | テルミサルタン・アムロジピンベシル酸塩・ヒドロクロロチアジド配合剤 | A.C. de Macedo Andrade, et al. Hydrochlorothiazide use is associated with the risk of cutaneous and lip squamous cell carcinoma: A systematic review and meta-analysis. Europ. J. Clin. Pharmacol. 2022;78(6):919-930. |
| 232 | テルミサルタン・ヒドロクロロチアジド配合剤 | A.C. de Macedo Andrade, et al. Hydrochlorothiazide use is associated with the risk of cutaneous and lip squamous cell carcinoma: A systematic review and meta-analysis. Europ. J. Clin. Pharmacol. 2022;78(6):919-930. |
| 233 | バルプロ酸ナトリウム | Valproic Acid Serum Concentration and incidence of Toxicity in Pediatric Patients Journal of child neurology, 2022, 37(6), 461-470 |
| 234 | オメプラゾール ラベプラゾールナトリウム ランソプラゾール | Jeong Yee, et al. Proton pump inhibitor use and hearing loss in patients with type 2 diabetes: Evidence from a hospital-based case-control study and a population-based cohort study. Br. J. Clin. Pharmacol. 2022; 88 (6) :2738-46. |
| 235 | 乾燥人フィブリノゲン | Association of perioperative prothrombin complex concentrate and fibrinogen concentrate administration with thrombotic complications after liver transplantation. European Journal of Anaesthesiology 2021;38(Suppl.59):217. |
| 236 | アログリプチン安息香酸塩・メトホルミン塩酸塩配合剤 | Wong CKH, et al. Metformin Use in Relation to Clinical Outcomes and Hyperinflammatory Syndrome Among COVID-19 Patients With Type 2 Diabetes: A Propensity Score Analysis of a Territory-Wide Cohort. Frontiers in Endocrinology. 2022;13:Article 810914 |
| 237 | アスピリン・ボノプラザンマル酸塩配合剤 | Jiang J, et al. Effect of taking aspirin before diagnosis on the prognosis of esophageal squamous cell carcinoma and analysis of prognostic factors. Journal of International Medical Research. 2022;50(4):DOI: 10.1177/03000605221089799 |
| 238 | グリメピリド | Nehal Islam. Sulfonylureas and the Risk of Ventricular Arrhythmias Among People with Type 2 Diabetes: A Systematic Review of Observational Studies. Clin. Pharmacol. Ther. 2022; 111(6): 1248-1257. |
| 239 | 乾燥BCG膀胱内用(日本株) | Nurminen, Pertti et al. Incidence of and mortality from Bacille Calmette-Guerin (BCG) infections after BCG instillation therapy. BJU International. 2022;129(6):737-743. |
| 240 | アスピリン チクロビジン塩酸塩 クロビドグレル硫酸塩 | Yuya Taguchi, et al. Gastrointestinal and Intracranial Bleeding Events After Second-Generation Drug-Eluting Stent Implantation. Circulation Journal 2022;86(5):775-786. |
| 241 | ロラゼパム トリアゾラム | Medsafe. Prescriber Update: Lorazepam, triazolam. Medsafe Website. 2022 |
| 242 | フェンタニルクエン酸塩 フェンタニル | Eroglu, T.E. Opioid use is associated with increased out-of-hospital cardiac arrest risk among 40 000-cases across two countries. Brit. J. Clin. Pharmacol. 2022;88(5):2256-2266. |
| 243 | 抗破傷風人免疫グロブリン pH4処理酸性人免疫グロブリン pH4処理酸性人免疫グロブリン(皮下注射) | Kapoor M. et al. IVIg exposure and thromboembolic event risk: cohort study using the UK Biobank. ANZAN 2022 ASM. 10th May - 13th May 2022. |
| 244 | アログリプチン安息香酸塩・ピオグリタゾン塩酸塩配合剤 | Spence JD, et al. Efficacy of lower doses of pioglitazone after stroke or transient ischaemic attack in patients with insulin resistance. Diabetes, Obesity and Metabolism. 2022;24(6):1150-1158 |
| 245 | シロリムス | Asran S, Wiesner R, Trotter J. De Novo Sirolimus and Reduced-Dose Tacrolimus Versus Standard-Dose Tacrolimus After Liver Transplantation: The 2000?2003 Phase II Prospective Randomized Trial. American Journal of Transplantation. 2014;14:356-366. |
| 246 | コロナウイルス(SARS-CoV-2)ワクチン(遺伝子組換えサルアデノウイルスベクター) | Kaulen LD, et al.. Neurological autoimmune diseases following vaccinations against SARS-CoV-2: a case series.. European Journal of Neurology 2022; 29(2): 555-563. https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8652629/pdf/ENE-9999-0.pdf |
| 247 | リドカイン塩酸塩 | Paskins, Z. et al Clinical effectiveness of one ultrasound guided intra-articular corticosteroid and local anaesthetic injection in addition to advice and education for hip osteoarthritis (HIT trial): single blind, parallel group, three arm, randomised controlled trial BMJ 2022, 377(8336),e068446 |
| 248 | アスピリン | Safety and efficacy of aspirin, unfractionated heparin, both, or neither during endovascular stroke treatment(MR CLEAN-MED):an open-label,multicentre,randomised controlled trial(X68/The Lancet/(ISSN:1474-547X);0/ 399(10329)1059-1069/(2022.3.12)) |

研究報告の報告状況
(2022年4月1日～2022年7月31日)

| NO | 一般名 | 文献名 |
|-----|---|---|
| 249 | ボリコナゾール | Dusendang, J.R. et al. (Kaiser Permanente, CA., USA). Cohort and nested case-control study of cutaneous squamous cell carcinoma in solid organ transplant recipients, by medication. <i>J. Am. Acad. Dermatol.</i> 2022; 86(3): 598-606. |
| 250 | トラマドール塩酸塩・アセトアミノフェン配合剤 | Zafeiri A, et al.. Maternal over-the-counter analgesics use during pregnancy and adverse perinatal outcomes: cohort study of 151,141 singleton pregnancies.. <i>BMJ Open</i> . 2022; 12(5): e048092-. |
| 251 | ロサルタンカリウム・ヒドロクロロチアジド | de Macedo AAC, et al.. Hydrochlorothiazide use is associated with the risk of cutaneous and lip squamous cell carcinoma: A systematic review and meta-analysis.. <i>Eur. J. Clin. Pharmacol.</i> 2022; 78(6): 919-930. |
| 252 | ラベプラゾールナトリウム ランソプラゾール | Jeong Yee, et al. Proton pump inhibitor use and hearing loss in patients with type 2 diabetes: Evidence from a hospital-based case-control study and a population-based cohort study. <i>Br. J. Clin. Pharmacol.</i> 2022; 88(6):2738-46. |
| 253 | ロサルタンカリウム・ヒドロクロロチアジド バルサルタン・ヒドロクロロチアジド配合剤 | Ana Claudia de Macedo Andrade, et al. Hydrochlorothiazide use is associated with the risk of cutaneous and lip squamous cell carcinoma: A systematic review and meta analysis. <i>Eur.J. Clin. Pharmacol.</i> 2022;78(6):919-930. |
| 254 | ヒドロクロロチアジド テルミサルタン・ヒドロクロロチアジド配合剤 バルサルタン・ヒドロクロロチアジド配合剤 ロサルタンカリウム・ヒドロクロロチアジド | Ana Claudia de Macedo Andrade, et al. Hydrochlorothiazide use is associated with the risk of cutaneous and lip squamous cell carcinoma: A systematic review and meta analysis. <i>Eur. J. Clin. Pharmacol.</i> 78 (6) 919-930／(2022. 6) |
| 255 | ロサルタンカリウム・ヒドロクロロチアジド | Ana Claudia de Macedo Andrade. et al. 『Hydrochlorothiazide use is associated with the risk of cutaneous and lip squamous cell carcinoma: A systematic review and meta analysis』 <i>Eur. J. Clin. Pharmacol.</i> 2022;78(6)919-930 |
| 256 | リバストグミン | Chien-Ting Liu, et al. Association between long-term usage of acetylcholinesterase inhibitors and lung cancer in the elderly: a nationwide cohort study. <i>Scientific reports</i> . 2022 |
| 257 | ジゴキシン | Kyto V, et al..Digoxin use and outcomes after myocardial infarction in patients with atrial fibrillation.. <i>Basic & clinical pharmacology & toxicology</i> 2022;130(6):655-665. |
| 258 | 人血清アルブミン | 田中 里美, 木村 結衣, 渡邊 愛佳, 山口 尊聖, 小園 愛弓, 丹羽 玲子, 高 四強, 林 恵美, 片井 明子, 中山 享之, 加藤 栄史. 当院における新型コロナウイルス感染症重症患者のアルブミン製剤使用の後方視的解析. <i>日本輸血細胞治療学会誌</i> . 2022;68(2):316 |
| 259 | ミダゾラム | Shi HJ, et al. Effect of midazolam on delirium in critically ill patients: a propensity score analysis. <i>The Journal of international medical research</i> 2022;50(4):3000605221088695 |
| 260 | リバストグミン | Liu CT, et al..Association between long-term usage of acetylcholinesterase inhibitors and lung cancer in the elderly: a nationwide cohort study. <i>Scientific reports</i> .2022;12:1:3531 |
| 261 | トラゾドン塩酸塩 | Diana T Amari, Timothy R Juday, Feride H Frech, Weiyang Wang, Deval Gor, Norman Atkins Jr, Emerson M Wickwire. Fall Risk, Healthcare Resource Use, and Costs Among Adult Patients in the United States Treated for Insomnia with Zolpidem, Trazodone, or Benzodiazepines: A Retrospective Cohort Study. <i>Advances in Therapy</i> . 2022;39(3):1324-1340 |
| 262 | トラマドール塩酸塩・アセトアミノフェン配合剤 | Santoro KL, et al.. Acetaminophen and Xenobiotic Metabolites in Human Milk and the Development of Bronchopulmonary Dysplasia and Retinopathy of Prematurity in a Cohort of Extremely Preterm Infants.. <i>J. Pediatr.</i> .. 2022; 244: * 224-229.e3. |
| 263 | トラマドール塩酸塩・アセトアミノフェン配合剤 | Gau SY, et al.. Tramadol use increases mortality and risk of major adverse cardiovascular events in rheumatoid arthritis patients: evidence from a population-based cohort study.. <i>Eur J Prev Cardiol.</i> 2022; 29(6): e237-e238. |
| 264 | スルファメトキサゾール・トリメトリム | Sai San Moon Lu, Zahraa Mohammed, Christel Haggstrom, Robin Myte, Elisabeth Lindquist, Asa Gylfe, Bethany Van Guelpen, Sophia Harlid. Antibiotics Use and Subsequent Risk of Colorectal Cancer: A Swedish Nationwide Population-Based Study.2022. <i>JNCI J Natl Cancer Inst.</i> 114(1).38-46. |
| 265 | テストステロンエナント酸エステル テストステロンエナント酸エステル・エストラジオール 吉草酸エステル | Ory, Jesse et al. Secondary Polycythemia in Men Receiving Testosterone Therapy Increases Risk of Major Adverse Cardiovascular Events and Venous Thromboembolism in the First Year of Therapy. <i>The Journal of urology</i> 2022; 207 (6): 1295-1301. |
| 266 | メクロプラミド | Benard-Laribiere A, et al. Risk of first ischaemic stroke and use of antidopaminergic antiemetics: nationwide case-time-control study. <i>BMJ</i> . 2022; 376: e066192-. Benard-Laribiere A, et al. Risk of first ischaemic stroke and use of antidopaminergic antiemetics: nationwide case-time-control study. <i>BMJ</i> . 2022; 376: e066192-. |
| 267 | ロサルタンカリウム・ヒドロクロロチアジド | de Macedo Andrade, A.C. et al. Hydrochlorothiazide use is associated with the risk of cutaneous and lip squamous cell carcinoma: A systematic review and meta-analysis. <i>Europ. J. Clin. Pharmacol.</i> 2022, 78(6), 919-930 |
| 268 | アテノロール | Mitsuboshi S, Niimura T, Aizawa F, Goda M, Zamami Y, Ishizawa K. Atenolol and mortality events in patients with chronic kidney disease: Analysis of data from the Japanese Adverse Drug Event Report database. <i>Basic & Clinical Pharmacology & Toxicology</i> . 2022;130(4):553-556. |

研究報告の報告状況
(2022年4月1日～2022年7月31日)

| NO | 一般名 | 文献名 |
|-----|--|--|
| 269 | フェンタニルクエン酸塩 フェンタニル | Singh NP. The effect of two groups of intrathecal fentanyl doses on analgesic outcomes and adverse effects in parturients undergoing cesarean delivery: a systematic review and meta-analysis of randomized controlled trials with trial sequential analysis. International Journal of Obstetric Anesthesia. 2022;50:103270. |
| 270 | オクスカルバゼピン | Oxcarbazepine and Hyponatremia. Ciauskaite J. et al Medicina (Kaunas, Lithuania). 2022 APR 19;58(5) |
| 271 | ファモチジン | Al-Shaikhly, T. et al. Gastric acid suppression and penicillin allergy label. J. Allergy Clin. Immunol. 2022;149(2).Suppl.:AB76. |
| 272 | タゾバクタムナトリウム・ピペラシンナトリウム | Naoko Nakaos, et al. Tubulointerstitial nephritis:a biopsy case series of 139 Japanese Patients. Clinical and Experimental Nephrology 2022;26(5):435-444. |
| 273 | アログリプチン安息香酸塩・メトホルミン塩酸塩配合剤 | Wensink MJ, et al. Preconception Antidiabetic Drugs in Men and Birth Defects in Offspring: A Nationwide Cohort Study. Annals of Internal Medicine. 2022;175(5):665-673 |
| 274 | 乾燥BCG膀胱内用(日本株) | Palmier, M. et al. Mycotic arterial aneurysm secondary to BCG intravesical instillation: A review. Journal de medecine vasculaire 2022;47(2):94-105. |
| 275 | ケトプロフェン | Mojarrad, Paria; Mollazadeh, Hamid; Barikbin, Behnaz; Oghazian, Mohammad Bagher. Nicolau Syndrome: A Review of Case Studies. Pharmaceutical Sciences. 2022; 28(1): 27-38. |
| 276 | バルプロ酸ナトリウム | Akane Morita et al. Valproic acid accelerates the developmental cell death and delays the synaptogenesis in the mouse retina. 第95回日本薬理学会年会(抄録集)(Web) (第95回 日本薬理学会年会(2022.3.7-9)). 2022;3-P-246-3-P-246 |
| 277 | インフルエンザHAワクチン | Abigail L. Hulsizer et al. Hyperglycemia post-influenza vaccine in patients with diabetes. The Annals of Pharmacotherapy 2022.6.2 doi:10.1177/10600280221098101 |
| 278 | パンコマイシン塩酸塩 | Al-Maqbali JS, et al. Vancomycin Therapeutic Drug Monitoring (TDM) and Its Association with Clinical Outcomes: A Retrospective Cohort. J Infect Public Health. 2022; 15(5): 589-593. |
| 279 | ジクロフェナクナトリウム | Zafeiri A, et al.. Maternal over-the-counter analgesics use during pregnancy and adverse perinatal outcomes: cohort study of 151 141 singleton pregnancies.. BMJ Open. 2022; 12(5): e048092-. |
| 280 | クロビドグレル硫酸塩 | P2Y12 inhibition by clopidogrel increases adverse clinical events after transcatheter aortic valve replacement K Matsushita, B Marchandot, M Kibler, J Heger, M Peillex, A Trimaille, S Hess, L Grunebaum, M Ohana, A Reydel, L Jesel, P Ohlmann, O Morel Int J Cardiol. 2022 Aug 1;360:53-61 |
| 281 | ロサルタンカリウム・ヒドロクロロチアジド | de Macedo Andrade, A.C. et al. Hydrochlorothiazide use is associated with the risk of cutaneous and lip squamous cell carcinoma: A systematic review and meta-analysis Europ. J. Clin. Pharmcol. 2022, 78(6), 919-930 |
| 282 | イマチニブメシル酸塩 | Dahlen, T. et al. Adverse outcomes in chronic myeloid leukemia patients treated with tyrosine kinase inhibitors: Follow-up of patients diagnosed 2002–2017 in a complete coverage and nationwide agnostic register study Am. J. Hematol. 2022, 97(4), 421-430 |
| 283 | バルプロ酸ナトリウム カルバマゼピン フェノバルビタール フェニトイン | Treatment and care of women with epilepsy before, during, and after pregnancy: a practical guide Therapeutic Advances in Neurological Disorders, 2022, 15, 1-31 |
| 284 | ノレエチステロン・エチニルエストラジオール | Genotoxic effects of drospirenone and ethinylestradiol in human breast cells (in vitro) and bone marrow cells of female mice (in vivo) AH Mir, KD Vinod, S Faheem, KL Milindmitra Drug Chem Toxicol. 2022 Jul;45(4):1493-1499 |
| 285 | アスピリン | Sanusi, A..Aspirin for preeclampsia prophylaxis in patients with stage 1 hypertension in pregnancy.American Journal of Obstetrics and Gynecology. 2022;226(1,Suppl.):S139. |
| 286 | パンコマイシン塩酸塩 | Al-Maqbali JS, et al. Vancomycin Therapeutic Drug Monitoring (TDM) and Its Association with Clinical Outcomes: A Retrospective Cohort. J Infect Public Health. 2022; 15(5): 589-593. |
| 287 | オクスカルバゼピン | Side effects of long-term oral anti-seizure drugs on thyroid hormones in patients with epilepsy: a systematic review and network meta-analysis. Han Y. et al. Neurological sciences : official journal of the Italian Neurological Society and of the Italian Society of Clinical Neurophysiology. 2022 MAY 30;. |
| 288 | プレドニゾロン | 第66回日本リウマチ学会総会・学術集会プログラム・抄録集 (第66回 日本リウマチ学会総会・学術集会(2022.4.25-5.31)) |
| 289 | プレドニゾロン | 第66回日本リウマチ学会総会・学術集会プログラム・抄録集 (第66回 日本リウマチ学会総会・学術集会(2022.4.25-5.31)) |
| 290 | オキサリプラチニ | Song Q, et al.. Risk factors for oxaliplatin-induced hypersensitivity reaction in patients with colorectal cancer.. American Journal of Translational Research. 2022; 14(4): 2461-2468 DOI:.. |
| 291 | ティコプラニン | 今井 正彦 他. がん細胞の細胞増殖に及ぼす抗菌剤の影響. 日本薬学会第142年会要旨集(Web). 2022; 27PO1-pm2-47. |
| 292 | モルヒネ塩酸塩水和物 | Witharana TN, et al.. Impact of morphine use in acute cardiogenic pulmonary oedema on mortality outcomes: a systematic review and meta-analysis.. Therapeutic Advances in Cardiovascular Disease. 2022;16:1-10 |

研究報告の報告状況
(2022年4月1日～2022年7月31日)

| NO | 一般名 | 文献名 |
|-----|--|---|
| 293 | クロピドグレル硫酸塩 | 竹内徹也, 他 『クロピドグレルとパクリタキセルの併用が白血球減少に及ぼす影響(第2報)』 第42回日本臨床薬理学会学術総会 2021; 3-P-R-5 |
| 294 | ロサルタンカリウム・ヒドロクロロチアジド | de Macedo Andrade, A.C. et al., Hydrochlorothiazide use is associated with the risk of cutaneous and lip squamous cell carcinoma: A systematic review and meta-analysis, <i>Europ. J. Clin. Pharmacol.</i> 78(6), 919–930, 2022 |
| 295 | イマチニブメシル酸塩 | Casavecchia, G. et al. (University of Foggia, Foggia, Italy). Incidence of cardiovascular events in patients with chronic myeloid leukaemia treated with tyrosine kinase inhibitors. <i>Acta Cardiol.</i> 2022; 77(2): 130–135–. |
| 296 | ベタメタゾン・d-クロルフェニラミンマレイン酸塩 | Aviram, A. et al. (Sunnybrook Health Sciences Centre, Ontario, Canada). Antenatal corticosteroids and neurodevelopmental outcomes in late preterm births. <i>Arch. Dis. Child. Fetal Neonatal Ed.</i> 2022; 107(3): F250–F255. |
| 297 | ロサルタンカリウム・ヒドロクロロチアジド | de Macedo Andrade, A.C. et al. (Federal University of Rio Grande of Norte, Natal, Brazil). Hydrochlorothiazide use is associated with the risk of cutaneous and lip squamous cell carcinoma: A systematic review and meta-analysis. <i>Europ. J. Clin. Pharmacol.</i> 2022; 78(6): 919–930–. |
| 298 | ランソプラゾール | Yee, J. et al. (Ewha Womans University, Seoul, Korea). Proton pump inhibitor use and hearing loss in patients with type 2 diabetes: Evidence from a hospital-based case-control study and a population-based cohort study. <i>Brit. J. Clin. Pharmacol.</i> 2022; 88(6): 2738–2746–. |
| 299 | セボフルラン | Liu, Lidan. Hypercholesterolemia aggravates sevoflurane-induced cognitive impairment in aged rats by inducing neurological inflammation and apoptosis. <i>Journal of Biochemical and Molecular Toxicology</i> 2022; 36(5):e23009. |
| 300 | ミダゾラム | Scherer C, et al. Propofol versus midazolam sedation in patients with cardiogenic shock – an observational propensity-matched study. <i>Journal of Critical Care</i> . 2022; 71:154051 (Article #) |
| 301 | トラゾドン塩酸塩 ゾルピデム酒石酸塩 | Amari, D. Falls, healthcare resources and costs in older adults with insomnia treated with zolpidem, trazodone, or benzodiazepines. <i>BMC geriatrics</i> . 2022; 22(1):484 |
| 302 | エゼチミブ・ロスバスタチンカルシウム配合剤 | Mercep Iveta, Ivana Radman, Vladimir Trkulja, Tamara Bozina, Lijija Simicevic, Ema Budimir, Lana Ganoci, Nada Bozina. Loss of function polymorphisms in SLCO1B1 (c.521T>C, rs4149056) and ABCG2 (c.421C>A, rs2231142) genes are associated with adverse events of rosuvastatin: a case-control study.. <i>European journal of clinical pharmacology</i> . 2022; 78(2):227–236 |
| 303 | ロサルタンカリウム・ヒドロクロロチアジド | de Haan-Du J, et al.. The Risk of Cutaneous Squamous Cell Carcinoma Among Patients with Type 2 Diabetes Receiving Hydrochlorothiazide: A Cohort Study. <i>Cancer Epidemiol. Biomarkers Prev.</i> 2021; 30(11):2114–2121 |
| 304 | ロサルタンカリウム・ヒドロクロロチアジド | Efe Eworuke, Nicole Haug, Marie Bradley, Austin Cosgrove, Taney Zhang, Elizabeth C Dee, Sruthi Adimadhyam, Andrew Petrone, Hana Lee, Tiffany Woodworth, Sengwee Toh. Risk of Nonmelanoma Skin Cancer in Association With Use of Hydrochlorothiazide-Containing Products in the United States.. <i>JNCI cancer spectrum</i> . 2021; 5(2) |
| 305 | アスピリン・ボノプラザンマル酸塩配合剤 | Zafeiri A, et al. Maternal over-the-counter analgesics use during pregnancy and adverse perinatal outcomes: cohort study of 151 141 singleton pregnancies. <i>BMJ Open</i> . 2022; 12(5):Article no. e048092 |
| 306 | 非ピリル系感冒剤(2) 非ピリル系感冒剤(3) | MacIntyre, I.M.. Regular acetaminophen use and blood pressure in people with hypertension: the PATH-BP trial. <i>Circulation</i> . 2022; 145(6): 416–423. |
| 307 | プラバスタチンナトリウム ロスバスタチンカルシウム シンバスタチン | Hirsch, A. et al. Congenital Anomalies and Statin Exposure During Pregnancy: A systematic review and meta-analysis. <i>Am. J. Obstet. Gynecol.</i> 2022; 226(1): Suppl.1,S290–S291. |
| 308 | ビフィズス菌製剤(5) ラクトミン | 南島拓矢, 肥田裕丈, 宮崎雅之, 今俊介, 千崎康司, 山田清文, 他. 一般論文 免疫チェックポイント阻害薬の有効性および安全性に対する抗菌薬使用の影響 Influence of Antibiotic Use on the Effectiveness and Safety of Immune Checkpoint Inhibitors. <i>医療薬学</i> 2022 May; 48(5) :173–193. |
| 309 | パンコマイシン塩酸塩 | Letouzey, M. et al. Early antibiotic exposure and adverse outcomes in very preterm infants at low risk of early-onset sepsis: the EPIPAGE-2 cohort study <i>J.Pediat</i> 2022, 243, 91–98, e4 |
| 310 | パンコマイシン塩酸塩 | Fitzgerald, J. et al. Nephrotoxic medication exposures in critically ill children with sepsis <i>Crit. Care Med.</i> 2022, 50(1), Suppl, 732 |
| 311 | バルプロ酸ナトリウム フェノバルビタール フェニトイン カルバマゼピン | Bulletin zur Arzneimittelsicherheit Ausgabe, Juni 2022, 2, 4–14 |
| 312 | グリクラジド グリメピリド | Nehal Islam.Sulfonylureas and the Risk of Ventricular Arrhythmias Among People with Type2 Diabetes: A Systematic Review of Observational Studies.Clinical Pharmacology & Therapeutics 2022; 111(6):1248–1257. |
| 313 | ピラゾロン系解熱鎮痛消炎配合剤(4) 非ピリル系感冒剤(4) 非ピリル系感冒剤(5) | Santoro KL, et al.. Acetaminophen and Xenobiotic Metabolites in Human Milk and the Development of Bronchopulmonary Dysplasia and Retinopathy of Prematurity in a Cohort of Extremely Preterm Infants.. <i>Journal of Pediatrics</i> . 2022; 244: 224–229.e3 DOI:10.1016/j.jpeds.2022.01.030. |
| 314 | ジアゼパム | Davies, S.J.C..Comparative safety of chronic versus intermittent benzodiazepine prescribing in older adults: A population-based cohort study.Journal of Psychopharmacology. 2022; 36(4):460–469. |

研究報告の報告状況
(2022年4月1日～2022年7月31日)

| NO | 一般名 | 文献名 |
|-----|---|--|
| 315 | アセトアミノフェン トラマドール塩酸塩・アセトアミノフェン配合剤 | Germain Perrin. Association Between Exposure to Effervescent Paracetamol and Hospitalization for Acute Heart Failure: A Case–Crossover Study. Journal of Clinical Pharmacology. 2022;62(7):883–890. |
| 316 | 乾燥BCG膀胱内用(日本株) | Ho, Kelvin Kam Fai et al. Systematic Review of Case Reports of Bacillus Calmette–Guerin Vascular Infections. Annals of vascular surgery 2022;83:369–377. |
| 317 | クラリスロマイシン リファンピシン エタンブトール塩酸塩 | 高橋 寛. S10-1 肺MAC症の標準治療における副作用の検討. 結核. 第97回日本結核・非結核性抗酸菌症学会学術講演会. 2022.7.1,2. 北海道旭川市. 2022.6.1; 97(4) 91. |
| 318 | バルプロ酸ナトリウム | DAVID LIANG et al. The Relationship Between Valproate and Lamotrigine/Levetiracetam Use and Prognosis in Patients With Epilepsy and Heart Failure: A Danish Register-Based Study. |
| 319 | トラマドール塩酸塩・アセトアミノフェン配合剤 | Jongkhajornpong, P. et al. Association of HLA polymorphisms and acetaminophen-related Steven–Johnson syndrome with severe ocular complications in Thai population. Brit. J. Ophthalmol. 2022;106(6):884–888. |
| 320 | アジスロマイシン水和物 | Assimon, M. Azithromycin use increases the risk of sudden cardiac death in patients with hemodialysis-dependent kidney failure. Kidney international. 2022 |
| 321 | ニカルジピン塩酸塩 | Yasuda, Hideto et al. Risk factors for peripheral intravascular catheter-related phlebitis in critically ill patients: analysis of 3429 catheters from 23 Japanese intensive care units. Annals of Intensive Care. 2022;12(1) |
| 322 | シロスタゾール | Park, S. et al. (Korea University Medical Center, Seoul, Korea). Efficacy, optimal duration and safety of adjunctive cilostazol in acute ST-elevation myocardial infarction patients undergoing primary percutaneous coronary intervention with drug-eluting stents; a multicenter, randomized, open label, phase 4 trial. Circulation. 2021; 144(Suppl.1): A12823–. |
| 323 | ラクツロース | Pope, S. et al. (Emory University Hospital, GA., USA). Safety of lactulose for the treatment of hepatic encephalopathy in decompensated cirrhosis. Crit. Care Med.. 2022; 50(1,Suppl.): 439–. |
| 324 | ベタメタゾン・d-クロルフェニラミンマレイン酸塩 | Asirwatham, A.M. et al. (University of Massachusetts Memorial Medical Center, MA., USA). Neonatal hypoglycemia after antenatal late preterm steroids. Am. J. Obstet. Gynecol.. 2022; 226(1,Suppl.): S237–. |
| 325 | クロピドグレル硫酸塩 | Zhang, Y. et al. (Capital Medical University, Beijing, China). Clinical outcomes after percutaneous coronary intervention over time on the basis of CYP2C19 polymorphisms. J. Cardiovasc. Pharmacol.. 2022; 79(2): 183–191–. |
| 326 | ピオグリタゾン塩酸塩 | Lin, C.-W. et al. (Chang Gung Memorial Hospital at Linkou, Taoyuan, Taiwan). Relationship of concomitant anti-diabetic drug administration with sodium-glucose co-transporter 2 inhibitor-related ketosis. J. Int'l Med. Res.. 2022; 50(3): 03000605221090095–. |
| 327 | ドルテグラビルナトリウム ドルテグラビルナトリウム・アバカビル硫酸塩・ラミブジン ドルテグラビルナトリウム・リルピビリン塩酸塩 ドルテグラビルナトリウム・ラミブジン | Kourtis A, Zhu W, Lampe M, Huang YLA, Hoover KW. NEURAL TUBE DEFECTS and PRENATAL EXPOSURE to DOLUTEGRAVIR: UNITED STATES, 2008–2019. (Abstract Number: 677). Topics in Antiviral Medicine Conference on Retroviruses and Opportunistic Infec. 2022;30:267–268 |
| 328 | パクリタキセル ゲムシタビン塩酸塩 | Allard, J.. Microangiopathy associated with gemcitabine: a drug interaction with nab-paclitaxel? A case series and literature review. European Journal of Clinical Pharmacology. 2022;78:1087–1093 |
| 329 | バルプロ酸ナトリウム | DAVID LIANG, MAURIZIO SESSA, ELENA GARDELLA, KRISTIAN KRAGHOLM, CHRISTOFFER POLCWIARTEK. The Relationship Between Valproate and Lamotrigine/Levetiracetam Use and Prognosis in Patients With Epilepsy and Heart Failure: A Danish Register-Based Study. Journal of Cardiac Failure. 2022;28(4):630–638 |
| 330 | テストステロンエナント酸エステル テストステロンエナント酸エステル・エストラジオール 吉草酸エステル | Nackeieran, Sirpi et al. Testosterone Therapy is Associated With Depression, Suicidality, and Intentional Self-Harm: Analysis of a National Federated Database. The journal of sexual medicine 2022; 19 (6): 933–939. |
| 331 | モルヒネ塩酸塩水和物 | Witharana TN, et al. Impact of morphine use in acute cardiogenic pulmonary oedema on mortality outcomes: a systematic review and meta-analysis. Therapeutic Advances in Cardiovascular Disease. 2022;16:1–10 |
| 332 | ジゴキシン | Kyto, V. et al. .Digoxin use and outcomes after myocardial infarction in patients with atrial fibrillation. Basic Clin. Pharmacol. Toxicol. 2022;130(6):655–665. |
| 333 | ミルタザピン | Talip E. Eroglu et al. Risk of out-of-hospital cardiac arrest in antidepressant drug users. Br. J. Clin. Pharmacol. 88 (7) 3162–3171／(2022. 7) |
| 334 | ラベプラゾールナトリウム | Na Wei. The association between proton pump inhibitor use and systemic anti-tumour therapy on survival outcomes in patients with advanced non-small cell lung cancer: A systematic review and meta-analysis. Br. J. Clin. Pharmacol.. 2022; 88(7): 3052–3063. |
| 335 | ノルアドレナリン | Bleeser T, et al..Neurodevelopmental effects of maternal blood pressure management with noradrenaline during general anaesthesia for nonobstetric surgery in the pregnant rabbit model. European journal of anaesthesiology 2022;39(6):511–520. |
| 336 | トラマドール塩酸塩・アセトアミノフェン配合剤 | Bowie, A. C. , et al. Prescribed opioid analgesics in early pregnancy and the risk of congenital anomalies:a population-based cohort study. CMAJ 2022;194(5):E152-E162 |

研究報告の報告状況
(2022年4月1日～2022年7月31日)

| NO | 一般名 | 文献名 |
|-----|--|---|
| 337 | コデインリン酸塩水和物(1%以下) ジヒドロコデインリン酸塩(1%以下) | Julio F Fiore Jr et al. Opioid versus opioid-free analgesia after surgical discharge: a systematic review and meta-analysis of randomised trials. Lancet 2022;10343:2280–2293. |
| 338 | アテノロール メトプロロール酒石酸塩 | Peltenburg PJ, Kallas D, Bos JM, et al. An international multicenter cohort study on beta-blockers for the treatment of symptomatic children with catecholaminergic polymorphic ventricular tachycardia. Circulation. 2022;145(5):333–344. |
| 339 | イコサペント酸エチル | 佐藤寛子、木下照常、長船綾子、他. 妊娠期のオメガ3長鎖多価不飽和脂肪酸含有サプリメント摂取による分娩時出血量への影響の検討. 日本病院薬剤師会雑誌. 2022;58(5):520–525. |
| 340 | アスピリン・ボノプラサンフマル酸塩配合剤 | Guirguis- Blake JM, et al. Aspirin Use to Prevent Cardiovascular Disease and Colorectal Cancer: Updated Evidence Report and Systematic Review for the US Preventive Services Task Force. JAMA. 2022;327 (16):1585–1597 |
| 341 | 炭酸リチウム | Hastie, Roxanne et al.. Maternal lithium use and the risk of adverse pregnancy and neonatal outcomes: a Swedish population-based cohort study. BMC Medicine. 2021; 19(1): 291–. |
| 342 | クロモグリク酸ナトリウム | Martinez FJ, et al.. Phase 2B Study of Inhaled RVT-1601 for Chronic Cough in Idiopathic Pulmonary Fibrosis A Multicenter, Randomized, Placebo-controlled Study (SCENIC Trial).. Am. J. Respir. Crit. Care Med.. 2022; 205(9): 1084–1092. |
| 343 | カシリビマブ(遺伝子組換え)・イムデビマブ(遺伝子組換え) | Baum A, Kyratsous C, Edelmann K. Assessment of Casirivimab and Imdevimab Neutralization Activities Against SARS-CoV-2 and Vesicular Stomatitis Virus Pseudotyped with SARS-CoV-2 Spike Protein (Addendum to R10933-PH-20091-SR-01V7). Regeneron Pharmaceuticals, Inc. Addendum to Nonclinical Study Report. 2022;1-17 |
| 344 | アスコルビン酸 アスコルビン酸・パントテン酸カルシウム(1) | Lamontagne, F..Intravenous vitamin C in adults with sepsis in the intensive care unit.New England Journal of Medicine. 2022;386(25):2387–2398. |
| 345 | リトドリン塩酸塩 硫酸マグネシウム水和物 | 矢田 ゆかり. O-090 リトドリン塩酸塩と硫酸マグネシウムの併用療法は新生児高カリウム血症のリスクを高める. 第58回日本周産期・新生児医学会学術集会 |
| 346 | アトルバスタチンカルシウム水和物 アムロジピンベシル酸塩・アトルバスタチンカルシウム水和物配合剤(1) アムロジピンベシル酸塩・アトルバスタチンカルシウム水和物配合剤(2) アムロジピンベシル酸塩・アトルバスタチンカルシウム水和物配合剤(3) アムロジピンベシル酸塩・アトルバスタチンカルシウム水和物配合剤(4) シンバスタチン レボドバ・カルビドバ水和物 | Teboul, A. et al Drug-induced eosinophilic fasciitis: A dual pharmacovigilance analysis J. Am. Acad. Dermatol. 2022, 86 (6), 1372–1375 |
| 347 | クラリスロマイシン クエチアピンフマル酸塩 チカグレロル タクロリムス水和物 エベロリムス | Rodriguez CL, et al. Drug interactions in hospital prescriptions in Denmark: Prevalence and associations with adverse outcomes. 2022; 31(6): 632–642. |
| 348 | レボドバ・カルビドバ水和物 | Soraya GV, et al.. SIGNIFICANT ASSOCIATION BETWEEN THE COMT, MAO-B, AND DRD2 POLYMORPHISMS WITH SUSCEPTIBILITY TO MOTOR LEVODOPA-INDUCED COMPLICATIONS (MLIC) IN PARKINSON'S DISEASE.. Neuroepidemiology. 2022;56(SUPPL 1):85 |
| 349 | リトドリン塩酸塩 | Jang, Eun-Jeong; Kim, Young-Ju; Hwang, Han-Sung; Yee, Jeong; Gwak, Hye-Sun. Associations of GNAS and RGS Gene Polymorphisms with the Risk of Ritodrine-Induced Adverse Events in Korean Women with Preterm Labor: A Cohort Study. Pharmaceutics. 2022; 14(6). |
| 350 | アスコルビン酸含有一般用医薬品 | Lamontagne F, Masse M.-H, Menard J, et al. Intravenous vitamin C in adults with sepsis in the intensive care unit. N. Engl. J. Med. 2022;386(25):2387–2398. |
| 351 | フェブキソstatt | Mitsuboshi, S. et al. Risk of hematologic events with coadministration of methotrexate and the breast cancer resistance protein inhibitor febuxostat. Ann. Pharmacother. 2022;56(8):910–915. |
| 352 | SARSコロナウイルス核酸キット インフルエンザウイルス核酸キット | 【社内資料】配列解析に関する報告書 |
| 353 | ジゴキシン | Kyto, V. et al. Digoxin use and outcomes after myocardial infarction in patients with atrial fibrillation. Basic Clin. Pharmacol. Toxicol. 2022;130(6):655–665. |
| 354 | バルプロ酸ナトリウム | Valproic Acid After Neurosurgery Induces Elevated Risk of Liver Injury: A Prospective Nested Case-Control Study The Annals of pharmacotherapy, 2022, 56(8), 888–897 |
| 355 | フルチカゾンプロピオン酸エステル・ホルモテロール フマル酸塩水和物 | Shu, C.-C. et al.. Inhaled corticosteroids increase risk of nontuberculous mycobacterial lung disease: A nested case-control study and meta-analysis. J. Infect. Dis.. 2022; 225(4): 627–636. |
| 356 | オキシコドン塩酸塩水和物 モルヒネ硫酸塩水和物 モルヒネ塩酸塩水和物 コデインリン酸塩水和物 コデインリン酸塩水和物(10%) | Eroglu TE, et al.. Opioid use is associated with increased out-of-hospital cardiac arrest risk among 40 000-cases across two countries.. British Journal of Clinical Pharmacology. 2022; 88(5): 2256–2266 DOI:10.1111/bcp.15157. |

研究報告の報告状況
(2022年4月1日～2022年7月31日)

| NO | 一般名 | 文献名 |
|-----|--|--|
| 357 | アレンドロン酸ナトリウム水和物 | Mitsuboshi Satoru, Kaseda Ryohei, Narita Ichiei. Association between Anti-Osteoporotic Drugs and Risk of Acute Kidney Injury: A Cross-Sectional Study Using Disproportional Analysis and a Pharmacovigilance Database. Journal of clinical pharmacology. 2022 |
| 358 | エストラジオール エストラジオール吉草酸エステル テストステロンエナント酸エステル・エストラジオール 吉草酸エステル プロゲステロン | Scabia, Valentina et al. Estrogen receptor positive breast cancers have patient specific hormone sensitivities and rely on progesterone receptor. Nature communications. 2022; 13 (1): 3127. |
| 359 | オメプラゾール ランソプラゾール ラベプラゾールナトリウム | Na Wei et al. The association between proton pump inhibitor use and systemic anti-tumour therapy on survival outcomes in patients with advanced non-small cell lung cancer: A systematic review and meta-analysis..Br. J. Clin. Pharmacol 2022;88(7):3052-3063. |
| 360 | ミルタザピン | Eroglu TE, et al.. Risk of out-of-hospital cardiac arrest in antidepressant drug users. Br J Clin Pharmacol. 2022; 88(7): 3162-3171. |
| 361 | 過酢酸 | Tolerance of biofilm of a carbapenem-resistant Klebsiella pneumoniae involved in a duodenoscopy-associated outbreak to disinfectant used in reprocessing |
| 362 | エゼチミブ・アトルバスタチンカルシウム水和物配合剤 | Deepak Voora, Jordan Baye, Adam McDermaid, Smitha Narayana Gowda, Russell A. Wilke. SLCO1B1*5 Allele Is Associated With Atorvastatin Discontinuation and Adverse Muscle Symptoms in the Context of Routine Care.. Clinical Pharmacology and Therapeutics. 2022;111(5):1075-1083 |
| 363 | デキサメタゾンシペシル酸エステル | 【社内資料】中国で実施した季節性アレルギー性鼻炎に対するNS-126Z(デキサメタゾンシペシル酸エステル:エリザス点鼻粉末200 μg28噴霧用)の有効性と安全性を評価する多施設共同、ランダム化、二重盲検、プラセボ対照臨床試験 |
| 364 | トリアムシノロンアセトニド | outbreak to the disinfectant used |
| 365 | アリピプラゾール リスペリドン | Straub, L. et al. (Brigham and Women's Hospital and Harvard Medical School, MA., USA). Association of antipsychotic drug exposure in pregnancy with risk of neurodevelopmental disorders: A national birth cohort study. JAMA Intern. Med.. 2022; 182(5): 522-533-. |
| 366 | ボリコナゾール | 延山 嘉眞, 他. C-1-6 ボリコナゾール被投与日光角化症患者の有棘細胞癌発生リスク. 第38回日本皮膚悪性腫瘍学会学術大会; 112. |
| 367 | ゾレドロン酸水和物 | Teboul, A. et al. (Hopital Cochin, Paris, France). Drug-induced eosinophilic fasciitis: A dual pharmacovigilance analysis. J. Am. Acad. Dermatol.. 2022; 86(6): 1372-1375. |
| 368 | フルコナゾール | Holt, A. et al. (Copenhagen University Hospital-Herlev and Gentofte, Copenhagen, Denmark). Bleeding risk following systemic fluconazole or topical azoles in patients with atrial fibrillation on apixaban, rivaroxaban, or dabigatran. Am. J. Med. 2022; 135(5): 595-602.e5. |
| 369 | エタネルセプト(遺伝子組換え)[後続2] | Sachs, B. et al.. Descriptive analysis of 179 German reports of melanoma reported to an adverse drug reaction database as a drug-related adverse effect, and comparison with melanoma cases contained in German cancer registries. Clin. Exp. Dermatol.. 2022; 47(6): 1078-1087. |
| 370 | ロサルタンカリウム・ヒドロクロロチアジド | Hydrochlorothiazide use, sun exposure, and risk of keratinocyte cancer VanWormer JJ, Abokede EB, Berg RL. BMC Public Health. 2022;22:1282 |
| 371 | フルチカゾンプロピオン酸エステル・ホルモテロール フマル酸塩水和物 | Eklof, J. et al.. Use of inhaled corticosteroids and risk of acquiring Pseudomonas aeruginosa in patients with chronic obstructive pulmonary disease. Thorax. 2022; 77(6): 573-580. |
| 372 | エキセナチド | Liyun He, MM, et al.. Association of Glucagon-Like Peptide-1 Receptor Agonist Use With Risk of Gallbladder and Biliary Diseases A Systematic Review and Meta-analysis of Randomized Clinical Trials. JAMA Internal Medicine 2022; 182(5): 513-519. |
| 373 | リツキシマブ(遺伝子組換え)[後続2] | Thietart, S.. Evaluation of Rituximab for Induction and Maintenance Therapy in Patients 75 Years and Older With Antineutrophil Cytoplasmic Antibody-Associated Vasculitis. JAMA network open. 2022;5(7):e2220925 |
| 374 | 乾燥BCGワクチン | Laberko, Alexandra et al. BCG Infection in Patients With Inborn Errors of Immunity Receiving the Russian BCG Strain. The journal of allergy and clinical immunology. In practice 10.7: 1797-1804.e7. (Jul 2022). http://dx.doi.org/10.1016/j.jaip.2022.03.032 |
| 375 | メトホルミン塩酸塩 | Maarten J. Wensink, et al. Preconception Antidiabetic Drugs in Men and Birth Defects in Offspring : A Nationwide Cohort Study. Annals of internal medicine 2022;175(5):665-673. |
| 376 | ドンペリドン | Benard-Laribiere, A. , et al. Risk of first ischaemic stroke and use of antidopaminergic antiemetics:nationwide case-time-control study. BMJ 2022;376(8331):e066192 |
| 377 | オランザピン クエチアピンフマル酸塩 | Wallman, P. , et al. Antipsychotic use and pneumonia-related mortality. Brit. J. Clin. Pharmacol. 2021;87 (12) :4885-4886 |
| 378 | アリピプラゾール | Gaebler AJ, et al.. The negative impact of vitamin D on antipsychotic drug exposure may counteract its potential benefits in schizophrenia. Br J Clin Pharmacol. 2022; 88(7): 3193-3200. |
| 379 | クエチアピンフマル酸塩 | Gaebler AJ, et al.. The negative impact of vitamin D on antipsychotic drug exposure may counteract its potential benefits in schizophrenia. Br J Clin Pharmacol. 2022; 88(7): 3193-3200. |
| 380 | ランソプラゾール | Na Wei, et al. The association between proton pump inhibitor use and systemic anti-tumour therapy on survival outcomes in patients with advanced non-small cell lung cancer: A systematic review and meta-analysis. Br. J. Clin. Pharmacol. 2022; 88 (7); 3052-63. |

研究報告の報告状況
(2022年4月1日～2022年7月31日)

| NO | 一般名 | 文献名 |
|-----|--|---|
| 381 | 乾燥BCGワクチン | Martin-Fernandez Marta. A partial form of inherited human USP18 deficiency underlies infection and inflammation. <i>Journal of Experimental Medicine</i> 2022;219(4):. |
| 382 | モルヒネ塩酸塩水和物 コデインリン酸塩水和物 コデインリン酸塩水和物(10%) | Inoue K, et al. Causal Effect of Chronic Pain on Mortality Through Opioid Prescriptions: Application of the Front-Door Formula. <i>Epidemiology</i> . 2022;33(4):572–580 |
| 383 | アトルバスタチンカルシウム水和物 アムロジピンベシル酸塩・アトルバスタチンカルシウム水和物配合剤(1) アムロジピンベシル酸塩・アトルバスタチンカルシウム水和物配合剤(2) アムロジピンベシル酸塩・アトルバスタチンカルシウム水和物配合剤(3) アムロジピンベシル酸塩・アトルバスタチンカルシウム水和物配合剤(4) | Teboul, A. et al., Drug-induced eosinophilic fasciitis: A dual pharmacovigilance analysis, <i>J. Am. Acad. Dermatol.</i> 86(6),1372–1375,2022 |
| 384 | メトホルミン塩酸塩 | Maarten J. Wensink. Preconception Antidiabetic Drugs in Men and Birth Defects in Offspring A Nationwide Cohort Study. <i>Annals of Internal Medicine</i> . 2022;175(5):665–673. |
| 385 | トラマドール塩酸塩・アセトアミノフェン配合剤 | Jongkhajornpong, P. et al. Association of HLA polymorphisms and acetaminophen-related Steven-Johnson syndrome with severe ocular complications in Thai population. <i>Brit. J. Ophthalmol.</i> 2022; 106(6): 884–888. |
| 386 | ミルタザピン | Eroglu TE, et al.. Risk of out-of-hospital cardiac arrest in antidepressant drug users. <i>Br J Clin Pharmacol.</i> 2022; 88(7): 3162–3171. |
| 387 | アセトアミノフェン トラマドール塩酸塩・アセトアミノフェン配合剤 非ピリン系感冒剤(4) | Germain Perrin, et al.Association Between Exposure to Effervescent Paracetamol and Hospitalization for Acute Heart Failure: A Case–Crossover Study. <i>J Clin Pharmacol</i> 2022;62(7):883–890. |
| 388 | アミオダロン塩酸塩 ジルチアゼム塩酸塩 | Maxim Grymonprez, et al.Impact of P-glycoprotein and/or CYP3A4-interacting drugs on effectiveness and safety of nonvitamin K antagonist oral anticoagulants in patients with atrial fibrillation: A meta-analysis. <i>Br. J. Clin. Pharmacol.</i> 2022;88(7):3039–3051. |
| 389 | アスピリン・ボノプラザンフル酸塩配合剤 | Hijazi Z, et al. Apixaban or Vitamin K Antagonists and Aspirin or Placebo According to Kidney Function in Patients With Atrial Fibrillation After Acute Coronary Syndrome or Percutaneous Coronary Intervention Insights From the AUGUSTUS Trial. <i>Circulation</i> . 2021;143(12):1215–1223 |
| 390 | 乾燥BCGワクチン | Al Farsi Tariq. Immune Dysregulation in Monogenic Inborn Errors of Immunity in Oman: Over A Decade of Experience From a Single Tertiary Center. <i>Frontiers in Immunology</i> 2022;13:. |
| 391 | 精製ヒアルロン酸ナトリウム 精製ヒアルロン酸ナトリウム・コンドロイチン硫酸エスト テルナトリウム(1) 精製ヒアルロン酸ナトリウム | Cui B. Effects of medications on incidence and risk of knee and hip joint replacement in patients with osteoarthritis: a systematic review and meta-analysis.. <i>Advances in rheumatology</i> . 2022;62:22–22. |
| 392 | 炭酸リチウム バルプロ酸ナトリウム | Relationship between lithium carbonate and the risk of Parkinson-like events in patients with bipolar disorders:A multivariate analysis using the Japanese adverse drug event report database Psychiatry research, 2022, 314, 114687 |
| 393 | ケトプロフェン | Frachowicz-Guerreiro, Karolina; Wardzy?ska, Aleksandra; Kowalski, Marek L.. Allergy clinic patients' drug hypersensitivity. <i>Allergologia et Immunopathologia</i> . 2022; 50(3): 77–84. |
| 394 | チアミン・ニコチン酸アミド配合剤 | Lamontagne, F. et al. (Universite de Sherbrooke, Quebec, Canada). Intravenous vitamin C in adults with sepsis in the intensive care unit. <i>N. Engl. J. Med.</i> . 2022; 386(25): 2387–2398–. |
| 395 | アトモキセチン塩酸塩 | Demirci, E. et al. (Erciyes University School of Medicine, Kayseri, Turkey). A view of response and resistance to atomoxetine treatment in children with ADHD: effects of CYP2C19 polymorphisms and BDNF levels. <i>Europ. J. Clin. Pharmacol.</i> ..2022;78(7):1095–1104–. |
| 396 | イソプロピルウノプロストン ブリモニジン酒石酸塩 ラタノプロスト デキサメタゾン トブライマイシン | Patrick Michael Jedlowski et al.Topical ophthalmic beta-blockers are associated with ocular pseudopemphigoid: A pharmacovigilance study of antiglaucoma medications utilising the FDA Adverse Event Reporting System. <i>Australasian Journal of Dermatology</i> .2022;63(2):222–227. |
| 397 | ジゴキシン | Muanda, F. T. et al. Digoxin Dosing and the Risk of Toxicity in Older Adults With CKD. <i>Am. J. Kidney Dis.</i> 2022;79(6):912–917. |
| 398 | アスコルビン酸含有一般用医薬品 | Lamontagne, F. et al. Intravenous vitamin C in adults with sepsis in the intensive care unit. <i>N. Engl. J. Med.</i> . 2022;386(25):2387–2398. |
| 399 | アスピリン | Jiang, J..Effect of taking aspirin before diagnosis on the prognosis of esophageal squamous cell carcinoma and analysis of prognostic factors. <i>Journal of International Medical Research</i> . 2022;50(4):3.00061E+15. |
| 400 | ミルタザピン | Eroglu T.E, Barcella C.A, Gerds T.A, et al. Risk of out-of-hospital cardiac arrest in antidepressant drug users. <i>British Journal of Clinical Pharmacology</i> . 2022;88(7):3162–3171. |
| 401 | イオベルソール | Contrast Media Adverse Drug Reactions in Highly Polluted Environment. doi: https://doi.org/10.3390/ijerph19127077 |

研究報告の報告状況
(2022年4月1日～2022年7月31日)

| NO | 一般名 | 文献名 |
|-----|--|---|
| 402 | 精製ヒアルロン酸ナトリウム 精製ヒアルロン酸ナトリウム・コンドロイチン硫酸エスト テルナトリウム(1) 精製ヒアルロン酸ナトリウム | Pereira T. Viscosupplementation for knee osteoarthritis: systematic review and meta-analysis. British Medical Journal. 378:1-13. |
| 403 | バルプロ酸ナトリウム | Marte-Helene Bjork, MD, PhD; Helga Zoega, PhD; Maarit K. Leinonen, MD, PhD; Jacqueline M. Cohen, PhD; Julie Werenberg Dreier, PhD; Kari Furu, PhD; Nils Erik Gilhus, MD, PhD; et al.. Association of Prenatal Exposure to Antiseizure Medication With Risk of Autism and Intellectual Disability. JAMA Neurology. 2022;E1-E10 |
| 404 | トピラマート | Marte-Helene Bjork, MD, PhD; Helga Zoega, PhD; Maarit K. Leinonen, MD, PhD; Jacqueline M. Cohen, PhD; Julie Werenberg Dreier, PhD; Kari Furu, PhD; Nils Erik Gilhus, MD, PhD; et al.. Association of Prenatal Exposure to Antiseizure Medication With Risk of Autism and Intellectual Disability. JAMA Neurology. 2022;E1-E10 |
| 405 | 美白化粧品(医薬部外品) | J. Dermatol. Sci.; 2022. doi.org/10.1016/j.jdermsci.2022.04.005. The effect of a topical vitamin D3 analog on repigmentation in mice with rhododendrol-induced leukoderma(ロドデンドロール誘発性脱色素斑を有するマウスの再着色におけるビタミンD3類縁体塗布の効果) Yuko Abe, Ken Okamura, Shosuke Ito, Yutaka Hozumi, Tamio Suzuki |
| 406 | 美白化粧品(医薬部外品) | Metabolites 2022, 12, 412. doi.org/10.3390/metabo12050412 Metabolism of Enantiomers of Rhododendrol in Human Skin Homogenate(ヒト皮膚破碎物中におけるロドデンドロールの光学異性体の代謝) Lihao Gu and Kazuhisa Maeda |
| 407 | ジェルシートマスク 化粧水 ふきとり用化粧水 | Elsehly, Wafaa M, et al. The potential implications of estrogenic and antioxidant-dependent activities of high doses of methyl paraben on MCF7 breast cancer cells. Journal of biochemical and molecular toxicology. 2022; 36(5): e23012. |