

酸化チタン（ナノ粒子、アナターゼ型）の rasH2 マウス
を用いた吸入による中期がん原性試験報告書

試験番号：0887

FIGURES

FIGURES

- FIGURE 1 TITANIUM DIOXIDE AEROSOL GENERATION AND INHALATION EXPOSURE SYSTEM
- FIGURE 2 CUMULATIVE FREQUENCY DISTRIBUTION CHART OF TITANIUM DIOXIDE
- FIGURE 3 BODY WEIGHT CHANGES OF MALE *rasH2* MICE IN THE 26-WEEK CARCINOGENICITY STUDY OF TITANIUM DIOXIDE (INHALATION STUDY)
- FIGURE 4 BODY WEIGHT CHANGES OF FEMALE *rasH2* MICE IN THE 26-WEEK CARCINOGENICITY STUDY OF TITANIUM DIOXIDE (INHALATION STUDY)
- FIGURE 5 FOOD CONSUMPTION CHANGES OF MALE *rasH2* MICE IN THE 26-WEEK CARCINOGENICITY STUDY OF TITANIUM DIOXIDE (INHALATION STUDY)
- FIGURE 6 FOOD CONSUMPTION CHANGES OF FEMALE *rasH2* MICE IN THE 26-WEEK CARCINOGENICITY STUDY OF TITANIUM DIOXIDE (INHALATION STUDY)






FIGURE 1




1-WEEK ON ADMINISTRATION



13-WEEK ON ADMINISTRATION

FIGURE 2 CUMULATIVE FREQUENCY DISTRIBUTION CHART OF TITANIUM DIOXIDE



25-WEEK ON ADMINISTRATION

FIGURE 2 CUMULATIVE FREQUENCY DISTRIBUTION CHART OF TITANIUM DIOXIDE (CONTINUED)




FIGURE 3 BODY WEIGHT CHANGES OF MALE *rasH2* MICE IN THE 26-WEEK CARCINOGENICITY STUDY OF TITANIUM DIOXIDE (INHALATION STUDY)




FIGURE 4 BODY WEIGHT CHANGES OF FEMALE *rasH2* MICE IN THE 26-WEEK CARCINOGENICITY STUDY OF TITANIUM DIOXIDE (INHALATION STUDY)




FIGURE 5 FOOD CONSUMPTION CHANGES OF MALE *rasH2* MICE IN THE 26-WEEK CARCINOGENICITY STUDY OF TITANIUM DIOXIDE (INHALATION STUDY)




FIGURE 6 FOOD CONSUMPTION CHANGES OF FEMALE *rasH2* MICE IN THE 26-WEEK CARCINOGENICITY STUDY OF TITANIUM DIOXIDE (INHALATION STUDY)