アクリル酸メチルのラットを用いた吸入による2週間毒性試験報告書

試験番号:0796

# APPENDICES

#### APPENDICES

- APPENDIX 1-1 IDENTITY OF METHYL ACRYLATE IN THE 2-WEEK INHALATION STUDY
- APPENDIX 1-2 STABILITY OF METHYL ACRYLATE IN THE 2-WEEK INHALATION STUDY
- APPENDIX 2 ENVIRONMENTAL CONDITIONS OF INHALATION CHAMBER IN THE 2-WEEK INHALATION STUDY OF METHYL ACRYLATE
- APPENDIX 3 METHODS, UNITS AND DECIMAL PLACE FOR HEMATOLOGY AND BIOCHEMISTRY IN THE 2-WEEK INHALATION STUDY OF METHYL ACRYLATE

## APPENDIX 1 1

## IDENTITY OF METHYL ACRYLATE IN THE 2-WEEK INHALATION STUDY

#### IDENTITY OF METHYL ACRYLATE

Test Substance : Methyl acrylate (Wako Pure Chemical Industries, Ltd.)


Lot No. : DCE1892

Mass Spectrometry

Instrument : Hitachi M-80B Mass Spectrometer

Ionization : EI (Electron Ionization)

Ionization Voltage : 70eV



Result: The mass spectrum was consistent with literature spectrum. (\*McLafferty FW, ed. 1994. Wiley Registry of Mass Spectral Data. 6th ed. New York, NY:John Wiley and Sons.)

2. Conclusion: The test substance was identified as methyl acrylate by mass spectrum.

### APPENDIX 1 2

## STABILITY OF METHYL ACRYLATE IN THE 2-WEEK INHALATION STUDY

#### STABILITY OF METHYL ACRYLATE

)

)

Test Substance	: Methyl acrylate (Wako Pure Chemical Industries, Ltd.)		
Lot No.	: DCE1892		
1. Gas Chromatograph	y		
Instrument	: Agilent Technologies 5890A Gas Chromatograph		
Column	: INNOWAX (0.53 mm $\phi$ $\times$ 60 m)		
Column Temperature : 78 $^\circ C$			
Flow Rate	: 5 mL/min		
Detector	: FID (Flame Ionization Detector)		
Injection Volume	:1 μL		

Date Analyzed	Peak No.	Retention Time (min)	Area (%)
2012.02.27	1	4.720	100
2012.03.23	1	4.708	100

- Result: Gas chromatography indicated one major peak (peak No.1) analyzed on 2012.2.27 and one major peak (peak No.1) analyzed on 2012.3.23. No new trace impurity peak in the test substance analyzed on 2012.3.23 was detected.
- 2. Conclusion: The test substance was stable for the period that the test substance had been used for the study.

### APPENDIX 2

# ENVIRONMENTAL CONDITIONS OF INHALATION CHAMBER IN THE 2-WEEK INHALATION STUDY

OF METHYL ACRYLATE

Group Name	Temperature (°C) Mean ± S.D.	Humidity (%) Mean ± S.D.	Ventilation Rate (L/min) Mean ± S.D.	Air Change (time/h) Mean
Control	$22.5 \pm 0.2$	$56.7 \pm 0.5$	$213.0\pm0.3$	12.0
50 ppm	$22.7\pm0.2$	$56.7 \pm 0.5$	$212.9\pm0.6$	12.1
100 ppm	$22.6\pm0.2$	$57.6 \pm 0.4$	$213.3\pm0.5$	12.1
200 ppm	$22.5\pm0.2$	$56.2 \pm 0.6$	$213.3\pm0.5$	12.1
400 ppm	$22.7\pm0.2$	$57.0 \pm 0.7$	$212.8\pm0.4$	12.0
800 ppm	$21.7\pm0.3$	$57.1 \pm 1.2$	$213.3\pm0.2$	12.1

)

)

#### ENVIRONMENTAL CONDITIONS OF INHALATION CHAMBER IN THE 2-WEEK INHALATION STUDY OF METHYL ACRYLATE

### **APPENDIX 3**

## METHODS, UNITS AND DECIMAL PLACE FOR HEMATOLOGY AND BIOCHEMISTRY IN THE 2-WEEK INHALATION STUDY OF METHYL ACRYLATE

#### METHODS, UNITS AND DECIMAL PLACE FOR HEMATOLOGY AND BIOCHEMISTRY IN THE 2-WEEK INHALATION STUDY OF METHYL ACRYLATE

Item	Method	Unit	Decimal place
Hematology			
Red blood cell (RBC)	Light scattering method <sup>1)</sup>	$\times 10^{6}/\mu L$	2
Hemoglobin(Hgb)	Cyanmethemoglobin method <sup>1)</sup>	g/dL	1
Hematocrit(Hct)	Calculated as RBC $\times$ MCV/10 <sup>1)</sup>	%	1
Mean corpuscular volume(MCV)	Light scattering method <sup>1)</sup>	fL	1
Mean corpuscular hemoglobin(MCH)	Calculated as Hgb/RBC $\times 10^{10}$	pg	1
Mean corpuscular hemoglobin concentration	Calculated as Hgb/Hct $ imes 100^{1)}$	g/dL	1
(MCHC)			
Platelet	Light scattering method <sup>1)</sup>	$ imes$ 10³/ $\mu$ L	0
Reticulocyte	Light scattering method <sup>1)</sup>	%	1
White blood cell(WBC)	Light scattering method <sup>1)</sup>	$ imes 10^{3}$ / $\mu$ L	2
Differential WBC	Light scattering method <sup>1)</sup>	%	0
Biochemistry			
Total protein(TP)	Biuret method <sup>2)</sup>	g/dL	1
Albumin (Alb)	BCG method <sup>2)</sup>	g/dL	1
A/G ratio	Calculated as Alb/(TP-Alb) $^{2)}$	-	1
T-bilirubin	BOD method <sup>2)</sup>	mg/dL	2
Glucose	$GlcK \cdot G$ -6-PDH method <sup>2)</sup>	mg/dL	0
T-cholesterol	$CE \cdot COD \cdot POD method^{2)}$	mg/dL	0
Triglyceride	MGLP·GK·GPO·POD method <sup>2)</sup>	mg/dL	0
Phospholipid	PLD·ChOD·POD method <sup>2)</sup>	mg/dL	0
Aspartate aminotransferase (AST)	JSCC method <sup>2)</sup>	U/L	0
Alanine aminotransferase (ALT)	JSCC method <sup>2)</sup>	U/L	0
Lactate dehydrogenase (LDH)	JSCC method <sup>2)</sup>	U/L	0
Alkaline phosphatase (ALP)	JSCC method <sup>2)</sup>	U/L	0
$\gamma$ -Glutamyl transpeptidase ( $\gamma$ -GTP)	JSCC method <sup>2)</sup>	U/L	1
Creatine kinase (CK)	$\rm JSCC\ method\ ^{2)}$	U/L	0
Urea nitrogen	Urease $\cdot$ GLDH method <sup>2)</sup>	mg/dL	1
Creatinine	$Creatinase \cdot SOD \cdot POD method^{2}$	mg/dL	2
Sodium	Ion selective electrode method <sup>2)</sup>	mEq/L	0
Potassium	Ion selective electrode method <sup>2)</sup>	mEq/L	1
Chloride	Ion selective electrode method <sup>2)</sup>	mEq/L	0
Calcium	OCPC method <sup>2)</sup>	mg/dL	1
Inorganic phosphorus	$PNP \cdot XOD \cdot POD method^{2}$	mg/dL	1

1) Automatic blood cell analyzer (ADVIA120 : Siemens Healthcare Diagnostics Inc.)

2) Automatic analyzer (Hitachi 7080 : Hitachi,Ltd.)

)

)