

182. DICHLORVOS, NALED

	P	R	M	W	C	U	A	C	E	N	T	P	R	M	W	C	U	A	C	E	N	T
	R	e	R	H	o	S	A	A	U	Z	y	R	e	R	H	o	S	A	A	U	Z	y
	M	.	L	L	d							M	.	L	L	d						
	R				e							R				e						
	L				x							L				x						
Rice (brown rice)	0.2		MRL	0.2								UNSHU orange	0.1		MRL	0.1						
Wheat	0.2		MRL	0.2								NATSUDAIDAI (flesh)										
Barley	0.2		MRL	0.2								NATSUDAIDAI (peel)										
Rye	0.2		MRL	0.2								NATSUDAIDAI (whole)	0.2		MRL	0.2						
Corn (including Maize Sweet corn)	0.2		MRL	0.2								Lemon	0.2		MRL	0.2						
Buckwheat	0.2		MRL	0.2								Orange (including Navel)	0.2		MRL	0.2						
Other cereal grains	0.2		MRL	0.2								Grapefruit	0.2		MRL	0.2						
Soybeans (dry)	0.2		MRL	0.2								Lime	0.2		MRL	0.2						
Beans (dry)	0.1		MRL	0.1								Other citrus fruits	0.2		MRL	0.2						
Peas	0.1		MRL	0.1								Apple	0.1		MRL	0.1						
Broad beans	0.1		MRL	0.1								Japanese pear	0.1		MRL	0.1						
Peanuts (dry)	0.2		MRL	0.2								Pear	0.1		MRL	0.1						
Other legumes/pulses	0.2		MRL	0.2								Quince	0.1		MRL	0.1						
Potato	0.1		MRL	0.1								Loquat	0.1		MRL	0.1						
Taro	0.1		MRL	0.1								Peach	0.1		MRL	0.1						
Sweet potato	0.1		MRL	0.1								Nectarine	0.1		MRL	0.1						
Yam	0.1		MRL	0.1								Apricot	0.1		MRL	0.1						
Konjac	0.1		MRL	0.1								Japanese plum (including Prunes)	0.1		MRL	0.1						
Other potatoes	0.1		MRL	0.1								Mume plum	0.1		MRL	0.1						
Sugar beet	0.1		MRL	0.1								Cherry	0.1		MRL	0.1						
Sugarcane	0.1		MRL	0.1								Strawberry	0.3		MRL	0.3						
Japanese radish (including Radish) (root)	0.1		MRL	0.1								Raspberry	0.1		MRL	0.1						
Japanese radish (including Radish) (leaf)	0.1		MRL	0.1								Blackberry	0.1		MRL	0.1						
Turnip (including Rutabaga) (root)	0.1		MRL	0.1								Blueberry	0.1		MRL	0.1						
Turnip (including Rutabaga) (leaf)	0.1		MRL	0.1								Cranberry	0.1		MRL	0.1						
Horseradish	0.1		MRL	0.1								Other berries	0.1		MRL	0.1						
Watercress	0.1		MRL	0.1								Grape	0.1		MRL	0.1						
Chinese cabbage	0.1		MRL	0.1								Japanese persimon	0.1		MRL	0.1						
Cabbage	0.1		MRL	0.1								Banana	0.1		MRL	0.1						
Brussels sprouts	0.1		MRL	0.1								Kiwifruit	0.1		MRL	0.1						
Kale	0.1		MRL	0.1								Papaya	0.1		MRL	0.1						
KOMATSUNA	0.1		MRL	0.1								Avocado	0.1		MRL	0.1						
KYONA	0.1		MRL	0.1								Pineapple	0.1		MRL	0.1						
Qing-geng-cai	0.1		MRL	0.1								Guava	0.1		MRL	0.1						
Cauliflower	0.1		MRL	0.1								Mango	0.1		MRL	0.1						
Broccoli	0.1		MRL	0.1								Passion fruit	0.1		MRL	0.1						
Other cruciferous vegetables	0.1		MRL	0.1								Date	0.1		MRL	0.1						
Burdock	0.1		MRL	0.1								Other fruits	0.1		MRL	0.1						
Salsify	0.1		MRL	0.1								Sunflower seeds	0.1		MRL	0.1						
Artichoke	0.1		MRL	0.1								Sesam seeds	0.1		MRL	0.1						
Chicory	0.1		MRL	0.1								Safflower seeds	0.1		MRL	0.1						
Endive	0.1		MRL	0.1								Other seeds	0.1		MRL	0.1						
SHINGIKU	0.1		MRL	0.1								Other oil seeds	0.1		MRL	0.1						
Lettuce (Cos lettuce, Leaf lettuce)	0.1		MRL	0.1								Ginkgo nut	0.2		MRL	0.2						
Other composite vegetables	0.1		MRL	0.1								Chestnut	0.2		MRL	0.2						
Onion	0.1		MRL	0.1								Pecan	0.2		MRL	0.2						
Welsh (including Leek)	0.1		MRL	0.1								Almond	0.2		MRL	0.2						
Garlic	0.1		MRL	0.1								Walnut	0.2		MRL	0.2						
NIRA	0.1		MRL	0.1								Other nuts	0.2		MRL	0.2						
Asparagus	0.1		MRL	0.1								Tea (Green, Black, Oolong, Wulong tea)	0.1		MRL	0.1						
Multiplying onion (including Shallot)	0.1		MRL	0.1								Coffee beans	0.2		MRL	0.2						
Other liliaceous vegetables	0.1		MRL	0.1								Cacao beans	0.5		MRL	0.5						
Carrot	0.1		MRL	0.1								Hop	0.1		MRL	0.1						
Parsnip	0.1		MRL	0.1								Cattle, muscle	0.05		FC		0.05	0.02	0.05			2
Parsley	0.1		MRL	0.1								Pig, muscle	0.05		FC		0.05	0.1	0.05			2
Celery	0.1		MRL	0.1								Sheep, muscle	0.05		FC		0.05	0.02	0.05			2
MITSUBA	0.1		MRL	0.1								Horse, muscle	0.05		FC		0.05	0.02	0.05			2
Other umbelliferous vegetables	0.1		MRL	0.1								Deer, muscle	0.05		FC		0.05	0.05				2
Tomato	0.1		MRL	0.1								Goat, muscle	0.05		FC		0.05	0.02	0.05			2
Pimiento (Sweet pepper)	0.1		MRL	0.1								Reindeer, muscle	0.05		FC		0.05	0.05				2
Egg plant	0.1		MRL	0.1								Other terrestrial mammals, muscle	0.05		FC		0.05	0.05				2
Other solanaceous vegetables	0.1		MRL	0.1								Cattle, fat										
Cucumber (including Gherkin)	0.2		MRL	0.2								Pig, fat	0.1		FC		0.1					5-1
Pumpkin (including Squash)	0.1		MRL	0.1								Sheep, fat										
Oriental pickling melon (vegetable)	0.1		MRL	0.1								Horse, fat										
Water melon	0.1		MRL	0.1								Deer, fat										
Melons	0.1		MRL	0.1								Goat, fat										
MAKUWAURI	0.1		MRL	0.1								Rabbit, fat										
Other cucurbitaceous vegetables	0.1		MRL	0.1								Reindeer, fat										
Spinach	0.1		MRL	0.1								Other terrestrial mammals, fat										
Bamboo shoots	0.1		MRL	0.1								Cattle, liver	0.05		FC		0.02	0.05				5-1
Okra	0.1		MRL	0.1								Pig, liver	0.05		FC		0.1	0.05				5-1
Ginger	0.1		MRL	0.1								Sheep, liver	0.05		FC		0.02	0.05				6
Peas (with pods, immature)	0.1		MRL	0.1								Horse, liver	0.05		FC		0.02	0.05				6
Kidney beans (with pods, immature)	0.2		MRL	0.2								Deer, liver	0.05		FC		0.05	0.05				5-1
Soybeans	0.1		MRL	0.1								Goat, liver	0.05		FC		0.02	0.05				6

191. DIDECYLDIMETHYLAMMONIUM CHLORIDE

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)																							UNSHU orange
Wheat																							NATSUDAIDAI (flesh)
Barley																							NATSUDAIDAI (peel)
Rye																							NATSUDAIDAI (whole)
Corn (including Maize Sweet corn)																							Lemon
Buckwheat																							Orange (including Navel)
Other cereal grains																							Grapefruit
Soybeans (dry)																							Other citrus fruits
Beans (dry)																							Apple
Peas																							Japanese pear
Broad beans																							Pear
Peanuts (dry)																							Quince
Other legumes/pulses																							Loquat
Potato																							Peach
Taro																							Nectarine
Sweet potato																							Apricot
Yam																							Japanese plum (including Prunes)
Konjac																							Mume plum
Other potatoes																							Cherry
Sugar beet																							Raspberry
Sugarcane																							Blackberry
Japanese radish (including Radish) (root)																							Blueberry
Japanese radish (including Radish) (leaf)																							Cranberry
Turnip (including Rutabaga) (root)																							Huckleberry
Turnip (including Rutabaga) (leaf)																							Other berries
Horseradish																							
Watercress																							
Chinese cabbage																							Japanese persimon
Cabbage																							
Brussels sprouts																							Banana
Kale																							Kiwifruit
KOMATSUNA																							Papaya
KYONA																							Avocado
Qing-jing-cal																							Pineapple
Cauliflower																							Guava
Broccoli																							Mango
Other cruciferous vegetables																							Passion fruit
Burdock																							Date
Salsify																							Other fruits
Artichoke																							
Chicory																							Sunflower seeds
Endive																							Sesam seeds
SHINGIKU																							Cotton seeds
Lettuce (Cos lettuce, Leaf lettuce)																							Rape seeds
Other composite vegetables																							Other oil seeds
Onion																							
Welsh (including Leek)																							Ginkgo nut
Garlic																							Chestnut
NIRA																							Pecan
Asparagus																							Almond
Multiplying onion (including Shallot)																							Walnut
Other liliaceous vegetables																							Other nuts
Carrot																							Tea (Green, Black, Oolong, Wulong tea)
Parsnip																							Coffee beans
Parsley																							Cacao beans
Celery																							Hop
MITSUBA																							
Other umbelliferous vegetables																							
Tomato																							Pig, muscle
Pimento (Sweet pepper)																							Sheep, muscle
Egg plant																							Horse, muscle
Other solanaceous vegetables																							Deer, muscle
Cucumber (including Gherkin)																							Goat, muscle
Pumpkin (including Squash)																							Rabbit, muscle
Oriental pickling melon (vegetable)																							Other terrestrial mammals, muscle
Water melon																							Cattle, fat
Meions																							Pig, fat
MAKUWAURI																							Sheep, fat
Other cucurbitaceous vegetables																							Horse, fat
Spinach																							Deer, fat
Bamboo shoots																							Goat, fat
Okra																							Rabbit, fat
Ginger																							Reindeer, fat
Peas (with pods, immature)																							Other terrestrial mammals, fat
Kidney beans (with pods, immature)																							Cattle, liver
Soybeans																							Pig, liver
Button mushroom																							Sheep, liver
SHITAKE																							Horse, liver
Other mushrooms																							Deer, liver
Other vegetables																							Cattle, liver
																							Rabbit, liver
																							Reindeer, liver
																							Other terrestrial mammals, liver

192. DIELDRIN, ALDRIN

	P	R	M	W	C	U	A	C	E	N	T		P	R	M	W	C	U	A	C	E	N	T			
	R	e	R	H	o	S	U	A	U	Z	y		R	e	R	H	o	S	U	A	C	E	N	y		
	M	f	L	L	d	A	C	A	E	N	p		M	f	L	L	d	A	C	A	E	N	p			
	R	.	.	.	e	U	A	A	U	Z	e		M	.	.	.	e	U	A	A	E	N	e			
	L	.	.	.	U	A	A	U	Z		L	.	.	.	U	A	A	E	N	e						
	L	.	.	.	U	A	A	U	Z		L	.	.	.	U	A	A	E	N	e						
Rice (brown rice)	N.D.	MRL	N.D.										UNSHU orange	N.D.	MRL	N.D.										
Wheat	N.D.	MRL	N.D.										NATSUDAIDAI (flesh)	N.D.	MRL	N.D.										
Barley	0.02	CodeX			0.02		0.02		0.02	2			NATSUDAIDAI (peel)	N.D.	MRL	N.D.										
Rye	0.02	CodeX			0.02		0.02		0.01	0.02	2		NATSUDAIDAI (whole)	0.05	CodeX			0.05		0.05			0.05	2		
Corn (including Maize Sweet corn)	N.D.	MRL	N.D.										Lemon	0.05	CodeX			0.05		0.05			0.05	2		
Buckwheat	N.D.	MRL	N.D.										Orange (including Navel)	0.05	CodeX			0.05		0.05			0.05	2		
Other cereal grains	0.02	CodeX			0.02		0.02		0.01	0.02	2		Grapefruit	0.05	CodeX			0.05		0.05			0.05	2		
Soybeans (dry)	0.05	CodeX			0.05					0.1	2		Other citrus fruits	0.05	CodeX			0.05		0.05			0.05	2		
Beans (dry)	0.05	CodeX			0.05					0.1	2		Apple	N.D.	MRL	N.D.										
Peas	N.D.	MRL	N.D.										Japanese pear	N.D.	MRL	N.D.										
Broad beans	N.D.	MRL	N.D.										Pear	N.D.	MRL	N.D.										
Peanuts (dry)	0.08	FC					0.05			0.1	5-1		Quince	0.05	CodeX			0.05		0.05			0.1	2		
Other legumes/pulses	0.05	CodeX			0.05					0.1	2		Loquat	N.D.	MRL	N.D.										
Potato	N.D.	MRL	N.D.										Peach	N.D.	MRL	N.D.										
Taro	0.1	CodeX			0.1					0.1	2		Nectarine	0.08	FC				0.05				0.1	5-1		
Sweet potato	0.1	CodeX			0.1					0.1	2		Apricot	0.08	FC				0.05				0.1	5-1		
Yam	0.1	CodeX			0.1					0.1	2		Japanese plum (including Prunes)	0.08	FC				0.05				0.1	5-1		
Konjac	0.1	CodeX			0.1					0.1	2		Mume plum	0.08	FC				0.05				0.1	5-1		
Other potatoes	0.1	CodeX			0.1					0.1	2		Cherry	N.D.	MRL	N.D.										
Sugar beet	0.1	CodeX			0.1					0.1	2		Strawberry	N.D.	MRL	N.D.										
Sugarcane													Raspberry	0.08	FC				0.05				0.1	5-1		
Japanese radish (including Radish) (root)	0.02	MRL	0.02										Blackberry	0.08	FC				0.05				0.1	5-1		
Japanese radish (including Radish) (leaf)	0.02	MRL	0.02										Blueberry	0.08	FC				0.05				0.1	5-1		
Turnip (including Rutabaga) (root)	0.1	CodeX			0.1					0.1	2		Cranberry	0.08	FC				0.05				0.1	5-1		
Turnip (including Rutabaga) (leaf)	0.05	CodeX			0.05					0.1	2		Other berries	0.06	FC				0.05		0.02		0.1	5-1		
Horseradish	0.1	CodeX			0.1		0.1			0.1	2		Grape	N.D.	MRL	N.D.										
Watercress	0.05	CodeX			0.05					0.1	2		Japanese persimon	N.D.	MRL	N.D.										
Chinese cabbage	0.02	MRL	0.02										Banana	0.08	FC				0.05				0.1	5-1		
Cabbage	0.02	MRL	0.02										Kiwifruit	0.08	FC				0.05				0.1	5-1		
Brussels sprouts	0.02	MRL	0.02										Papaya	0.08	FC				0.05				0.1	5-1		
Kale	0.05	CodeX			0.05					0.1	2		Avocado	0.08	FC				0.05				0.1	5-1		
KOMATSUNA	N.D.	MRL	N.D.										Pineapple	0.08	FC				0.05				0.1	5-1		
KYONA	N.D.	MRL	N.D.										Guava	0.08	FC				0.05				0.1	5-1		
Qing-geng-cai	0.05	CodeX			0.05					0.1	2		Mango	0.08	FC				0.05				0.1	5-1		
Cauliflower	N.D.	MRL	N.D.										Passion fruit	0.08	FC				0.05				0.1	5-1		
Broccoli	N.D.	MRL	N.D.										Date	0.05	FC				0.05		0.01		0.1	5-1		
Other cruciferous vegetables	0.1	CodeX			0.1		0.1			0.1	2		Other fruits	0.1	FC				0.1				0.1	5-1		
Burdock	0.1	CodeX			0.1					0.1	2		Sunflower seeds	0.1	FC								0.1	5-1		
Salsify	0.1	CodeX			0.1					0.1	2		Sesam seeds	0.1	FC								0.1	5-1		
Artichoke	0.1	FC			0.1					0.1	5-1		Safflower seeds	0.1	FC								0.1	5-1		
Chicory	0.05	CodeX			0.05					0.1	2		Other oil seeds	0.1	FC								0.1	5-1		
Endive	0.05	CodeX			0.05					0.1	2		Ginkgo nut	0.1	FC								0.1	5-1		
SHINGIKU	0.05	CodeX			0.05					0.1	2		Chestnut	0.1	FC								0.1	5-1		
Lettuce (Cos lettuce, Leaf lettuce)	0.05	CodeX	0.02		0.05					0.1	2		Pecan	0.1	FC								0.1	5-1		
Other composite vegetables	0.1	CodeX			0.1					0.1	2		Almond	0.1	FC				0.05				0.1	5-1		
Onion	0.05	CodeX			0.05		0.1			0.1	2		Other nuts	0.1	FC								0.1	5-1		
Welsh (including Leek)	0.05	CodeX			0.05					0.1	2		Tea (Green)	N.D.	MRL	N.D.										
Garlic	0.05	CodeX			0.05					0.1	2		Coffee beans	0.1	FC								0.1	5-1		
NIRA	0.1	FC			0.1					0.1	5-1		Cacao beans	0.1	FC								0.1	5-1		
Asparagus	N.D.	MRL	N.D.										Hop	0.1	FC								0.1	5-1		
Multiplying onion (including Shallot)	0.05	CodeX			0.05					0.1	2		Cattle, muscle	0.2	FC							0.2	0.2	0.1	5-1	
Other liliaceous vegetables	0.05	CodeX			0.05					0.1	2		Pig, muscle	0.2	FC							0.2	0.2	0.1	5-1	
Carrot	0.1	CodeX			0.1		0.1			0.1	2		Sheep, muscle	0.2	FC							0.2	0.2	0.1	5-1	
Parsnip	0.1	CodeX			0.1		0.1			0.1	2		Horse, muscle	0.2	FC							0.2	0.2	0.1	5-1	
Parsley	0.1	FC			0.1					0.1	5-1		Deer, muscle	0.2	FC							0.2	0.2	0.1	5-1	
Celery	N.D.	MRL	N.D.										Goat, muscle	0.2	FC					0.2			0.2	0.2	0.1	5-1
MITSUBA	N.D.	MRL	N.D.										Rabbit, muscle	0.2	FC							0.2	0.2	0.1	5-1	
Other umbelliferous vegetables	0.1	CodeX			0.1					0.1	2		Reindeer, muscle	0.2	FC							0.2	0.2	0.1	5-1	
Tomato	0.02	MRL	0.02										Other terrestrial mammals, muscle	0.2	FC							0.2	0.2	0.1	5-1	
Pimento (Sweet pepper)	0.02	MRL	0.02										Cattle, fat	0.2	CodeX				0.2		0.2	0.2	0.2	0.2	2	
Egg plant	0.02	MRL	0.02										Pig, fat	0.2	CodeX				0.2		0.2	0.2	0.2	0.2	2	
Other solanaceous vegetables	0.05	CodeX			0.05					0.1	2		Sheep, fat	0.2	CodeX				0.2		0.2	0.2	0.2	0.2	2	
Cucumber (including Gherkin)	0.02	MRL	0.02										Horse, fat	0.2	CodeX				0.2		0.2	0.2	0.2	0.2	2	
Pumpkin (including Squash)	0.1	CodeX			0.1					0.1	2		Deer, fat													

