

421. NARASIN

[illegible]

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N 7	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N 7	T y p e
Cattle, kidney	0.05	FC					0.05				5-1	Catfish											
Pig, kidney												Other freshwater fish											
Sheep, kidney																							
Horse, kidney												Salmon											
Deer, kidney												Trout											
Goat, kidney												Other salmonidae											
Rabbit, kidney												Other diadromous fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney	0.05	FC					0.05				5-1	Shrimps or prawns											
Pig, edible offal excluding liver and kidney												lobster											
Sheep, edible offal excluding liver and kidney												Crayfish											
Horse, edible offal excluding liver and kidney												Other crustaceans											
Deer, edible offal excluding liver and kidney																							
Goat, edible offal excluding liver and kidney												Oyster											
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney																							
Cattle, milk												Other animals											
Sheep, milk																							
Goat, milk												Honey											
Other terrestrial mammals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle	0.1	FC					0.1				5-1												
Duck, muscle	0.1	FC					0.1				5-1												
Turkey, muscle	0.1	FC					0.1				5-1												
Quail, muscle	0.1	FC					0.1				5-1												
Goose, muscle	0.1	FC					0.1				5-1												
Pheasant, muscle	0.1	FC					0.1				5-1												
Chukar partridge, muscle	0.1	FC					0.1				5-1												
Other poultry, muscle	0.1	FC					0.1				5-1</												

422. NEOMYCIN

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange											
Wheat												NATSUDAIDAI (flesh)											
Barley												NATSUDAIDAI (peel)											
Rye												NATSUDAIDAI (whole)											
Corn (including Maize Sweet corn)												Lemon											
Buckwheat												Orange (including Navel)											
Other cereal grains												Grapefruit											
												Lime											
Soybeans (dry)												Other citrus fruits											
Beans (dry)												Apple											
Peas												Japanese pear											
Broad beans												Pear											
Peanuts (dry)												Quince											
Other legumes/pulses												Loquat											
Potato												Peach											
Taro												Nectarine											
Sweet potato												Apricot											
Yam												Japanese plum (including Prunes)											
Konjac												Yam											
Other potatoes												Cherry											
Sugar beet												Strawberry											
Sugarcane												Raspberry											
												Blackberry											
Japanese radish (including Radish) (root)												Blueberry											
Japanese radish (including Radish) (leaf)												Cranberry											
Turnip (including Rutabaga) (root)												Blackberry											
Turnip (including Rutabaga) (leaf)												Huckleberry											
Horseradish												Other berries											
Watercress												Grape											
Chinese cabbage												Japanese persimon											
Cabbage																							
Brussels sprouts												Banana											
Kale												Kiwifruit											
KOMATSUNA												Papaya											
KYONA												Avocado											
Qing-geng-cai												Pineapple											
Cauliflower												Guava											
Broccoli												Mango											
Other cruciferous vegetables												Passion fruit											
Burdock												Date											
Salsify												Other fruits											
Artichoke																							
Chicory												Sunflower seeds											
Endive												Sesam seeds											
SHINGIKU												Safflower seeds											
Lettuce (Cos lettuce, Leaf lettuce)												Cotton seeds											
Other composite vegetables												Rape seeds											
Onion												Other oil seeds											
Welsh (including Leek)												Ginkgo nut											
Garlic												Chestnut											
NIRA												Pecan											
Asparagus												Almond											
Multiplying onion (including Shallot)												Walnut											
Other liliaceous vegetables												Other nuts											
Carrot												Tea (Green, Black, Oolong, Wulong tea)											
Parsnip																							
Parsley												Coffee beans											
Celery												Cacao beans											
MITSUBA												Hop											
Other umbelliferous vegetables												Cattle, muscle	0.5	MRL	0.5								
Tomato												Pig, muscle	0.5	MRL	0.5								
Pimento (Sweet pepper)												Sheep, muscle	0.5	MRL	0.5								
Egg plant												Horse, muscle	0.5	FC				0.5			0.5	0.5	5-1
Other solanaceous vegetables												Deer, muscle	0.5	FC				0.5			0.5	0.5	5-1
												Goat, muscle	0.5	MRL	0.5								
Cucumber (including Gherkin)												Rabbit, muscle	0.5	FC				0.5			0.5	0.5	5-1
Pumpkin (including Squash)												Reindeer, muscle	0.5	FC				0.5			0.5	0.5	5-1
Oriental pickling melon (vegetable)												Other terrestrial mammals, muscle	0.5	FC				0.5			0.5	0.5	5-1
Water melon												Cattle, fat	0.5	MRL	0.5								
Melons												Pig, fat	0.5	MRL	0.5								
MAKUWAURI												Sheep, fat	0.5	MRL	0.5								
Other cucurbitaceous vegetables												Horse, fat	0.3	FC				0.02			0.5	0.5	5-1
Spinach												Deer, fat	0.3	FC				0.02			0.5	0.5	5-1
Bamboo shoots												Goat, fat	0.5	MRL	0.5								
Okra												Rabbit, fat	0.3	FC				0.02			0.5	0.5	5-1
Ginger												Reindeer, fat	0.3	FC				0.02			0.5	0.5	5-1
Peas (with pods, immature)												Other terrestrial mammals, fat	0.3	FC				0.02			0.5	0.5	5-1
Kidney beans (with pods, immature)												Cattle, liver	0.5	MRL	0.5								
Soybeans												Pig, liver	0.5	MRL	0.5								
Button mushroom												Sheep, liver	0.5	MRL	0.5								
SHIITAKE												Horse, liver	0.5	FC				0.5			0.5	0.5	5-1
Other mushrooms												Deer, liver	0.5	FC				0.5			0.5	0.5	5-1
Other vegetables												Goat, liver	0.5	MRL	0.5								
												Rabbit, liver	0.5	FC				0.5			0.5	0.5	5-1
												Reindeer, liver	0.5	FC				0.5			0.5	0.5	5-1
												Other terrestrial mammals, liver	0.5	FC				0.5			0.5	0.5	5-1

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N 7	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N 7	T y p e	
Cattle, kidney	10	MRL	10									Catfish	0.5	FC									0.5	5-1
Pig, kidney	10	MRL	10									Other freshwater fish	0.5	FC									0.5	5-1
Sheep, kidney	10	MRL	10									Salmon	0.5	FC									0.5	5-1
Horse, kidney	4	FC					0.5		5	5	5-1	Trout	0.5	FC									0.5	5-1
Deer, kidney	4	FC					0.5		5	5	5-1	Other salmonidae	0.5	FC									0.5	5-1
Goat, kidney	10	MRL	10									Other diadromous fish	0.5	FC									0.5	5-1
Rabbit, kidney	4	FC					0.5		5	5	5-1	Marine fish	0.5	FC									0.5	5-1
Reindeer, kidney	4	FC					0.5		5	5	5-1													
Other terrestrial mammals, kidney	4	FC					0.5		5	5	5-1													
Cattle, edible offal excluding liver and kidney												Shrimps or prawns	0.5	FC									0.5	5-1
Pig, edible offal excluding liver and kidney												lobster	0.5	FC									0.5	5-1
Sheep, edible offal excluding liver and kidney												Crayfish	0.5	FC									0.5	5-1
Horse, edible offal excluding liver and kidney												Other crustaceans	0.5	FC									0.5	5-1
Deer, edible offal excluding liver and kidney												Oyster	0.5	FC									0.5	5-1
Goat, edible offal excluding liver and kidney												Abalone	0.5	FC									0.5	5-1
Rabbit, edible offal excluding liver and kidney												Other aquatic animals	0.5	FC									0.5	5-1
Reindeer, edible offal excluding liver and kidney												Other animals												
Other terrestrial mammals, edible offal excluding liver and kidney												Other animals												
Cattle, milk	0.5	MRL	0.5									Honey												
Sheep, milk	0.5	MRL	0.5																					
Goat, milk	0.5	MRL	0.5																					
Other terrestrial mammals, milk	0.7	FC				0.15	0.5		1.5	5-1														
Chicken, muscle	0.5	MRL	0.5																					
Duck, muscle	0.5	MRL	0.5																					
Turkey, muscle	0.5	MRL	0.5																					
Quail, muscle	0.5	FC					0.5		0.5	0.5	5-1													
Goose, muscle	0.5	FC					0.5		0.5	0.5	5-1													
Pheasant, muscle	0.5	FC					0.5		0.5	0.5	5-1													
Chukar partridge, muscle	0.5	FC					0.5		0.5	0.5	5-1													
Other poultry, muscle	0.5	FC	</																					

423. NEQUINATE

[illegible]

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney												Catfish											
Pig, kidney												Other freshwater fish											
Sheep, kidney																							
Horse, kidney												Salmon											
Deer, kidney												Trout											
Goat, kidney												Other salmonidae											
Rabbit, kidney												Other diadromous fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney												Shrimps or prawns											
Pig, edible offal excluding liver and kidney												Crustaceans											
Sheep, edible offal excluding liver and kidney												Crustaceans											
Horse, edible offal excluding liver and kidney												Crustaceans											
Deer, edible offal excluding liver and kidney												Crustaceans											
Goat, edible offal excluding liver and kidney												Oyster											
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney																							
Cattle, milk												Other animals											
Sheep, milk																							
Goat, milk												Honey											
Other terrestrial mammals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle		0.1	FC			0.1					5-1												
Duck, muscle																							
Turkey, muscle																							
Quail, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat		0.1	FC			0.1					5-1												
Duck, fat																							
Turkey, fat																							
Quail, fat																							
Goose, fat																							
Pheasant, fat																							
Chukar partridge, fat																							
Other poultry, fat																							
Chicken, liver		0.1	FC			0.1					5-1												
Duck, liver																							
Turkey, liver																							
Quail, liver																							
Goose, liver																							
Pheasant, liver																							
Chukar partridge, liver																							
Other poultry, liver																							
Chicken, kidney		0.1	FC			0.1					5-1												
Duck, kidney																							
Turkey, kidney																							
Quail, kidney																							
Goose, kidney																							
Pheasant, kidney																							
Chukar partridge, kidney																							
Other poultry, kidney																							
Chicken, edible offal excluding liver and kidney		0.1	FC			0.1					5-1												
Duck, edible offal excluding liver and kidney																							
Turkey, edible offal excluding liver and kidney																							
Quail, edible offal excluding liver and kidney																							
Goose, edible offal excluding liver and kidney																							
Pheasant, edible offal excluding liver and kidney																							
Chukar partridge, edible offal excluding liver and kidney																							
Other poultry, edible offal excluding liver and kidney																							
Chicken, egg																							
Turkey, egg																							
Other poultry, egg																							
Chicken, egg yolk																							
Turkey, egg yolk																							
Other poultry, egg yolk																							

424. NICARBAZIN

[illegible]

NICARBAZIN

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney												Catfish											
Pig, kidney												Other freshwater fish											
Sheep, kidney												Salmon											
Horse, kidney												Trout											
Deer, kidney												Other salmonidae											
Goat, kidney												Other diadromous fish											
Rabbit, kidney												Marine fish											
Reindeer, kidney												Shrimps or prawns											
Other terrestrial mammals, kidney												Lobster											
Cattle, edible offal excluding liver and kidney												Crayfish											
Pig, edible offal excluding liver and kidney												Other crustaceans											
Sheep, edible offal excluding liver and kidney												Oyster											
Horse, edible offal excluding liver and kidney												Abalone											
Deer, edible offal excluding liver and kidney												Other aquatic animals											
Goat, edible offal excluding liver and kidney												Other animals											
Rabbit, edible offal excluding liver and kidney																							
Reindeer, edible offal excluding liver and kidney																							
Other terrestrial mammals, edible offal excluding liver and kidney																							
Cattle, milk																							
Sheep, milk																							
Goat, milk																							
Other terrestrial mammals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle	0.2	MRL	0.2																				
Duck, muscle	0.5	FC					5			0.5	5-2,6												
Turkey, muscle	0.5	FC					5			0.5	5-2,6												
Quail, muscle	0.5	FC					5			0.5	5-2,6												
Goose, muscle	0.5	FC					5			0.5	5-2,6												
Pheasant, muscle	0.5	FC					5			0.5	5-2,6												
Chukar partridge, muscle	0.5	FC					5			0.5	5-2,6												
Other poultry, muscle	0.5	FC					5			0.5	5-2,6												
Chicken, fat	0.2	MRL	0.2																				
Duck, fat	0.5	FC								0.5	5-1												
Turkey, fat	0.5	FC								0.5	5-1												
Quail, fat	0.5	FC								0.5	5-1												
Goose, fat	0.5	FC								0.5	5-1												
Pheasant, fat	0.5	FC								0.5	5-1												
Chukar partridge, fat	0.5	FC								0.5	5-1												
Other poultry, fat	0.5	FC								0.5	5-1												
Chicken, liver	0.2	MRL	0.2																				
Duck, liver	0.5	FC					20			0.5	5-2,6												
Turkey, liver	0.5	FC					20			0.5	5-2,6												
Quail, liver	0.5	FC					20			0.5	5-2,6												
Goose, liver	0.5	FC					20			0.5	5-2,6												
Pheasant, liver	0.5	FC					20			0.5	5-2,6												
Chukar partridge, liver	0.5	FC					20			0.5	5-2,6												
Other poultry, liver	0.5	FC					20			0.5	5-2,6												
Chicken, kidney	0.2	MRL	0.2																				
Duck, kidney	0.5	FC					20			0.5	5-2,6												
Turkey, kidney	0.5	FC					20			0.5	5-2,6												
Quail, kidney	0.5	FC					20			0.5	5-2,6												
Goose, kidney	0.5	FC					20			0.5	5-2,6												
Pheasant, kidney	0.5	FC					20			0.5	5-2,6												
Chukar partridge, kidney	0.5	FC					20			0.5	5-2,6												
Other poultry, kidney	0.5	FC					20			0.5	5-2,6												
Chicken, edible offal excluding liver and kidney	0.01	PAL		0.01			20	4		0.5	3-1												
Duck, edible offal excluding liver and kidney	0.5	FC					20			0.5	5-2,6												
Turkey, edible offal excluding liver and kidney	0.5	FC					20			0.5	5-2,6												
Quail, edible offal excluding liver and kidney	0.5	FC					20			0.5	5-2,6												
Goose, edible offal excluding liver and kidney	0.5	FC					20			0.5	5-2,6												
Pheasant, edible offal excluding liver and kidney	0.5	FC					20			0.5	5-2,6												
Chukar partridge, edible offal excluding liver and kidney	0.5	FC					20			0.5	5-2,6												
Other poultry, edible offal excluding liver and kidney	0.5	FC					20			0.5	5-2,6												
Chicken eggs																							
Turkey eggs																							
Other poultry eggs																							
Chicken, egg yolk																							
Turkey, egg yolk																							
Other poultry, egg yolk																							

Type 6: The PR-MRL was harmonized with the current MRL since there is a big difference in foreign MRLs.

425. NICOSULFURON

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange											
Sweet potato												NATSUDAIDAI (flesh)											
Wheat												NATSUDAIDAI (peel)											
Barley												NATSUDAIDAI (whole)											
Rye												Lemon											
Corn (including Maize, Sweet corn)	0.1FC					0.1		0.1			5-1	Orange (including Navel)											
Buckwheat												Grapefruit											
Other cereal grains												Lime											
Soybeans (dry)												Other citrus fruits											
Beans (dry) *												Apple											
Peas												Japanese pear											
Broad beans												Pear											
Peanuts (dry)												Quince											
Other legumes/pulses												Loquat											
Potato												Peach											
Taro												Nectarine											
Sweet potato												Apricot											
Yam												Japanese plum (including Prunes)											
Konjac												Mume plum											
Other potatoes												Cherry											
Sugar beet												Strawberry											
Sugarcane												Raspberry											
												Blackberry											
Japanese radish (including Radish) (root)												Blueberry											
Japanese radish (including Radish) (leaf)												Cranberry											
Turnip (including Rutabaga) (root)												Huckleberry											
Turnip (including Rutabaga) (leaf)												Other berries											
Horseradish																							
Watercress												Grape											
Chinese cabbage												Japanese persimmon											
Cabbage																							
Brussels sprouts												Banana											
Kale												Kiwifruit											
KOHATSUNA												Papaya											
KONA												Avocado											
Qing-geng-cai												Pineapple											
Cauliflower												Guava											
Broccoli												Mango											
Other cruciferous vegetables												Passion fruit											
												Date											
Burdock																							
Salsify												Other fruits											
Artichoke																							
Chicory												Sunflower seeds											
Endive												Sesam seeds											
SHUNGIKU												Safflower seeds											
Lettuce (Cos lettuce, Leaf lettuce)												Cotton seeds											
												Rape seeds											
Other composite vegetables												Other oil seeds											
Onion																							
Welsh (including Leek)												Ginkgo nut											
Garlic												Chestnut											
NIRA												Pecan											
Asparagus												Almond											
Multiplying onion (including Shallot)												Walnut											
Other liliaceous vegetables												Other nuts											
Carrot												Tea (Green, Black, Oolong, Wulong tea)											
Parsnip												Coffee beans											
Parsley												Cacao beans											
Celery												Hop											
MITSUBA																							
Other umbelliferous vegetables												Cattle, muscle											
												Pig, muscle											
Tomato												Sheep, muscle											
Pimento (Sweet pepper)												Horse, muscle											
Egg plant												Deer, muscle											
Other Solanaceous vegetables												Goat, muscle											
												Goat, muscle											
Cucumber (including Gherkin)												Rabbit, muscle											
Pumpkin (including Squash)												Reindeer, muscle											
Oriental pickling melon (vegetable)												Other terrestrial mammals, muscle											
Water melon																							
Melons												Cattle, fat											
												Pig, fat											
MAKUNAUZUKI												Sheep, fat											
Other cucurbitaceous vegetables												Horse, fat											
												Deer, fat											
Spinach												Goat, fat											
Bamboo shoots												Rabbit, fat											
Okra												Reindeer, fat											
Winter												Other terrestrial mammals, fat											
Peas (with pods, immature)																							
Kidney beans (with pods, immature)												Cattle, liver											
Soybeans												Pig, liver											
												Sheep, liver											
Button mushroom												Horse, liver											
SHIITAKE												Deer, liver											
Other mushrooms												Goat, liver											
Other vegetables												Rabbit, liver											
												Reindeer, liver											
												Other terrestrial mammals, liver											

NICOSULFURON

[illegible]

NICOTINE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney												Catfish											
Pig, kidney												Other freshwater fish											
Sheep, kidney																							
Goat, kidney												Salmon											
Deer, kidney												Trout											
Goat, kidney												Other salmonidae											
Rabbit, kidney												Other diadromous fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney																							
Pig, edible offal excluding liver and kidney												Shrimps or prawns											
Sheep, edible offal excluding liver and kidney												Lobster											
Goat, edible offal excluding liver and kidney												Crayfish											
Horse, edible offal excluding liver and kidney												Other crustaceans											
Deer, edible offal excluding liver and kidney																							
Goat, edible offal excluding liver and kidney												Oyster											
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney																							
Cattle, milk												Other animals											
Sheep, milk																							
Goat, milk												honey											
Other terrestrial mammals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle																							
Duck, muscle																							
Turkey, muscle																							
Quail, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat																							

427. NITARSONE

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange											
												NATSUDAIDAI (flesh)											
Wheat												NATSUDAIDAI (peel)											
Barley												NATSUDAIDAI (whole)											
Rye												Lemon											
Corn (including Maize Sweet corn)												Orange (including Navel)											
Buckwheat												Grapefruit											
Other cereal grains												Lime											
												Other citrus fruits											
Soybeans (dry)																							
Beans (dry)												Apple											
Peas												Japanese pear											
												Pear											
Peanuts (dry)												Quince											
Other legumes/pulses												Loquat											
Potato												Peach											
Taro												Nectarine											
Sweet potato												Apricot											
Yam												Japanese plum (including Prunes)											
Conia												Japanese plum											
Other potatoes												Cherry											
Sugar beet												Strawberry											
Sugarcane												Raspberry											
												Blackberry											
Japanese radish (including Radish) (root)												Blueberry											
Japanese radish (including Radish) (leaf)												Cranberry											
Tump (including Rutabaga) (root)												Huckleberry											
Tump (including Rutabaga) (leaf)												Other berries											
Horseradish																							
Watercress												Grape											
Chinese cabbage												Japanese persimon											
Cabbage																							
Brussels sprouts												Banana											
Caul												Kiwifruit											
KOMATSUNA												Papaya											
KYONA												Avocado											
Qing-geng-cai												Pineapple											
Cauliflower												Guava											
Broccoli												Mango											
Other cruciferous vegetables												Passion fruit											
												Date											
Burdock																							
Salsify												Other fruits											
Artichoke																							
Chicory												Sunflower seeds											
Endive												Sesam seeds											
SHINGIKU												Safflower seeds											
Lettuce (Cos lettuce, Leaf lettuce)												Cotton seeds											
Other composite vegetables												Rape seeds											
												Other oil seeds											
Onion																							
Welsh (including Leek)												Ginkgo nut											
Garlic												Chestnut											
NIRA												Pecan											
Asparagus												Almond											
Multiplying onion (including Shallot)												Walnut											
Other liliaceous vegetables												Other nuts											
Carrot												Tea (Green, Black, Oolong, Wulong tea)											
Parsnip												Coffee beans											
Parsley												Cacao beans											
Celery												Hop											
MITSUBA																							
Other umbelliferous vegetables												Cattle, muscle											
												Pig, muscle											
Tomato												Sheep, muscle											
Pimento (Sweet pepper)												Horse, muscle											
Egg plant												Deer, muscle											
Other solanaceous vegetables												Goat, muscle											
												Rabbit, muscle											
Cucumber (including Gherkin)												Reindeer, muscle											
												Other terrestrial mammals, muscle											
Pumpkin (including Squash)																							
Oriental pickling melon (vegetable)												Cattle, fat											
Water melon												Cattle, fat											
Melons												Pig, fat											
MAKUWAURI												Sheep, fat											
Other cucurbitaceous vegetables												Horse, fat											
												Deer, fat											
Spinach												Goat, fat											
Bamboo shoots												Rabbit, fat											
Okra												Reindeer, fat											
Ginger												Other terrestrial mammals, fat											
Peas (with pods, immature)																							
Kidney beans (with pods, immature)												Cattle, liver											
Soybeans												Pig, liver											
												Sheep, liver											
Button mushroom												Horse, liver											
Shiitake												Goat, liver											
Other mushrooms												Cat, liver											
												Rabbit, liver											
Other vegetables												Reindeer, liver											
												Other terrestrial mammals, liver											

[illegible]

NITENPYRAM

[illegible]

429. NITRAPYRIN

[illegible]

NITRAPYRIN

[illegible]

430. NITROTHAL-ISOPROPYL

[illegible]

NITROTHAL-ISOPROPYL

[illegible]

Downloaded from <http://ajph.org/> on November 10, 2014

[illegible]

[illegible]

432. NORFLOXACIN

[illegible]

P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney											Catfish											
Pig, kidney	0.02	PAL		0.02						4	Other freshwater fish											
Sheep, kidney											Salmon											
Horse, kidney											Trout											
Deer, kidney											Other salmonidae											
Goat, kidney											Other diadromous fish											
Rabbit, kidney											Marine fish											
Reindeer, kidney																						
Other terrestrial mammals, kidney																						
Cattle, edible offal excluding liver and kidney											Shrimps or prawns											
Pig, edible offal excluding liver and kidney	0.02	PAL		0.02						4	Lobster											
Sheep, edible offal excluding liver and kidney											Crayfish											
Horse, edible offal excluding liver and kidney											Other crustaceans											
Deer, edible offal excluding liver and kidney																						
Goat, edible offal excluding liver and kidney											Oyster											
Rabbit, edible offal excluding liver and kidney											Abalone											
Reindeer, edible offal excluding liver and kidney											Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney																						
											Other animals											
Cattle, milk																						
Sheep, milk											Honey											
Goat, milk																						
Other terrestrial mammals, milk																						
Cattle, milk fat																						
Sheep, milk fat																						
Goat, milk fat																						
Other terrestrial mammals, milk fat																						
Chicken, muscle	0.02	PAL		0.02						4												
Duck, muscle																						
Turkey, muscle																						
Quail, muscle																						
Goose, muscle																						
Pheasant, muscle																						
Chukar partridge, muscle																						
Other poultry, muscle																						
Chicken, fat	0.02	PAL		0.02					</													

433. NORFLURAZON

[illegible]

NORFLURAZON

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.1	FC				0.1					5-1	Catfish											
Pig, kidney	0.1	FC				0.1					5-1	Other freshwater fish											
Sheep, kidney	0.1	FC				0.1					5-1												
Deer, kidney	0.1	FC				0.1					5-1	Salmon											
Goat, kidney	0.1	FC				0.1					5-1	Trout											
Rabbit, kidney												Other salmonidae											
Reindeer, kidney												Other diadromous fish											
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney	0.1	FC				0.1					5-1	Shrimps or prawns											
Pig, edible offal excluding liver and kidney	0.1	FC				0.1					5-1	Lobster											
Sheep, edible offal excluding liver and kidney	0.1	FC				0.1					5-1	Crayfish											
Horse, edible offal excluding liver and kidney	0.1	FC				0.1					5-1	Other crustaceans											
Deer, edible offal excluding liver and kidney																							
Goat, edible offal excluding liver and kidney	0.1	FC				0.1					5-1	Oyster											
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney												Other animals											
Cattle, milk	0.1	FC				0.1					5-1												
Sheep, milk	0.1	FC				0.1					5-1	honey											
Goat, milk	0.1	FC				0.1					5-1												
Other terrestrial mammals, milk	0.1	FC				0.1					5-1												
Chicken, muscle	0.1	FC				0.1					5-1												
Duck, muscle	0.1	FC				0.1					5-1												
Turkey, muscle	0.1	FC				0.1					5-1												
Quail, muscle	0.1	FC				0.1					5-1												
Goose, muscle	0.1	FC				0.1					5-1												
Pheasant, muscle	0.1	FC				0.1					5-1												
Chukar partridge, muscle	0.1	FC				0.1					5-1												
Other poultry, muscle	0.1	FC				0.1					5-1												

434. NORGESTOMET

[illegible]

[illegible]

435. NOVALURON

[illegible]

NOVALURON

[illegible]