

[illegible]

SULFANITRAN

[illegible]

569. SULFAPYRIDINE

[illegible]

SULFAPYRIDINE

[illegible]

570. SULFAQUINOXALINE

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange											
												NATSUDAIDAI (flesh)											
Wheat												NATSUDAIDAI (peel)											
Barley												NATSUDAIDAI (whole)											
Rye												Lemon											
Corn (including Maize Sweet corn)												Orange (including Navel)											
Buckwheat												Grapefruit											
Other cereal grains												Lime											
												Other citrus fruits											
Soybeans (dry)																							
Beans (dry)												Apple											
Peas												Japanese pear											
Broad beans												Pear											
Peanuts (dry)												Quince											
Other legumes/pulses												Loquat											
Potato												Peach											
Taro												Nectarine											
Sweet potato												Apicot											
Yam												Japanese plum (including Prunes)											
Konjac												Mume plum											
Other potatoes												Cherry											
Sugar beet												Strawberry											
Sugarcane												Raspberry											
												Blackberry											
Japanese radish (including Radish) (root)												Blueberry											
Japanese radish (including Radish) (leaf)												Cranberry											
Turnip (including Rutabaga) (root)												Huckleberry											
Turnip (including Rutabaga) (leaf)												Other berries											
Horseradish																							
Watercress												Grape											
Chinese cabbage												Japanese persimon											
Cabbage																							
Brussels sprouts												Banana											
Kale																							

SULFAQUINOXALINE

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.1	FC				0.1		0.1			5-1	Cattfish											
Pig, kidney												Other freshwater fish											
Sheep, kidney	0.1	FC						0.1			5-1	Salmon											
Horse, kidney												Trout											
Deer, kidney												Other salmonidae											
Goat, kidney												Other diadromous fish											
Rabbit, kidney	0.1	FC						0.1			5-1												
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney	0.1	FC				0.1		0.1			5-1	Shrimps or prawns											
Pig, edible offal excluding liver and kidney												Lobster											
Sheep, edible offal excluding liver and kidney	0.1	FC						0.1			5-1	Crayfish											
Horse, edible offal excluding liver and kidney												Other crustaceans											
Deer, edible offal excluding liver and kidney																							
Goat, edible offal excluding liver and kidney																							
Rabbit, edible offal excluding liver and kidney	0.1	FC						0.1			5-1	Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney																							
Cattle, milk	0.01	FC						0.01			5-1	Other animals											
Sheep, milk	0.01	FC						0.01			5-1	Honey											
Goat, milk	0.01	FC						0.01			5-1												
Other terrestrial mammals, milk	0.01	FC						0.01			5-1												
Chicken, muscle	0.05	PAL		0.05		0.1	0.1	0.1			3-1												
Duck, muscle	0.1	FC					0.1				5-1												
Turkey, muscle	0.1	FC				0.1	0.1	0.1			5-1												
Quail, muscle	0.1	FC					0.1				5-1												
Goose, muscle	0.1	FC					0.1				5-1												
Pheasant, muscle	0.1	FC					0.1				5-1												
Chukar partridge, muscle	0.1	FC					0.1				5-1												
Other poultry, muscle	0.1	FC					0.1				5-1												
Chicken, fat	0.05	PAL		0.05		0.1		0.1			3-1												
Duck, fat																							
Turkey, fat	0.1	FC				0.1		0.1			5-1												
Quail, fat																							
Goose, fat																							
Pheasant, fat																							
Chukar partridge, fat																							
Other poultry, fat																							
Chicken, liver	0.05	PAL		0.05		0.1	0.1	0.1			3-1												
Duck, liver	0.1	FC					0.1				5-1												
Turkey, liver	0.1	FC				0.1	0.1	0.1			5-1												
Quail, liver	0.1	FC					0.1				5-1												
Goose, liver	0.1	FC					0.1				5-1												
Pheasant, liver	0.1	FC					0.1				5-1												
Chukar partridge, liver	0.1	FC					0.1				5-1												
Other poultry, liver	0.1	FC					0.1				5-1												
Chicken, kidney	0.05	PAL		0.05		0.1	0.1	0.1			3-1												
Duck, kidney	0.1	FC					0.1				5-1												
Turkey, kidney	0.1	FC				0.1	0.1	0.1			5-1												
Quail, kidney	0.1	FC					0.1				5-1												
Goose, kidney	0.1	FC					0.1				5-1												
Pheasant, kidney	0.1	FC					0.1				5-1												
Chukar partridge, kidney	0.1	FC					0.1				5-1												
Other poultry, kidney	0.1	FC					0.1				5-1												
Chicken, edible offal excluding liver and kidney	0.05	PAL		0.05		0.1	0.1	0.1			3-1												
Duck, edible offal excluding liver and kidney	0.1	FC					0.1				5-1												
Turkey, edible offal excluding liver and kidney	0.1	FC				0.1	0.1	0.1			5-1												
Quail, edible offal excluding liver and kidney	0.1	FC					0.1				5-1												
Goose, edible offal excluding liver and kidney	0.1	FC					0.1				5-1												
Pheasant, edible offal excluding liver and kidney	0.1	FC					0.1				5-1												
Chukar partridge, edible offal excluding liver and kidney	0.1	FC					0.1				5-1												
Other poultry, edible offal excluding liver and kidney	0.1	FC					0.1				5-1												
Chicken eggs																							
Turkey eggs																							
Other poultry eggs																							
Chicken, egg yolk																							
Turkey, egg yolk																							
Other poultry, egg yolk																							

Note: Although the EU establishes a MRL of 0.1 ppm for the muscle, the fat, the liver, the kidney, (sulfonamide compounds), and the milk of an animal as the sum of all substances categorized as sulfa drugs, Japan will establish PR-MRLs for individual substances, standards taking into consideration Codex and other country's standards.

571. SULFATHIAZOLE

[illegible]

SULFATHIAZOLE

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.1	FC						0.1			5-1	Cattfish											
Pig, kidney	0.1	FC				0.1		0.1			5-1	Other freshwater fish											
Sheep, kidney	0.1	FC						0.1			5-1												
Horse, kidney	0.1	FC						0.1			5-1	Salmon											
Deer, kidney												Trout											
Goat, kidney	0.1	FC						0.1			5-1	Other salmonidae											
Rabbit, kidney												Other diadromous fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney	0.1	FC						0.1			5-1	Shrimps or prawns											
Pig, edible offal excluding liver and kidney	0.1	FC				0.1		0.1			5-1	Lobster											
Sheep, edible offal excluding liver and kidney	0.1	FC						0.1			5-1	Crayfish											
Horse, edible offal excluding liver and kidney	0.1	FC						0.1			5-1	Other crustaceans											
Deer, edible offal excluding liver and kidney																							
Goat, edible offal excluding liver and kidney																							
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney																							
Cattle, milk	0.09	PAL		0.09				0.01			3-1	Other animals											
Sheep, milk	0.01	FC						0.01			5-1	Honey											
Goat, milk	0.01	FC						0.01			5-1												
Other terrestrial mammals, milk	0.01	FC						0.01			5-1												
Chicken, muscle	0.1	FC						0.1			5-1												
Duck, muscle	0.1	FC						0.1			5-1												
Turkey, muscle	0.1	FC						0.1			5-1												
Quail, muscle	0.1	FC						0.1			5-1												
Goose, muscle	0.1	FC						0.1			5-1												
Pheasant, muscle	0.1	FC						0.1			5-1												
Chukar partridge, muscle	0.1	FC						0.1			5-1												
Other poultry, muscle	0.1	FC						0.1			5-1												
Chicken, fat	0.1	FC						0.1			5-1												
Duck, fat	0.1	FC						0.1			5-1												
Turkey, fat	0.1	FC						0.1			5-1												
Quail, fat	0.1	FC						0.1			5-1												
Goose, fat	0.1	FC						0.1			5-1												
Pheasant, fat	0.1	FC						0.1			5-1												
Chukar partridge, fat	0.1	FC						0.1			5-1												
Other poultry, fat	0.1	FC						0.1			5-1												
Chicken, liver	0.1	FC						0.1			5-1												
Duck, liver	0.1	FC						0.1			5-1												
Turkey, liver	0.1	FC						0.1			5-1												
Quail, liver	0.1	FC						0.1			5-1												
Goose, liver	0.1	FC						0.1			5-1												
Pheasant, liver	0.1	FC						0.1			5-1												
Chukar partridge, liver	0.1	FC						0.1			5-1												
Other poultry, liver	0.1	FC						0.1			5-1												
Chicken, kidney	0.1	FC						0.1			5-1												
Duck, kidney	0.1	FC						0.1			5-1												
Turkey, kidney	0.1	FC						0.1			5-1												
Quail, kidney	0.1	FC						0.1			5-1												
Goose, kidney	0.1	FC						0.1			5-1												
Pheasant, kidney	0.1	FC						0.1			5-1												
Chukar partridge, kidney	0.1	FC						0.1			5-1												
Other poultry, kidney	0.1	FC						0.1			5-1												
Chicken, edible offal excluding liver and kidney	0.1	FC						0.1			5-1												
Duck, edible offal excluding liver and kidney	0.1	FC						0.1			5-1												
Turkey, edible offal excluding liver and kidney	0.1	FC						0.1			5-1												
Quail, edible offal excluding liver and kidney	0.1	FC						0.1			5-1												
Goose, edible offal excluding liver and kidney	0.1	FC						0.1			5-1												
Pheasant, edible offal excluding liver and kidney	0.1	FC						0.1			5-1												
Chukar partridge, edible offal excluding liver and kidney	0.1	FC						0.1			5-1												
Other poultry, edible offal excluding liver and kidney	0.1	FC						0.1			5-1												
Chicken eggs																							
Turkey eggs																							
Other poultry eggs																							
Chicken, egg yolk																							
Turkey, egg yolk																							
Other poultry, egg yolk																							

Note: Although the EU establishes a MRL of 0.1 ppm for the muscle, the fat, the liver, the kidney, (sulfonamide compounds), and the milk of an animal as the sum of all substances categorized as sulfa drugs, Japan will establish PR-MRLs for individual substances, standards taking into consideration Codex and other country's standards.

572. SULFATROXAZOLE

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange											
Wheat												NATSUDAIDAI (flesh)											
Barley												NATSUDAIDAI (peel)											
Rye												NATSUDAIDAI (whole)											
Corn (including Maize Sweet corn)												Lemon											
Buckwheat												Orange (including Navel)											
Other cereal grains												Grapefruit											
												Lime											
Soybeans (dry)												Other citrus fruits											
Beans (dry)												Apple											
Peas												Japanese pear											
Broad beans												Pear											
Peanuts (dry)												Quince											
Other legumes/pulses												Loquat											
Potato												Peach											
Taro												Nectarine											
Sweet potato												Apricot											
Yam												Japanese plum (including Prunes)											
Konjac												Mume plum											
Other potatoes												Cherry											
Sugar beet												Strawberry											
Sugarcane												Raspberry											
												Blackberry											
Japanese radish (including Radish) (root)												Blueberry											
Japanese radish (including Radish) (leaf)												Cranberry											
Turnip (including Rutabaga) (root)												Blackberry											
Turnip (including Rutabaga) (leaf)												Other berries											
Horseradish												Grape											
Watercress												Japanese persimon											
Chinese cabbage																							
Cabbage												Banana											
Brussels sprouts												Citrus fruit											
Kale												Papaya											
KOMATSUNA												Avocado											
KYONA												Pineapple											
Qing-geng-cai												Guava											
Cauliflower												Mango											
Broccoli												Passion fruit											
Other cruciferous vegetables												Date											
Burdock												Other fruits											
Salsify												Sunflower seeds											
Artichoke												Sesam seeds											
Chicory												Safflower seeds											
Endive												Cotton seeds											
SHINGIKU												Peanut seeds											
Lettuce (Cos lettuce, Leaf lettuce)												Other oil seeds											
Other composite vegetables																							
Onion												Ginkgo nut											
Welsh (including Leek)												Chestnut											
Garlic												Pecan											
NIRA												Almond											
Asparagus												Other nuts											
Multiplying onion (Shallot)																							
Other liliaceous vegetables												Tea (Green, Black, Oolong, Wulong tea)											
Carrot												Coffee beans											
Parsnip												Cacao beans											
Parsley												Hop											
Celery																							
MITSUBA																							
Other umbelliferous vegetables												Cattle, muscle	0.1	FC					0.1				5-1
												Pig, muscle	0.1	FC					0.1				5-1
Tomato												Sheep, muscle	0.1	FC					0.1				5-1
Pimento (Sweet pepper)												Horse, muscle	0.1	FC					0.1				5-1
Egg plant												Deer, muscle	0.1	FC					0.1				5-1
Other solanaceous vegetables												Goat, muscle	0.1	FC					0.1				5-1
												Rabbit, muscle	0.1	FC					0.1				5-1
Cucumber (including Gherkin)												Reindeer, muscle	0.1	FC					0.1				5-1
Pumpkin (including Squash)												Other terrestrial mammals, muscle	0.1	FC					0.1				5-1
Oriental pickling melon (vegetable)																							
Water melon												Cattle, fat											
Melons												Pig, fat											
MAKUWAURI												Sheep, fat											
Other cucurbitaceous vegetables												Horse, fat											
												Deer, fat											
Spinach												Goat, fat											
Bamboo shoots												Rabbit, fat											
Okra												Reindeer, fat											
Ginger												Other terrestrial mammals, fat											
Peas (with pods, immature)																							
Kidney beans (with pods, immature)												Cattle, liver	0.1	FC					0.1				5-1
Soybeans												Pig, liver	0.1	FC					0.1				5-1
												Sheep, liver	0.1	FC					0.1				5-1
Button mushroom												Horse, liver	0.1	FC					0.1				5-1
SHIITAKE												Deer, liver	0.1	FC					0.1				5-1
Other mushrooms												Goat, liver	0.1	FC					0.1				5-1
Other vegetables												Rabbit, liver	0.1	FC					0.1				5-1
												Reindeer, liver	0.1	FC					0.1				5-1
												Other terrestrial mammals, liver	0.1	FC					0.1				5-1

SULFATROXAZOLE

[illegible]

573. SULFENTRAZONE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)	0.1	FC				0.1					5-1	UNSHU orange												
												NATSUDAIDAI (flesh)												
Wheat	0.1	FC				0.1					5-1	NATSUDAIDAI (peel)												
Barley	0.1	FC				0.1					5-1	NATSUDAIDAI												
Rye	0.1	FC				0.1					5-1	Other cereal grains												
Corn (including Maize, Sweet corn)	0.1	FC				0.1					5-1	Orange (including Navel)												
Buckwheat	0.1	FC				0.1					5-1	Grapefruit												
Other cereal grains	0.1	FC				0.1					5-1	Lime												
												Other citrus fruits												
Soybeans (dry)	0.05	FC				0.05					5-1													
Beans (dry) *												Apple												
Peas												Japanese pear												
Broad beans												Pear												
Peanuts (dry)												Quince												
Other legumes/pulses												Loquat												
Potato												Peach												
Taro												Nectarine												
Sweet potato												Apricot												
Yam												Japanese plum (including Prunes)												
Konjac												Mume plum												
Other potatoes												Cherry												
Sugar beet												Strawberry												
Sugarcane												Raspberry												
												Blackberry												
Japanese radish (including Radish) (root)												Blueberry												
Japanese radish (including Radish) (leaf)												Cranberry												
Turnip (including Rutabaga) (root)												Huckleberry												
Turnip (including Rutabaga) (leaf)												Other berries												
Horseradish																								
Watercress												Grape												
Chinese cabbage												Japanese persimon												
Cabbage																								
Brussels sprouts												Banana												
Kale																								

SULFENTRAZONE

[illegible]

574. SULFISOZOLE

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange											
												NATSUDAIDAI (flesh)											
Wheat												NATSUDAIDAI (peel)											
Barley												NATSUDAIDAI (whole)											
Rye												Lemon											
Corn (including Maize Sweet corn)												Orange (including Navel)											
Buckwheat												Grapefruit											
Other cereal grains												Lime											
												Other citrus fruits											
Soybeans (dry)																							
Beans (dry)												Apple											
Peas												Japanese pear											
Broad beans												Pear											
Peanuts (dry)												Quince											
Other legumes/pulses												Loquat											
Potato												Peach											
Taro												Nectarine											
Sweet potato												Apricot											
Yam												Japanese plum (including Prunes)											
Konjac												Mume plum											
Other potatoes												Cherry											
Sugar beet												Strawberry											
Sugarcane												Raspberry											
												Blackberry											
Japanese radish (including Radish) (root)												Blueberry											
Japanese radish (including Radish) (leaf)												Cranberry											
Turnip (including Rutabaga) (root)												Huckleberry											
Turnip (including Rutabaga) (leaf)												Other berries											
Horseradish																							
Watercress												Grape											
Chinese cabbage												Japanese persimon											
Cabbage																							
Brussels sprouts												Banana											
Kale																							

SULFISOZOLE

[illegible]

575. SULFOSULFURON

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange											
Sweet potato												NATSUDAIDAI (flesh)											
Wheat	0.02	FC				0.02	0.01				5-1	NATSUDAIDAI (peel)											
Barley												NATSUDAIDAI (whole)											
Rye												Loquat											
Corn (including Maize, Sweet corn)												Orange (including Navel)											
Buckwheat												Grapefruit											
Other cereal grains												Lime											
Soybeans (dry)												Other citrus fruits											
Beans (dry) *												Apple											
Peas												Japanese pear											
Broad beans												Pear											
Peanuts (dry)												Quince											
Other legumes/pulses												Loquat											
Potato												Peach											
Taro												Nectarine											
Sweet potato												Apricot											
Yam												Japanese plum (including Prunes)											
Konjac												Mume plum											
Other potatoes												Cherry											
Sugar beet												Strawberry											
Sugarcane												Raspberry											
												Blackberry											
Japanese radish (including Radish) (root)												Blueberry											
Japanese radish (including Radish) (leaf)												Cranberry											
Turnip (including Rutabaga) (root)												Huckleberry											
Turnip (including Rutabaga) (leaf)												Other berries											
Horseradish																							
Watercress												Grape											
Chinese cabbage												Japanese persimmon											
Cabbage																							
Brussels sprouts												Banana											
Kale												Kiwifruit											
KOMATSUNA												Papaya											
YONAI												Avocado											
Qing-geng-cai																							

SULFOSULFURON

[illegible]

576. SULPROFOS

[illegible]

[illegible]

577. TARTAR EMETIC

[illegible]

578. TEBUCONAZOLE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	0.05	MRL	0.05									UNSHU orange											
Wheat	0.5	MRL	0.5									NATSUDAIDAI (flesh)											
Barley	0.05	MRL	0.05									NATSUDAIDAI (peel)											
Rye	0.2	MRL	0.2									NATSUDAIDAI (whole)											
Corn (including Maize, Sweet corn)	0.05	MRL	0.05									Lemon											
Buckwheat	0.05	MRL	0.05									Orange (including Navel)											
Other cereal grains	0.05	MRL	0.05									Grapefruit											
Soybeans (dry)												Other citrus fruits											
Beans (dry)												Apple	0.2	MRL	0.2								
Peas	0.2	MRL	0.2									Japanese pear	0.5	Codex			0.5						2
Broad beans	0.5	FC					0.5				5-1	Pear	0.5	Codex			0.5						2
Peanuts (dry)	0.1	MRL	0.1									Quince	0.5	Codex		1	0.5						1-1
Other legumes/pulses	0.2	FC								0.2	5-1	Loquat	0.5	Codex			0.5						2
Potato												Peach	1	MRL	1								
Taro												Nectarine	1	MRL	1								
Sweet potato												Apricot	1	MRL	1								
Yam												Japanese plum (including Prunes)											
Konjac												Mume plum											
Other potatoes												Cherry	4	MRL	4								
Sugar beet	0.5	WHL		0.5							4	Strawberry											
Sugarcane	0.1	FC					0.1				5-1	Raspberry											
Japanese radish (including Radish) (root)												Blackberry											
Japanese radish (including Radish) (leaf)	0.5	WHL		0.5							4	Blueberry											
Turnip (including Rutabaga) (root)												Cranberry											
Turnip (including Rutabaga) (leaf)	0.5	WHL		0.5							4	Other berries											
Horseradish												Grape	2	Codex			2	5		5			2
Watercress	0.5	WHL		0.5							4	Japanese persimon	1	WHL		1							4
Chinese cabbage												Banana	0.2	MRL	0.2								
Cabbage	0.5	WHL		0.5							4	Kiwifruit											
Brussels sprouts	0.5	WHL		0.5							4	Papaya	1	WHL					0.2				3-1
Kale	0.5	WHL		0.5							4	Avocado	1	WHL		1			0.2				3-1
KOMATSUNA	0.5	WHL		0.5							4	Pineapple	1	WHL		1							4
KYONA	0.5	WHL		0.5							4	Guava	1	WHL		1							4
Qing-geng-cai	0.5	WHL		0.5							4	Mango	1	WHL		1							4
Cauliflower	0.5	WHL		0.5							4	Passion fruit	1	WHL		1							4
Broccoli	0.5	WHL		0.5							4	Date	1	WHL		1							4
Other cruciferous vegetables	0.5	WHL		0.5							4	Other fruits											
Burdock												Sunflower seeds											
Salsify												Sesam seeds											
Artichoke	0.5	WHL		0.5							4	Safflower seeds											
Chicory	0.5	WHL		0.5							4	Cotton seeds	1	FC					1				5-1
Endive	0.5	WHL		0.5							4	Rapeseeds	0.05	Codex			0.05						2
SHUNGIKU	0.5	WHL		0.5							4	Other oil seeds											
Lettuce (Cos lettuce, Leaf lettuce)	0.5	WHL		0.5							4	Tea (Green, Black, Oolong, Wulong tea)	25	WHL		25							4
Other composite vegetables	0.5	WHL		0.5							4	Coffee beans											
Onion	0.2	MRL	0.2									Cacao beans											
Welsh (including Leek)	0.5	WHL		0.5			0.01			0.2	3-1	Hop											
Garlic	0.1	FC					0.01			0.2	5-1	Cattle, muscle	0.05	Codex			0.05		0.1	0.2			2
NIRA	0.5	WHL		0.5							4	Pig, muscle	0.2	FC					0.1	0.2			5-1
Asparagus	0.05	MRL	0.05									Sheep, muscle	0.2	FC					0.1	0.2			5-1
Multiplying onion (Shallot)	0.5	WHL		0.5			0.01			0.2	3-1	Horse, muscle	0.2	FC					0.1	0.2			5-1
Other liliaceous vegetables	0.5	WHL		0.5			0.01			0.2	3-1	Deer, muscle	0.1	FC					0.1				5-1
Carrot												Goat, muscle	0.2	FC					0.1	0.2			5-1
Parsnip												Reindeer, muscle	0.1	FC					0.1				5-1
Parsley	0.5	WHL		0.5							4	Other terrestrial mammals, muscle	0.1	FC					0.1				5-1
Celery	0.5	WHL		0.5							4	Cattle, fat											
MITSUBA	0.5	WHL		0.5							4	Pig, fat											
Other umbelliferous vegetables	0.5	WHL		0.5			0.01			0.2	3-1	Sheep, fat											
Tomato	1	MRL	1									Horse, fat											
Pimento (Sweet pepper)	0.5	MRL	0.5									Deer, fat											
Egg plant	0.5	MRL	0.5									Goat, fat											
Other Solanaceous vegetables												Rabbit, fat											
Cucumber (including Gherkin)	0.2	Codex					0.2				2	Reindeer, fat											
Pumpkin (including Squash)	0.02	Codex					0.02				2	Other terrestrial mammals, fat											
Oriental pickling melon (vegetable)												Cattle, liver	0.05	Codex			0.05		0.2	0.5	0.2		2
Water melon												Pig, liver	0.4	FC					0.5	0.2			5-1
Melons												Sheep, liver	0.3	FC				0.2	0.5	0.2			5-1
MAKUWAURI												Horse, liver	0.3	FC				0.2	0.5	0.2			5-1
Other cucurbitaceous vegetables												Deer, liver	0.5	FC					0.5				5-1
Spinach	0.5	WHL		0.5							4	Goat, liver	0.3	FC				0.2	0.5	0.2			5-1
Bamboo shoots												Rabbit, liver	0.5	FC					0.5				5-1
Okra												Reindeer, liver	0.5	FC					0.5				5-1
Ginger												Other terrestrial mammals, liver	0.5	FC					0.5				5-1
Peas (with pods, immature)	0.5	FC					0.5				5-1	Cattle, liver	0.05	Codex			0.05		0.2	0.5	0.2		2
Kidney beans (with pods, immature)	0.5	FC					0.5				5-1	Pig, liver	0.4	FC					0.5	0.2			5-1
Soybeans	0.5	FC					0.5				5-1	Sheep, liver	0.3	FC				0.2	0.5	0.2			5-1
Button mushroom												Horse, liver	0.3	FC				0.2	0.5	0.2			5-1
SHITAKE												Deer, liver	0.5	FC					0.5				5-1
Other mushrooms												Goat, liver	0.3	FC				0.2	0.5	0.2			5-1
Other vegetables	0.5	WHL		0.5			0.5			0.2	3-1	Rabbit, liver	0.5	FC					0.5				5-1
												Reindeer, liver	0.5	FC					0.5				5-1
												Other terrestrial mammals, liver	0.5	FC					0.5				5-1

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.05	Codex			0.05	0.2	0.5	0.2			2	Catfish											
Pig, kidney	0.4	FC					0.5	0.2			5-1	Other freshwater fish											
Sheep, kidney	0.3	FC				0.2	0.5	0.2			5-1												
Goose, kidney	0.2	FC				0.2	0.5	0.2			5-1	Salmon											
Deer, kidney	0.5	FC					0.5				5-1	Trout											
Goat, kidney	0.3	FC				0.2	0.5	0.2			5-1	Other salmonidae											
Rabbit, kidney	0.5	FC					0.5				5-1	Other diadromou fish											
Reindeer, kidney	0.5	FC					0.5				5-1												
Other terrestrial mammals, kidney	0.5	FC					0.5				5-1	Other marine fish											
Cattle, edible offal excluding liver and kidney	0.05	Codex			0.05	0.2	0.5	0.2			2	Shrimps or prawns											
Pig, edible offal excluding liver and kidney	0.4	FC					0.5	0.2			5-1	Lobster											
Sheep, edible offal excluding liver and kidney	0.3	FC				0.2	0.5	0.2			5-1	Crayfish											
Horse, edible offal excluding liver and kidney	0.3	FC				0.2	0.5	0.2			5-1	Other crustaceans											
Deer, edible offal excluding liver and kidney	0.5	FC					0.5				5-1												
Goat, edible offal excluding liver and kidney	0.3	FC				0.2	0.5	0.2			5-1	Oyster											
Abalone	0.5	FC					0.5				5-1												
Reindeer, edible offal excluding liver and kidney	0.5	FC					0.5				5-1	Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney	0.5	FC					0.5				5-1												
Other animals																							
Cattle, milk	0.01	Codex			0.01	0.1	0.05	0.1			2												
Sheep , milk	0.08	FC				0.1	0.05	0.1			5-1	honey											
Goat, milk	0.08	FC				0.1	0.05	0.1			5-1												
Other terrestrial mammals, milk	0.08	FC				0.1	0.05	0.1			5-1												
Chicken, muscle	0.05	Codex			0.05		0.1	0.1			2												
Duck, muscle	0.1	FC					0.1	0.1			5-1												
Turkey, muscle	0.1	FC					0.1	0.1			5-1												
	0.1	FC					0.1	0.1			5-1												
Goose, muscle	0.1	FC					0.1	0.1			5-1												
Pheasant, muscle	0.1	FC					0.1	0.1			5-1												
Chukar partridge, muscle	0.1	FC					0.1	0.1			5-1												
Other poultry, muscle	0.1	FC					0.1	0.1			5-1												
Chicken, fat																							
Duck, fat																							
Turkey, fat																							
Goose, fat																							
Pheasant, fat																							
Chukar partridge, fat																							
Other poultry, fat																							
Chicken, liver	0.05	Codex			0.05		0.5	0.1			2												
Duck, liver	0.3	FC					0.5	0.1			5-1												
Turkey, liver	0.3	FC					0.5	0.1			5-1												
	0.3	FC					0.5	0.1			5-1												
Goose, liver	0.3	FC					0.5	0.1			5-1												
Pheasant, liver	0.3	FC					0.5	0.1			5-1												
Chukar partridge, liver	0.3	FC					0.5	0.1			5-1												
Other poultry, liver	0.3	FC					0.5	0.1			5-1												
Chicken, kidney	0.3	FC			0.05		0.5	0.1			2												
Duck, kidney	0.3	FC					0.5	0.1			5-1												
Turkey, kidney	0.3	FC					0.5	0.1			5-1												
	0.3	FC					0.5	0.1			5-1												
Goose, kidney	0.3	FC					0.5	0.1			5-1												
Pheasant, kidney	0.3	FC					0.5	0.1			5-1												
Chukar partridge, kidney	0.3	FC					0.5	0.1			5-1												
Other poultry, kidney	0.3	FC					0.5	0.1			5-1												
Chicken, edible offal excluding liver and kidney	0.05	Codex			0.05		0.5	0.1			2												
Duck, edible offal excluding liver and kidney	0.3	FC					0.5	0.1			5-1												
Turkey, edible offal excluding liver and kidney	0.3	FC					0.5	0.1			5-1												
Quail, edible offal excluding liver and kidney	0.3	FC					0.5	0.1			5-1												
Goose, edible offal excluding liver and kidney	0.3	FC					0.5	0.1			5-1												
Pheasant, edible offal excluding liver and kidney	0.3	FC					0.5	0.1			5-1												
Chukar partridge, edible offal excluding liver and kidney	0.3	FC					0.5	0.1			5-1												
Other poultry, edible offal excluding liver and kidney	0.3	FC					0.5	0.1			5-1												
Chicken, eggs	0.05	Codex			0.05		0.1	0.1			2												
Turkey, eggs	0.1	FC					0.1	0.1			5-1												
Other poultry, eggs	0.1	FC					0.1	0.1			5-1												

579. TEBUFENOZIDE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	0.5	MRL	0.5	UNSHU orange	1	FC						1				5-1
Wheat											NATSUDAIDAI (flesh)												5-1
Barley	5	1WHL		5							NATSUDAIDAI (peel)								1				5-1
Rye	5	1WHL		5							NATSUDAIDAI (whole)	1	FC						1				5-1
Corn (including Maize, Sweet corn)	5	1WHL		5							Lemon	1	FC						1				5-1
Buckwheat	5	1WHL		5							Orange (including Navel)	1	FC						1				5-1
Other cereal grains	5	1WHL		5							Grapefruit	1	FC						1				5-1
Soybeans (dry)	0.5	1WHL		0.5							Lime	1	FC						1				5-1
Beans (dry)											Other citrus fruits	1	FC						1				5-1
Peas											Apple	1	MRL		1							
Broad beans											Japanese pear	1	CodeX				1		1.5	1			0.5
Peanuts (dry)											Pear	1	CodeX				1		1.5	1			0.5
Other legumes/pulses											Quince	1	CodeX				1		1.5	1			0.5
Potato	0.1	1WHL		0.1							Loquat	1	CodeX			0.1			1.5	1			0.5
Taro	0.1	1WHL		0.1																			
Sweet potato	0.1	1WHL		0.1							Peach	0.1	1WHL			0.1			1				0.5
Yam	0.1	1WHL		0.1							Nectarine	1	1WHL			1			1				0.5
Konjac	0.1	1WHL		0.1							Apricot	1	1WHL			1							0.5
Other potatoes	0.1	1WHL		0.1							Japanese plum (including Prunes)	1	1WHL			1							0.5
Sugar beet	0.1	MRL	0.1		Mume plum	1	1WHL			1							3-1
Sugarcane											Cherry	1	1WHL			1							4
Japanese radish (including Radish) (root)											Strawberry	1	1WHL			1							4
Japanese radish (including Radish) (leaf)											Raspberry	1	1WHL			1			3				3-1
Turnip (including Rutabaga) (root)											Blackberry	1	1WHL			1			3				3-1
Turnip (including Rutabaga) (leaf)											Blueberry	1	1WHL			1			3				3-1
Horseradish											Cranberry	1	1WHL			1			1				3-1
Watercress											Blackberry	1	1WHL			1			3				3-1
Chinese cabbage	5	FC				5					Other berries	1	1WHL			1			3				3-1
Cabbage	5	FC				5					Grape	0.5	MRL		0.5							
Brussels sprouts	5	FC				5					Japanese persimon	1	1WHL			1			1				3-1
Kale	10	FC				10					Banana	1	1WHL			1							4
KOMATSUNA	10	FC				10					Kiwifruit	0.5	CodeX		0	0.5		0.5	2	0.5		0.5	1-1
KYONA	10	FC				10					Papaya	1	1WHL			1							4
Qing-geng-cai	10	FC				10					Avocado	1	1WHL			1			0.5			0.2	3-1
Cauliflower	0.5	MRL	0.5		Pineapple	1	1WHL			1							4
Broccoli	5	FC				5					Guava	1	1WHL			1							4
Other cruciferous vegetables	10	FC				10					Mango	1	1WHL			1							4
Burdock											Passion fruit	1	1WHL			1							4
Salsify											Date	1	1WHL			1							4
Artichoke											Other fruits	1	1WHL			1			1.5	2			3-1
Chicory											Sunflower seeds												
Endive											Sesame seeds												
SHUNGKU											Safflower seeds												
Lettuce (Cos lettuce, Leaf lettuce)											Cotton seeds	2	FC					1.5					5-1
Other composite vegetables											Rape seeds	2	FC					2					5-1
Onion											Other oil seeds												
Welsh (including Leek)											Ginkgo nut												
Garlic											Chestnut	0.1	FC					0.1					5-1
NIRA											Pecan	0.1	FC					0.1					5-1
Asparagus											Almond	0.1	FC					0.1					5-1
Multiplying onion (including Shallot)											Walnut	0.1	MRL		0.1							
Other liliaceous vegetables											Other nuts	0.08	FC					0.1	0.05				5-1
Carrot											Tea (Green, Black, Oolong, Wulong tea)	25	MRL		25							
Parsnip											Coffee beans	0.05	FC						0.05				5-1
Beetroot											Cacao bean												
Celery	2	FC				2					Hop	1											
MITSUBA																							
Other umbelliferous vegetables	2	FC				2					Cattle, muscle												
Tomato	1	FC				1					Pig, muscle												
Pepper (Sweet pepper)	0.05	FC				1		0.2			Sheep, muscle												
Pepper (Hot pepper)	0.1	FC				1					Horse, muscle												
Egg plant	1	FC				1					Deer, muscle												
Other Solanaceous vegetables	0.6	FC				1		0.2			Goat, muscle												
Cucumber (including Gherkin)											Rabbit, muscle												
Pumpkin (including Squash)											Reindeer, muscle												
Oriental pickling melon (vegetable)											Other terrestrial mammals, muscle												
Watermelon	0.1	1WHL		0.1							Cattle, fat	0.06	FC					0.1	0.02				5-1
Melon	0.1	1WHL		0.1							Sheep, fat	0.06	FC					0.1	0.02				5-1
MAKUWAURI	0.1	1WHL		0.1							Horse, fat	0.06	FC					0.1	0.02				5-1
Other cucurbitaceous vegetables											Deer, fat	0.06	FC					0.1	0.02				5-1
Spinach											Goat, fat	0.06	FC					0.1	0.02				5-1
Bamboo shoots											Rabbit, fat												
Onion											Reindeer, fat												
Ginger											Other terrestrial mammals, fat												
Peas (with pods, immature)											Cattle, liver	0.05	FC					0.08	0.02				5-1
Kidney beans (with pods, immature)											Pig, liver	0.05	FC					0.08	0.02				5-1
Soybeans											Sheep, liver	0.05	FC					0.08	0.02				5-1
Button mushroom											Horse, liver	0.05	FC					0.08	0.02				5-1
SHITAKE											Deer, liver	0.05	FC					0.08	0.02				5-1
Other mushrooms											Goat, liver	0.05	FC					0.08	0.02				5-1
Other vegetables	10	FC				10					Rabbit, liver												
											Reindeer, liver												
											Other terrestrial mammals, liver												

	P R - M R L	R e f. .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f. .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.05	FC				0.08	0.02				5-1	Catfish											
Pig, kidney	0.05	FC				0.08	0.02				5-1	Other freshwater fish											
Sheep, kidney	0.05	FC				0.08	0.02				5-1	Salmon											
Deer, kidney	0.05	FC				0.08	0.02				5-1	Trout											
Goat, kidney	0.05	FC				0.08	0.02				5-1	Other salmonidae											
Rabbit, kidney												Other diadromou fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Other marine fish											
Cattle, edible offal excluding liver and kidney	0.05	FC				0.08	0.02				5-1	Shrimps or prawns											
Pig, edible offal excluding liver and kidney	0.05	FC				0.08	0.02				5-1	Lobster											
Sheep, edible offal excluding liver and kidney	0.05	FC				0.08	0.02				5-1	Crayfish											
Horse, edible offal excluding liver and kidney	0.05	FC				0.08	0.02				5-1	Other crustaceans											
Deer, edible offal excluding liver and kidney												Oyster											
Goat, edible offal excluding liver and kidney	0.05	FC				0.08	0.02				5-1	Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney																							
Cattle, milk	0.005	FC					0.01	0.001			5-1	Other animals											
Sheep , milk	0.005	FC					0.01	0.001			5-1	honey											
Goat, milk							0.01	0.001			5-1												
Other terrestrial mammals, milk	0.005	FC					0.01	0.001			5-1												
Chicken, muscle																							
Duck, muscle																							
Turkey, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat																							
Duck, fat																							
Turkey, fat					</																		

580. TEBUFENPYRAD

[illegible]

TEBUFENPYRAD

[illegible]

581. TEBUTHIURON

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange											
Wheat												NATSUDAIDAI (flesh)											
Barley												NATSUDAIDAI (peel)											
Rye												NATSUDAIDAI (whole)											
Corn (including Maize, Sweet corn)												Lemon											
Buckwheat												Orange (including Navel)											
Other cereal grains												Grapefruit											
Soybeans (dry)												Other citrus fruits											
Beans (dry)												Apple											
Peas												Japanese pear											
Broad beans												Pear											
Peanuts (dry)												Quince											
Other legumes/pulses												Loquat											
Potato												Peach											
Taro												Nectarine											
Sweet potato												Apricot											
Yam												Japanese plum (including Prunes)											
Konjac												Mume plum											
Other potatoes												Cherry											
Sugar beet												Strawberry											
Sugarcane	0.2	FC					0.2				5-1	Raspberry											
Japanese radish (including Radish) (root)												Blackberry											
Japanese radish (including Radish) (leaf)												Blueberry											
Turnip (including Rutabaga) (root)												Cranberry											
Turnip (including Rutabaga) (leaf)												Blackberry											
Horseradish												Other berries											
Watercress												Grape											
Chinese cabbage												Japanese persimon											
Cabbage												Banana											
Brussels sprouts												Kiwifruit											
Kale												Papaya											
KOMATSUNA												Avocado											
KYONA												Pineapple											
Qing-geng-cai												Guava											
Cauliflower												Mango											
Broccoli												Passion fruit											
Other cruciferous vegetables												Date											
Burdock												Other fruits											
Salsify												Sunflower seeds											
Artichoke												Sesam seeds											
Chicory												Safflower seeds											
Endive												Cotton seeds											
SHUNGIKU												Rape seeds											
Lettuce (Cos lettuce, Leaf lettuce)												Other oil seeds											
Other composite vegetables												Onion											
Onion												Welsh (including Leek)											
Welsh (including Leek)												Garlic											
Garlic												NIRA											
Asparagus												Almond											
Multiplying onion (leaf)												Walnut											
Other liliaceous vegetables												Other nuts											
Carrot												Tea (Green, Black, Oolong, Wulong tea)											
Parsnip												Coffee beans											
Parsley												Cacao beans											
Celery												Hop											
MITSUBA												Cattle, muscle	1	FC				2	0.5				5-1
Other umbelliferous vegetables												Pig, muscle	0.5	FC				2	0.5				5-1
Tomato												Sheep, muscle	1	FC				2	0.5				5-1
Pimento (Sweet pepper)												Horse, muscle	1	FC				2	0.5				5-1
Egg plant												Deer, muscle	0.5	FC				2	0.5				5-1
Other Solanaceous vegetables												Goat, muscle	1	FC				2	0.5				5-1
Cucumber (including Gherkin)												Rabbit, muscle	0.5	FC					0.5				5-1
Pumpkin (including Squash)												Reindeer, muscle	0.5	FC					0.5				5-1
Oriental pickling melon (vegetable)												Other terrestrial mammals, muscle	0.5	FC					0.5				5-1
Water melon												Cattle, fat	2	FC				2					5-1
Melons												Pig, fat	2	FC				2					5-1
MAKUWAURI												Sheep, fat	2	FC				2					5-1
Other cucurbitaceous vegetables												Horse, fat	2	FC				2					5-1
Spinach												Deer, fat	2	FC				2					5-1
Bamboo shoots												Goat, fat	2	FC				2					5-1
Okra												Rabbit, fat	2	FC					2				5-1
Ginger												Reindeer, fat	2	FC					2				5-1
Peas (with pods, immature)												Other terrestrial mammals, fat											
Kidney beans (with pods, immature)												Cattle, liver	2	FC				2	2				5-1
Soybeans												Pig, liver	2	FC				2	2				5-1
Button mushroom												Sheep, liver	2	FC				2	2				5-1
SHIITAKE												Horse, liver	2	FC				2	2				5-1
Other mushrooms												Deer, liver	2	FC				2	2				5-1
Other vegetables												Goat, liver	2	FC				2	2				5-1
												Rabbit, liver	2	FC					2				5-1
												Reindeer, liver	2	FC					2				5-1
												Other terrestrial mammals, liver	2	FC					2				5-1

[illegible]

582. TECNAZENE

[illegible]

TECNAZENE

[illegible]