

# 11. 4-AMINOPYRIDINE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)																							UNSHU orange
Wheat																							NATSUDAIDAI (flesh)
Barley																							NATSUDAIDAI (peel)
Rye																							NATSUDAIDAI (whole)
Corn (including Maize, Sweet corn)	0.1	FC				0.1				5													Lemon
Buckwheat																							Orange (including Navel)
Other cereal grains																							Grapefruit
Soybeans (dry)																							Lime
Beans (dry)																							Other citrus fruits
Peas																							Apple
Broad beans																							Japanese pear
Peanuts																							Pear
Other legumes/pulses																							Quince
Potato																							Loquat
Taro																							Peach
Sweet potato																							Nectarine
Yam																							Apricot
Konjac																							Japanese plum (including Prunes)
Other potatoes																							Mume plum
Sugar beet																							Cherry
Sugarcane																							Strawberry
Japanese radish(including Radish)(root)																							Raspberry
Turnip (including Rutabaga)(root)																							Blackberry
Turnip (including Rutabaga)(leaf)																							Blueberry
Horseradish																							Cranberry
Watercress																							Huckleberry
Chinese cabbage																							Other berries
Cabbage																							Grape
Brussels sprouts																							Japanese persimon
Kale																							Banana
KOMATSUNA																							Kiwifruit
KYONA																							Papaya
Qing-geng-gai																							Avocado
Cauliflower																							Pineapple
Broccoli																							Guanabana
Other cruciferous vegetables																							Mango
Burdock																							Passion fruit
Salsify																							Date
Artichoke																							Other fruits
Chicory																							Sunflower seeds
Fenugreek												0.1	FC				0.1						5
SHUNGIKU																							Safflower seeds
Betula (Cos lettuce, Leaf lettuce)																							Sesame seeds
Other composite vegetables																							Rapeseeds
Onion																							Other oil seeds
Welsh (including Leek)																							Ginkgo nut
Garlic																							Chestnut
NIIRA																							Pecan
Asparagus																							Almond
Multiplying Onion (including Shallot)																							Walnut
Other liliaceous vegetables																							Other nuts
Celery																							Tea (Green, Black, Oolong, Wulong tea)
MITSUBA																							Coffee beans
Other umbelliferous vegetables																							Cacao beans
Tomato																							Hop
Pimento (Sweet pepper)																							Cattle, muscle
Ego plant																							Pig, muscle
Other solanaceous vegetables																							Other terrestrial mammals, muscle
Cucumber (including Gherkin)																							Cattle, fat
Pumpkin (including Squash)																							Pig, fat
Oriental pickling melon (vegetable)																							Other terrestrial mammals, fat
Water melon																							Cattle, fat
Melons																							Pig, fat
MAKUWARI																							Other terrestrial mammals, fat
Other cucurbitaceous vegetables																							Cattle, liver
Spinach																							Pig, liver
Bamboo shoots																							Other terrestrial mammals, liver
Okra																							Cattle, liver
Ginger																							Pig, liver
Peas (with pods, immature)																							Other terrestrial mammals, liver
Kidney beans (with pods, immature)																							Cattle, liver
EDAMAME																							Pig, liver
Button mushroom																							Other terrestrial mammals, liver
SHITAKE																							Cattle, liver
Other mushrooms																							Pig, liver
Other vegetables																							Other terrestrial mammals, liver









5-(PROPYLSULPHONYL)-1-H-BENZIMIDAZOLE-2-AMINE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney		5MRL	5								5	Order Salmoniformes											
Pig, kidney		5MRL	5								5	Order Anguilliformes											
Sheep, kidney		5MRL	5								5	Order Perciformes											
Horse, kidney		5MRL	5								5	Other fish											
Other terrestrial mammals, kidney		5Codex			5		0.1				2	Order Decapoda											
											5	Other Crustacea											
											5	Shelled molluscs											
											5	Other aquatic animal											
Cattle, edible offal excluding liver and		0FC					0.1				5	Other animals											
Pig, edible offal excluding liver and		5OTR									6.3	Other animals											
Sheep, edible offal excluding liver and		3FC					3				5												
Horse, edible offal excluding liver and		5OTR									6.3	Honey											
Other terrestrial mammals, edible offal		3FC					0.1				5	Other Spices											
											5	Other Herbs											
Milk		0.1MRL	0.1																				
Chicken, muscle		0.1MRL	0.1																				
Duck, muscle		0.1MRL	0.1																				
Turkey, muscle		0.1MRL	0.1																				
Other poultry, muscle		0.1Codex			0.1						2												
Chicken, fat		0.1MRL	0.1																				
Duck, fat		0.1MRL	0.1																				
Turkey, fat		0.1MRL	0.1																				
Other poultry, fat		0.1Codex			0.1						2												
Chicken, liver		5MRL	5																				
Duck, liver		5MRL	5																				
Turkey, liver		5MRL	5																				
Other poultry, liver		5Codex			5						2												
Chicken, kidney		5MRL	5																				
Duck, kidney		5MRL	5																				
Turkey, kidney		5MRL	5																				
Other poultry, kidney		5Codex			5						2												
Chicken, edible offal excluding liver and		5OTR									6.3												
Duck, edible offal excluding liver and		5OTR									6.3												
Turkey, edible offal excluding liver and		5OTR									6.3												
Other poultry, edible offal excluding liver and		5OTR									6.3												
Poultry eggs																							

\* Metabolite of ALBENDAZOLE

# 14. ABAMECTIN

	P	R	M	W	C	U	A	C	E	N	T	P	R	M	W	C	U	A	C	E	N	T			
	R	ref	R	H	o	S	U	A	U	Z	y	R	R	R	H	o	S	U	A	C	U	Z	y		
	M		L	L	d	A	A	A	E	N	p	M	L	L	d	S	A	A	E	N	p	M	L	L	
	R				e						e				e										
	L				x						e	L													
Rice (brown rice)	0.01	FC							0.01		5	UNSHU orange	0.01	Codex			0.01	0.02	0.01	0.02	0.01			2	
Wheat	0.01	FC							0.01		5	NATSUDAIDAI (riest)													
Barley	0.01	FC							0.01		5	NATSUDAIDAI (peel)													
Rye	0.01	FC							0.01		5	NATSUDAIDAI (whole)	0.01	Codex			0.01	0.02	0.01	0.02	0.01				2
Corn (including Maize, Sweet corn)	0.01	FC							0.01		5	Lemon	0.01	Codex			0.01	0.02	0.01	0.02	0.01				2
Buckwheat	0.01	FC							0.01		5	Orange (including Navel)	0.01	Codex			0.01	0.02	0.01	0.02	0.01				2
Other cereal grains	0.01	FC							0.01		5	Grapefruit	0.01	Codex			0.01	0.02	0.01	0.02	0.01				2
Soybeans (dry)	0.01	FC							0.02		5	Lime	0.01	Codex			0.01	0.02	0.01	0.02	0.01				2
Beans (dry)	0.01	FC						0.002	0.02		5	Other citrus fruits	0.01	Codex			0.01	0.02	0.01	0.02	0.01				2
Peas	0.01	FC							0.01		5	Apple	0.02	FC			0.02	0.02	0.01	0.02	0.01				2
Broad beans	0.01	FC							0.01		5	Japanese pear	0.02	Codex			0.02	0.02	0.01	0.02	0.01				2
Peanuts	0.02	FC							0.02		5	Pear	0.02	Codex			0.02	0.02	0.01	0.02	0.01				2
Other legumes/pulses	0.01	FC							0.01		5	Quince	0.01	FC								0.01			5
Potato	0.01	Codex			0.01	0.005			0.01		2	Loquat	0.01	FC								0.01			5
Taro	0.01	FC							0.01		5	Peach	0.02	FC			0.02				0.01				5
Sweet potato	0.01	FC							0.01		2	Nectarine	0.02	FC			0.02				0.01				5
Yam	0.01	FC							0.01		5	Apricot	0.02	FC			0.02				0.01				5
Konjac	0.01	FC							0.01		5	Japanese plum (including Prunes)	0.01	FC			0.01				0.01				5
Other potatoes	0.01	FC							0.01		5	Mume plum	0.01	FC							0.01				5
Sugar beet	0.01	FC							0.01		5	Cherry	0.02	FC			0.02				0.01				5
Sugarcane	0.008	OTR									6	Strawberry	0.02	Codex			0.02	0.02	0.02	0.02	0.1				2
Japanese radish (including Radish) (root)	0.01	FC							0.01		5	Raspberry	0.01	FC							0.01				5
Japanese radish (including Radish) (leaf)	0.01	FC							0.01		5	Blackberry	0.01	FC							0.01				5
Turnip (including Rutabaga) (root)	0.01	FC							0.01		5	Blueberry	0.01	FC							0.01				5
Turnip (including Rutabaga) (leaf)	0.01	FC							0.01		5	Cranberry	0.01	FC							0.01				5
Horseradish	0.01	FC							0.01		5	Avocado	0.02	FC							0.01				5
Watercress	0.1	FC				0.1			0.1		5	Other berries	0.02	FC					0.02		0.01				5
Chinese cabbage	0.01	FC							0.01		5	Grape	0.02	FC			0.02				0.01				5
Cabbage	0.01	FC							0.01		5	Japanese persimon	0.01	FC							0.01				5
Brussels sprouts	0.01	FC							0.01		5	Banana	0.01	FC							0.01				5
Kale	0.01	FC							0.01		5	Kiwifruit	0.01	FC							0.01				5
KOMATSUNA	0.01	FC							0.01		5	Papaya	0.01	FC							0.01				5
KYONA	0.01	FC							0.01		5	Avocado	0.02	FC			0.02				0.01				5
Qing-gong-cai	0.01	FC							0.01		5	Pineapple	0.01	FC							0.01				5
Cauliflower	0.01	FC							0.01		5	Guava	0.01	FC							0.01				5
Broccoli	0.01	FC							0.01		5	Mango	0.01	FC							0.01				5
Other cruciferous vegetables	0.1	FC				0.1			0.1		5	Passion fruit	0.01	FC							0.01				5
Burdock	0.01	FC							0.01		5	Date	0.01	FC							0.01				5
Salsify	0.01	FC							0.01		5	Other fruits	0.02	FC			0.02				0.01				5
Artichoke	0.01	FC							0.01		5	Sunflower seeds	0.02	FC							0.02				5
Chicory	0.06	FC				0.1			0.01		5	Safflower seeds	0.02	FC							0.02				5
Endive	0.06	FC				0.1			0.01		5	Safflower seeds	0.02	FC							0.02				5
SHUNGIKU	0.06	FC				0.1			0.01		5	Cotton seeds	0.01	Codex			0.01	0.005	0.01		0.02				2
Lettuce (Cos lettuce, Leaf lettuce)	0.05	Codex			0.05	0.1			0.05	0.1	5	Rapeseeds	0.02	FC							0.02				5
Other composite vegetables	0.06	FC				0.1			0.01		5	Other oil seeds	0.02	FC							0.02				5
Onion	0.01	FC							0.01		5	Ginkgo nut	0.02	FC							0.02				5
Welsh (including Leek)	0.01	FC							0.01		5	Chestnut	0.02	FC							0.02				5
Garlic	0.01	FC							0.01		5	Pecan	0.02	FC							0.02				5
NIRA	0.02	FC				0.03			0.01		5	Almond	0.01	Codex			0.01	0.005	0.005	0.02	0.02				2
Asparagus	0.01	FC							0.01		5	Walnut	0.01	Codex			0.01			0.005	0.02				2
Multiplying Onion (including Shallot)	0.01	FC							0.01		5	Other nuts	0.02	FC							0.02				5
Other liliaceous vegetables	0.02	FC				0.03			0.01		5	Tea (Green, Black, Oolong, Wulong tea)	0.02	FC							0.02				5
Carrot	0.01	FC							0.01		5	Coffee beans	0.008	OTR							6	5			
Parsnip	0.01	FC							0.01		5	Cacao beans	0.008	OTR							6	5			
Parsley	0.06	FC				0.1			0.01		5	Hop	0.1	Codex			0.1	0.2	0.1		0.05				2
Celery	0.05	FC				0.1			0.05	0.01	5	Cattle, muscle	0.01	Codex			0.01	0.02	0.005		0.01	0.01			2
MITSUBA	0.01	FC							0.01		5	Pig, muscle	0.01	FC			0.01	0.02			0.01	0.01			2
Other umbelliferous vegetables	0.06	FC				0.1			0.01		5	Other terrestrial mammals, muscle	0.01	Codex			0.01	0.02			0.01	0.01			2
Tomato	0.02	Codex			0.02	0.02	0.01	0.01	0.02		2														
Pimento (Sweet pepper)	0.02	Codex			0.02	0.02	0.02	0.01	0.05		2														
Egg plant	0.02	FC				0.02	0.02		0.02		5														
Other solanaceous vegetables	0.03	FC				0.02	0.02	0.01	0.05		5														
Cucumber (including Gherkin)	0.01	Codex			0.01	0.005	0.02	0.005	0.01		2	Cattle, fat	0.1	Codex			0.01	0.015	0.1		0.01	0.02			2
Pumpkin (including Squash)	0.01	Codex			0.01	0.005	0.02		0.01		2	Pig, fat	0.02	FC			0.015	0.02			0.01	0			





























