











































CLENBUTEROL

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.0006	Codex		0.0001	0.0006				0.0005		7.7	Order Salmoniformes	ND	OTR									6.5
Pig, kidney	ND	OTR									6.5	Order Anguilliformes	ND	OTR									6.5
Other terrestrial mammals, kidney	0.0006	Codex		0.0001	0.0006				0.0005		7.7	Order Perciformes	ND	OTR									6.5
												Other fish	ND	OTR									6.5
												Order Decapoda	ND	OTR									6.5
												Other Crustacea	ND	OTR									6.5
												Shelled molluscs	ND	OTR									6.5
												Other aquatic animal	ND	OTR									6.5
Cattle, edible offal excluding liver and kidney	0.0001	PAL		0.0001							4												
Pig, edible offal excluding liver and kidney	ND	OTR									6.5	Other animals	ND	OTR									6.5
Other terrestrial mammals, edible offal excluding liver and kidney	0.0001	PAL		0.0001							4												
												Honey	ND	OTR									6.5
												Other Spices											
												Other Herbs											
Milk	0.0005	Codex		0.0001	0.0005				0.0005		7.7												
Chicken, muscle	ND	OTR									6.5												
Other poultry, muscle	ND	OTR									6.5												
Chicken, fat	ND	OTR									6.5												
Other poultry, fat	ND	OTR									6.5												
Chicken, liver	ND	OTR									6.5												
Other poultry, liver	ND	OTR									6.5												
Chicken, kidney	ND	OTR									6.5												
Other poultry, kidney	ND	OTR									6.5												
Chicken, edible offal excluding liver and kidney	ND	OTR									6.5												
Other poultry, edible offal excluding liver and kidney	ND	OTR									6.5												
Poultry eggs	ND	OTR									6.5												

\* Type6-5: ND was set based on JECFA's evaluation that the ADI is less than 0.3 µg/ kg/day.