

151. CLETHODIM

	P R · M R L	R e f ·	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R · M R L	R e f ·	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange											
Wheat												NATSUDAIDAI (fresh)											
Barley												NATSUDAIDAI (peel)											
Rye												NATSUDAIDAI (whole)											
Corn (including Maize, Sweet corn)	1FC										1 5	Orange (including Navel)											
Buckwheat												Grapefruit											
Other cereal grains												Lime											
Soybeans (dry)	10MRL		10									Other citrus fruits											
Beans (dry)*	02MRL		02									Apple											
Peas	2MRL		2									Japanese pear											
Broad beans	01MRL		01									Pear											
Peanuts	5MRL		5									Quince											
Other legumes/pulses	05MRL		05									Loquat											
Potato	02MRL		02									Peach											
Taro	1FC						1				5	Nectarine											
Sweet potato	02MRL		02									Apricot											
Yam	1FC						1				5	Japanese plum (including Prunes)											
Konjac												Mume plum											
Other potatoes	1FC						1				5	Cherry											
Sugar beans	01MRL		01									Strawberry		3FC					3				5
Sugarcane												Raspberry											
												Blackberry											
Japanese radish(including Radish)(root)	1FC						1				5	Blueberry											
Japanese radish(including Radish)(leaf)	09FC						07				1 5	Cranberry		05FC					05				5
Turnip (including Rutabaga)(root)	1FC						1				5	Huckleberry											
Turnip (including Rutabaga)(leaf)	2FC						3				1 5	Other berries											
Horse radish	1FC						1				5												
Watercress	1FC										1 5	Grape											
Chinese cabbage	2FC						3				1 5	Japanese persimon											
Cabbage	02MRL		02																				
Brussels sprouts	02MRL		02									Banana											
Kale	2FC						3				1 5	Kiwifruit											
KOMATSUNA	2FC						3				1 5	Papaya											
KYONA	2FC						3				1 5												

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.2	Codex			0.2	0.2					2	Order Salmoniformes											
Pig, kidney	0.2	Codex			0.2	0.2					2	Order Anguilliformes											
Other terrestrial mammals, kidney	0.2	Codex			0.2	0.2					2	Order Perciformes											
												Other fish											
												Order Decapoda											
												Other Crustacea											
												Shelled molluscs											
												Other aquatic animal											
Cattle, edible offal excluding liver and kidney	0.2	Codex			0.2	0.2					2												
Pig, edible offal excluding liver and kidney	0.2	Codex			0.2	0.2					2	Other animals											
Other terrestrial mammals, edible offal	0.2	Codex			0.2	0.2					2												
												Honey											
												Other Spices	2	CLS									
												Other Herbs	2	CLS									
Milk	0.05	Codex			0.05	0.05					2												
Chicken, muscle	0.2	Codex			0.2	0.2					2												
Other poultry, muscle	0.2	Codex			0.2	0.2					2												
Chicken, fat	0.2	FC			0.2	0.2					5												
Other poultry, fat	0.2	FC			0.2	0.2					5												
Chicken, liver	0.2	Codex			0.2	0.2					2												
Other poultry, liver	0.2	Codex			0.2	0.2					2												
Chicken, kidney	0.2	Codex			0.2	0.2					2												

[illegible]

CLODINAFOF

[illegible]

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	0.02	OTR									6-4	UNSHU orange	0.02	OTR									6-4
Wheat	0.08	FC				01	0.05				5	NATSUDAIDAI (flesh)											
Barley	0.02	OTR									6-4	NATSUDAIDAI (peel)											
Rye	0.02	OTR									6-4	NATSUDAIDAI (whole)	0.02	OTR									6-4
Corn (including Maize, Sweet corn)	0.02	OTR									6-4	Lemon	0.02	OTR									6-4
Buckwheat	0.02	OTR									6-4	Orange (including Navel)	0.02	OTR									6-4
Other cereal grains	0.02	OTR									6-4	Grapefruit	0.02	OTR									6-4
Soybeans (dry)	0.02	OTR									6-4	Lime	0.02	OTR									6-4
Beans (dry)*	0.02	OTR									6-4	Other citrus fruits	0.02	OTR									6-4
Peas	0.02	OTR									6-4	Apple	0.02	OTR									6-4
Broad beans	0.02	OTR									6-4	Japanese pear	0.02	OTR									6-4
Peanuts	0.02	OTR									6-4	Pear	0.02	OTR									6-4
Other legumes/pulses	0.02	OTR									6-4	Quince	0.02	OTR									6-4
Potato	0.02	OTR									6-4	Loquat	0.02	OTR									6-4
Taro	0.02	OTR									6-4	Peach	0.02	OTR									6-4
Sweet potato	0.02	OTR									6-4	Nectarine	0.02	OTR									6-4
Yam	0.02	OTR									6-4	Apricot	0.02	OTR									6-4
Konjac	0.02	OTR									6-4	Japanese plum (including Prunes)	0.02	OTR									6-4
Other potatoes	0.02	OTR									6-4	Mume plum	0.02	OTR									6-4
Sugar beet	0.02	OTR									6-4	Cherry	0.02	OTR									6-4
Sugarcane	0.02	OTR									6-4	Strawberry	0.02	OTR									6-4
Japanese radish(including Radish)(root)	0.02	OTR									6-4	Raspberry	0.02	OTR									6-4
Japanese radish(including Radish)(leaf)	0.02	OTR									6-4	Blackberry	0.02	OTR									6-4
Turnip (including Rutabaga)(root)	0.02	OTR									6-4	Blueberry	0.02	OTR									6-4
Turnip (including Rutabaga)(leaf)	0.02	OTR									6-4	Cranberry	0.02	OTR									6-4
Horseradish	0.02	OTR									6-4	Huckleberry	0.02	OTR									6-4
Watercress	0.02	OTR									6-4	Other berries	0.02	OTR									6-4
Chinese cabbage	0.02	OTR									6-4	Grape	0.02	OTR									6-4
Cabbage	0.02	OTR									6-4												

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)												UNSHU orange												
Wheat	250	FC				250					5	NATSUDAIDAI (flesh)												
Barley												NATSUDAIDAI (peel)												
Rye												NATSUDAIDAI (whole)												
Corn (including Maize, Sweet corn)												Lemon												
Buckwheat												Orange (including Navel)												
Other cereal grains												Grapefruit												
												Lime												
Soybeans (dry)												Other citrus fruits												
Beans (dry)*																								
Peas												Apple												
Broad beans												Japanese pear												
Peanuts												Pear												
Other legumes/pulses												Quince												
												Loquat												
Potato												Peach												
Taro												Nectarine												
Sweet potato												Apricot												
Yam												Japanese plum (including Prunes)												
Konjac												Mume plum												
Other potatoes												Cherry												
Sugar beet												Strauberry												
Sugarcane												Raspberry												
												Blackberry												
Japanese radish(including Radish)(root)												Blueberry												
Japanese radish(including Radish)(leaf)												Cranberry												
Turnip (including Rutabaga)(root)												Huckleberry												
Turnip (including Rutabaga)(leaf)												Other berries												
Horseradish																								
Watercress												Grape												
Chinese cabbage												Japanese persimon												
Cabbage																								
Brussels sprouts												Banana												
Kale																								

CLOFENCET

[illegible]

155. CLOFENTEZINE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)	0.02	FC							0.02		5	UNSHU orange	1	MRL	1									
												NATSUDAIDAI (flesh)												
Wheat	0.02	FC							0.02		5	NATSUDAIDAI (peel)												
Barley	0.02	FC							0.02		5	NATSUDAIDAI (whole)	0.5	MRL	0.5									
Rye	0.02	FC							0.02		5	Lemon	0.5	MRL	0.5									
Corn (including Maize, Sweet corn)	0.05	MRL	0.05									Orange (including Navel)	0.5	MRL	0.5									
Buckwheat	0.02	FC							0.02		5	Grapefruit	0.5	MRL	0.5									
Other cereal grains	0.02	FC							0.02		5	Lime	0.5	MRL	0.5									
												Other citrus fruits	0.5	MRL	0.5									
Soybeans (dry)	0.05	MRL	0.05									Apple	1	MRL	1									
Beans (dry)*	0.2	MRL	0.2									Japanese pear	0.5	MRL	0.5									
Peas	0.02	FC							0.02		5	Pear	0.5	MRL	0.5									
Broad beans	0.02	FC							0.02		5	Quince	0.5	MRL	0.5									
Peanuts	0.05	FC							0.05		5	Loquat	0.5	MRL	0.5									
Other legumes/pulses	0.02	FC							0.02		5													
Potato	0.02	FC							0.02		5	Peach	0.2	MRL	0.2									
Taro	0.02	FC							0.02		5	Nectarine	0.2	MRL	0.2									
Sweet potato	0.02	FC							0.02		5	Apricot	0.2	MRL	0.2									
Yam	0.02	FC							0.02		5	Japanese plum (including Prunes)	0.2	MRL	0.2									
Konjac	0.02	FC							0.02		5	Mume plum	0.2	MRL	0.2									
Other potatoes	0.02	FC							0.02		5	Cherry	0.2	MRL	0.2									
Sugar beet	0.05	MRL	0.05									Strawberry	2	MRL	2									
Sugarcane	0.02	OTR									6-4	Raspberry	2	MRL	2									
												Blackberry	2	MRL	2									
Japanese radish(including Radish)(root)	0.02	FC							0.02		5	Blueberry	2	MRL	2									
Japanese radish(including Radish)(leaf)	0.02	FC							0.02		5	Cranberry	2	MRL	2									
Turnip (including Rutabaga)(root)	0.02	FC							0.02		5	Huckleberry	2	MRL	2									
Turnip (including Rutabaga)(leaf)	0.02	FC							0.02		5	Other berries	2	MRL	2									
Horseradish	0.02	FC							0.02		5													
Watercress	0.02	FC							0.02		5	Grape	1	MRL	1									
Chinese cabbage	0.02	FC							0.02		5	Japanese persimon	0.04	FC					0.05			0.02		5
Cabbage	0.02	FC							0.02		5	Banana	0.01	MRL	0.01									
Brussels sprouts	0.02	FC							0.02		5	Kiwifruit	0.02	FC								0.02		5
Kale	0.02	FC							0.02		5	Papaya	0.02	FC								0.02		5
KOMATSUNA	0.02	FC							0.02		5	Avocado	0.02	FC								0.02		5
KYONA	0.02	FC							0.02		5	Pineapple	0.02	FC								0.02		5
Qing-geng-cai	0.02	FC							0.02		5	Guava	0.02	FC								0.02		5
Cauliflower	0.02	FC							0.02		5	Mango	0.02	FC								0.02		5
Broccoli	0.02	FC							0.02		5	Passion fruit	0.02	FC								0.02		5
Other cruciferous vegetables	0.02	FC							0.02		5	Date	0.02	FC								0.02		5
Burdock	0.02	FC							0.02		5	Other fruits	0.05	MRL	0.05									
Salsify	0.02	FC							0.02		5	Sunflower seeds	0.05	FC								0.05		5
Artichoke	0.02	FC							0.02		5	Sesam seeds	0.05	FC								0.05		5
Chicory	0.02	FC							0.02		5	Safflower seeds	0.05	FC								0.05		5
Endive	0.02	FC							0.02		5	Cotton seeds	0.05	FC								0.05		5
SHUNGIKU	0.02	FC							0.02		5	Rapeseeds	0.05	FC								0.05		5
Lettuce (Cos lettuce, Leaf lettuce)	0.02	FC							0.02		5	Other oil seeds	0.05	FC								0.05		5
Other composite vegetables	0.02	FC							0.02		5	Ginkgo nut	0.05	FC								0.05		5
Onion	0.02	FC							0.02		5	Chestnut	0.05	FC								0.05		5
Welsh (including Leek)	0.02	FC							0.02		5	Pecan	0.05	FC								0.05		5
Garlic	0.02	FC							0.02		5	Almond	0.5	MRL	0.5									
NIRA	0.02	FC							0.02		5	Walnut	0.02	MRL	0.02									
Asparagus	0.02	FC							0.02		5	Other nuts	0.05	FC								0.05		5
Multiplying Onion (including Shallot)	0.02	FC							0.02		5	Tea (Green, Black, Oolong, Wulong tea)	20	MRL	20									
Other liliaceous vegetables	0.02	FC							0.02		5	Coffee beans	0.02	OTR										6-4
Carrot	0.02	FC							0.02		5	Cacao beans	0.02	OTR										6-4
Parsnip	0.02	FC							0.02		5	Hop	0.2	MRL	0.2									
Parsley	0.02	FC							0.02		5	Cattle, muscle	0.05	Code				0.05	0.05	0.05	0.05	0.05		2
Celery	0.02	FC							0.02		5	Pig, muscle	0.05	FC				0.05	0.05	0.05	0.05	0.05		5
MITSUBA	0.02	FC							0.02		5	Other terrestrial mammals, muscle	0.05	FC				0.05	0.05	0.05	0.05	0.05		5
Other umbelliferous vegetables	0.02	FC							0.02		5													
Tomato	1	MRL	1																					
Pimento (Sweet pepper)	0.2	MRL	0.2																					
Egg plant	1	MRL	1																					
Other solanaceous vegetables	0.02	FC							0.02		5													
Cucumber (including Gherkin)	1	MRL	1																					
Pumpkin (including Squash)	0.2	MRL	0.2																					
Oriental pickling melon (vegetable)	0.02	FC							0.02		5	Cattle, fat	0.05	FC				0.05				0.05		5
Water melon	0.05	MRL	0.05									Pig, fat	0.05	FC				0.05				0.05		5
Melons	0.2	MRL	0.2									Other terrestrial mammals, fat	0.05	FC				0.05				0.05		5
MAKUWAURI	0.02	FC							0.02		5													
Other cucurbitaceous vegetables	0.02	FC							0.02		5													
Spinach	0.02	FC							0.02		5	Cattle, liver	0.1	Code			0.1	0.4	0.05			0.1		2
Bamboo shoots	0.02	FC							0.02		5	Pig, liver	0.2	FC				0.4	0.05			0.1		5
Okra	0.02	FC							0.02		5	Other terrestrial mammals, liver	0.2	FC				0.4	0.05			0.1		5
Ginger	0.02	FC							0.02		5													
Peas (with pods, immature)	0.02	FC							0.02		5													
Kidney beans (with pods, immature																								

The analysis method of Tea uses boiling-water extraction.

CLOFENTEZINE

[illegible]

	P R	R e f.	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R	R e f.	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
	L	- M R L											L	- M R L									
Rice (brown rice)	0.02	FC				0.02	0.01				5	UNSHU orange	0.02	OTR									6-4
Wheat	0.02	OTR									6-4	NATSUDAIDAI (fresh)											
Barley	0.02	OTR									6-4	NATSUDAIDAI (peel)											6-4
Rye	0.02	OTR									6-4	NATSUDAIDAI (whole)	0.02	OTR									6-4
Corn (including Maize, Sweet corn)	0.02	OTR									6-4	Lemon	0.02	OTR									6-4
Buckwheat	0.02	OTR									6-4	Orange (including Navel)	0.02	OTR									6-4
Other cereal grains	0.02	OTR									6-4	Grapefruit	0.02	OTR									6-4
Soybeans (dry)	0.05	FC				0.05		0.05			5	Lime	0.02	OTR									6-4
Beans (dry)*	0.02	OTR									6-4	Other citrus fruits	0.02	OTR									6-4
Peas	0.02	OTR									6-4	Apple	0.02	OTR									6-4
Broad beans	0.02	OTR									6-4	Pear	0.02	OTR									6-4
Peanuts	0.02	OTR									6-4	Quince	0.02	OTR									6-4
Other legumes/pulses	0.02	OTR									6-4	Loquat	0.02	OTR									6-4
Potato	0.05	FC					0.05				5	Peach	0.02	OTR									6-4
Taro	0.05	FC				0.05					5	Nectarine	0.02	OTR									6-4
Sweet potato	0.05	FC				0.05					5	Apricot	0.02	OTR									6-4
Yam	0.05	FC				0.05					5	Japanese plum (including Prunes)	0.02	OTR									6-4
Konjac	0.02	OTR									6-4	Hume plum	0.02	OTR									6-4
Other potatoes	0.05	FC				0.05					5	Cherry	0.02	OTR									6-4
Sugar beet	0.02	OTR									6-4	Strawberry	0.02	OTR									6-4
Sugarcane	0.05	FC				0.05					5	Raspberry	0.02	OTR									6-4
Japanese radish(including Radish)(root)	0.02	OTR									6-4	Blackberry	0.02	OTR									6-4
Japanese radish(including Radish)(leaf)	0.02	OTR									6-4	Blueberry	0.02	OTR									6-4
Turnip (including Rutabaga)(root)	0.02	OTR									6-4	Cranberry	0.02	OTR									6-4
Turnip (including Rutabaga)(leaf)	0.02	OTR									6-4	Huckleberry	0.02	OTR									6-4
Horse-radish	0.02	OTR									6-4	Other berries	0.02	OTR									6-4
Watercress	0.02	OTR									6-4	Grape	0.02	OTR									6-4
Chinese cabbage	0.02	OTR									6-4	Japanese persimon	0.02	OTR									6-4
Cabbage	0.1	FC				0.1					5												
Brussels sprouts	0.02	OTR									6-4	Banana	0.02	OTR									6-4
Kale	0.02	OTR									6-4	Kiwifruit	0.02	OTR									6-4
KOMATSUNA	0.02	OTR									6-4	Papaya	0.02	OTR									6-4
KYONA	0.02	OTR									6-4	Avocado	0.02	OTR									6-4
Qing-geng-cai	0.02	OTR									6-4	Pineapple	0.02	OTR									6-4
Cauliflower	0.02	OTR									6-4	Guava	0.02	OTR									6-4
Broccoli	0.02	OTR									6-4	Mango	0.02	OTR									6-4
Other cruciferous vegetables	0.02	OTR									6-4	Passion fruit	0.02	OTR									6-4
Burdock	0.02	OTR									6-4	Date	0.02	OTR									6-4
Salsify	0.02	OTR									6-4	Other fruits	0.02	OTR									6-4
Artichoke	0.02	OTR									6-4												
Chicory	0.02	OTR									6-4	Sunflower seeds	0.02	OTR									6-4
Endive	0.02	OTR									6-4	Sesam seeds	0.02	OTR									6-4
SHUNGIKU	0.02	OTR									6-4	Safflower seeds	0.02	OTR									6-4
Lettuce (Cos lettuce, Leaf lettuce)	0.02	OTR									6-4	Cotton seeds	0.05	FC				0.05					5
Other composite vegetables	0.02	OTR									6-4	Rapeseeds	0.02	OTR									6-4
Onion	0.02	OTR									6-4	Other oil seeds	0.05	FC					0.05				5
Welsh (including Leek)	0.02	OTR									6-4	Cinkgo nut	0.02	OTR									6-4
Garlic	0.02	OTR									6-4	Chestnut	0.02	OTR									6-4
NIRA	0.02	OTR									6-4	Pecan	0.02	OTR									6-4
Asparagus	0.02	OTR									6-4	Almond	0.02	OTR									6-4
Multiplying Onion (including Shallot)	0.02	OTR									6-4	Walnut	0.02	OTR									6-4
Other liliaceous vegetables	0.02	OTR									6-4	Other nuts	0.02	OTR									6-4
Carrot	0.02	OTR									6-4	Tea (Green, Black, Oolong, Wulong tea)	0.02	OTR									6-4
Parsnip	0.02	OTR									6-4	Coffee beans	0.02	OTR									6-4
Parsley	0.02	OTR									6-4	Cacao beans	0.02	OTR									6-4
Celery	0.02	OTR									6-4	Hop	0.02	OTR									6-4
MITSUBA	0.02	OTR									6-4												
Other umbelliferous vegetables	0.02	OTR									6-4	Cattle, muscle											
Tomato	0.02	OTR									6-4	Pig, muscle											
Pimento (Sweet pepper)	0.05	FC				0.05					5	Other terrestrial mammals, muscle											
Egg plant	0.02	OTR									6-4												
Other solanaceous vegetables	0.05	FC				0.05					5												
Cucumber (including Gherkin)	0.05	FC				0.1	0.05				5												
Pumpkin (including Squash)	0.05	FC				0.1	0.05				5												
Oriental picking melon (vegetable)	0.05	FC				0.05	0.05				5												
Water melon	0.05	FC				0.05	0.05				5	Cattle, fat											
Melons	0.05	FC				0.05	0.05				5	Pig, fat											
MAKUWAURI	0.05	FC				0.05	0.05				5	Other terrestrial mammals, fat											
Other cucurbitaceous vegetables	0.05	FC				0.05	0.05				5												
Spinach	0.02	OTR									6-4												
Bamboo shoots	0.02	OTR									6-4												
Okra	0.02	OTR									6-4												
Ginger	0.05	FC				0.05					5												
Peas (with pods, immature)	0.05	FC				0.05					5												
Kney beans (with pods, immature)	0.05	FC				0.05	0.05				5	Cattle, liver											
EDAMAME	0.05	FC				0.05					5	Pig, liver											
												Other terrestrial mammals, liver											
Button mushroom	0.02	OTR									6-4												
SHIITAKE	0.02	OTR									6-4												
Other mushrooms	0.02	OTR									6-4												
Other vegetables	0.05	FC				0.05	0.05				5												

[illegible]

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)	01	WHL		01							4	UNSHU orange												
Wheat												NATSUDAIDAI (flesh)												
Barley												NATSUDAIDAI (peel)												
Rye												NATSUDAIDAI (whole)												
Sugar beet												Lemon												
Corn (including Maize, Sweet corn)												Orange												
Buckwheat												Grapefruit												
Other cereal grains												Lime												
												Other citrus fruits												
Soybeans (dry)																								
Beans (dry)*												Apple												
Peas												Japanese pear												
Broad beans												Pear												
Peanuts												Quince												
Other legumes/pulses												Loquat												
Potato												Peach												
Taro												Nectarine												
Sweet potato												Apricot												
Yam												Japanese plum (including Prunes)												
Konjac												Mume plum												
Other potatoes												Cherry												
Sugar beet												Strauberry												
Sugarcane												Raspberry												
												Blackberry												
Japanese radish(including Radish)(root)												Blueberry												
Japanese radish(including Radish)(leaf)												Cranberry												
Turnip (including Rutabaga)(root)												Huckleberry												
Turnip (including Rutabaga)(leaf)												Other berries												
Horseradish																								
Watercress												Grape												
Chinese cabbage												Japanese persimon												
Cabbage																								
Brussels sprouts												Panana												
Kale												Kiwifruit												
KOMATSUNA																								

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)		01	WHL		01						4	UNSHU orange												
Wheat												NATSUDAIDAI (flesh)												
Barley												NATSUDAIDAI (peel)												
Rye												NATSUDAIDAI (whole)												
Sugar beet												Lemon												
Corn (including Maize, Sweet corn)												Orange (including Navel)												
Buckwheat												Grapefruit												
Other cereal grains												Lime												
												Other citrus fruits												
Soybeans (dry)																								
Beans (dry)*												Apple												
Peas												Japanese pear												
Broad beans												Pear												
Peanuts												Quince												
Other legumes/pulses												Loquat												
Potato												Peach												
Taro												Nectarine												
Sweet potato												Apricot												
Yam												Japanese plum (including Prunes)												
Konjac												Mume plum												
Other potatoes												Cherry												
Sugar beet												Strauberry												
Sugarcane												Raspberry												
												Blackberry												
Japanese radish(including Radish)(root)												Blueberry												
Japanese radish(including Radish)(leaf)												Cranberry												
Turnip (including Rutabaga)(root)												Huckleberry												
Turnip (including Rutabaga)(leaf)												Other berries												
Horseradish																								
Watercress												Grape												
Chinese cabbage												Japanese persimon												
Cabbage																								
Brussels sprouts												Panana												
Kale												Kiwifruit												
KOMATSUNA												Papaya												
KYONA												Avocado												
Qing-geng-cai												Pineapple												
Cauliflower												Guava												
Broccoli												Mango												
Other cruciferous vegetables												Passion fruit												
Burdock												Date												
Squash												Other fruits												
Artichoke																								
Chicory												Sunflower seeds												
Endive												Sesam seeds												
SHUNGIKU												Safflower seeds												
Lettuce (Cos lettuce, Leaf lettuce)												Cotton seeds												
Other composite vegetables												Rapeseeds												
												Other oil seeds												
Onion																								
Welsh (including Leek)												Ginkgo nut												
Garlic												Chestnut												
NIRA												Pecan												
Asparagus												Almond												
Multiplying Onion (including Shallot)												Walnut												
Other liliaceous vegetables												Other nuts												
Carrot												Tea (Green, Black, Oolong, Wulong tea)												
Parsnip												Coffee beans												
Parsley												Cacao beans												
Celery												Hop												
MITSUBA																								
Other umbelliferous vegetables												Cattle, muscle												
												Pig, muscle												
Tomato												Other terrestrial mammals, muscle												
Pimento (Sweet pepper)																								
Egg plant																								
Other solanceous vegetables																								
Cucamber (including Gherkin)																								
Pumpkin (including Squash)																								
Oriental pickling melon (vegetable)																								
Water melon												Cattle, fat												
Melons												Pig, fat												
MAKUWAURI												Other terrestrial mammals, fat												
Other cucurbitaceous vegetables																								
Spinach																								
Bamboo shoots																								
Okra																								
Ginger																								
Peas (with pods, immature)																								
Kidney beans (with pods, immature)												Cattle, liver												
EDAMAME												Pig, liver												
Button mushroom												Other terrestrial mammals, liver												
SHIITAKE																								
Other mushrooms																								
Other vegetables																								

[illegible][illegible]

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	02	FC				0.2					5	UNSHU orange	02	FC				0.2					5
Wheat	02	FC				0.2					5	NATSUDAIDAI (flesh)											
Barley	02	FC				0.2					5	NATSUDAIDAI (peel)											
Rye	02	FC				0.2					5	NATSUDAIDAI (whole)	02	FC				0.2					5
Corn (including Maize, Sweet corn)	02	FC				0.2					5	Lemon	02	FC				0.2					5
Buckwheat	02	FC				0.2					5	Orange (including Navel)	02	FC				0.2					5
Other cereal grains	02	FC				0.2					5	Grapefruit	02	FC				0.2					5
Soybeans (dry)	02	FC				0.2					5	Lime	02	FC				0.2					5
Beans (dry)	02	FC				0.2					5	Other citrus fruits	02	FC				0.2					5
Peas	02	FC				0.2					5	Apple	02	FC				0.2					5
Broad beans	02	FC				0.2					5	Japanese pear	02	FC				0.2					5
Peanuts	02	FC				0.2					5	Pear	02	FC				0.2					5
Other legumes/pulses	02	FC				0.2					5	Quince	02	FC				0.2					5
Potato	02	FC				0.2					5	Loquat	02	FC				0.2					5
Taro	02	FC				0.2					5	Peach	02	FC				0.2					5
Sweet potato	02	FC				0.2					5	Nectarine	02	FC				0.2					5
Yam	02	FC				0.2					5	Apricot	02	FC				0.2					5
Konjac	02	FC				0.2					5	Japanese plum (including Prunes)	02	FC				0.2					5
Other potatoes	02	FC				0.2					5	Lemon plum	02	FC				0.2					5
Sugar beet	02	FC				0.2					5	Cherry	02	FC				0.2					5
Sugarcane	02	FC				0.2					5	Strawberry	02	FC				0.2					5
Japanese radish(including Radish)(root)	02	FC				0.2					5	Raspberry	02	FC				0.2					5
Japanese radish(including Radish)(leaf)	02	FC				0.2					5	Blackberry	02	FC				0.2					5
Turnip (including Rutabaga)(root)	02	FC				0.2					5	Blueberry	02	FC				0.2					5
Turnip (including Rutabaga)(leaf)	02	FC				0.2					5	Cranberry	02	FC				0.2					5
Forsythia	02	FC				0.2					5	Huckleberry	02	FC				0.2					5
Watercress	02	FC				0.2					5	Other berries	02	FC				0.2					5
Chinese cabbage	02	FC				0.2					5	Grape	02	FC				0.2					5
Cabbage	02	FC				0.2					5	Japanese persimon	02	FC				0.2					5
Brussels sprouts	02	FC				0.2					5	Banana</											

[illegible]

159. CLOPROP

[illegible]

[illegible]

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)		2FC					2				5	UNSHU orange											
Wheat		2FC				3	2	2			5	NATSUDAIDAI (flesh)											
Barley		2FC				3	2	2			5	NATSUDAIDAI (peel)											
Rye		2FC							2		5	NATSUDAIDAI (whole)											
Corn (including Maize, Sweet corn)		2FC				1	2				5	Loquat											
Buckwheat		2FC					2				5	Orange (including Navel)											
Other cereal grains		2FC				3	2	2			5	Grapefruit											
Soybeans (dry)												Lime											
Beans (dry)*												Other citrus fruits											
Peas												Apple											
Broad beans												Japanese pear											
Peanuts												Pear											
Other legumes/pulses												Quince											
Potato												Loquat											
Taro												Peach	0.5FC					0.5					5
Sweet potato												Nectarine	0.5FC					0.5					5
Yam												Apricot	0.5FC					0.5					5
Konjac												Japanese plum (including Prunes)	0.5FC					0.5					5
Other potatoes												Mume plum											
Chickpeas		2FC										Cherry	0.5FC					0.5					5
Sugarcane							2				5	Strawberry	1FC					1		1			5
Japanese radish(including Radish)(root)												Raspberry											
Japanese radish(including Radish)(leaf)												Blackberry											
Turnip (including Rutabaga)(root)	1FC					1					5	Cranberry	4FC					4					5
Turnip (including Rutabaga)(leaf)	4FC					4					5	Huckleberry											
Horseradish												Other berries											
Watercress												Grape											
Chinese cabbage	2FC					2		1			5	Japanese persimon											
Cabbage	2FC					2		1			5												
Brussels sprouts	2FC					2					5	Banana											
Kale												Kiwifruit											
KOMATSUNA												Papaya											
KYONA												Avocado											
Qing-geng-cai	1FC							1			5	Pineapple											

CLOPYRALID

[illegible]