

172. CYANOPHOS

	P	R	M	W	C	U	A	C	E	N	T		P	R	M	W	C	U	A	C	E	N	T	
	R	e	R	H	o	S	U	A	U	Z	y		R	e	R	H	o	S	A	A	U	Z	y	
	M	f	L	L	d								M	f	L	L	d							
	R				e								R				e							
	L				x								L											
Rice (brown rice)													UNSHU orange	0.2			0.2							4
													NATSUDAIDAI (riest)											4
Wheat													NATSUDAIDAI (peel)											4
Barley													NATSUDAIDAI (whole)	0.2			0.2							4
Rye													Lemon	0.2			0.2							4
Corn (including Maize, Sweet corn)													Orange (including Navel)	0.2			0.2							4
Buckwheat													Grapefruit	0.2			0.2							4
Other cereal grains													Lime	0.2			0.2							4
Soybeans (dry)	0.1				0.1								Other citrus fruits	0.2			0.2							4
Beans (dry)	0.1				0.1								Apple	0.2			0.2							4
Peas	0.1				0.1								Japanese pear	0.2			0.2							4
Broad beans	0.1				0.1								Pear	0.2			0.2							4
Peanuts	0.1				0.1								Quince	0.2			0.2							4
Other legumes/pulses	0.1				0.1								Loquat	0.2			0.2							4
Potato													Peach	0.2			0.2							4
Taro													Nectarine	0.2			0.2							4
Sweet potato													Apricot	0.2			0.2							4
Yam													Japanese plum (including Prunes)	0.2			0.2							4
Konjac													Mume plum	0.2			0.2							4
Other potatoes													Cherry	0.2			0.2							4
Sugar beet													Strawberry	0.2			0.2							4
Sugarcane													Raspberry	0.2			0.2							4
													Blackberry	0.2			0.2							4
Japanese radish (including Radish) (root)	0.05				0.05								Blueberry	0.2			0.2							4
Japanese radish (including Radish) (leaf)	0.05				0.05								Cranberry	0.2			0.2							4
Turnip (including Rutabaga) (root)	0.05				0.05								Huckleberry	0.2			0.2							4
Turnip (including Rutabaga) (leaf)	0.05				0.05								Other berries	0.2			0.2							4
Horseradish	0.05				0.05								Grape	0.2			0.2							4
Watercress	0.05				0.05								Japanese persimon	0.2			0.2							4
Chinese cabbage	0.05				0.05																			4
Cabbage	0.05				0.05								Banana	0.2			0.2							4
Brussels sprouts	0.05				0.05								Kiwifruit	0.2			0.2							4
Kale	0.05				0.05								Papaya	0.2			0.2							4
KOMATSUNA	0.05				0.05								Avocado	0.2			0.2							4
KYONA	0.05				0.05								Pineapple	0.2			0.2							4
Qing-geng-cal	0.05				0.05								Guava	0.2			0.2							4
Cauliflower	0.05				0.05								Mango	0.2			0.2							4
Broccoli	0.05				0.05								Passion fruit	0.2			0.2							4
Other cruciferous vegetables	0.05				0.05								Date	0.2			0.2							4
Burdock	0.05				0.05								Other fruits	0.2			0.2							4
Salsify	0.05				0.05								Sunflower seeds	0.2			0.2							4
Artichoke	0.05				0.05								Sesam seeds	0.2			0.2							4
Chicory	0.05				0.05								Safflower seeds	0.2			0.2							4
Endive	0.05				0.05								Cotton seeds	0.2			0.2							4
SHUNGIKU	0.05				0.05								Rapeseeds	0.2			0.2							4
Lettuce (Cos lettuce, Leaf lettuce)	0.05				0.05								Other oil seeds	0.2			0.2							4
Other composite vegetables	0.05				0.05																			4
Onion	0.05				0.05								Ginkgo nut	0.2			0.2							4
Welsh (including Leek)	0.05				0.05								Chestnut	0.2			0.2							4
Garlic	0.05				0.05								Pecan	0.2			0.2							4
NIRA	0.05				0.05								Almond	0.2			0.2							4
Asparagus	0.05				0.05								Walnut	0.2			0.2							4
Multiplying Onion (including Shallot)	0.05				0.05								Other nuts	0.2			0.2							4
Other liliaceous vegetables	0.05				0.05								Tea (Green, Black, Oolong, Wulong tea)											4
Carrot	0.05				0.05								Coffee beans											4
Parsnip	0.05				0.05								Cacao beans											4
Parsley	0.05				0.05								Hop											4
Celery	0.05				0.05								Cattle, muscle											4
MITSUBA	0.05				0.05								Pig, muscle											4
Other umbelliferous vegetables	0.05				0.05								Other terrestrial mammals, muscle											4
Tomato	0.05				0.05																			4
Pimento (Sweet pepper)	0.05				0.05																			4
Egg plant	0.05				0.05																			4
Other solanaceous vegetables	0.05				0.05																			4
Cucumber (including Gherkin)	0.05				0.05																			4
Pumpkin (including Squash)	0.05				0.05																			4
Oriental pickling melon (vegetable)	0.05				0.05																			4
Water melon	0.2				0.2								Cattle, fat											4
Melons	0.2				0.2								Pig, fat											4
MAKUWARI	0.2				0.2								Other terrestrial mammals, fat											4
Other cucurbitaceous vegetables	0.05				0.05																			4
Spinach	0.05				0.05																			4
Bamboo shoots	0.05				0.05																			4
Okra	0.05				0.05																			4
Ginger	0.05				0.05																			4
Peas (with pods, immature)	0.05	</																						

CYAZOFAMID

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		
Cattle, kidney												Order Salmoniformes													
Pig, kidney												Order Anguilliformes													
Other terrestrial mammals, kidney												Order Perciformes													
												Other fish													
												Order Decapoda													
												Other Crustacea													
												Shelled molluscs													
												Other aquatic animal													
Cattle, edible offal excluding liver and kidney												Other animals													
Pig, edible offal excluding liver and kidney																									
Other terrestrial mammals, edible offal												Honey													
												Other Spices	101CLS												
												Other Herbs													
Milk																									
Chicken, muscle																									
Other poultry, muscle																									
Chicken, fat																									
Other poultry, fat																									
Chicken, liver																									
Other poultry, liver																									
Chicken, kidney																									
Other poultry, kidney																									
Chicken, edible offal excluding liver and kidney																									
Other poultry, edible offal excluding liver and kidney																									
Poultry eggs																									

i in Japan.

180. CYHALOTHRIN

	P	R	M	W	C	U	A	C	E	N	T	P	R	M	W	C	U	A	C	E	N	T		
	R	e	R	H	o	S	U	A	U	Z	y	-	R	R	H	o	S	U	A	E	Z	p		
	M	f	L	L	d							M	f	L	L									
	R	L			e							R	L											
Rice (brown rice)	0.5	FC				1			0.02		5	UNSHU orange	0.5	MRL	0.5									
Wheat	0.05	MRL	0.05									NATSUDAIDAI (fruit)												
Barley	0.2	MRL	0.2									NATSUDAIDAI (peel)												
Rye	0.02	FC							0.02		5	NATSUDAIDAI (whole)	1	MRL	1									
Corn (including Maize, Sweet corn)	0.04	FC				0.05		0.05	0.02		5	Lemon	1	MRL	1									
Buckwheat	0.02	FC							0.02		5	Orange (including Navel)	1	MRL	1									
Other cereal grains	0.2	MRL	0.2									Grapefruit	1	MRL	1									
Soybeans (dry)	0.2	MRL	0.2									Lime	1	MRL	1									
Beans (dry)	0.2	MRL	0.2									Other citrus fruits	1	MRL	1									
Peas	0.2	MRL	0.2									Apple	0.4	MRL	0.4									
Broad beans	0.2	MRL	0.2									Japanese pear	0.4	MRL	0.4									
Peanuts	0.2	MRL	0.2									Pear	0.4	MRL	0.4									
Other legumes/pulses	0.2	MRL	0.2									Quince	0.4	MRL	0.4									
Potato	0.04	MRL	0.04									Loquat	0.4	MRL	0.4									
Taro	0.05	MRL	0.05									Peach	0.5	MRL	0.5									
Sweet potato	0.05	MRL	0.05									Nectarine	0.5	MRL	0.5									
Yam	0.05	MRL	0.05									Apricot	0.5	MRL	0.5									
Konjac	0.05	MRL	0.05									Japanese plum (including Prunes)	0.5	MRL	0.5									
Other potatoes	0.05	MRL	0.05									Mume plum	0.5	MRL	0.5									
Sugar beet	0.2	MRL	0.2									Cherry	0.5	MRL	0.5									
Sugarcane	0.05	FC				0.05					5	Strawberry	0.5	MRL	0.5									
Japanese radish (including Radish) (root)	0.5	MRL	0.5									Raspberry	0.5	MRL	0.5									
Japanese radish (including Radish) (leaf)	0.5	MRL	0.5									Blackberry	0.5	MRL	0.5									
Turnip (including Rutabaga) (root)	0.5	MRL	0.5									Blueberry	0.5	MRL	0.5									
Turnip (including Rutabaga) (leaf)	0.5	MRL	0.5									Cranberry	0.5	MRL	0.5									
Horseradish	0.5	MRL	0.5									Gooseberry	0.5	MRL	0.5									
Watercress	0.5	MRL	0.5									Other berries	0.5	MRL	0.5									
Chinese cabbage	1	MRL	1									Grape	1	MRL	1									
Cabbage	0.4	MRL	0.4									Japanese persimon	0.5	MRL	0.5									
Brussels sprouts	0.4	MRL	0.4									Banana	0.5	MRL	0.5									
Kale	0.5	MRL	0.5									Kiwifruit	0.5	MRL	0.5									
KOMATSUNA	0.5	MRL	0.5									Papaya	0.5	MRL	0.5									
KYONA	0.5	MRL	0.5									Avocado	0.5	MRL	0.5									
Qing-geng-cai	0.5	MRL	0.5									Pineapple	0.5	MRL	0.5									
Cauliflower	0.5	MRL	0.5									Guava	0.5	MRL	0.5									
Broccoli	0.5	MRL	0.5									Mango	0.5	MRL	0.5									
Other cruciferous vegetables	0.5	MRL	0.5									Passion fruit	0.5	MRL	0.5									
Burdock	0.5	MRL	0.5									Date	0.5	MRL	0.5									
Salsify	0.5	MRL	0.5									Other fruits	0.5	MRL	0.5									
Artichoke	0.5	MRL	0.5									Sunflower seeds	0.5	MRL	0.5									
Chicory	0.5	MRL	0.5									Sesam seeds	0.5	MRL	0.5									
Endive	0.5	MRL	0.5									Safflower seeds	0.5	MRL	0.5									
SHUNGIKU	0.5	MRL	0.5									Cotton seeds	0.04	MRL	0.04									
Lettuce (Cos lettuce, Leaf lettuce)	2	MRL	2									Rapeseeds	0.5	MRL	0.5									
Other composite vegetables	0.5	MRL	0.5									Other oil seeds	0.5	MRL	0.5									
Onion	0.5	MRL	0.5									Ginkgo nut	0.5	MRL	0.5									
Welsh (including Leek)	2	MRL	2									Chestnut	0.5	MRL	0.5									
Garlic	0.5	MRL	0.5									Pecan	0.5	MRL	0.5									
NIRA	0.5	CLS	0.5									Almond	0.5	MRL	0.5									
Asparagus	0.5	MRL	0.5									Walnut	0.5	MRL	0.5									
Multiplying Onion (including Shallot)	2	MRL	2									Other nuts	0.5	MRL	0.5									
Other liliaceous vegetables	0.5	MRL	0.5									Tea (Green, Black, Oolong, Wulong tea)	15	MRL	15									
Carrot	0.5	MRL	0.5									Coffee beans												
Parsnip	0.5	MRL	0.5									Cacao beans												
Parsley	0.5	MRL	0.5									Hop	10	FC			10			10			5	
Celery	0.5	MRL	0.5									Cattle, muscle	0.3	FC							0.2		0.2	0.5
MITSUBA	0.5	MRL	0.5									Pig, muscle	0.3	FC							0.2		0.2	0.5
Other umbelliferous vegetables	0.5	MRL	0.5									Other terrestrial mammals, muscle	0.3	FC							0.2		0.2	0.5
Tomato	0.5	MRL	0.5									Cattle, fat	1	FC							3	0.5	0.5	5
Pimento (Sweet pepper)	1	MRL	1									Pig, fat	1	FC							3	0.5	0.5	5
Egg plant	0.5	MRL	0.5									Other terrestrial mammals, fat	1	FC							3	0.5	0.5	5
Other solanaceous vegetables	0.5	MRL	0.5									Other terrestrial mammals, liver	0.2	FC							0.2	0.2	0.5	5
Cucumber (including Gherkin)	0.5	MRL	0.5									Cattle, liver	0.2	FC							0.2	0.2	0.5	5
Pumpkin (including Squash)	0.5	MRL	0.5									Pig, liver	0.2	FC							0.2	0.2	0.5	5
Oriental pickling melon (vegetable)	0.5	MRL	0.5									Other terrestrial mammals, liver	0.2	FC							0.2	0.2	0.5	5
Water melon	0.5	MRL	0.5									Other vegetables	0.5	MRL	0.5									
Melons	0.5	MRL	0.5									Spinach	0.5	MRL	0.5									
MAKUWAURI	0.5	MRL	0.5									Bamboo shoots	0.5	CLS	0.5									
Other cucurbitaceous vegetables	0.5	MRL	0.5									Okra	0.5	MRL	0.5									
Spinach	0.5	MRL	0.5									Ginger	0.5	MRL	0.5									
Bamboo shoots	0.5	CLS	0.5									Peas (with pods, immature)	0.5	MRL	0.5									
Okra	0.5	MRL	0.5									Kidney beans (with pods, immature)	0.5	MRL	0.5									
Ginger	0.5	MRL	0.5									EDAMAME	1	MRL	1									
Peas (with pods, immature)	0.5	MRL	0.5									Button mushroom	0.5	MRL	0.5									
Kidney beans (with pods, immature)	0.5	MRL	0.5									Shiitake	0.5	MRL	0.5									

