

DEXAMETHASONE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.04	FC					0.1		0.00075	0.01	5	Order Salmoniformes	ND	OTR									6.5
Pig, kidney	0.04	FC					0.1		0.00075	0.01	5	Order Anguilliformes	ND	OTR									6.5
Other terrestrial mammals, kidney	0.04	FC					0.1		0.00075	0.01	5	Order Perciformes	ND	OTR									6.5
												Other fish	ND	OTR									6.5
												Order Decapoda	ND	OTR									6.5
												Other Crustacea	ND	OTR									6.5
												Shelled molluscs	ND	OTR									6.5
												Other aquatic animal	ND	OTR									6.5
Cattle, edible offal excluding liver and kidney	0.02	PAL		0.02			0.1			0.01	3.7	Other animals	ND	OTR									6.5
Pig, edible offal excluding liver and kidney	0.02	PAL		0.02			0.1			0.01	3.7												6.5
Other terrestrial mammals, edible offal excluding liver and kidney	0.06	FC					0.1			0.01	5	Honey	ND	OTR									6.5
												Other Spices											
												Other Herbs											
Milk	0.02	PAL		0.02			0.05		0.0003		3.7												
Chicken, muscle	0.01	FC								0.01	5												
Other poultry, muscle	0.01	FC								0.01	5												
Chicken, fat	0.01	OTR									6.3												
Other poultry, fat	0.01	OTR									6.3												
Chicken, liver	0.01	FC								0.01	5												
Other poultry, liver	0.01	FC								0.01	5												
Chicken, kidney	0.01	FC								0.01	5												
Other poultry, kidney	0.01	FC								0.01	5												
Chicken, edible offal excluding liver and kidney	0.01	FC								0.01	5												
Other poultry, edible offal excluding liver and kidney	0.01	FC								0.01	5												
Poultry eggs	ND	OTR									6.5												

* Type6-5: ND was set based on JECFA's evaluation that the ADI is less than 0.3 µg/ kg/day.

