

ETHOXYQUIN

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney		0.5	OTR								6.3	Order Salmoniformes	1	WHL		1							4
Pig, kidney		0.3	WHL	0.3							4	Order Anguilliformes	1	WHL		1							4
Other terrestrial mammals, kidney		0.5	OTR								6.3	Order Perciformes	1	WHL		1							4
												Other fish	1	WHL		1							4
												Order Decapoda											
												Other Crustacea											
												Shelled molluscs											
												Other aquatic animal											
Cattle, edible offal excluding liver and kidney		0.5	OTR								6.3	Other animals											
Pig, edible offal excluding liver and kidney		5	WHL	4.56							7												
Other terrestrial mammals, edible offal		0.5	OTR								6.3												
												Honey											
												Other Spices	0.05	CLS									
												Other Herbs	0.05	CLS									
Milk																							
Chicken, muscle		0.05	WHL	0.053		0.5		0.5			3.7												
Other poultry, muscle		0.5	FC			0.5		0.5			5												
Chicken, fat		5	WHL	4.756		3		3			3.7												
Other poultry, fat		3	FC			3		3			5												
Chicken, liver		2	WHL	1.864		3		3			3.7												
Other poultry, liver		3	FC			3		3			5												
Chicken, kidney		3	WHL	3.478							4												
Other poultry, kidney		3	OTR								6.3												
Chicken, edible offal excluding liver and kidney		2	OTR								6.3												
Other poultry, edible offal excluding liver and kidney		3	OTR								6.3												
Poultry eggs		0.5	FC					0.5			5												

"WHL" shows the residues data under the Feed Additives Safety Control Law.
 WHLs were calculated based on residue data in a case where the substance is added to feed at levels of less than 150 ppm, an normal concentration of use.

277. ETOFENPROX

	P R M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	P R M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)		0.5MRL	0.5									UNSHU orange	2MRL	2									
												NATSUDAIDAI (riest)											
Wheat		0.5MRL	0.5									NATSUDAIDAI (peel)											
Barley		0.5MRL	0.5									NATSUDAIDAI (whole)	5MRL	5									
Rye		0.5MRL	0.5									Lemon	5MRL	5									
Corn (including Maize, Sweet corn)		0.5MRL	0.5									Orange (including Navel)	5MRL	5									
Buckwheat		0.5MRL		0.5							4	Grapefruit	5MRL	5									
Other cereal grains		0.5MRL		0.5							4	Lime	5MRL	5									
												Other citrus fruits	5MRL	5									
Soybeans (dry)		0.2MRL	0.2									Apple	2MRL	2									
Beans (dry)		0.2MRL	0.2									Japanese pear	2MRL	2									
Peas		0.1MRL		0.1							4	Pear	2MRL	2									
Broad beans		0.1MRL		0.1							4	Quince	2MRL	2									1-2
Peanuts		0.1MRL		0.1							4	Loquat	1Codex		0.2								1 1
Other legumes/pulses		0.1MRL		0.1							4												
Potato		0.1MRL		0.1								Peach	2MRL	2									
Taro		0.1MRL		0.1								Nectarine	2MRL										4
Sweet potato		0.1MRL		0.1								Apricot	2MRL										
Yam		0.1MRL		0.1								Japanese plum (including Prunes)	2MRL										
Konjac		0.1MRL		0.1							4	Mume plum											
Other potatoes		0.1MRL		0.1							4	Cherry											
Sugar beet		0.5MRL	0.5									Strawberry											
Sugarcane		0.1MRL	0.1									Raspberry											
												Blackberry											
												Blueberry											
Japanese radish (including Radish) (root)		2MRL	2									Cranberry											
Japanese radish (including Radish) (leaf)		10MRL	10									Other berries											
Turnip (including Rutabaga) (root)		10MRL	10																				
Turnip (including Rutabaga) (leaf)		10MRL	10																				
Horseradish		0.5MRL		0.5							4												
Watercress		2MRL		2							4	Grape											
Chinese cabbage		5MRL	5									Japanese persimon	2MRL	2									
Cabbage		2MRL	2																				
Brussels sprouts		2MRL	2									Banana	2MRL		2								4
Kale		2MRL		2							4	Kiwifruit	0.2MRL		0.2								4
KOMATSUNA		2MRL		2							4	Papaya	2MRL		2								4
KYONA		2MRL		2							4	Avocado	2MRL		2								4
Qing-geng-cal		2MRL		2							4	Pineapple	2MRL		2								4
Cauliflower		2MRL		2							4	Guava	2MRL		2								4
Broccoli		2MRL		2							4	Mango	2MRL		2								4
Other cruciferous vegetables		2MRL		2							4	Passion fruit	2MRL		2								4
												Date											
Burdock		0.5MRL		0.5							4												
Salsify		0.5MRL		0.5							4	Other fruits											
Artichoke		2MRL		2							4												
Chicory		2MRL		2							4	Sunflower seeds											
Endive		2MRL		2							4	Sesame seeds											
SHUNGIKU		2MRL		2							4	Safflower seeds											
Lettuce (Cos lettuce, Leaf lettuce)		2MRL		2							4	Cotton seeds											
Other composite vegetables		2MRL		2							4	Rapeseeds											
												Other oil seeds											
Onion																							
Welsh (including Leek)		2MRL		2								Ginkgo nut	0.1MRL		0.1								4
Garlic												Chestnut	2MRL		2								
NIRA		2MRL		2							4	Pecan	0.1MRL		0.1								4
Asparagus		2MRL		2							4	Almond	0.1MRL		0.1								4
Multiplying Onion (including Shallot)		2MRL		2							4	Walnut	0.1MRL		0.1								4
Other liliaceous vegetables		2MRL		2							4	Other nuts	0.1MRL		0.1								4
Carrot		0.5MRL		0.5							4	Tea (Green, Black, Oolong, Wulong tea)	10MRL		10								
Parsnip		0.5MRL		0.5							4	Coffee beans											
Parsley		2MRL		2							4	Cacao beans											
Celery		2MRL		2							4	Hop											
MITSUBA		2MRL		2							4												
Other umbelliferous vegetables		2MRL		2							4	Cattle, muscle											
Tomato		2MRL		2								Pig, muscle											
Pimento (Sweet pepper)		5MRL		5							4	Other terrestrial mammals, muscle											
Egg plant		2MRL		2							4												
Other solanaceous vegetables		5MRL		5							4												
Cucamber (including Gherkin)		2MRL		2																			
Pumpkin (including Squash)		2MRL		2							4												
Oriental pickling melon (vegetable)		2MRL		2							4												
Water melon		2MRL		2																			
Melons		2MRL		2								Cattle, fat											
MAKUWAURI		2MRL		2								Pig, fat											
Other cucurbitaceous vegetables		2MRL		2							4	Other terrestrial mammals, fat											
Spinach		2MRL		2							4												
Bamboo shoots		0.5MRL		0.5							4												
Okra		5MRL		5							4												
Ginger		2MRL		2																			
Peas (with pods, immature)		2MRL		2																			
Kidney beans (with pods, immature)		5MRL		5							4	Cattle, liver											
EDAMAME		5MRL		5								Pig, liver											
Button mushroom																							
SHITAKE																							
Other mushrooms																							
Other vegetables		5MRL		5							4	Other terrestrial mammals, liver											

The analysis method of Tea uses boiling-water extraction.
 # 'Type 1-2' MRLs are based on the residue data, etc.

278. ETOXAZOLE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)												1	MRL	1									
Wheat																							
Barley																							
Rye																							
Corn (including Maize, Sweet corn)																							
Buckwheat																							
Other cereal grains																							
Soybeans (dry)																							
Beans (dry)	0.5	MRL	0.5																				
Peas	0.5	WHL		0.5																			
Broad beans	0.5	WHL		0.5																			
Peanuts	0.5	WHL		0.5																	0.2		3 1
Other legumes/pulses	0.5	WHL		0.5																			
Potato																							
Taro																							
Sweet potato																							
Yam																							
Konjac																							
Other potatoes																							
Sugar beet																							
Sugarcane																							
Japanese radish (including Radish) (root)																							
Japanese radish (including Radish) (leaf)																							
Turnip (including Rutabaga) (root)																							
Turnip (including Rutabaga) (leaf)																							
Horseradish																							
Watercress																							
Chinese cabbage																							
Cabbage																							
Brussels sprouts																							
Kale																							
KOMATSUNA																							
KYONA																							
Qing-geng-cai																							
Cauliflower																							
Broccoli																							
Other cruciferous vegetables																							
Burdock																							
Salsify																							
Artichoke																							
Chicory																							
Endive																							
SHUNGIKU																							
Lettuce (Cos lettuce, Leaf lettuce)																							
Other composite vegetables																							
Onion																							
Welsh (including Leek)																							
Garlic																							
NIRA																							
Asparagus																							
Multiplying Onion (including Shallot)																							
Other liliaceous vegetables																							
Carrot																							
Parsnip																							
Parsley																							
Celery																							
MITSUBA																							
Other umbelliferous vegetables																							
Tomato	0.1	MRL	0.1																				
Pimento (Sweet pepper)																							
Egg plant	0.5	MRL	0.5																				
Other solanaceous vegetables																							
Cucumber (including Gherkin)	0.5	MRL	0.5																				
Pumpkin (including Squash)	0.5	WHL		0.5																			
Oriental pickling melon (vegetable)	0.5	WHL		0.5																			
Water melon	0.1	MRL	0.1																				
Melons	0.1	MRL	0.1																				
MAKUWAURI	0.1	WHL	0.1	0.1																			
Other cucurbitaceous vegetables	0.5	WHL		0.5																			
Spinach																							
Bamboo shoots																							
Okra																							
Ginger																							
Peas (with pods, immature)																							
Kidney beans (with pods, immature)																							
EDAMAME																							
Button mushroom																							
SHITAKE																							
Other mushrooms																							
Other vegetables																							

* For the muscle, the PR-MRL for an appropriate tissue of the corresponding species is adopted, instead of the MRL for the fat, because residue in the fat was considerably large

279. ETRIDIAZOLE

	P R	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)																								UNSHU orange NATSUDAIDAI (flesh)
Wheat	0.05	FC					0.05				5													NATSUDAIDAI (peel)
Barley																								NATSUDAIDAI (whole)
Rye																								Lemon
Corn (including Maize, Sweet corn)	0.1	FC					0.05	0.2			5													Orange (including Navel)
Buckwheat																								Grapefruit
Other cereal grains																								Lime Other citrus fruits
Soybeans (dry)	0.2	FC									5													
Beans (dry)	0.2	FC									5													Apple
Peas	0.2	FC									5													Japanese pear
Broad beans	0.2	FC									5													Pear
Peanuts	0.02	FC									5													Quince
Other legumes/pulses	0.2	FC									5													Loquat
Potato	0.5	WHL		0.5				0.2			3 7													Peach
Taro	0.5	WHL		0.5				0.2			3 7													Nectarine
Sweet potato	0.5	WHL		0.5				0.2			3 7													Apricot
Yam	0.5	WHL		0.5				0.2			3 7													Japanese plum (including Prunes)
Konjac	0.5	WHL		0.5				0.2			3 7													Mume plum
Other potatoes	0.5	WHL		0.5				0.2			3 7													Cherry
Sugar beet	0.2	FC						0.2			5							0.2						Strawberry
Sugarcane																								Raspberry
																								Blackberry
Japanese radish (including Radish) (root)	0.1	WHL		0.1				0.2			3 7													Blackberry
Japanese radish (including Radish) (leaf)	0.1	WHL		0.1				0.2			3 7													Blackberry
Turnip (including Rutabaga) (root)	0.1	WHL		0.1				0.2			3 7													Cranberry
Turnip (including Rutabaga) (leaf)	0.1	WHL		0.1				0.2			3 7													Other berries
Horseradish	0.1	WHL		0.1				0.2			3 7													Grape
Watercress	0.1	WHL		0.1				0.2			3 7													Japanese persimon
Chinese cabbage	0.1	WHL		0.1				0.2			3 7													
Cabbage	0.1	WHL		0.1				0.2			3 7													
Brussels sprouts	0.1	WHL		0.1				0.2			3 7													Banana
Kale	0.1	WHL		0.1				0.2			3 7													Kiwifruit
KOMATSUNA	0.1	WHL		0.1				0.2			3 7													Papaya
KYONA	0.1	WHL		0.1				0.2			3 7													Avocado
Ogi-geng-gai	0.1	WHL		0.1				0.2			3 7													Pineapple
Cauliflower	0.1	WHL		0.1				0.2			3 7													Guava
Broccoli	0.1	WHL		0.1				0.2			3 7													Mango
Other cruciferous vegetables	0.1	WHL		0.1				0.2			3 7													Passion fruit Date
Burdock	0.1	WHL		0.1				0.2			3 7													
Salsify	0.1	WHL		0.1				0.2			3 7													Other fruits
Artichoke	0.1	WHL		0.1				0.2			3 7													
Chicory	0.1	WHL		0.1				0.2			3 7													Sunflower seeds
Eradica	0.1	WHL		0.1				0.2			3 7													Sesam seeds
SHUNGIKU	0.1	WHL		0.1				0.2			3 7													Safflower seeds
Lettuce (Cos lettuce, Leaf lettuce)	0.1	WHL		0.1				0.2			3 7								0.2	0.02				Cotton seeds
Other composite vegetables	0.1	WHL		0.1				0.2			3 7													Rapeseeds Other oil seeds
Onion	0.1	WHL		0.1				0.2			3 7													
Welsh (including Leek)	0.1	WHL		0.1				0.2			3 7													Ginkgo nut
Garlic	0.1	WHL		0.1				0.2			3 7													Chestnut
NIRA	0.1	WHL		0.1				0.2			3 7													Pecan
Asparagus	0.1	WHL		0.1				0.2			3 7													Almond
Multiplying Onion (including Shallot)	0.1	WHL		0.1				0.2			3 7													Walnut
Other liliaceous vegetables	0.1	WHL		0.1				0.2			3 7													Other nuts
Carrot	0.1	WHL		0.1				0.2			3 7													Tea (Green, Black, Oolong, Wulong tea)
Parsnip	0.1	WHL		0.1				0.2			3 7													Coffee beans
Parsley	0.1	WHL		0.1				0.2			4													Cacao beans
Celery	0.1	WHL		0.1				0.2			3 7													Hop
MITSUBA	0.1	WHL		0.1				0.2			4													
Other umbelliferous vegetables	0.1	WHL		0.1				0.2			3 7													Cattle, muscle
Tomato	0.1	WHL		0.1		0.15		0.2			3 7													Pig, muscle
Pimento (Sweet pepper)	0.1	WHL		0.1				0.2			3 7													Other terrestrial mammals, muscle
Egg plant	0.1	WHL		0.1				0.2			3 7													
Other solanaceous vegetables	0.1	WHL		0.1				0.2			3 7													Cattle, fat
Cucumber (including Gherkin)	0.1	WHL		0.1				0.2			3 7													Pig, fat
Pumpkin (including Squash)	0.1	WHL		0.1				0.2			3 7													Other terrestrial mammals, fat
Oriental pickling melon (vegetable)	0.1	WHL		0.1				0.2			3 7													
Water melon	0.2	FC						0.2			5													
Melons	0.2	FC						0.2			5													
MAKUWAURI	0.2	FC						0.2			5													
Other cucurbitaceous vegetables	0.1	WHL		0.1				0.2			3 7													
Spinach	0.1	WHL		0.1				0.2			3 7													
Bamboo shoots	0.1	WHL		0.1				0.2			3 7													
Okra	0.1	WHL		0.1				0.2			3 7													
Ginger	0.1	WHL		0.1				0.2			4													
Peas (with pods, immature)	0.1	WHL		0.1				0.2			3 7													
Kidney beans (with pods, immature)	0.1	WHL		0.1				0.2			3 7													Cattle, liver
EDAMAME	0.1	WHL		0.1				0.2			3 7													Pig, liver
Button mushroom	0.1	WHL																						

