

292. FENOBU CARB

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		
Rice (brown rice)		1	MRL	1									UNSHU orange	0.3	MRL	0.3									
Wheat		0.3	MRL	0.3									NATSUDAIDAI (flesh)												
Barley		0.3	MRL	0.3									NATSUDAIDAI (peel)												
Rye		0.3	MRL	0.3									NATSUDAIDAI (whole)	7	MRL	7.0									
Corn (including Maize, Sweet corn)		0.3	MRL	0.3									Lemon	7	MRL	7.0									
Buckwheat		0.3	MRL	0.3									Orange (including Navel)	7	MRL	7.0									
Other cereal grains		0.3	MRL	0.3									Grapefruit	7	MRL	7.0									
Soybeans (dry)													Lime	7	MRL	7.0									
Beans (dry)													Other citrus fruits	7	MRL	7.0									
Peas													Apple	0.3	MRL	0.3									
Broad beans													Japanese pear	0.3	MRL	0.3									
Peanuts													Pear	0.3	MRL	0.3									
Other legumes/pulses													Quince	0.3	MRL	0.3									
Potato													Loquat	0.3	MRL	0.3									
Taro													Peach	0.3	MRL	0.3									
Sweet potato													Nectarine	0.3	MRL	0.3									
Yam													Apricot	0.3	MRL	0.3									
Konjac													Japanese plum (including Prunes)	0.3	MRL	0.3									
Other potatoes													Mume plum	0.3	MRL	0.3									
Sugar beet													Cherry	0.3	MRL	0.3									
Sugarcane		0.3	MRL	0.3									Strawberry	2	MRL	2.0									
Japanese radish(including Radish)(root)		0.3	MRL	0.3									Raspberry	0.3	MRL	0.3									
Japanese radish(including Radish)(leaf)		5	MRL	5.0									Blackberry	0.3	MRL	0.3									
Turnip (including Rutabaga)(root)		0.3	MRL	0.3									Blueberry	0.3	MRL	0.3									
Turnip (including Rutabaga)(leaf)		0.3	MRL	0.3									Cranberry	0.3	MRL	0.3									
Horseradish		0.3	MRL	0.3									Huckleberry	0.3	MRL	0.3									
Watercress		0.3	MRL	0.3									Other berries	0.3	MRL	0.3									
Chinese cabbage		0.3	MRL	0.3									Grape	0.3	MRL	0.3									
Cabbage		0.3	MRL	0.3									Japanese persimon	0.3	MRL	0.3									
Brussels sprouts		0.3	MRL	0.3									Banana	0.3	MRL	0.3									
Kale		0.3	MRL	0.3									Kiwifruit	0.3	MRL	0.3									
KOMATSUNA		0.3	MRL	0.3									Papaya	0.3	MRL	0.3									
KYONA		0.3	MRL	0.3									Avocado	0.3	MRL	0.3									
Qing-geng-cai		0.3	CLS	0.3									Pineapple	0.3	MRL	0.3									
Broccoli		0.3	MRL	0.3									Guava	0.3	MRL	0.3									
Other cruciferous vegetables		0.3	MRL	0.3									Mango	0.3	MRL	0.3									
Burdock		0.3	MRL	0.3									Passion fruit	0.3	MRL	0.3									
Salsify		0.3	MRL	0.3									Date	0.3	MRL	0.3									
Artichoke		0.3	MRL	0.3									Other fruits	0.3	MRL	0.3									
Chicory		0.3	MRL	0.3									Sunflower seeds	0.3	MRL	0.3									
Endive		0.3	MRL	0.3									Sesam seeds	0.3	MRL	0.3									
SHUNGIKU		0.3	MRL	0.3									Safflower seeds	0.3	MRL	0.3									
Lettuces (Cos lettuce, Leaf lettuce)		0.3	MRL	0.3									Cotton seeds	0.3	MRL	0.3									
Other composite vegetables		0.3	MRL	0.3									Rapeseeds	0.3	MRL	0.3									
Onion		0.3	MRL	0.3									Other oil seeds	0.3	MRL	0.3									
Welsh (including Leek)		0.5	MRL	0.5									Ginkgo nut	0.3	MRL	0.3									
Garlic		0.3	MRL	0.3									Chestnut	0.3	MRL	0.3									
NIRA		0.3	CLS	0.3									Pecan	0.3	MRL	0.3									
Asparagus		0.3	MRL	0.3									Almond	0.3	MRL	0.3									
Multiplying Onion (including Shallot)		0.5	MRL	0.5									Walnut	0.3	MRL	0.3									
Other liliaceous vegetables		0.3	MRL	0.3									Other nuts	0.3	MRL	0.3									
Carrot		0.3	MRL	0.3									Tea (Green, Black, Oolong, Wulong tea)	0.5	MRL	0.5									
Parsnip		0.3	MRL	0.3									Coffee beans												
Parsley		0.3	MRL	0.3									Cacao beans												
Celery		0.3	MRL	0.3									Hop												
MITSUBA		0.3	MRL	0.3									Cattle, muscle												
Other umbelliferous vegetables		0.3	MRL	0.3									Pig, muscle												
Tomato		1	MRL	1.0									Other terrestrial mammals, muscle												
Pimento (Sweet pepper)		2	MRL	2.0																					
Egg plant		0.5	MRL	0.5																					
Other solanaceous vegetables		0.3	MRL	0.3																					
Cucumber (including Gherkin)		1.5	MRL	1.5																					
Pumpkin (including Squash)		0.3	MRL	0.3																					
Oriental pickling melon (vegetable)		0.3	MRL	0.3																					
Water melon		0.3	MRL	0.3										Cattle, fat											
Melons		0.3	MRL	0.3										Pig, fat											
MAKUWAURI		0.3	MRL	0.3										Other terrestrial mammals, fat											
Other cucurbitaceous vegetables		0.3	MRL	0.3																					
Spinach		1	MRL	1.0																					
Bamboo shoots		0.3	CLS	0.3																					
Okra		0.3	MRL	0.3																					
Ginger		0.3	MRL	0.3																					
Peas (with pods, immature)		0.3	MRL	0.3																					
Kidney beans (with pods, immature)		0.3	MRL	0.3										Cattle, liver											
EDAMAME		0.3	MRL	0.3										Pig, liver											
Button mushroom		0.3	MRL	0.3																					

293. FENOTHIOCARB

	P	R	M	W	C	U	A	C	E	N	T		P	R	M	W	C	U	A	C	E	N	T			
	R	e	R	H	o	S	U	A	U	Z	y		R	e	R	H	o	S	U	A	C	E	N	y		
	M	f	L	L	d								M	f	L	L	d									
	R				e								R				e									
	L				x								L													
Rice (brown rice)													UNSHU orange	0.5	WHL		0.5								4	
													NATSUDAIDAI (riest)												4	
Wheat													NATSUDAIDAI (peel)	20	WHL		20									4
Barley													NATSUDAIDAI (whole)	0.5	WHL		0.5									4
Rye													Lemon	0.5	WHL		0.5									4
Corn (including Maize, Sweet corn)													Orange (including Navel)	0.5	WHL		0.5									4
Buckwheat													Grapefruit	0.5	WHL		0.5									4
Other cereal grains													Lime	0.5	WHL		0.5									4
Soybeans (dry)													Other citrus fruits	0.5	WHL		0.5									4
Beans (dry)													Apple	0.5	WHL		0.5									4
Peas													Japanese pear	0.5	WHL		0.5									4
Broad beans													Pear	0.5	WHL		0.5									4
Peanuts													Quince	0.5	WHL		0.5									4
Other legumes/pulses													Loquat	0.5	WHL		0.5									4
Potato													Peach	0.5	WHL		0.5									4
Taro													Nectarine	0.5	WHL		0.5									4
Sweet potato													Apricot	0.5	WHL		0.5									4
Yam													Japanese plum (including Prunes)	0.5	WHL		0.5									4
Konjac													Mume plum	0.5	WHL		0.5									4
Other potatoes													Cherry	0.5	WHL		0.5									4
Sugar beet													Strawberry	0.5	WHL		0.5									4
Sugarcane													Raspberry	0.5	WHL		0.5									4
Japanese radish(including Radish)(root)													Blackberry	0.5	WHL		0.5									4
Japanese radish(including Radish)(leaf)													Blueberry	0.5	WHL		0.5									4
Turnip (including Rutabaga)(root)													Cranberry	0.5	WHL		0.5									4
Turnip (including Rutabaga)(leaf)													Other berries	0.5	WHL		0.5									4
Horseradish													Grape	0.5	WHL		0.5									4
Watercress													Japanese persimon	0.5	WHL		0.5									4
Chinese cabbage													Banana	0.5	WHL		0.5									4
Cabbage													Kiwifruit	0.5	WHL		0.5									4
Brussels sprouts													Papaya	0.5	WHL		0.5									4
Kale													Avocado	0.5	WHL		0.5									4
KOMATSUNA													Pineapple	0.5	WHL		0.5									4
KYONA													Guava	0.5	WHL		0.5									4
Qing-geng-cai													Mango	0.5	WHL		0.5									4
Cauliflower													Passion fruit	0.5	WHL		0.5									4
Broccoli													Date	0.5	WHL		0.5									4
Other cruciferous vegetables													Other fruits	0.5	WHL		0.5									4
Burdock													Sunflower seeds	0.5	WHL		0.5									4
Salsify													Sesam seeds	0.5	WHL		0.5									4
Artichoke													Safflower seeds	0.5	WHL		0.5									4
Chicory													Cotton seeds	0.5	WHL		0.5									4
Endive													Rapeseeds	0.5	WHL		0.5									4
SHUNGIKU													Other oil seeds	0.5	WHL		0.5									4
Lettuce (Cos lettuce, Leaf lettuce)													Ginkgo nut	0.5	WHL		0.5									4
Other composite vegetables													Chestnut	0.5	WHL		0.5									4
Onion													Pecan	0.5	WHL		0.5									4
Welsh (including Leek)													Almond	0.5	WHL		0.5									4
Garlic													Walnut	0.5	WHL		0.5									4
NIRA													Other nuts	0.5	WHL		0.5									4
Asparagus													Tea (Green, Black, Oolong, Wulong tea)													4
Multiplying Onion (including Shallot)													Coffee beans													4
Other liliaceous vegetables													Cacao beans													4
Carrot													Hop													4
Parsnip													Cattle, muscle													4
Parsley													Pig, muscle													4
Celery													Other terrestrial mammals, muscle													4
MITSUBA													Tomato													4
Other umbelliferous vegetables													Pimento (Sweet pepper)													4
Tomato													Egg plant													4
Pimento (Sweet pepper)													Other solanaceous vegetables													4
Egg plant													Cucumber (including Gherkin)													4
Other solanaceous vegetables													Pumpkin (including Squash)													4
Cucumber (including Gherkin)													Oriental pickling melon (vegetable)													4
Pumpkin (including Squash)													Water melon	0.5	WHL		0.5									4
Oriental pickling melon (vegetable)													Melons	0.5	WHL		0.5									4
Water melon													MAKUWARI	0.5	WHL		0.5									4
Melons													Other cucurbitaceous vegetables													4
MAKUWARI													Spinach													4
Other cucurbitaceous vegetables													Bamboo shoots													4
Spinach													Okra													4
Bamboo shoots													Ginger													4
Okra					</																					

300. FENTHION

	P	R	M	W	C	U	A	C	E	N	T	P	R	M	W	C	U	A	C	E	N	T	
	R	e	R	H	o	S	U	A	U	Z	y	R	R	R	L	o	S	A	A	U	Z	y	
	M	f	L	L	d							M	e	L	H	d							
	R	.			e							R	.	R	L	d							
	L										L		L	L	x								
Rice (brown rice)	0.05	MRL	0.05									UNSHU orange	2	Codex		2			2				2
Wheat												NATSUDAIDAI (flesh)											
Barley												NATSUDAIDAI (peel)											
Rye												NATSUDAIDAI (whole)	2	Codex		2			2				2
Corn (including Maize, Sweet corn)	5	FC					5				5	Lemon	2	Codex		2			2				2
Buckwheat												Orange (including Navel)	2	Codex		2			2				2
Other cereal grains												Grapefruit	2	Codex		2			2				2
Soybeans (dry)	0.02	TRY									6-6	Lime	2	Codex		2			2				2
Beans (dry)	0.02	TRY									6-6	Other citrus fruits	2	Codex		2			2				2
Peas												Apple	2	FC					2				5
Broad beans												Japanese pear	2	FC					2				5
Peanuts												Pear	2	FC					2				5
Other legumes/pulses												Quince	2	FC					2				5
Potato	0.05	MRL	0.05									Loquat	2	FC					2				5
Taro												Peach	5	FC					5				5
Sweet potato	0.02	TRY									6-6	Nectarine	5	FC					5				5
Yam	0.02	TRY									6-6	Apricot	5	FC					5				5
Konjac												Japanese plum (including Prunes)	5	FC					5				5
Other potatoes												Mume plum	5	FC					5				5
Sugar beet												Cherry	2	Codex		2			5				2
Sugarcane	0.02	TRY									6-6	Strawberry											
Japanese radish (including Radish) (root)												Raspberry											
Turnip (including Rutabaga) (root)												Blackberry											
Turnip (including Rutabaga) (leaf)												Blueberry											
Horseradish												Cranberry											
Watercress												Huckleberry											
Chinese cabbage												Other berries											
Cabbage												Grape	2	FC					2				5
Brussels sprouts												Japanese persimon	5	FC					5				5
Kale												Banana	3	FC					5				5
KOMATSUNA												Kiwifruit	5	FC					5				5
KYONA												Papaya	5	FC					5				5
Qing-geng-gai												Avocado	5	FC					5				5
Cauliflower												Pineapple	5	FC					5				5
Broccoli												Guava	2	FC					2				5
Other cruciferous vegetables												Mango	5	FC					5				5
Burdock												Passion fruit	5	FC					5				5
Salsify												Date											
Artichoke												Other fruits	1	Codex		1			5				2
Chicory												Sunflower seeds											
Endive												Sesam seeds											
SHUNGIKU												Safflower seeds											
Lettuce (Cos lettuce, Leaf lettuce)												Rapeseeds											
Other composite vegetables												Other oil seeds											
Onion												Ginkgo nut											
Welsh (including Leek)												Chestnut											
Garlic												Pecan											
NIIRA												Almond											
Asparagus												Walnut											
Multiplying Onion (including Shallot)												Other nuts											
Other liliaceous vegetables												Tea (Green, Black, Oolong, Wulong tea)											
Parsnip												Coffee beans											
Parsley												Cacao beans											
Celery												Hop											
MITSUBA												Cattle, muscle	0.6	FC					0.1				5
Other umbelliferous vegetables												Pig, muscle	0.5	FC									5
Tomato	5	FC										Other terrestrial mammals, muscle	0.2	FC									5
Pimento (Sweet pepper)	5	FC																					
Egg plant	5	FC																					
Other solanaceous vegetables	5	FC																					
Cucumber (including Gherkin)	3	FC																					
Pumpkin (including Squash)	3	FC																					
Oriental pickling melon (vegetable)	3	FC																					
Water melon	3	FC										Cattle, fat	0.1	FC					0.1				5
Melons	3	FC										Pig, fat	0.1	FC									5
MAKUWAURI	3	FC										Other terrestrial mammals, fat	0.2	OTR					0.1				6.3
Other cucurbitaceous vegetables	3	FC																					
Spinach																							
Bamboo shoots																							
Okra	5	FC																					
Ginger																							
Peas (with pods, immature)												Cattle, liver	0.6	FC					0.1				5
Kidney beans (with pods, immature)												Pig, liver	0.5	FC									5
EDAMAME												Other terrestrial mammals, liver	0.2	FC									5
Button mushroom	5	FC																					
SHITAKE	5	FC																					
Other mushrooms	5	FC																					
Other vegetables																							

Type 6-6' MRLs are based on the residue data by MAFF. FENTHION is registered for Soybeans(dry), Beans(dry), Sweet potato, Yam and Sugarcane.

