

322. FLUMETHRIN

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)												UNSHU orange											
Wheat												NATSUDAIDAI (flesh)											
Barley												NATSUDAIDAI (peel)											
Rye												NATSUDAIDAI (whole)											
Corn (including Maize, Sweet corn)												Lemon											
Buckwheat												Orange (including Navel)											
Other cereal grains												Grapefruit											
Soybeans (dry)												Lime											
Beans (dry)*												Other citrus fruits											
Peas												Apple											
Broad beans												Pear											
Peanuts												Peach											
Other legumes/pulses												Quince											
Potato												Loquat											
Taro												Peach											
Sweet potato												Nectarine											
Yam												Nectarine											
Konjac												Apricot											
Other potatoes												Japanese plum (including Prunes)											
Sugar beet												Mume plum											
Sugarcane												Cherry											
Japanese radish(including Radish)(root)												Strawberry											
Japanese radish(including Radish)(leaf)												Raspberry											
Tump (including Rutabaga)(root)												Blackberry											
Tump (including Rutabaga)(leaf)												Blueberry											
Horseradish												Cranberry											
Watercress												Huckleberry											
Chinese cabbage												Other berries											
Cabbage												Grape											
Brussels sprouts												Japanese persimon											
Kale												Banana											
KOMATSUNA												Kiwifruit											
KYONA												Papaya											
Qing-geng-gai												Avocado											
Cauliflower												Pineapple											
Broccoli												Guava											
Other cruciferous vegetables												Mango											
Burdock												Passion fruit											
Salsify												Date											
Artichoke												Other fruits											
Chicory												Sunflower seeds											
Endive												Sesam seeds											
SHUNGIKU												Safflower seeds											
Lettuce (Cos lettuce, Leaf lettuce)												Cotton seeds											
Other composite vegetables												Capsicums											
Onion												Other oil seeds											
Welsh (including Leek)												Ginkgo nut											
Garlic												Chestnut											
NIRA												Pecan											
Asparagus												Almond											
Multiplying Onion (including Shallot)												Walnut											
Other liliaceous vegetables												Other nuts											
Carrot												Tea (Green, Black, Oolong, Wulong tea)											
Parsnip												Coffee beans											
Parsley												Cacao beans											
Celery												Hop											
MITSUBA																							
Other umbelliferous vegetables												Cattle, muscle	0.01FC						0.01				5
Tomato												Pig, muscle	0.005OTR										6 5
Pimento (Sweet pepper)												Other terrestrial mammals, muscle	0.06FC					0.1		0.01			5
Egg plant																							
Other solanaceous vegetables																							
Cucumber (including Gherkin)																							
Pumpkin (including Squash)																							
Oriental pickling melon (vegetable)																							
Water melon																0.2			0.2		0.15		2
Melons												Cattle, fat	0.2FC										2
MAKUWAI												Pig, fat	0.005OTR										6 5
Other cucurbitaceous vegetables												Other terrestrial mammals, fat	0.2FC								0.15		5
Spinach																							
Bamboo shoots																							
Okra																							
Ginger																							
Peas (with pods, immature)																							
Kidney beans (with pods, immature)												Cattle, liver	0.04FC					0.05		0.02			5
EDAMAME												Pig, liver	0.005OTR										6 5
Button mushroom												Other terrestrial mammals, liver	0.06FC					0.1		0.02			5
SHIITAKE																							
Other mushrooms																							
Other vegetables																							

* "WHL" for the stock farm and aquatic products, show the 'Limit of detection' or 'Limit of determination' under the Pharmaceutical Affairs Law.

325. FLUMIOXAZIN

	P	R	M	W	C	U	A	C	E	N	T		P	R	M	W	C	U	A	C	E	N	T
	R	e	R	H	o	S	U	A	U	Z	y		R	e	R	H	o	S	A	A	U	Z	y
	M	f	L	L	d								M	f	L	L							
	R				e								R										
	L											L											
Rice (brown rice)	0.05	FC									5	UNSHU orange	0.1	MRL	0.1								
Wheat	0.05	FC					0.05				5	NATSUDAIDAI (flesh)											
Barley	0.05	FC					0.05				5	NATSUDAIDAI (peel)											
Rye	0.05	FC					0.05				5	NATSUDAIDAI (whole)	0.1	MRL	0.1								
Corn (including Maize, Sweet corn)	0.05	FC					0.05				5	Lemon	0.1	MRL	0.1								
Buckwheat	0.05	FC					0.05				5	Orange (including Navel)	0.1	MRL	0.1								
Other cereal grains	0.05	FC					0.05				5	Grapefruit	0.1	MRL	0.1								
Soybeans (dry)	0.02	MRL	0.02									Lime	0.1	MRL	0.1								
Beans (dry)	0.1	FC					0.1				5	Other citrus fruits	0.1	MRL	0.1								
Peas	0.1	FC					0.1				5	Apple	0.1	MRL	0.1								
Broad beans	0.1	FC					0.1				5	Japanese pear	0.1	MRL	0.1								
Peanuts	0.02	MRL	0.02									Pear	0.1	MRL	0.1								
Other legumes/pulses	0.1	FC					0.1				5	Quince	0.1	WHL	0.1								4
Potato	0.02	FC					0.02				5	Loquat											
Taro	0.02	FC					0.02				5	Peach											
Sweet potato	0.02	FC					0.02				5	Nectarine	0.1	WHL	0.1								4
Yam	0.02	FC					0.02				5	Apricot	0.1	WHL	0.1								4
Konjac	0.02	FC					0.02				5	Japanese plum (including Prunes)	0.1	WHL	0.1								4
Other potatoes	0.02	FC					0.02				5	Mume plum	0.1	WHL	0.1								4
Sugar beet												Cherry	0.1	WHL	0.1								4
Sugarcane	0.2	FC					0.2				5	Strawberry	0.1	WHL	0.1								4
Japanese radish (including Radish) (root)												Raspberry	0.1	WHL	0.1								4
Chinese radish (including Radish) (leaf)												Blackberry	0.1	WHL	0.1								4
Turnip (including Rutabaga) (root)												Blueberry	0.1	WHL	0.1								4
Turnip (including Rutabaga) (leaf)												Cranberry	0.1	WHL	0.1								4
Horseradish												Huckleberry	0.1	WHL	0.1								4
Watercress												Other berries	0.1	WHL	0.1								4
Chinese cabbage												Grape	0.1	MRL	0.1								4
Cabbage												Japanese persimon	0.1	WHL	0.1								4
Brussels sprouts												Banana	0.1	WHL	0.1								4
Kale												Kiwifruit											4
KOMATSUNA												Papaya	0.1	WHL	0.1								4
KYONA												Avocado	0.1	WHL	0.1								4
Qing-geng-gai												Pineapple	0.1	WHL	0.1								4
Cauliflower												Gujava	0.1	WHL	0.1								4
Broccoli												Mango	0.1	WHL	0.1								4
Other cruciferous vegetables												Passion fruit	0.1	WHL	0.1								4
Burdock												Date	0.1	WHL	0.1								4
Salsify												Other fruits	0.1	WHL	0.1								4
Artichoke												Sunflower seeds											4
Chicory												Sesam seeds											4
Fenel												Safflower seeds											4
SHUNGIKU												Other oil seeds											4
Betuce (Cos lettuce, Leaf lettuce)												Ginkgo nut											4
Other composite vegetables												Chestnut											4
Onion	0.02	FC					0.02				5	Pecan	0.02	FC				0.02					5
Welsh (including Leek)												Almond											5
Garlic	0.02	FC					0.02				5	Walnut											5
NIIRA												Other nuts											5
Asparagus												Tea (Green, Black, Oolong, Wulong tea)											5
Multiplying Onion (including Shallot)												Coffee beans											5
Other liliaceous vegetables												Cacao beans											5
Parsnip												Hop											5
Parsley												Cattle, muscle	0.01	FC									5
Celery												Pig, muscle	0.01	FC									5
MITSUBA												Other terrestrial mammals, muscle	0.01	FC									5
Other umbelliferous vegetables												Cattle, fat	0.01	OTR									6.3
Tomato												Pig, fat	0.01	OTR									6.3
Pimento (Sweet pepper)												Other terrestrial mammals, fat	0.01	OTR									6.3
Ego plant																							6.3
Other solanaceous vegetables																							6.3
Cucamber (including Gherkin)																							6.3
Pumpkin (including Squash)																							6.3
Oriental pickling melon (vegetable)																							6.3
Water melon																							6.3
Melons																							6.3
MAKUWAURI																							6.3
Other cucurbitaceous vegetables	0.02	FC					0.02				5												6.3
Spinach																							6.3
Bamboo shoots																							6.3
Okra																							6.3
Ginger	0.02	FC					0.02				5												6.3
Peas (with pods, immature)																							6.3
Kidney beans (with pods, immature)																							6.3
EDAMAME																							6.3
Button mushroom																							6.3
SHITAKE																							6.3
Other mushrooms																							6.3
Other vegetables	0.04	FC					0.04																

328. FLUOROIMIDE

	P	R	M	W	C	U	A	C	E	N	T	P	R	M	W	C	U	A	C	E	N	T
	R	e	R	H	o	S	A	A	U	Z	y	R	e	R	H	o	S	A	C	E	N	y
	M	f	L	L	d	A	U	A	U	N	M	f	L	L	d	A	U	A	U	N		
	R	.	.	.	e	R	.	R
	L	.	.	.	x	L	.	L
Rice (brown rice)	0.04	OTR									6.4	UNSHU orange	5	MRL	5							
Wheat	0.04	OTR									6.4	NATSUDAIDAI (flesh)										
Barley	0.04	OTR									6.4	NATSUDAIDAI (peel)										6.4
Rye	0.04	OTR									6.4	NATSUDAIDAI (whole)	0.04	OTR								6.4
Corn (including Maize, Sweet corn)	0.04	OTR									6.4	Lemon	0.04	OTR								6.4
Buckwheat	0.04	OTR									6.4	Orange (including Navel)	0.04	OTR								6.4
Other cereal grains	0.04	OTR									6.4	Grapefruit	0.04	OTR								6.4
Soybeans (dry)	0.04	OTR									6.4	Lime	0.04	OTR								6.4
Beans (dry)	0.04	OTR									6.4	Other citrus fruits	0.04	OTR								6.4
Peas	0.04	OTR									6.4	Apple	5	MRL	5							
Broad beans	0.04	OTR									6.4	Japanese pear	5	WHL	5							4
Peanuts	0.04	OTR									6.4	Pear	5	WHL	5							4
Other legumes/pulses	0.04	OTR									6.4	Quince	5	WHL	5							4
Potato	0.5	MRL	0.5								4	Loquat	0.04	OTR								6.4
Taro	0.5	WHL		0.5							4	Peach	0.04	OTR								6.4
Sweet potato	0.5	WHL		0.5							4	Nectarine	5	WHL	5							4
Yam	0.5	WHL		0.5							4	Apricot	0.04	OTR								6.4
Konjac	0.5	WHL		0.5							4	Japanese plum (including Prunes)	0.04	OTR								6.4
Other potatoes	0.5	WHL		0.5							4	Mume plum	0.04	OTR								6.4
Sugar beet	0.04	OTR									6.4	Cherry	0.04	OTR								6.4
Sugarcane	0.04	OTR									6.4	Strawberry	0.04	OTR								6.4
Japanese radish (including Radish) (root)	0.04	OTR									6.4	Raspberry	0.04	OTR								6.4
Turnip (including Rutabaga) (root)	0.04	OTR									6.4	Blackberry	0.04	OTR								6.4
Turnip (including Rutabaga) (leaf)	0.04	OTR									6.4	Blueberry	0.04	OTR								6.4
Horseradish	0.04	OTR									6.4	Cranberry	0.04	OTR								6.4
Watercress	0.04	OTR									6.4	Huckleberry	0.04	OTR								6.4
Chinese cabbage	0.04	OTR									6.4	Other berries	0.04	OTR								6.4
Cabbage	0.04	OTR									6.4	Grape	0.04	OTR								6.4
Brussels sprouts	0.04	OTR									6.4	Japanese persimmon	5	MRL	5							
Kale	0.04	OTR									6.4	Banana	5	WHL	5							4
KOMATSUNA	0.04	OTR									6.4	Kiwifruit	0.04	OTR								6.4
KYONA	0.04	OTR									6.4	Papaya	5	WHL	5							4
Qing-geng-gai	0.04	OTR									6.4	Avocado	5	WHL	5							4
Cauliflower	0.04	OTR									6.4	Pineapple	5	WHL	5							4
Broccoli	0.04	OTR									6.4	Guava	5	WHL	5							4
Other cruciferous vegetables	0.04	OTR									6.4	Mango	5	WHL	5							4
Burdock	0.04	OTR									6.4	Passion fruit	5	WHL	5							4
Salsify	0.04	OTR									6.4	Date	0.04	OTR								6.4
Artichoke	0.04	OTR									6.4	Other fruits	0.04	OTR								6.4
Chicory	0.04	OTR									6.4	Sunflower seeds	0.04	OTR								6.4
Endive	0.04	OTR									6.4	Sesam seeds	0.04	OTR								6.4
SHUNGIKU	0.04	OTR									6.4	Safflower seeds	0.04	OTR								6.4
Lettuce (Cos lettuce, Leaf lettuce)	0.04	OTR									6.4	Other oil seeds	0.04	OTR								6.4
Other composite vegetables	0.04	OTR									6.4	Ginkgo nut	0.04	OTR								6.4
Onion	1	MRL									6.4	Chestnut	0.04	OTR								6.4
Welsh (including Leek)	0.04	OTR									6.4	Pecan	0.04	OTR								6.4
Garlic	1	WHL	1								6.4	Almond	0.04	OTR								6.4
NIIRA	0.04	OTR									6.4	Walnut	0.04	OTR								6.4
Asparagus	0.04	OTR									6.4	Other nuts	0.04	OTR								6.4
Multiplying Onion (including Shallot)	0.04	OTR									6.4	Tea (Green, Black, Oolong, Wulong tea)	35	MRL	35							
Other liliaceous vegetables	0.04	OTR									6.4	Coffee beans	0.04	OTR								6.4
Celery	0.04	OTR									6.4	Cacao beans	0.04	OTR								6.4
MITSUBA	0.04	OTR									6.4	Hop	0.04	OTR								6.4
Other umbelliferous vegetables	0.04	OTR									6.4	Cattle, muscle										
Tomato	0.04	OTR									6.4	Pig, muscle										
Pimento (Sweet pepper)	0.04	OTR									6.4	Other terrestrial mammals, muscle										
Egg plant	0.04	OTR									6.4	Cattle, fat										
Other solanaceous vegetables	0.04	OTR									6.4	Pig, fat										
Cucumber (including Gherkin)	0.04	OTR									6.4	Other terrestrial mammals, fat										
Pumpkin (including Squash)	0.04	OTR									6.4	Cattle, liver										
Oriental pickling melon (vegetable)	0.04	OTR									6.4	Pig, liver										
Water melon	0.04	OTR									6.4	Other terrestrial mammals, liver										
Melons	0.04	OTR									6.4	Button mushroom	0.04	OTR								
MAKUWAURI	0.04	OTR									6.4	SHITAKE	0.04	OTR								
Other cucurbitaceous vegetables	0.04	OTR									6.4	Other mushrooms	0.04	OTR								
Spinach	0.04	OTR									6.4	Other vegetables	0.04	OTR								
Bamboo shoots	0.04	OTR									6.4											
Okra	0.04	OTR									6.4											
Ginger	0.04	OTR									6.4											
Peas (with pods, immature)	0.04	OTR									6.4											
Kidney beans (with pods, immature)	0.04	OTR									6.4											
EDAMAME	0.04	OTR									6.4											

The analysis method of Tea uses boiling-water extraction.

FLUQUINCONAZOLE

	PR-MRL	Ref.	MRL	WHL	Codex	US	AU	CA	EU	NZ	Type		PR-MRL	Ref.	MRL	WHL	Codex	US	AU	CA	EU	NZ	Type
Cattle, kidney	0.2	FC					0.2				5	Order Salmoniformes											
Pig, kidney	0.2	FC					0.2				5	Order Anguilliformes											
Other terrestrial mammals, kidney	0.2	FC					0.2				5	Order Perciformes											
												Other fish											
												Order Decapoda											
												Other Crustacea											
												Shelled molluscs											
												Other aquatic animal											
Cattle, edible offal excluding liver and kidney	0.2	FC					0.2				5	Other animals											
Pig, edible offal excluding liver and kidney	0.2	FC					0.2				5	Other animals											
Other terrestrial mammals, edible offal	0.2	FC					0.2				5	Honey											
												Other Spices											
												Other Herbs											
Milk	0.1	FC					0.1				5												
Chicken, muscle	0.02	OTR									6.3												
Other poultry, muscle	0.02	OTR									6.3												
Chicken, fat	0.02	FC					0.02				5												
Other poultry, fat	0.02	FC					0.02				5												
Chicken, liver	0.02	FC					0.02				5												
Other poultry, liver	0.02	FC					0.02				5												
Chicken, kidney	0.02	FC					0.02				5												
Other poultry, kidney	0.02	FC					0.02				5												
Chicken, edible offal excluding liver and kidney	0.02	FC					0.02				5												
Other poultry, edible offal excluding liver and kidney	0.02	FC					0.02				5												
Poultry eggs	0.02	FC					0.02				5												

* For the muscle of cattle, pigs and other terrestrial mammals, the PR-MRL for an appropriate tissue of the corresponding species is adopted, instead of the MRL for the fat, because residue in the fat was considerably large.