













494. OLEANDOMYCIN

	P	R	M	W	C	U	A	C	E	N	T		P	R	M	W	C	U	A	C	E	N	T	
	R	e	R	H	o	S	A	A	U	Z	y		R	e	R	H	o	S	A	A	U	Z	y	
	M	L	L	L	d								M	L	L	L	d							
	R	L	L	L	e								R	L	L	L	d							
	L				x								L				x							
Rice (brown rice)													UNSHU orange											
													NATSUDAIDAI (riest)											
Wheat													NATSUDAIDAI (peel)											
Barley													NATSUDAIDAI (whole)											
Rye													Lemon											
Corn (including Maize, Sweet corn)													Orange (including Navel)											
Buckwheat													Grapefruit											
Other cereal grains													Lime											
													Other citrus fruits											
Soybeans (dry)													Apple											
Beans (dry)													Japanese pear											
Peas													Pear											
Broad beans													Quince											
Peanuts													Loquat											
Other legumes/pulses																								
Potato													Peach											
Taro													Nectarine											
Sweet potato													Apricot											
Yam													Japanese plum (including Prunes)											
Konjac													Murgo plum											
Other potatoes													Cherry											
Sugar beet													Strawberry											
Sugarcane													Raspberry											
													Blackberry											
Japanese radish(including Radish)(root)													Blueberry											
Japanese radish(including Radish)(leaf)													Cranberry											
Turnip (including Rutabaga)(root)													Huckleberry											
Turnip (including Rutabaga)(leaf)													Other berries											
Horseradish													Grape											
Watercress													Japanese persimon											
Chinese cabbage																								
Cabbage													Banana											
Brussels sprouts													Kiwifruit											
Kale													Papaya											
KOMATSUNA													Avocado											
KYONA													Pineapple											
Qing-geng-cai													Guava											
Cauliflower													Mango											
Broccoli													Passion fruit											
Other cruciferous vegetables													Date											
Burdock													Other fruits											
Salsify													Sunflower seeds											
Artichoke													Sesam seeds											
Chicory													Safflower seeds											
Endive													Cotton seeds											
SHUNGIKU													Rapeseeds											
Lettuce (Cos lettuce, Leaf lettuce)													Other oil seeds											
Other composite vegetables													Ginkgo nut											
Onion													Chestnut											
Welsh (including Leek)													Pecan											
Garlic													Almond											
NIRA													Walnut											
Asparagus													Other nuts											
Multiplying Onion (including Shallot)													Tea (Green, Black, Oolong, Wulong tea)											
Other liliaceous vegetables													Coffee beans											
Carrot													Cacao beans											
Parrotip													Hop											
Parsley																								
Celery																								
MITSUBA																								
Other umbelliferous vegetables													Cattle, muscle	0.05	IPAL		0.05				0.1			3 1
Tomato													Pig, muscle	0.1	FC						0.15	0.1		5
Pimento (Sweet pepper)													Other terrestrial mammals, muscle	0.1	FC							0.1		5
Egg plant																								
Other solanaceous vegetables																								
Cucumber (including Gherkin)																								
Pumpkin (including Squash)																								
Pumpkin (including Squash)																								
Oriental pickling melon (vegetable)																								
Water melon													Cattle, fat	0.05	IPAL		0.05							4
Melons													Pig, fat	0.2	FC						0.15			5
MAKUWAURI													Other terrestrial mammals, fat	0.1	OTR									6 3
Other cucurbitaceous vegetables																								
Spinach																								
Bamboo shoots																								
Bamboo shoots																								
Ota																								
Ginger																								
Cilantro																								
Peas (with pods, immature)													Cattle, liver	0.05	IPAL		0.05					0.1		3 1
Kidney beans (with pods, immature)													Pig, liver	0.1	FC						0.15	0.1		5
EDAMAME													Other terrestrial mammals, liver	0.1	FC							0.1		5
Button mushroom																								





495. OMETHOATE

	P	R	M	W	C	U	A	C	E	N	T		P	R	M	W	C	U	A	C	E	N	T					
	R	e	R	H	o	S	U	A	U	Z	y		R	e	R	H	o	S	U	A	C	E	N	y				
	M	f	L	L	d						e		M	f	L	L							e					
	R				e								R															
	L	.			x								L	.														
Rice (brown rice)	1										6	2	UNSHU orange	1							2		0	2	2	5		
													NATSUDAIDAI (flesh)	1												6	2	
Wheat	0	1									6	2	NATSUDAIDAI (peel)	1													6	2
Barley	0	0	5										NATSUDAIDAI (whole)	1							2		0	2	2	5		
Rye	0	2											Lemon	1							2		0	2	2	5		
Corn (including Maize, Sweet corn)	2										2	5	Orange (including Navel)	1							2		0	2	2	5		
Buckwheat	0	5											Grapefruit	1							2		0	2	2	5		
Other cereal grains	0	0	1										Lime	1							2		0	2	2	5		
													Other citrus fruits	1							2		0	2	2	5		
Soybeans (dry)	2										2	5	Apple	1							2		0	2	2	5		
Beans (dry)*	2										2	5	Avocado	1							2		0	2	2	5		
Peas	1										0	2	Japanese pear	1							2		0	2	2	5		
Broad beans	2										2	5	Pear	1							2		0	2	2	5		
Peanuts	1										0	5	Quince	1							2		0	2	2	5		
Other legumes/pulses	2										2	5	Loquat	1							2		0	2	2	5		
Potato	2										2	5	Peach	1							2		0	2	2	5		
Taro	1										2	5	Nectarine	1							2		0	2	2	5		
Sweet potato	1										0	1	Apricot	1							2		0	2	2	5		
Yam	1										0	1	Japanese plum (including Prunes)	1							2		0	2	2	5		
Konjac	1										0	1	Mume plum	1							2		0	2	2	5		
Other potatoes	1										0	1	Cherry	1							2		0	4	2	5		
Sugar beet	1										2	5	Strawberry	1							2		0	1	2	5		
Sugarcane	1										6	2	Raspberry	1							2		0	1	2	5		
													Blackberry	1							2		0	1	2	5		
Japanese radish (including Radish) (root)	1										2	5	Blueberry	1							2		0	1	2	5		
Japanese radish (including Radish) (leaf)	1										0	2	Cranberry	1							2		0	2	2	5		
Turnip (including Rutabaga) (root)	1										0	1	Huckleberry	1							2		0	1	2	5		
Turnip (including Rutabaga) (leaf)	1										0	1	Other berries	1							2		0	1	2	5		
Horseradish	1										0	1	Grape	1							2		0	1	2	5		
Watercress	1										0	2	Japanese persimmon	1							2		0	1	2	5		
Chinese cabbage	1										0	2	Banana	1							2		0	2	2	5		
Cabbage	1										0	2	Kiwifruit	1							2		0	2	2	5		
Brussels sprouts	1										0	2	Papaya	2							2		0	2	2	5		
Kale	1										0	2	Avocado	1							2		0	2	2	5		
KOMATSUNA	1										0	2	Pineapple	1							2		0	2	2	5		
KYONA	1										0	2	Guava	1							2		0	2	2	5		
Qing-geng-gai	1										0	2	Mango	1							2		0	2	2	5		
Chifoliflower	1										0	2	Passion fruit	1							2		0	2	2	5		
Broccoli	2										2	5	Date	2							2		0	2	2	5		
Other cruciferous vegetables	1										0	2	Other fruits	1							2		0	2	2	5		
Burdock	1										0	1	Sunflower seeds	1							2		0	5	6	2		
Salsify	1										0	1	Sesam seeds	1							2		0	5	6	2		
Artichoke	1										0	4	Safflower seeds	1							2		0	5	6	2		
Chicory	1										0	4	Other oil seeds	1							2		0	5	6	2		
Endive	1										0	2	Tea (Green, Black, Oolong, Wulong tea)	1							2		0	1	6	2		
SHUNGIKU	1										0	2	Coffee beans	1							2		0	5	6	2		
Endive (Cos lettuce, Leaf lettuce)	1										0	2	Cacao beans	1							2		0	5	6	2		
Other composite vegetables	1										0	2	Hop	1							2		0	5	6	2		
Onion	1										0	1	Cattle, muscle	0	5						2		0	5	6	2		
Welsh (including Leek)	1										0	2	Pig, muscle	0	5						2		0	5	6	2		
Garlic	2										0	2	Other terrestrial mammals, muscle	0	5						2		0	5	6	2		
NIRA	1										0	2	Ginkgo nut	0	2						2		0	5	6	2		
Asparagus	1										0	2	Chestnut	0	2						2		0	5	6	2		
Multiplying Onion (including Shallot)	1										0	2	Pecan	0	2						2		0	5	6	2		
Other liliaceous vegetables	1										0	2	Almond	0	2						2		0	5	6	2		
											0	2	Walnut	0	2						2		0	5	6	2		
											0	2	Other nuts	0	1						2		0	5	6	2		
Carrot	1										0	1	Tea (Green, Black, Oolong, Wulong tea)	1							2		0	1	6	2		
Parsnip	1										0	1	Coffee beans	1							2		0	5	6	2		
Parsley	1										6	2	Cacao beans	1							2		0	5	6	2		
Celery	1										0	2	Hop	1							2		0	5	6	2		
MITSUBA	0	2									0	2	Cattle, fat	0	5						2		0	5	6	2		
Other umbelliferous vegetables	1										2	5	Pig, fat	0	5						2		0	5	6	2		
Tomato	0	7									1	5	Other terrestrial mammals, fat	0	5						2		0	5	6	2		
Pimento (Sweet pepper)	1										0	2	Other terrestrial mammals, liver	0	5						2		0	5	6	2		
Ego plant	1										0	2	Cattle, liver	0	5						2		0	5	6	2		
Other solanaceous vegetables	1										0	2	Pig, liver	0	5						2		0	5	6	2		
Cucumber (including Gherkin)	1																											





















500. OXACILLIN

	P	R	M	W	C	U	A	C	E	N	T		P	R	M	W	C	U	A	C	E	N	T		
	R	e	R	H	o	S	A	A	U	Z	y		R	e	R	H	o	S	A	A	U	Z	y		
	M	L	L	L	d								M	L	L	L	d								
	R	L	L	L	e								R	L	L	L	d								
	L				x								L				x								
Rice (brown rice)													UNSHU orange												
													NATSUDAIDAI (riest)												
Wheat													NATSUDAIDAI (peel)												
Barley													NATSUDAIDAI (whole)												
Rye													Lemon												
Corn (including Maize, Sweet corn)													Orange (including Navel)												
Buckwheat													Grapefruit												
Other cereal grains													Lime												
													Other citrus fruits												
Soybeans (dry)													Apple												
Beans (dry)													Japanese pear												
Peas													Pear												
Broad beans													Quince												
Peanuts													Loquat												
Other legumes/pulses																									
Potato													Peach												
Taro													Nectarine												
Sweet potato													Apricot												
Yam													Japanese plum (including Prunes)												
Konjac													Mume plum												
Other potatoes													Cherry												
Sugar beet													Strawberry												
Sugarcane													Raspberry												
													Blackberry												
Japanese radish(including Radish)(root)													Blueberry												
Japanese radish(including Radish)(leaf)													Cranberry												
Turnip (including Rutabaga)(root)													Huckleberry												
Turnip (including Rutabaga)(leaf)													Other berries												
Horseradish													Grape												
Watercress													Japanese persimon												
Chinese cabbage																									
Cabbage													Banana												
Brussels sprouts													Kiwifruit												
Kale													Papaya												
KOMATSUNA													Avocado												
KYONA													Pineapple												
Qing-geng-cai													Guava												
Cauliflower													Mango												
Broccoli													Passion fruit												
Other cruciferous vegetables													Date												
Burdock													Other fruits												
Salsify													Sunflower seeds												
Artichoke													Sesam seeds												
Chicory													Safflower seeds												
Endive													Cotton seeds												
SHUNGIKU													Rapeseeds												
Lettuce (Cos lettuce, Leaf lettuce)													Other oil seeds												
Other composite vegetables													Onion												
													Ginkgo nut												
Onion													Chestnut												
Welsh (including Leek)													Pecan												
Garlic													Almond												
NIRA													Walnut												
Asparagus													Other nuts												
Multiplying Onion (including Shallot)													Tea (Green, Black, Oolong, Wulong tea)												
Other liliaceous vegetables													Coffee beans												
Carrot													Cacao beans												
Parrotip													Hop												
Parsley																									
Celery																									
MITSUBA																									
Other umbelliferous vegetables													Cattle, muscle	0.3	FC							0.3		5	
Tomato													Pig, muscle	0.3	FC								0.3		5
Pimento (Sweet pepper)													Other terrestrial mammals, muscle	0.3	FC								0.3		5
Egg plant																									
Other solanaceous vegetables																									
Gucamber (including Gherkin)																									
Pumpkin (including Squash)																									
Pumpkin (including Squash)																									
Oriental pickling melon (vegetable)																									
Water melon													Cattle, fat	0.3	FC								0.3		5
Melons													Pig, fat	0.3	FC								0.3		5
MAKUWAURI													Other terrestrial mammals, fat	0.3	FC								0.3		5
Other cucurbitaceous vegetables																									
Spinach																									
Bamboo shoots																									
Bamboo shoots																									
Ota																									
Ginger																									
Peas (with pods, immature)																									
Kidney beans (with pods, immature)													Cattle, liver	0.3	FC								0.3		5
EDAMAME													Pig, liver	0.3	FC								0.3		5
					</																				

