

522. PENDIMETHALIN

	P	R	M	W	C	U	A	C	E	N	T		P	R	M	W	C	U	A	C	E	N	T		
	R	e	R	H	o	S	U	A	U	Z	y		R	e	R	H	o	S	U	A	C	E	N	y	
	M	f	L	L	d								M	f	L	L	d								
	R	.	.	.	e								R	.	.	.	e								
	L				x								L				x								
Rice (brown rice)	0.2	MRL	0.2										UNSHU orange	0.05	MRL	0.05									
Wheat	0.2	MRL	0.2										NATSUDAIDAI (flesh)												
Barley	0.2	MRL	0.2										NATSUDAIDAI (peel)												
Rye	0.2	MRL	0.2										NATSUDAIDAI (whole)	0.05	MRL	0.05									
Corn (including Maize, Sweet corn)	0.2	MRL	0.2										Lemon	0.05	MRL	0.05									
Buckwheat	0.2	MRL	0.2										Orange (including Navel)	0.05	MRL	0.05									
Other cereal grains	0.1	FC				0.1					5		Grapefruit	0.05	MRL	0.05									
Soybeans (dry)	0.2	MRL	0.2										Lime	0.05	MRL	0.05									
Beans (dry)	0.05	MRL	0.05										Other citrus fruits	0.05	MRL	0.05									
Peas	0.1	MRL	0.1										Apple	0.1	MRL	0.1									
Broad beans	0.1	MRL	0.1										Japanese pear	0.1	MRL	0.1									
Peanuts	0.2	MRL	0.2										Pear	0.1	MRL	0.1									
Other legumes/pulses	0.1	MRL	0.1										Quince	0.05	MRL	0.05									
Potato	0.2	MRL	0.2										Loquat	0.05	MRL	0.05									
Taro	0.2	MRL	0.2										Peach	0.05	MRL	0.05									
Sweet potato	0.05	MRL	0.05										Nectarine	0.05	MRL	0.05									
Yam	0.2	MRL	0.2										Apricot	0.05	MRL	0.05									
Konjac	0.2	MRL	0.2										Japanese plum (including Prunes)	0.05	MRL	0.05									
Other potatoes	0.05	MRL	0.05										Mume plum	0.05	MRL	0.05									
Sugar beet	0.05	MRL	0.05										Cherry	0.05	MRL	0.05									
Sugarcane	0.1	MRL	0.1										Strawberry	0.05	MRL	0.05									
Japanese radish (including Radish) (root)	0.05	MRL	0.05										Raspberry	0.05	MRL	0.05									
Japanese radish (including Radish) (leaf)	0.05	MRL	0.05										Blackberry	0.05	MRL	0.05									
Turnip (including Rutabaga) (root)	0.05	MRL	0.05										Blueberry	0.05	MRL	0.05									
Turnip (including Rutabaga) (leaf)	0.05	MRL	0.05										Cranberry	0.05	MRL	0.05									
Horseradish	0.05	MRL	0.05										Huckleberry	0.05	MRL	0.05									
Watercress	0.05	MRL	0.05										Other berries	0.05	MRL	0.05									
Chinese cabbage	0.2	MRL	0.2										Grape	0.1	MRL	0.1									
Cabbage	0.2	MRL	0.2										Japanese persimmon	0.05	MRL	0.05									
Brussels sprouts	0.2	MRL	0.2										Banana	0.05	MRL	0.05									
Kale	0.05	MRL	0.05										Kiwifruit	0.05	MRL	0.05									
KOMATSUNA	0.05	MRL	0.05										Papaya	0.05	MRL	0.05									
KYONA	0.05	MRL	0.05										Avocado	0.05	MRL	0.05									
Qing-peng-gai	0.05	CLS	0.05										Pineapple	0.05	MRL	0.05									
Basil	0.05	MRL	0.05										Guava	0.05	MRL	0.05									
Calliflower	0.05	MRL	0.05										Strawberry	0.05	MRL	0.05									
Broccoli	0.05	MRL	0.05										Mango	0.05	MRL	0.05									
Other cruciferous vegetables	0.05	MRL	0.05										Passion fruit	0.05	MRL	0.05									
Burdock	0.05	FC									5		Date	0.05	MRL	0.05									
Salsify	0.05	FC				0.05					5		Other fruits	0.1	WHL		0.1			0.05				3 1	
Artichoke	0.05	MRL	0.05										Sunflower seeds	0.1	MRL	0.1									
Chicory	0.05	MRL	0.05										Sesam seeds	0.05	MRL	0.05									
Endive	0.05	MRL	0.05										Safflower seeds	0.05	MRL	0.05									
SHUNGIKU	0.05	MRL	0.05										Cd, flseds	0.05	MRL	0.05									
Batifo (Cos lettuce, Leaf lettuce)	0.05	MRL	0.05										Other oil seeds	0.05	MRL	0.05									
Other composite vegetables	0.05	MRL	0.05										Ginkgo nut	0.05	MRL	0.05									
Onion	0.2	MRL	0.2										Chestnut	0.05	MRL	0.05									
Welsh (including Leek)	0.2	MRL	0.2										Pecan	0.05	MRL	0.05									
Garlic	0.2	MRL	0.2										Almond	0.05	MRL	0.05									
NIRA	0.05	CLS	0.05										Walnut	0.05	MRL	0.05									
Asparagus	0.05	MRL	0.05										Other nuts	0.05	MRL	0.05									
Multiplying Onion (including Shallot)	0.05	MRL	0.05										Tea (Green, Black, Oolong, Wulong tea)												
Other liliaceous vegetables	0.05	MRL	0.05										Coffee beans												
Celery	0.05	MRL	0.05										Cacao beans												
MITSUBA	0.05	MRL	0.05										Hop												
Other umbelliferous vegetables	0.2	MRL	0.2										Cattle, muscle	0.01	FC					0.01				5	
Tomato	0.05	MRL	0.05										Pig, muscle	0.01	FC					0.01				5	
Pimento (Sweet pepper)	0.05	MRL	0.05										Other terrestrial mammals, muscle	0.01	FC					0.01				5	
Egg plant	0.05	MRL	0.05																						
Other solanaceous vegetables	0.05	MRL	0.05																						
Cucamber (including Gherkin)																									
Pumpkin (including Squash)																									
Oriental pickling melon (vegetable)																									
Water melon	0.1	WHL		0.1							4		Cattle, fat	0.01	OTR									6 3	
Melons	0.1	WHL		0.1							4		Pig, fat	0.01	OTR									6 3	
MAKUWAURI	0.1	WHL		0.1							4		Other terrestrial mammals, fat	0.01	OTR									6 3	
Other cucurbitaceous vegetables	0.05	FC				0.05					5														
Spinach	0.05	FC				0.05					5														
Bamboo shoots	0.05	FC				0.05					5														
Okra	0.05	MRL	0.05																						
Ginger	0.05	MRL	0.05																						
Peas (with pods, immature)	0.05	MRL	0.05										Cattle, liver	0.01	FC					0.01				5	
Kidney beans (with pods, immature)	0.0																								

526. PHENOTHRIN

	P	R	M	W	C	U	A	C	E	N	T		P	R	M	W	C	U	A	C	E	N	T		
	R	e	R	H	o	S	U	A	U	Z	y		R	e	R	H	o	S	U	A	C	E	N	y	
	-	.	L	L	d						p		-	.	L	L	d						p		
	M	R			e						e		M	R			e						e		
	R	L			x							R	L			x									
	L											L													
Rice (brown rice)	0.02	OTR									6.4	UNSHU orange	0.02	OTR										6.4	
Wheat	0.02	FC									5	NATSUDAIDAI (flesh)													
Barley	0.02	OTR									2	NATSUDAIDAI (peel)													
Rye	0.02	OTR									6.4	NATSUDAIDAI (whole)	0.02	OTR											6.4
Corn (including Maize, Sweet corn)	0.02	OTR									6.4	Lemon	0.02	OTR											6.4
Buckwheat	0.02	OTR									6.4	Orange (including Navel)	0.02	OTR											6.4
Other cereal grains	0.02	OTR									6.4	Grapefruit	0.02	OTR											6.4
Soybeans (dry)	0.02	OTR									6.4	Lime	0.02	OTR											6.4
Beans (dry)	0.02	OTR									6.4	Other citrus fruits	0.02	OTR											6.4
Peas	0.02	OTR									6.4	Apple	0.02	OTR											6.4
Broad beans	0.02	OTR									6.4	Japanese pear	0.02	OTR											6.4
Peanuts	0.02	OTR									6.4	Pear	0.02	OTR											6.4
Other legumes/pulses	0.02	OTR									6.4	Quince	0.02	OTR											6.4
Potato	0.02	OTR									6.4	Loquat	0.02	OTR											6.4
Taro	0.02	OTR									6.4	Peach	0.02	OTR											6.4
Sweet potato	0.02	OTR									6.4	Nectarine	0.02	OTR											6.4
Yam	0.02	OTR									6.4	Apricot	0.02	OTR											6.4
Konjac	0.02	OTR									6.4	Japanese plum (including Prunes)	0.02	OTR											6.4
Other potatoes	0.02	OTR									6.4	Mume plum	0.02	OTR											6.4
Sugar beet	0.02	OTR									6.4	Cherry	0.02	OTR											6.4
Sugarcane	0.02	OTR									6.4	Strawberry	0.02	OTR											6.4
Japanese radish (including Radish) (root)	0.02	OTR									6.4	Raspberry	0.02	OTR											6.4
Chinese radish (including Radish) (leaf)	0.02	OTR									6.4	Blackberry	0.02	OTR											6.4
Turnip (including Rutabaga) (root)	0.02	OTR									6.4	Blueberry	0.02	OTR											6.4
Turnip (including Rutabaga) (leaf)	0.02	OTR									6.4	Cranberry	0.02	OTR											6.4
Horseradish	0.02	OTR									6.4	Huckleberry	0.02	OTR											6.4
Watercress	0.02	OTR									6.4	Other berries	0.02	OTR											6.4
Chinese cabbage	0.02	OTR									6.4	Grape	0.02	OTR											6.4
Cabbage	0.02	OTR									6.4	Japanese persimmon	0.02	OTR											6.4
Brussels sprouts	0.02	OTR									6.4	Banana	0.02	OTR											6.4
Kale	0.02	OTR									6.4	Kiwifruit	0.02	OTR											6.4
KOMATSUNA	0.02	OTR									6.4	Papaya	0.02	OTR											6.4
KYONA	0.02	OTR									6.4	Avocado	0.02	OTR											6.4
Qing-geng-gai	0.02	OTR									6.4	Pineapple	0.02	OTR											6.4
Cauliflower	0.02	OTR									6.4	Guava	0.02	OTR											6.4
Broccoli	0.02	OTR									6.4	Mango	0.02	OTR											6.4
Other cruciferous vegetables	0.02	OTR									6.4	Passion fruit	0.02	OTR											6.4
Burdock	0.02	OTR									6.4	Date	0.02	OTR											6.4
Salsify	0.02	OTR									6.4	Other fruits	0.02	OTR											6.4
Artichoke	0.02	OTR									6.4	Sunflower seeds	0.02	OTR											6.4
Chicory	0.02	OTR									6.4	Sesam seeds	0.02	OTR											6.4
Endive	0.02	OTR									6.4	Safflower seeds	0.02	OTR											6.4
SHUNGIKU	0.02	OTR									6.4	Other oil seeds	0.02	OTR											6.4
Betuce (Cos lettuce, Leaf lettuce)	0.02	OTR									6.4	Ginkgo nut	0.02	OTR											6.4
Other composite vegetables	0.02	OTR									6.4	Chestnut	0.02	OTR											6.4
Onion	0.02	OTR									6.4	Pecan	0.02	OTR											6.4
Welsh (including Leek)	0.02	OTR									6.4	Almond	0.02	OTR											6.4
Garlic	0.02	OTR									6.4	Walnut	0.02	OTR											6.4
NIRA	0.02	OTR									6.4	Other nuts	0.02	OTR											6.4
Asparagus	0.02	OTR									6.4	Tea (Green, Black, Oolong, Wulong tea)	0.02	OTR											6.4
Multiplying Onion (including Shallot)	0.02	OTR									6.4	Coffee beans	0.02	OTR											6.4
Other liliaceous vegetables	0.02	OTR									6.4	Cacao beans	0.02	OTR											6.4
Onion	0.02	OTR									6.4	Hop	0.02	OTR											6.4
Parsnip	0.02	OTR									6.4	Cattle, muscle	0.5	FC											5
Parsley	0.02	OTR									6.4	Pig, muscle	0.5	FC											5
Celery	0.02	OTR									6.4	Other terrestrial mammals, muscle	0.5	FC											5
MITSUBA	0.02	OTR									6.4														
Other umbelliferous vegetables	0.02	OTR									6.4														
Tomato	0.02	OTR									6.4	Cattle, fat	0.5	OTR											6.3
Pimento (Sweet pepper)	0.02	OTR									6.4	Pig, fat	0.5	OTR											6.3
Egg plant	0.02	OTR									6.4	Other terrestrial mammals, fat	0.5	OTR											6.3
Other solanaceous vegetables	0.02	OTR									6.4														
Cucumber (including Gherkin)	0.02	OTR									6.4														
Pumpkin (including Squash)	0.02	OTR									6.4														
Oriental pickling melon (vegetable)	0.02	OTR									6.4														
Water melon	0.02	OTR									6.4														
Melons	0.02	OTR									6.4														
MAKUWARI	0.02	OTR									6.4														
Other cucurbitaceous vegetables	0.02	OTR									6.4														

528. PHENTHOATE

	P	R	M	W	C	U	A	C	E	N	T		P	R	M	W	C	U	A	C	E	N	T		
	R	e	R	H	o	S	U	A	U	Z	y		R	e	R	H	o	S	A	A	U	Z	y		
	M	f	L	L	d								M	f	L	L	d								
	R				e								R				d								
	L				x								L				x								
Rice (brown rice)	0.05	MRL	0.05										UNSHU orange	0.1	MRL	0.1									
Wheat	0.4	WHL		0.4									NATSUDAIDAI (flesh)												
Barley	0.4	WHL		0.4									NATSUDAIDAI (peel)												
Rye	0.4	WHL		0.4									NATSUDAIDAI (whole)	0.1	WHL		0.1								
Corn (including Maize, Sweet corn)	0.4	WHL		0.4									Lemon	0.1	WHL		0.1								
Buckwheat	0.4	WHL		0.4									Orange (including Navel)	0.1	WHL		0.1								
Other cereal grains	0.4	WHL		0.4									Grapefruit	0.1	WHL		0.1								
Soybeans (dry)	0.05	WHL		0.05									Lime	0.1	WHL		0.1								
Beans (dry)	0.05	WHL		0.05									Other citrus fruits	0.1	WHL		0.1								
Peas	0.05	WHL		0.05									Apple	0.1	WHL		0.1								
Broad beans	0.05	WHL		0.05									Japanese pear	0.1	MRL	0.1									
Peanuts	0.05	WHL		0.05									Pear	0.1	MRL	0.1									
Other legumes/pulses	0.05	WHL		0.05									Quince	0.1	WHL		0.1								
Potato	0.05	WHL		0.05									Loquat	0.1	WHL		0.1								
Taro	0.05	WHL		0.05									Peach	0.1	MRL	0.1									
Sweet potato	0.05	WHL		0.05									Nectarine	0.1	WHL		0.1								
Yam	0.05	WHL		0.05									Apricot	0.1	WHL		0.1								
Konjac	0.05	WHL		0.05									Japanese plum (including Prunes)	0.1	WHL		0.1								
Other potatoes	0.05	WHL		0.05									Mume plum	0.1	WHL		0.1								
Sugar beet													Cherry	0.1	WHL		0.1								
Sugarcane													Strawberry	0.1	WHL		0.1								
Japanese radish (including Radish) (root)	0.1	WHL		0.1									Raspberry	0.1	WHL		0.1								
Turnip (including Rutabaga) (root)	0.1	WHL		0.1									Blackberry	0.1	WHL		0.1								
Horseradish	0.1	WHL		0.1									Blueberry	0.1	WHL		0.1								
Watercress	0.1	WHL		0.1									Cranberry	0.1	WHL		0.1								
Chinese cabbage	0.1	WHL		0.1									Huckleberry	0.1	WHL		0.1								
Cabbage	0.1	WHL		0.1									Other berries	0.1	WHL		0.1								
Brussels sprouts	0.1	WHL		0.1									Grape	0.1	WHL		0.1								
Kale	0.1	WHL		0.1									Japanese persimmon	0.1	WHL		0.1								
KOMATSUNA	0.1	WHL		0.1									Banana	0.1	WHL		0.1								
KYONA	0.1	WHL		0.1									Kiwifruit	0.1	WHL		0.1								
Qing-geng-gai	0.1	WHL		0.1									Papaya	0.1	WHL		0.1								
Cauliflower	0.1	WHL		0.1									Avocado	0.1	WHL		0.1								
Broccoli	0.1	WHL		0.1									Pineapple	0.1	WHL		0.1								
Other cruciferous vegetables	0.1	WHL		0.1									Guava	0.1	WHL		0.1								
Burdock	0.1	WHL		0.1									Mango	0.1	WHL		0.1								
Salsify	0.1	WHL		0.1									Passion fruit	0.1	WHL		0.1								
Artichoke	0.1	WHL		0.1									Date	0.1	WHL		0.1								
Chicory	0.1	WHL		0.1									Other fruits	0.1	WHL		0.1								
Endive	0.1	WHL		0.1									Sunflower seeds	0.1	WHL		0.1								
SHUNGIKU	0.1	WHL		0.1									Sesam seeds	0.1	WHL		0.1								
Batifo (Cos lettuce, Leaf lettuce)	0.1	WHL		0.1									Safflower seeds	0.1	WHL		0.1								
Other composite vegetables	0.1	WHL		0.1									Other oil seeds	0.1	WHL		0.1								
Onion	0.1	WHL		0.1									Ginkgo nut	0.1	WHL		0.1								
Welsh (including Leek)	0.1	WHL		0.1									Chestnut	0.1	WHL		0.1								
Garlic	0.1	WHL		0.1									Pecan	0.1	WHL		0.1								
NIIRA	0.1	WHL		0.1									Almond	0.1	WHL		0.1								
Asparagus	0.1	WHL		0.1									Walnut	0.1	WHL		0.1								
Multiplying Onion (including Shallot)	0.1	WHL		0.1									Other nuts	0.1	WHL		0.1								
Other liliaceous vegetables	0.1	WHL		0.1									Tea (Green, Black, Oolong, Wulong tea)	0.1	WHL		0.1								
Celery	0.1	WHL		0.1									Coffee beans												
MITSUBA	0.1	WHL		0.1									Cacao beans												
Other umbelliferous vegetables	0.1	WHL		0.1									Hop												
Tomato	0.1	WHL		0.1									Cattle, muscle												
Pimento (Sweet pepper)	0.1	WHL		0.1									Pig, muscle												
Egg plant	0.1	WHL		0.1									Other terrestrial mammals, muscle												
Other solanaceous vegetables	0.1	WHL		0.1																					
Cucumber (including Gherkin)	0.1	WHL		0.1									Cattle, fat												
Pumpkin (including Squash)	0.1	MRL	0.1										Pig, fat												
Oriental pickling melon (vegetable)	0.1	WHL		0.1									Other terrestrial mammals, fat												
Water melon	0.1	WHL		0.1																					
Melons	0.1	WHL		0.1																					
MAKUWARI	0.1	WHL		0.1																					
Other cucurbitaceous vegetables	0.1	WHL		0.1																					
Spinach	0.1	WHL		0.1																					
Bamboo shoots	0.1	WHL		0.1																					
Okra	0.1	WHL		0.1																					
Ginger	0.1	WHL		0.1																					
Peas (with pods, immature)	0.1	WHL		0.1																					
Kidney beans (with pods, immature)	0.1	WHL		0.1																					
EDAMAME	0.1	WHL		0.1																					
Button mushroom	0.1	WHL																							

529. PHORATE

	P	R	M	W	C	U	A	C	E	N	T		P	R	M	W	C	U	A	C	E	N	T	
	R	e	R	H	o	S	U	A	U	Z	y		R	e	R	H	o	S	U	A	C	E	N	y
	M	.	L	L	d						e		M	.	L	L	d						e	
	R				e								R				e							
	L				x								L				x							
Rice (brown rice)	0.05	FC							0.05		5	UNSHU orange	0.05	FC							0.05		5	
Wheat	0.05	FC			0.05	0.05			0.05		2	NATSUDAIDAI (flesh)												
Barley	0.05	FC							0.05		2	NATSUDAIDAI (peel)												
Rye	0.05	FC							0.05		2	NATSUDAIDAI (whole)	0.05	FC								0.05		5
Corn (including Maize, Sweet corn)	0.05	FC			0.05	0.1	0.5		0.05		2	Lemon	0.05	FC								0.05		5
Buckwheat	0.05	FC							0.05		2	Orange (including Navel)	0.05	FC								0.05		5
Other cereal grains	0.05	FC			0.05	0.1			0.05		2	Grapefruit	0.05	FC								0.05		5
Soybeans (dry)	0.05	FC			0.05	0.1	0.5		0.05		2	Lime	0.05	FC								0.05		5
Beans (dry)	0.3	FC							0.05		2	Other citrus fruits	0.05	FC								0.05		5
Peas	0.3	FC							0.05		2	Apple	0.05	FC								0.05		5
Broad beans	0.3	FC							0.05		2	Japanese pear	0.05	FC								0.05		5
Peanuts	0.1	FC			0.1	0.1			0.1		2	Pear	0.05	FC								0.05		5
Other legumes/pulses	0.3	FC							0.05		2	Quince	0.05	FC								0.05		5
Potato	0.2	FC			0.2	0.5	0.5		0.05		2	Loquat	0.05	FC								0.05		5
Taro	0.3	FC							0.05		2	Peach	0.05	FC								0.05		5
Sweet potato	0.3	FC							0.05		2	Nectarine	0.05	FC								0.05		5
Yam	0.3	FC							0.05		2	Apricot	0.05	FC								0.05		5
Konjac	0.3	FC							0.05		2	Japanese plum (including Prunes)	0.05	FC								0.05		5
Other potatoes	0.3	FC							0.05		2	Mume plum	0.05	FC								0.05		5
Sugar beet	0.05	FC			0.05	0.3	0.5		0.05		2	Cherry	0.05	FC								0.05		5
Sugarcane	0.1	FC				0.1					2	Raspberry	0.05	FC								0.05		5
Japanese radish (including Radish) (root)	0.3	FC							0.05		2	Blackberry	0.05	FC								0.05		5
Chinese radish (including Radish) (leaf)	0.3	FC							0.05		2	Blueberry	0.05	FC								0.05		5
Turnip (including Rutabaga) (root)	0.3	FC							0.05		2	Cranberry	0.05	FC								0.05		5
Turnip (including Rutabaga) (leaf)	0.3	FC							0.05		2	Huckleberry	0.05	FC								0.05		5
Horseradish	0.3	FC							0.05		2	Other berries	0.05	FC								0.05		5
Watercress	0.3	FC							0.05		2	Grape	0.05	FC								0.05		5
Chinese cabbage	0.3	FC							0.05		2	Japanese persimmon	0.05	FC								0.05		5
Cabbage	0.3	FC							0.05		2	Banana	0.05	FC								0.05		5
Brussels sprouts	0.3	FC							0.05		2	Kiwifruit	0.05	FC								0.05		5
Kale	0.3	FC							0.05		2	Papaya	0.05	FC								0.05		5
KOMATSUNA	0.3	FC							0.05		2	Avocado	0.05	FC								0.05		5
KYONA	0.3	FC							0.05		2	Pineapple	0.05	FC								0.05		5
Qing-geng-gai	0.3	FC							0.05		2	Guava	0.05	FC								0.05		5
Caiflower	0.3	FC							0.05		2	Mango	0.05	FC								0.05		5
Broccoli	0.3	FC							0.05		2	Passion fruit	0.05	FC								0.05		5
Other cruciferous vegetables	0.3	FC							0.05		2	Date	0.05	FC								0.05		5
Burdock	0.3	FC							0.05		2	Other fruits	0.3	FC					0.5			0.05		5
Salsify	0.3	FC							0.05		2	Sunflower seeds	0.05	FC								0.05		5
Artichoke	0.3	FC							0.05		2	Sesam seeds	0.05	FC								0.05		5
Chicory	0.3	FC							0.05		2	Safflower seeds	0.05	FC								0.05		5
Endive	0.3	FC							0.05		2	Other oil seeds	0.05	FC								0.05		5
SHUNGIKU	0.3	FC							0.05		2	Ginkgo nut	0.05	FC								0.05		5
Batuce (Cos lettuce, Leaf lettuce)	0.3	FC							0.05		2	Chestnut	0.05	FC								0.05		5
Other composite vegetables	0.3	FC							0.05		2	Pecan	0.05	FC								0.05		5
Onion	0.3	FC							0.05		2	Almond	0.05	FC								0.05		5
Welsh (including Leek)	0.3	FC							0.05		2	Walnut	0.05	FC								0.05		5
Garlic	0.3	FC							0.05		2	Other nuts	0.05	FC								0.05		5
NIRA	0.05	FC							0.05		2	Tea (Green, Black, Oolong, Wulong tea)	0.1	FC								0.05		5
Asparagus	0.3	FC							0.05		2	Coffee beans	0.02	FC				0.02				0.05		5
Multiplying Onion (including Shallot)	0.3	FC							0.05		2	Cacao beans	0.05	FC								0.05		5
Other liliaceous vegetables	0.3	FC							0.05		2	Hop	0.3	FC				0.5				0.1		5
Carrot	0.3	FC							0.05		2	Cattle, muscle	0.05	FC				0.05		0.05		0.05		2
Parsnip	0.3	FC							0.05		2	Pig, muscle	0.05	FC				0.05		0.05		0.05		2
Parsley	0.05	FC							0.05		2	Other terrestrial mammals, muscle	0.05	FC				0.05		0.05		0.05		2
Celery	0.3	FC							0.05		2	Cattle, fat	0.05	OTR										6.3
MITSUBA	0.05	FC							0.05		2	Pig, fat	0.05	FC								0.05		5
Other umbelliferous vegetables	0.3	FC							0.05		2	Other terrestrial mammals, fat	0.05	OTR										6.3
Tomato	0.3	FC							0.05		2	Cattle, liver	0.05	FC								0.05		5
Pimento (Sweet pepper)	0.3	FC							0.05		2	Pig, liver	0.05	FC								0.05		5
Ego plant	0.3	FC							0.05		2	Other terrestrial mammals, liver	0.05	FC								0.05		5
Other solanaceous vegetables	0.3	FC							0.05		2													
Cucumber (including Gherkin)	0.3	FC							0.05		2													
Pumpkin (including Squash)	0.3	FC							0.05		2													
Oriental pickling melon (vegetable)	0.3	FC							0.05		2													
Water melon	0.3	FC							0.05		2													
Melons	0.3	FC							0.05		2													
MAKUWAURI	0.3	FC							0.05		2													
Other cucurbitaceous vegetables	0.3	FC							0.05		2													
Spinach	0.3	FC							0.05</															

