

552. PROFENOFOS

	P	R	M	W	C	U	A	C	E	N	T		P	R	M	W	C	U	A	C	E	N	T
	R	e	R	H	o	S	U	A	U	Z	y		R	e	R	H	o	S	A	A	U	Z	y
	M	f	L	L	d	A	A	C	E	N	p		M	f	L	L	d	S	A	A	U	Z	p
	R	.	.	.	e	e		R	.	.	.	e	.	A	A	U	Z	p
	L	.	.	.	x	e		L	.	.	.	x	.	A	A	U	Z	e
	L	.	.	.									L	.	.	.							
Rice (brown rice)	0.05	FC							0.05	5	UNSHU orange	0.05	FC									0.05	5
Wheat	0.05	FC							0.05	5	NATSUDAIDAI (flesh)												
Barley	0.05	FC							0.05	5	NATSUDAIDAI (peel)											0.05	5
Rye	0.05	FC							0.05	5	NATSUDAIDAI (whole)	0.05	FC									0.05	5
Corn (including Maize, Sweet corn)	0.05	FC							0.05	5	Lemon	0.05	FC									0.05	5
Buckwheat	0.05	FC							0.05	5	Orange (including Navel)	0.05	FC									0.05	5
Other cereal grains	0.05	FC							0.05	5	Grapefruit	0.05	FC									0.05	5
Soybeans (dry)	0.05	Codex			0.05				0.05	2	Lime	0.05	FC									0.05	5
Beans (dry)	0.05	FC							0.05	2	Other citrus fruits	0.05	FC									0.05	5
Peas	0.05	FC							0.05	5	Apple	0.05	FC									0.05	5
Broad beans	0.05	FC							0.05	5	Japanese pear	0.05	FC									0.05	5
Peanuts	0.05	FC							0.05	5	Pear	0.05	FC									0.05	5
Other legumes/pulses	0.05	FC							0.05	5	Quince	0.05	FC									0.05	5
Potato	0.05	Codex		0.02	0.05				0.05	7	Loquat	0.05	FC									0.05	5
Taro	0.02	WHL		0.02	0.05				0.05	3	Peach	0.05	FC									0.05	5
Sweet potato	0.02	WHL		0.02	0.05				0.05	3	Nectarine	0.05	FC									0.05	5
Yam	0.02	WHL		0.02	0.05				0.05	3	Apricot	0.05	FC									0.05	5
Konjac	0.02	WHL		0.02	0.05				0.05	3	Japanese plum (including Prunes)	0.05	FC									0.05	5
Other potatoes	0.02	WHL		0.02	0.05				0.05	3	Mume plum	0.05	FC									0.05	5
Sugar beet	0.1	WHL		0.1	0.05				0.05	3	Cherry	0.05	FC									0.05	5
Sugarcane											Strawberry	0.05	FC									0.05	5
Japanese radish (including Radish) (root)	0.05	FC							0.05	5	Raspberry	0.05	FC									0.05	5
Turnip (including Rutabaga) (root)	0.05	FC							0.05	5	Blackberry	0.05	FC									0.05	5
Turnip (including Rutabaga) (leaf)	0.05	FC							0.05	5	Blueberry	0.05	FC									0.05	5
Horseradish	0.05	FC							0.05	5	Cranberry	0.05	FC									0.05	5
Watercress	0.05	FC							0.05	5	Huckleberry	0.05	FC									0.05	5
Chinese cabbage	0.05	FC							0.05	5	Other berries	0.05	FC									0.05	5
Cabbage	1	Codex			0.05				0.05	2	Grape	0.05	FC									0.05	5
Brussels sprouts	0.05	FC							0.05	5	Japanese persimmon	0.05	FC									0.05	5
Kale	0.05	FC							0.05	5	Banana	0.05	FC									0.05	5
KOMATSUNA	0.05	FC							0.05	5	Kiwifruit	0.05	FC									0.05	5
KYONA	0.05	FC							0.05	5	Papaya	0.05	FC									0.05	5
Qing-geng-gai	0.05	FC							0.05	5	Avocado	0.05	FC									0.05	5
Caiflower	0.05	FC							0.05	5	Pineapple	0.05	FC									0.05	5
Broccoli	0.05	FC							0.05	5	Guanabana	0.05	FC									0.05	5
Other cruciferous vegetables	0.05	FC							0.05	5	Guava	0.05	FC									0.05	5
Burdock	0.05	FC							0.05	5	Mango	0.05	FC									0.05	5
Salsify	0.05	FC							0.05	5	Passion fruit	0.05	FC									0.05	5
Artichoke	0.05	FC							0.05	5	Date	0.05	FC									0.05	5
Chicory	0.05	FC							0.05	5	Other fruits	0.05	FC									0.05	5
Endive	0.05	FC							0.05	5	Sunflower seeds	0.05	FC									0.05	5
SHUNGIKU	0.05	FC							0.05	5	Sesam seeds	0.05	FC									0.05	5
Batuce (Cos lettuce, Leaf lettuce)	0.05	FC							0.05	5	Safflower seeds	0.05	FC									0.05	5
Other composite vegetables	0.05	FC							0.05	5	Guar seeds	0.05	FC									0.05	5
Onion	0.05	FC							0.05	5	Rapeseeds	0.05	FC									0.05	5
Welsh (including Leek)	0.05	FC							0.05	5	Other oil seeds	0.05	FC									0.05	5
Garlic	0.05	FC							0.05	5	Ginkgo nut	0.05	FC									0.05	5
NIIRA	0.05	FC							0.05	5	Chestnut	0.05	FC									0.05	5
Asparagus	0.05	FC							0.05	5	Pecan	0.05	FC									0.05	5
Multiplying Onion (including Shallot)	0.05	FC							0.05	5	Almond	0.05	FC									0.05	5
Other liliaceous vegetables	0.05	FC							0.05	5	Walnut	0.05	FC									0.05	5
Carrot	0.05	FC							0.05	5	Other nuts	0.05	FC									0.05	5
Parsnip	0.05	FC							0.05	5	Tea (Green, Black, Oolong, Wulong tea)	1	WHL									0.1	3
Parsley	0.05	FC							0.05	5	Coffee beans												
Celery	0.05	FC							0.05	5	Cacao beans												
MITSUBA	0.05	FC							0.05	5	Hop	0.1	FC									0.1	5
Other umbelliferous vegetables	0.05	FC							0.05	5	Cattle, muscle	0.05	Codex				0.05	0.05	0.05			0.05	2
Tomato	2	Codex			2				0.05	2	Pig, muscle	0.05	Codex				0.05	0.05	0.05			0.05	2
Pimento (Sweet pepper)	0.5	Codex			0.5				0.05	2	Other terrestrial mammals, muscle	0.05	Codex				0.05	0.05	0.05			0.05	2
Ego plant	0.05	FC							0.05	2													
Other solanaceous vegetables	5	Codex			5				0.05	2													
Cucumber (including Gherkin)	0.05	FC							0.05	5	Cattle, fat	0.05	FC					0.05				0.05	5
Pumpkin (including Squash)	0.05	FC							0.05	5	Pig, fat	0.05	FC					0.05				0.05	5
Oriental pickling melon (vegetable)	0.05	FC							0.05	5	Other terrestrial mammals, fat	0.05	FC					0.05				0.05	5
Water melon	0.05	FC							0.05	5													
Melons	0.05	FC							0.05	5													
MAKUWARI	0.05	FC							0.05	5													
Other cucurbitaceous vegetables	0.05	FC							0.05	5													
Spinach	0.05	FC							0.05	2	Cattle, liver	0.05	FC					0.05	0.05			0.05	5
Bamboo shoots	0.05	FC							0.05	5	Pig, liver	0.05	FC					0.05	0.05			0.05	5
Ok																							

555. PROMETRYN

	P	R	M	W	C	U	A	C	E	N	T		P	R	M	W	C	U	A	C	E	N	T
	R	e	R	H	o	S	U	A	U	Z	y		R	e	R	H	o	S	A	A	E	N	y
	M	f	L	L	d						e		M		L	L							e
	R				e								R										
	L				x								L										
Rice (brown rice)	0.05	WHL		0.05							3	7	UNSHU orange										
Wheat	0.05	WHL		0.05							3	7	NATSUDAIDAI (flesh)										
Barley	0.05	WHL		0.05							3	7	NATSUDAIDAI (peel)										
Rye	0.05	WHL		0.05							3	7	NATSUDAIDAI (whole)										
Corn (including Maize, Sweet corn)	0.2	FC		0.05		0.25					3	2	Lemon										
Buckwheat	0.05	WHL		0.05							3	7	Orange (including Navel)										
Other cereal grains	0.05	WHL		0.05							3	7	Grapefruit										
Soybeans (dry)	0.05	WHL		0.05							3	7	Lime										
Beans (dry)	0.05	WHL		0.05							3	7	Other citrus fruits										
Peas	0.05	WHL		0.05							3	7	Apple										
Broad beans	0.05	WHL		0.05							3	7	Japanese pear										
Peanuts	0.05	WHL		0.05							3	7	Pear										
Other legumes/pulses	0.05	WHL		0.05		0.25					3	7	Quince										
Potato	0.05	WHL		0.05							3	7	Loquat										
Taro	0.05	WHL		0.05							3	7	Peach										
Sweet potato	0.05	WHL		0.05							3	7	Nectarine										
Yam	0.05	WHL		0.05							3	7	Apricot										
Konjac	0.05	WHL		0.05							3	7	Japanese plum (including Prunes)										
Other potatoes	0.05	WHL		0.05							3	7	Mume plum										
Sugar beet	0.1	FC									5		Cherry										
Sugarcane													Strawberry										
Japanese radish(including Radish)(root)	0.05	WHL		0.05							3	7	Raspberry										
Turnip (including Rutabaga)(root)	0.05	WHL		0.05							3	7	Blackberry										
Turnip (including Rutabaga)(leaf)	0.05	WHL		0.05							3	7	Blueberry										
Horseradish	0.05	WHL		0.05							3	7	Cranberry										
Watercress	0.05	WHL		0.05							3	7	Huckleberry										
Chinese cabbage	0.05	WHL		0.05							3	7	Other berries										
Cabbage	0.05	WHL		0.05							3	7	Grape										
Brussels sprouts	0.05	WHL		0.05							3	7	Japanese persimon										
Kale	0.05	WHL		0.05							3	7	Banana										
KOMATSUNA	0.05	WHL		0.05							3	7	Kiwifruit										
KYONA	0.05	WHL		0.05							3	7	Papaya										
Qing-geng-gai	0.05	WHL		0.05							3	7	Avocado										
Caiflower	0.05	WHL		0.05							3	7	Pineapple										
Broccoli	0.05	WHL		0.05							3	7	Guaia										
Other cruciferous vegetables	0.05	WHL		0.05							3	7	Mango										
Burdock	0.05	WHL		0.05							3	7	Passion fruit										
Salsify	0.05	WHL		0.05							3	7	Date										
Artichoke	0.05	WHL		0.05							3	7	Other fruits										5
Chicory	0.05	WHL		0.05							3	7	Sunflower seeds										5
Endive	0.05	WHL		0.05							3	7	Sesam seeds (including Sesame)										
SHUNGIKU	0.05	WHL		0.05							3	7	Safflower seeds										
Lettuce (Cos lettuce, Leaf lettuce)	0.05	WHL		0.05							3	7	Other oil seeds										
Other composite vegetables	0.05	WHL		0.05							3	7	Rapeseeds										
Onion	0.05	WHL		0.05							3	7	Other nuts										
Welsh (including Leek)	0.05	WHL		0.05							3	7	Ginkgo nut										
Garlic	0.05	WHL		0.05							3	7	Chestnut										
NIRA	0.05	WHL		0.05							3	7	Pecan										
Asparagus	0.05	WHL		0.05							3	7	Almond										
Multiplying Onion (including Shallot)	0.05	WHL		0.05							3	7	Walnut										
Other liliaceous vegetables	0.05	WHL		0.05							3	7	Other nuts										
Carrot	0.05	WHL		0.05		0.1					3	7	Tea (Green, Black, Oolong, Wulong tea)										
Parsnip	0.05	WHL		0.05							3	7	Coffee beans										
Parsley	0.05	WHL		0.05							4		Cacao beans										
Celery	0.05	WHL		0.05		0.5					3	7	Hop										
MITSUBA	0.05	WHL		0.05							4												
Other umbelliferous vegetables	0.05	WHL		0.05							3	7	Cattle, muscle										5
Tomato	0.1	FC									5		Pig, muscle										5
Pimento (Sweet pepper)	0.1	FC									5		Other terrestrial mammals, muscle										5
Egg plant	0.1	FC									5												
Other solanaceous vegetables	0.1	FC									5												
Cucumber (including Gherkin)	0.1	FC									5												
Pumpkin (including Squash)	0.1	FC									5												
Oriental pickling melon (vegetable)	0.1	FC									5												
Water melon	0.1	FC									5		Cattle, fat										6
Melons	0.1	FC									5		Pig, fat										6
MAKUWAURI	0.1	FC									5		Other terrestrial mammals, fat										6
Other cucurbitaceous vegetables	0.1	FC									5												
Spinach	0.05	WHL		0.05							3	7											
Bamboo shoots	0.05	WHL		0.05							3	7											
Okra	0.1	FC									5												
Ginger	0.05	WHL		0.05							4												
Peas (with pods, immature)	0.05	WHL		0.05							3	7											
Kidney beans (with pods, immature)	0.05	WHL		0.05							3	7	Cattle, liver										5
EDAMAME	0.05	WHL		0.05							3	7	Pig, liver										5
Button mushroom	0.1	FC									5		Other terrestrial mammals, liver										5
SHITAKE	0.1	FC									5												
Other mushrooms	0.1	FC		</																			

556. PROPACHLOR

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		
Rice (brown rice)	0.05	FC					0.05				5	UNSHU orange													
Wheat	0.05	FC					0.05				5	NATSUDAIDAI (flesh)													
Barley	0.05	FC					0.05				5	NATSUDAIDAI (peel)													
Rye	0.05	FC					0.05				5	NATSUDAIDAI (whole)													
Corn (including Maize, Sweet corn)	0.08	FC				0.1	0.05				5	Lemon													
Buckwheat	0.05	FC					0.05				5	Orange (including Navel)													
Other cereal grains	0.2	FC				0.25	0.2				5	Grapefruit													
Soybeans (dry)												Lime													
Peas												Other citrus fruits													
Broad beans												Apple													
Peanuts												Japanese pear													
Other legumes/pulses												Pear													
Potato												Quince													
Taro												Loquat													
Sweet potato												Peach													
Yam												Nectarine													
Konjac												Apricot													
Other potatoes												Japanese plum (including Prunes)													
Sugar beet												Mume plum													
Sugarcane												Cherry													
Japanese radish (including Radish) (root)	0.02	FC					0.02				5	Strawberry													
Turnip (including Rutabaga) (root)	0.02	FC					0.02				5	Raspberry													
Turnip (including Rutabaga) (leaf)												Blackberry													
Horseradish												Blueberry													
Watercress												Cranberry													
Chinese cabbage												Huckleberry													
Cabbage	0.6	FC					0.6				5	Other berries													
Brussels sprouts	0.6	FC					0.6				5	Grape													
Kale												Japanese persimon													
KOMATSUNA												Banana													
KYONA												Kiwifruit													
Qing-geng-gai												Papaya													
Broccoli	0.6	FC					0.6				5	Avocado													
Other cruciferous vegetables	0.6	FC					0.6				5	Pineapple													
Burdock												Grape													
Salsify												Japanese persimon													
Artichoke												Other fruits													
Chicory												Sunflower seeds													
Fenugreek												Sesam seeds													
SHUNGIKU												Safflower seeds													
Betula (Cos lettuce, Leaf lettuce)												Other oil seeds													
Other composite vegetables												Rapeseeds													
Onion	3	FC					25				5	Ginkgo nut													
Welsh (including Leek)	0.02	FC					0.02				5	Chestnut													
Garlic	3	FC					25				5	Pecan													
NIIRA												Almond													
Asparagus												Walnut													
Multiplying Onion (including Shallot)												Other nuts													
Other liliaceous vegetables												Tea (Green, Black, Oolong, Wulong tea)													
Celery												Coffee beans													
MITSUBA												Cacao beans													
Other umbelliferous vegetables												Hop													
Tomato												Cattle, muscle	0.02	FC				0.02						5	
Pimento (Sweet pepper)												Pig, muscle	0.02	FC				0.02						5	
Ego plant												Other terrestrial mammals, muscle	0.02	FC				0.02						5	
Other solanaceous vegetables																									
Cucumber (including Gherkin)												Cattle, fat	0.02	FC				0.02	0.02					5	
Pumpkin (including Squash)												Pig, fat	0.02	FC				0.02	0.02					5	
Oriental pickling melon (vegetable)												Other terrestrial mammals, fat	0.02	FC				0.02	0.02					5	
Water melon																									
Melons																									
MAKUWARI																									
Other cucurbitaceous vegetables																									
Spinach																									
Bamboo shoots																									
Okra																									
Ginger																									
Peas (with pods, immature)																									
Kidney beans (with pods, immature)																									
EDAMAME																									
Button mushroom																									
SHITAKE																									
Other mushrooms																									
Other vegetables	0.05	FC					0.05				5	Cattle, liver	0.06	FC				0.02	0.1					5	
												Pig, liver	0.06	FC				0.02	0.1					5	
												Other terrestrial mammals, liver	0.05	FC				0.02	0.1					5	

