

TRENBOLONE ACETATE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		
Cattle, kidney	0.01	FC					0.01				5	Order Salmoniformes	N.D.	OTR										6.5	
Pig, kidney	N.D.	OTR									6.5	Order Anguilliformes	N.D.	OTR											6.5
Other terrestrial mammals, kidney	N.D.	OTR									6.5	Order Perciformes	N.D.	OTR											6.5
												Other fish	N.D.	OTR											6.5
												Order Decapoda	N.D.	OTR											6.5
												Other Crustacea	N.D.	OTR											6.5
												Shelled molluscs	N.D.	OTR											6.5
												Other aquatic animal	N.D.	OTR											6.5
Cattle, edible offal excluding liver and kidney	0.01	FC									5	Other animals	N.D.	OTR											6.5
Pig, edible offal excluding liver and kidney	N.D.	OTR									6.5	Honey	N.D.	OTR											6.5
Other terrestrial mammals, edible offal excluding liver and kidney	N.D.	OTR									6.5	Other Spices													
												Other Herbs													
Milk	N.D.	OTR									6.5														
Chicken, muscle	N.D.	OTR									6.5														
Other poultry, muscle	N.D.	OTR									6.5														
Chicken, fat	N.D.	OTR									6.5														
Other poultry, fat	N.D.	OTR									6.5														
Chicken, liver	N.D.	OTR									6.5														
Other poultry, liver	N.D.	OTR									6.5														
Chicken, kidney	N.D.	OTR									6.5														
Other poultry, kidney	N.D.	OTR									6.5														
Chicken, edible offal excluding liver and kidney	N.D.	OTR									6.5														
Other poultry, edible offal excluding liver and kidney	N.D.	OTR									6.5														
Poultry eggs	N.D.	OTR									6.5														

*1 As beta-TRENBOLONE

*2 As alpha-TRENBOLONE

*3 Sum of alpha-TRENBOLONE, beta-TRENBOLONE

* Type6-5: ND was set based on JECFA's evaluation that the ADI is less than 0.3 µg/ kg/day.

