

681. TRIADIMENOL

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)	0.5	FC					0.01			1	5	UNSHU orange	0.1	OTR								6-2	
Wheat	0.3	TRY				0.2	0.05	0.01		1	7-3	NATSUDAIDAI (flesh)	0.5	FC								6-2	
Barley	0.5	Codex				0.2	0.05	0.01		1	2	NATSUDAIDAI (peel)	0.1	OTR								6-2	
Rye	0.3	TRY				0.2	0.05	0.01		1	7-3	Lemon	0.1	OTR								6-2	
Corn (including Maize, Sweet corn)	0.1	TRY					0.05	0.01		1	6-6	Orange (including Navel)	0.1	OTR								6-2	
Buckwheat	0.1	TRY					0.05	0.01		1	6-6	Grapefruit	0.1	OTR								6-2	
Other cereal grains	0.3	TRY			0.2		0.05	0.01		1	7-3	Lime	0.1	OTR								6-2	
Soybeans (dry)	0.2	OTR									6-2	Other citrus fruits	0.1	OTR								6-2	
Beans (dry)	0.1	OTR									6-2	Apple	0.5	FC		0.5						2	
Peas	0.2	FC							0.2	5	Japanese pear	0.5	Codex			0.5						2	
Broad beans	0.1	OTR									6-2	Pear	0.5	Codex		0.5						2	
Peanuts	0.2	OTR									6-2	Quince	0.5	Codex		0.5						2	
Other legumes/pulses	0.05	Codex			0.05					0.2	2	Loquat	0.5	Codex		0.5						2	
Potato	0.1	OTR									6-2	Peach	0.1	OTR								6-2	
Taro	0.1	OTR									6-2	Nectarine	0.2	OTR								6-2	
Sweet potato	0.1	OTR									6-2	Apricot	0.1	OTR								6-2	
Yam	0.1	OTR									6-2	Japanese plum (including Prunes)	0.1	OTR								6-2	
Konjac	0.1	OTR									6-2	Mume plum	0.1	OTR								6-2	
Other potatoes	0.1	OTR									6-2	Cherry	0.1	OTR								6-2	
Sugar beet	0.1	Codex			0.1						2	Strawberry	0.1	Codex		0.1		0.5				2	
Sugarcane	0.5	MRL	0.5									Raspberry	0.5	Codex		0.5		0.5				2	
Japanese radish (including Radish) (root)	0.1	OTR									6-2	Blackberry	0.5	FC			0.5					5	
Japanese radish (including Radish) (leaf)	0.1	OTR									6-2	Blueberry	0.5	FC			0.5					5	
Turnip (including Rutabaga) (root)	0.1	OTR									6-2	Raspberry	0.5	FC			0.5					5	
Turnip (including Rutabaga) (leaf)	0.1	OTR									6-2	Avocado	0.5	FC			0.5					5	
Horseradish	0.1	OTR									6-2	Other berries	0.5	Codex		0.5						2	
Watercress	0.1	OTR									6-2	Grape	0.5	MRL	0.5							6-6	
Chinese cabbage	0.1	OTR									6-2	Japanese persimmon	0.3	TRY								6-6	
Cabbage	1	FC									5												
Brussels sprouts	1	FC									5	Banana	0.2	Codex		0.2		0.2				2	
Kale	0.1	OTR									6-2	Kiwifruit	0.1	OTR								6-2	
KOMATSUNA	0.1	OTR									6-2	Papaya	0.2	MRL	0.2								6-2
KYONA	0.1	OTR									6-2	Avocado	0.1	OTR									6-2
Qing-pong-cai	0.1	OTR									6-2	Pineapple	0.1	OTR									6-2
Caiflower	0.1	OTR									6-2	Guanabana	0.1	OTR									6-2
Broccoli	1	FC									5	Mango	0.05	Codex		0.05						2	
Other cruciferous vegetables	1	FC									5	Passion fruit	0.1	OTR								6-2	
Burdock	0.1	OTR									6-2	Date	0.2	OTR								6-2	
Salsify	0.1	OTR									6-2	Other fruits	0.2	OTR								6-2	
Artichoke	1	Codex			1						2												
Chicory	0.1	OTR									6-2	Sunflower seeds	0.2	OTR								6-2	
Endive	0.1	OTR									6-2	Sesam seeds	0.2	OTR								6-2	
SHUNGIKU	0.1	OTR									6-2	Safflower seeds	0.2	OTR								6-2	
Endive (Cos lettuce, Leaf lettuce)	0.1	OTR									6-2	Other oil seeds	0.2	OTR								6-2	
Other composite vegetables	0.1	OTR									6-2	Rapeseeds	0.2	OTR								6-2	
Onion	0.5	OTR								0.2	6-2	Other oil seeds	0.2	OTR								6-2	
Welsh (including Leek)	0.1	TRY			0.05						7-3	Ginkgo nut	0.2	OTR								6-2	
Garlic	0.1	TRY								0.2	6-6	Chestnut	0.2	OTR								6-2	
NIRA	0.5	TRY									6-6	Pecan	0.2	OTR								6-2	
Asparagus	0.1	OTR									6-2	Almond	0.2	OTR								6-2	
Multiplying Onion (including Shallot)	0.2	FC								0.2	5	Walnut	0.2	OTR								6-2	
Other liliaceous vegetables	0.2	FC								0.2	5	Other nuts	0.2	OTR								6-2	
Tomato	0.5	Codex			0.5		0.2				2	Tea (Green, Black, Oolong, Wulong tea)	0.1	TRY								6-2	
Pimento (Sweet pepper)	1	TRY			0.1		0.5				6-3	Coffee beans	0.1	Codex		0.1						2	
Egg plant	0.5	TRY									6-3	Cacao beans	0.1	Codex								2	
Other solanaceous vegetables	0.5	FC					0.5				5	Hop	5	Codex		5				10		2	
Cucumber (including Gherkin)	0.5	MRL	0.5									Cattle, muscle	0.05	Codex		0.05		0.1	0.01			2	
Pumpkin (including Squash)	2	Codex			2		0.5				2	Pig, muscle	0.05	Codex		0.05		0.1	0.01			2	
Oriental pickling melon (vegetable)	2	Codex			2		0.5				2	Other terrestrial mammals, muscle	0.05	Codex		0.05		0.1	0.01			2	
Water melon	2	Codex			2		0.5				2	Cattle, fat	0.6	OTR				0.1				6-2	
Melons	0.5	MRL	0.5									Pig, fat	0.6	OTR				0.1				6-2	
MAKUWAURI	0.5	MRL	0.5									Other terrestrial mammals, fat	0.6	OTR				0.1				6-2	
Other cucurbitaceous vegetables	2	Codex			2		0.5				2												
Spinach	0.1	OTR									6-2	Cattle, liver	0.4	OTR				0.1	0.01			6-2	
Bamboo shoots	0.1	OTR									6-2	Pig, liver	0.06	FC				0.1	0.01			5	
Okra	0.2	OTR									6-2	Other terrestrial mammals, liver	0.4	OTR				0.1	0.01			6-2	
Ginger	0.1	OTR									6-2												
Peas (with pods, immature)	0.3	TRY			0.1						7-3												
Kidney beans (with pods, immature)	1	TRY									6-6												
EDAMAME	0.1	OTR									6-2												
Button mushroom	0.2	OTR									6-2												
SHITAKE	0.2	OTR									6-2												
Other mushrooms	0.2	OTR									6-2												
Other vegetables	1	TRY			0.1					0.2	6-6												

Including Triadimenol from Triadimefon. *Type 6-2* MRLs are harmonized with the MRLs of Triadimefon.
 # *Type 1-3* and *6-6* MRLs are based on the residue data of TRIADIMEFON, which is the parent chemical of TRIADIMENOL.

683. TRIASULFURON

	P	R	M	W	C	U	A	C	E	N	T		P	R	M	W	C	U	A	C	E	N	T
	R	e	R	H	o	S	U	A	U	Z	y		R	e	R	H	o	S	A	A	U	Z	y
	-	.	L	L	d								-	.	L	L	d						
	M	R			e								M	R			e						
	R	L			x								R	L			x						
	L												L										
Rice (brown rice)	0.02	FC					0.02				5	UNSHU orange											
Wheat	0.02	FC				0.02	0.02				5	NATSUDAIDAI (flesh)											
Barley	0.02	FC				0.02	0.02	0.02			5	NATSUDAIDAI (peel)											
Rye	0.02	FC									5	NATSUDAIDAI (whole)											
Corn (including Maize, Sweet corn)	0.02	FC					0.02				5	Lemon											
Buckwheat	0.02	FC					0.02				5	Orange (including Navel)											
Other cereal grains	0.02	FC					0.02				5	Grapefruit											
											5	Lime											
												Other citrus fruits											
Soybeans (dry)																							
Beans (dry)																							
Peas																							
Broad beans																							
Peanuts																							
Other legumes/pulses																							
Potato																							
Taro																							
Sweet potato																							
Yam																							
Konjac																							
Other potatoes																							
Sugar beet																							
Sugarcane																							
Japanese radish(including Radish)(root)																							
Turnip (including Rutabaga)(root)																							
Turnip (including Rutabaga)(leaf)																							
Horseradish																							
Watercress																							
Chinese cabbage																							
Cabbage																							
Brussels sprouts																							
Kale																							
KOMATSUNA																							
KYONA																							
Qing-geng-gai																							
Cauliflower																							
Broccoli																							
Other cruciferous vegetables																							
Burdock																							
Salsify																							
Artichoke																							
Chicory																							
Fenel																							
SHUNGIKU																							
Betula (Cos lettuce, Leaf lettuce)																							
Other composite vegetables																							
Onion																							
Welsh (including Leek)																							
Garlic																							
NIIRA																							
Asparagus																							
Multiplying Onion (including Shallot)																							
Other liliaceous vegetables																							

688. TRICHLORFON

	P	R	M	W	C	U	A	C	E	N	T	P	R	M	W	C	U	A	C	E	N	T	
	R	e	R	H	o	S	A	A	U	Z	y	R	R	R	H	o	S	A	A	U	Z	y	
	M	f	L	L	d							M	e	L	L	d							
	R	.	.	.	e							R	.	.	.	e							
	L				x							L				x							
Rice (brown rice)	0.2	MRL	0.2									UNSHU orange	0.1	MRL	0.1								
Wheat	0.1	MRL	0.1									NATSUDAIDAI (flesh)											
Barley	0.1	MRL	0.1									NATSUDAIDAI (peel)											
Rye	0.1	MRL	0.1									NATSUDAIDAI (whole)	0.1	MRL	0.1								
Corn (including Maize, Sweet corn)	0.1	MRL	0.1									Lemon	0.1	MRL	0.1								
Buckwheat	0.1	MRL	0.1									Orange (including Navel)	0.1	MRL	0.1								
Other cereal grains	0.1	MRL	0.1									Grapefruit	0.1	MRL	0.1								
Soybeans (dry)	0.1	MRL	0.1									Lime	0.1	MRL	0.1								
Beans (dry)	0.1	MRL	0.1									Other citrus fruits	0.1	MRL	0.1								
Peas												Apple	0.2	MRL	0.2								
Broad beans												Japanese pear	0.5	MRL	0.5								
Peanuts	0.1	MRL	0.1									Pear	0.5	MRL	0.5								
Other legumes/pulses	0.1	MRL	0.1									Quince	0.5	MRL	0.5								
Potato	0.5	MRL	0.5									Loquat	0.5	MRL	0.5								
Taro	0.5	MRL	0.5									Peach	0.2	MRL	0.2								
Sweet potato	0.5	MRL	0.5									Nectarine	0.5	MRL	0.5								
Yam	0.5	MRL	0.5									Apricot	0.5	MRL	0.5								
Konjac	0.5	MRL	0.5									Japanese plum (including Prunes)	0.5	MRL	0.5								
Other potatoes	0.5	MRL	0.5									Mume plum	0.5	MRL	0.5								
Sugar beet	0.1	MRL	0.1									Cherry	0.1	MRL	0.1								
Sugarcane	0.5	MRL	0.5									Strawberry	1	MRL	1								
Japanese radish (including Radish) (root)	0.2	MRL	0.2									Raspberry	0.5	MRL	0.5								
Turnip (including Rutabaga) (root)	0.1	MRL	0.1									Blackberry	0.5	MRL	0.5								
Turnip (including Rutabaga) (leaf)	0.1	MRL	0.1									Blueberry	0.5	MRL	0.5								
Horseradish	0.5	MRL	0.5									Cranberry	0.5	MRL	0.5								
Watercress	0.5	MRL	0.5									Huckleberry	0.5	MRL	0.5								
Chinese cabbage	0.5	MRL	0.5									Other berries	0.5	MRL	0.5								
Cabbage	0.5	MRL	0.5									Grape	0.5	MRL	0.5								
Brussels sprouts	0.5	MRL	0.5									Japanese persimmon	0.5	MRL	0.5								
Kale	0.2	MRL	0.2									Banana	1	MRL	1								
KOMATSUNA	0.5	MRL	0.5									Kiwifruit	0.5	MRL	0.5								
KYONA	0.5	MRL	0.5									Papaya	0.5	MRL	0.5								
Qing-peng-gai	0.1	CLS	0.1									Avocado	0.5	MRL	0.5								
Peaiflower	0.5	MRL	0.5									Pineapple	0.5	MRL	0.5								
Broccoli	0.5	MRL	0.5									Guava	0.5	MRL	0.5								
Other cruciferous vegetables	0.1	MRL	0.1									Mango	0.5	MRL	0.5								
Burdock	0.5	MRL	0.5									Passion fruit	0.5	MRL	0.5								
Salsify	0.5	MRL	0.5									Date	0.5	MRL	0.5								
Artichoke	0.1	MRL	0.1									Other fruits	0.5	MRL	0.5								
Chicory	0.5	MRL	0.5									Sunflower seeds	0.5	MRL	0.5								
Endive	0.5	MRL	0.5									Sesam seeds	0.5	MRL	0.5								
SHUNGIKU	0.5	MRL	0.5									Safflower seeds	0.1	MRL	0.1								
Turnip (Cos lettuce, Leaf lettuce)	0.5	MRL	0.5									Cotton seeds	0.1	MRL	0.1								
Other composite vegetables	0.5	MRL	0.5									Rapeseeds	0.1	MRL	0.1								
Onion	0.5	MRL	0.5									Other oil seeds	0.1	MRL	0.1								
Welsh (including Leek)	0.5	MRL	0.5									Ginkgo nut	0.5	MRL	0.5								
Garlic	0.5	MRL	0.5									Chestnut	0.5	MRL	0.5								
NIIRA	0.5	CLS	0.5									Pecan	0.5	MRL	0.5								
Asparagus	0.5	MRL	0.5									Almond	0.5	MRL	0.5								
Multiplying Onion (including Shallot)	0.5	MRL	0.5									Walnut	0.5	MRL	0.5								
Other liliaceous vegetables	0.5	MRL	0.5									Other nuts	0.5	MRL	0.5								
Carrot	0.5	MRL	0.5									Tea (Green, Black, Oolong, Wulong tea)	0.5	MRL	0.5								
Parsnip	0.5	MRL	0.5									Coffee beans											
Parsley	0.05	MRL	0.05									Cacao beans											
Celery	0.2	MRL	0.2									Hop											
MITSUBA	0.5	MRL	0.5									Cattle, muscle	0.1	WHL	0.1								3 1
Other umbelliferous vegetables	0.5	MRL	0.5									Pig, muscle	0.1	FC									5
Tomato	0.2	MRL	0.2									Other terrestrial mammals, muscle	0.1	FC									5
Bonito (Sweet pepper)	1	MRL	1																				
Egg plant	1	MRL	1																				
Other solanaceous vegetables	1	MRL	1																				
Cucumber (including Gherkin)	1	MRL	1																				
Pumpkin (including Squash)	0.1	MRL	0.1																				
Oriental pickling melon (vegetable)	0.5	MRL	0.5																				
Water melon	0.5	MRL	0.5									Cattle, fat	0.1	WHL	0.1								3 1
Melons	0.5	MRL	0.5									Pig, fat	0.1	FC									5
MAKUWAURI	0.5	MRL	0.5									Other terrestrial mammals, fat	0.1	OTR									6 3
Other cucurbitaceous vegetables	0.5	MRL	0.5																				
Spinach	0.5	MRL	0.5																				
Bamboo shoots	0.5	CLS	0.5																				
Okra	0.5	MRL	0.5																				
Ginger	0.5	MRL	0.5																				
Peas (with pods, immature)	0.5	MRL	0.5																				
Kidney beans (with pods, immature)	0.1	MRL	0.1									Cattle, liver	0.1	WHL	0.1								3 1
EDAMAME	0.5	MRL	0.5									Pig, liver	0.1	FC									5
Button mushroom	0.5	MRL	0.5									Other terrestrial mammals, liver	0.1	FC									5
SHITAKE	0.5	MRL	0.5																				

TRICLABENDAZOLE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Cattle, kidney		0.3	MRL	0.3							5	Order Salmoniformes												
Pig, kidney		1	FC								5	Order Anguilliformes												
Sheep, kidney		0.1	MRL	0.1							5	Order Perciformes												
Other terrestrial mammals, kidney		1	FC								5	Other fish												
												Order Decapoda												
												Other Crustacea												
												Shelled molluscs												
												Other aquatic animal												
											0.3	5												
Cattle, edible offal excluding liver and kidney		0.3	FC								5	Other animals												
Pig, edible offal excluding liver and kidney		1	FC								5													
Sheep, edible offal excluding liver and kidney		0.1	OTR								5													
Other terrestrial mammals, edible offal excluding liver and kidney		1	OTR								5	Honey												
											6													
											3													
												Other Spices												
												Other Herbs												
Milk																								
Chicken, muscle																								
Other poultry, muscle																								
Chicken, fat																								
Other poultry, fat																								
Chicken, liver																								
Other poultry, liver																								
Chicken, kidney																								
Other poultry, kidney																								
Chicken, edible offal excluding liver and kidney																								
Other poultry, edible offal excluding liver and kidney																								
Poultry eggs																								

* As 5-CHLORO-6-(2,3-DICHLOROPHENOXY)-BENZIMIDAZOLE-2AMINE

