

2014年05月07日更新 野生型ポリオの国際的拡大のリスクに関してWHOが声明を出しました

ポリオ(急性灰白髄炎)は、ポリオウイルスによって急性の麻痺が起こる病気です。ウイルスが人の口の中に入って、腸の中で増えることで感染します。

2012年1月から2013年の1月から4月頃までは野生型ポリオウイルスの国際的拡大はほぼ中断されていましたが、現在の状況は厳しいものとなっています。現在発生している10か国(アフガニスタン、カメルーン、赤道ギニア、エチオピア、イラク、イスラエル、ナイジェリア、パキスタン、ソマリア、シリア)のうち3か国から野生型ポリオウイルスの国際的な広がりが認められました: 中央アジア(パキスタンからアフガニスタン)、中東(シリアからイラク)、中央アフリカ(カメルーンから赤道ギニア)です。

2014年4月28日と4月29日にWHOの緊急会議が開催され、5月5日にWHO事務局長は2014年における野生型ポリオウイルスの国際的な拡大は国際的な公衆衛生上の脅威となる事象(PHEIC)であると宣言しました。同時に以下のような勧告を発表しました。

パキスタン、カメルーン、シリアは2014年に野生型ポリオウイルスを国外へ持ち出す(輸出)リスクの最も高い国で、これらの国では

- すべての住民と長期滞在者(4週間以上)は国際渡航の4週間から12か月前までに1回のOPV又は不活化ワクチン(IPV)を確実に接種すべきです;
- OPVやIPV接種を出発の4週間から12か月前までに受けていない至急(4週間以内)の渡航者は少なくとも出発時に1回ポリオワクチンの接種を確実に受けるべきです。

等を含め4項目を臨時的に勧告し、

また、アフガニスタン、赤道ギニア、エチオピア、イラク、イスラエル、ソマリア、特にナイジェリアは国際的な拡大を受けましたが、2014年に新たに野生型ポリオウイルスを国外へ持ち出すリスクが引き続き出てきたとして

- 住民と長期滞在者(4週間以上)は国際渡航の4週間から12か月前までに1回のOPV又は不活化ワクチン(IPV)の接種を受けることを推奨すべきです;

の1項目を含め4項目について臨時的な勧告を出しました。

詳細については以下を参照してください。

◆最新ニュース

野生型ポリオの国際的拡大に関する国際保健規則(IHR)緊急委員会会議でのWHO声明

<http://www.forth.go.jp/moreinfo/topics/2014/05071419.html>

日本の定期の予防接種では、平成24年8月までは経口生ワクチンが使用されていましたが、平成24年9月以降は注射の不活化ポリオワクチンが使用されていま

す。ポリオが発生している国に渡航する人は、追加の予防接種を検討してください。

出典

WHO statement on the meeting of the International Health Regulations Emergency Committee concerning the international spread of wild poliovirus, 5 May 2014

<http://www.who.int/mediacentre/news/statements/2014/polio-20140505/en/>

Media centre

WHO statement on the meeting of the International Health Regulations Emergency Committee concerning the international spread of wild poliovirus

WHO statement
5 May 2014

The Emergency Committee convened by the Director-General under the International Health Regulations (2005) [IHR (2005)] was held by teleconference on Monday 28 April 2014 from 13:30 to 17:30 Geneva time (CET) and on Tuesday 29 April 2014 from 13:30 to 19:00 Geneva time (CET).

Members of the Emergency Committee and expert advisors to the Committee met on both days of the meeting.¹ The following affected States Parties participated in the informational session of the meeting on Monday 28 April 2014: Afghanistan, Cameroon, Equatorial Guinea, Ethiopia, Israel, Nigeria, Pakistan, Somalia and the Syrian Arab Republic.

During the informational session, the WHO Secretariat provided an update on and assessment of recent progress in stopping endemic and imported polioviruses and the international spread of wild polioviruses in 2014 as of 26 April. The above affected States Parties presented on recent developments in their countries.

After discussion and deliberation on the information provided, and in the context of the global polio eradication initiative, the Committee advised that the international spread of polio to date in 2014 constitutes an 'extraordinary event' and a public health risk to other States for which a coordinated international response is essential. The current situation stands in stark contrast to the near-cessation of international spread of wild poliovirus from January 2012 through the 2013 low transmission season for this disease (i.e. January to April). If unchecked, this situation could result in failure to eradicate globally one of the world's most serious vaccine preventable diseases. It was the unanimous view of the Committee that the conditions for a Public Health Emergency of International Concern (PHEIC) have been met.

At end-2013, 60% of polio cases were the result of international spread of wild poliovirus, and there was increasing evidence that adult travellers contributed to this spread. During the 2014 low transmission season there has already been international spread of wild poliovirus from 3 of the 10 States that are currently infected: in central Asia (from Pakistan to Afghanistan), in the Middle East (Syrian Arab Republic to Iraq) and in Central Africa (Cameroon to Equatorial Guinea). A coordinated international response is deemed essential to stop this international spread of wild poliovirus and to prevent new spread with the onset of the

 Share

Print

Related links

[Polio Eradication Initiative](#)

[More on polio](#)

[Press briefing on the international spread of wild poliovirus](#)

5 May 2014

high transmission season in May/June 2014; unilateral measures may prove less effective in stopping international spread than a coordinated response. The consequences of further international spread are particularly acute today given the large number of polio-free but conflict-torn and fragile States which have severely compromised routine immunization services and are at high risk of re-infection. Such States would experience extreme difficulty in mounting an effective response were wild poliovirus to be reintroduced. As much international spread occurs across land borders, WHO should continue to facilitate a coordinated regional approach to accelerate interruption of virus transmission in each epidemiologic zone.

The over-riding priority for all polio-infected States must be to interrupt wild poliovirus transmission within their borders as rapidly as possible through the immediate and full application in all geographic areas of the polio eradication strategies, specifically: supplementary immunization campaigns with oral poliovirus vaccine (OPV), surveillance for poliovirus, and routine immunization. The Committee provided the following advice to the Director-General for her consideration to reduce the international spread of wild poliovirus, based on a risk stratification of the 10 States with active transmission (i.e. within the previous 6 months) as of 29 April 2014.

States currently exporting wild poliovirus

Pakistan, Cameroon, and the Syrian Arab Republic pose the greatest risk of further wild poliovirus exportations in 2014. These States should:

- officially declare, if not already done, at the level of head of state or government, that the interruption of poliovirus transmission is a national public health emergency;
- ensure that all residents and long-term visitors (i.e. > 4 weeks) receive a dose of OPV or inactivated poliovirus vaccine (IPV) between 4 weeks and 12 months prior to international travel;
- ensure that those undertaking urgent travel (i.e. within 4 weeks), who have not received a dose of OPV or IPV in the previous 4 weeks to 12 months, receive a dose of polio vaccine at least by the time of departure as this will still provide benefit, particularly for frequent travellers;
- ensure that such travellers are provided with an International Certificate of Vaccination or Prophylaxis in the form specified in Annex 6 of the International Health Regulations (2005) to record their polio vaccination and serve as proof of vaccination;
- maintain these measures until the following criteria have been met: (i) at least 6 months have passed without new exportations and (ii) there is documentation of full application of high quality eradication activities in all infected and high risk areas; in the absence of such documentation these measures should be maintained until at least 12 months have passed without new exportations.

Once a State has met the criteria to be assessed as no longer exporting wild poliovirus, it should continue to be considered as an infected State until such time as it has met the criteria to be removed from that category.

States infected with wild poliovirus but not currently exporting

Afghanistan, Equatorial Guinea, Ethiopia, Iraq, Israel, Somalia and particularly Nigeria, given the international spread from that State

historically, pose an ongoing risk for new wild poliovirus exportations in 2014. These States should:

- officially declare, if not already done, at the level of head of state or government, that the interruption of poliovirus transmission is a national public health emergency;
- encourage residents and long-term visitors to receive a dose of OPV or IPV 4 weeks to 12 months prior to international travel; those undertaking urgent travel (i.e. within 4 weeks) should be encouraged to receive a dose at least by the time of departure;
- ensure that travellers who receive such vaccination have access to an appropriate document to record their polio vaccination status;
- maintain these measures until the following criteria have been met: (i) at least 6 months have passed without the detection of wild poliovirus transmission in the country from any source, and (ii) there is documentation of full application of high quality eradication activities in all infected and high risk areas; in the absence of such documentation these measures should be maintained until at least 12 months have passed without new exportations.

Any polio-free State which becomes infected with wild poliovirus should immediately implement the advice for 'States infected with wild poliovirus but not currently exporting'. The WHO Director-General should ensure an international assessment of the outbreak response is undertaken within 1 month of confirmation of the index case in any State which becomes newly infected. In the event of new international spread from an infected State, that State should immediately implement the vaccination requirements for 'States currently exporting wild poliovirus'.

WHO and its partners should support States in implementing these recommendations.

Based on this advice, the reports made by affected States Parties and the currently available information, the Director-General accepted the Committee's assessment and on 5 May 2014 declared the international spread of wild poliovirus in 2014 a Public Health Emergency of International Concern (PHEIC). The Director-General endorsed the Committee's advice for 'States currently exporting wild polioviruses' and for 'States infected with wild poliovirus but not currently exporting' and issued them as Temporary Recommendations under the IHR (2005) to reduce the international spread of wild poliovirus, effective 5 May 2014. The Director-General thanked the Committee Members and Advisors for their advice and requested their reassessment of this situation in 3 months, particularly as the criteria for discontinuing these measures could for some States extend beyond the 3 months validity of these Temporary Recommendations.

For further information, please contact:

Christy Feig
Director of Communications
Telephone: +41 79 251 7055
Email: feigc@who.int

Gregory Härtl
Coordinator, News and Social Media
Telephone: +41 79 203 6715
Mobile: +41 79 203 6715
Email: hartlg@who.int

¹ Emergency Committee Members and Advisors: list of names, affiliations and interests