研究報告の報告状況 (平成29年8月1日~平成29年11月30日)

NO	一般名	文献名
1	炭酸リチウム	[N Engl J Med. 376(2017)2245-2254] Lithium use in pregnancy and the risk of cardiac malformations
2	アロプリノール	[Pharmacogenet Genomics. 27(2017)255-263] Risk factors of allopurinol-induced severe cutaneous adverse reactions in a Thai population
3	エスシタロプラムシュウ酸塩	[PLoS One. 11(2016)e0165] Selective Serotonin Reuptake Inhibitor (SSRI) Antidepressants in Pregnancy and Congenital Anomalies: Analysis of Linked Databases in Wales, Norway and Funen, Denmark
4	フマル酸ジメチル	[Neurology. 88(2017)] 69th American Academy of Neurology Annual Meeting
5	ラベプラゾールナトリウム	【PLoS One. 11(2016)e0168618】Use of Proton Pump Inhibitors and the Risk of Hospitalization for Infectious Gastroenteritis
6	メチルフェニデート塩酸塩	[PLoS One. 12(2017)1-18] Gastrointestinal adverse events during methylphenidate treatment of children and adolescents with attention deficit hyperactivity disorder: A systematic review with metananlysis and Trial Sequential Analysis of randomised clinical trials
7	アログリプチン安息香酸塩・メトホルミン塩酸塩	【Diabetes. 66(2017)A399-A400】Increased Risk of Cognitive Impairment by Metformin in Elderly Patients with Diabetes in a Prospective Cohort
8	アスピリン・ランソプラゾール配合剤	[IJC Metab Endocr. 16(2017)10-11] Upgrade system device in use of new oral anticoagulants vs. antiplatelet agents
9	フルチカゾンプロピオン酸エステル・ホルモテロー ルフマル酸塩水和物	[Lung. 195(2017)281-288] Inhaled Corticosteroid use and the Risk of Pneumonia and COPD Exacerbations in the UPLIFT Study
10	キナプリル塩酸塩	【Pharmacoepidemiol Drug Saf. 26(2017)853-857】ACE inhibitors and the risk of acute pancreatitis - a population-based case-control study
11	イミダプリル塩酸塩	【Pharmacoepidemiol Drug Saf. 26(2017)853-857】ACE inhibitors and the risk of acute pancreatitis - a population-based case-control study
12	アルテプラーゼ(遺伝子組換え)	[Stroke. 48(2017)112] Safety and Efficacy of Intravenous Thrombolysis and Endovascular Therapy in Children with Acute Ischemic Stroke: A Systematic Review and Meta-analysis
13	アルテプラーゼ(遺伝子組換え)	[Stroke. 48(2017)115] Thrombolysis and Thrombectomy in Pediatric Ischemic Stroke

14	アルテプラーゼ(遺伝子組換え)	[Stroke. 48(2017)] Is IV tPA Use Associated With Acute Carotid Stent Closure in Patients Presenting With Acute Ischemic Stroke With Tandem Lesions Treated With Endovascular Therapy?
15	ロキソプロフェンナトリウム水和物	【第11回日本緩和医療薬学会年会プログラム・要旨集 194(2017)】緩和ケア病棟におけるオピオイド及び他の使用薬剤とせん妄誘発要因の関連性に関する調査・研究 第二報
16	ピタバスタチンカルシウム	[BMJ Open. 7(2017)e015935] Lipid-lowering drugs and risk of new-onset diabetes: a cohort study using Japanese healthcare data linked to clinical data for health screening
17	アトルバスタチンカルシウム水和物	[Microbes Infect. 18(2016)675-686] Antagonistic effect of atorvastatin on high fat diet induced survival during acute Chagas disease
18	ラベプラゾールナトリウム	[Drug Saf. (2017)] Muscular Adverse Drug Reactions Associated with Proton Pump Inhibitors: A Disproportionality Analysis Using the Italian National Network of Pharmacovigilance Database
19	クロピドグレル硫酸塩	[Eur J Clin Pharmacol. 73(2017)843-854] Meta-analysis of effects of ABCB1 polymorphisms on clopidogrel response among patients with coronary artery disease
20	オメプラゾール	[European journal of clinical pharmacology. 73(2017)855-865] Influence of genetic and non-genetic factors on phenytoin-induced severe cutaneous adverse drug reactions
21	アログリプチン安息香酸塩・ピオグリタゾン塩酸塩	【Diabetes Therapy. 8(2017)A428】Pioglitazone and Risk of Bladder Cancer: A Cumulative Meta-Analysis
22	弱毒生ヒトロタウイルスワクチン	[Vaccine. 35(2017)4276-4286] Risk of intussusception following rotavirus vaccination: An evidence based meta-analysis of cohort and case-control studies
23	シロスタゾール	【第103回日本消化器病学会総会. (2017)】胃ESD後潰瘍治癒における抗血栓 薬の影響
24	コデインリン酸塩水和物	【Pediatrics. 139(2017)1-25】Maternal use of opioids during pregnancy and congenital malformations: A systematic review
25	インドメタシンナトリウム	【日本周産期・新生児医学会雑誌. 53(2017)580】正期産児の動脈管開存症に対する治療効果、および、治療方針の考察
26	ブリモニジン酒石酸塩	[JAMA dermatology. 153(2017)575-577] Association of Central Nervous System Depression With TopicalBrimonidine When Used for Hemostasis A Serious Adverse Event
27	オメプラゾール	[Eur J Clin Pharmacol. 73(2017)1019-1025] Correlation between proton pump inhibitors and risk of pyogenic liver abscess
28	シルデナフィルクエン酸塩	【J Am Acad Dermatol. 76(2017)AB235】Sildenafil use and risk of malignant melanoma: A population based case-control study(1998-2010)

_		
29	メルカプトプリン水和物	[Gastroenterology. 152(2017)1901-1914] Infliximab Is Not Associated With Increased Risk of Malignancy or Hemophagocytic Lymphohisticcytosis in Pediatric Patients With Inflammatory Bowel Disease
30	イマチニブメシル酸塩	[Br J Haematol. 177(2017)991-999] Treating Philadelphia chromosome/BCR-ABL1 positive patients with Glivec (Imatinib mesylate): 10 years' experience at Patan Hospital, Nepal
31	イマチニブメシル酸塩	[Cancer Chemother Pharmacol. 79(2017)767-773] Association of the hOCT1/ABCB1 genotype with efficacy and tolerability of imatinib in patients affected by chronic myeloid leukemia
32	酸化セルロース	[Scientific Reports. 6(2016)32376] The use of Haemostatic Agents does not impact the rate of hemorrhagic complications in patients undergoing partial nephrectomy for renal masses
33	ラベプラゾールナトリウム	【Gut and liver. 10(2016)581-586】Risk of Clostridium difficile Infection with the Use of a Proton Pump Inhibitor for Stress Ulcer Prophylaxis in Critically III Patients
34	エソメプラゾールマグネシウム水和物	[Eur J Clin Pharmacol. 73(2017)1019-1025] Correlation between proton pump inhibitors and risk of pyogenic liver abscess
35	オメプラゾール	[Scand J Gastroenterol. 52(2017)828-832] Endoscopic findings of the gastric mucosa during long-term use of proton pump inhibitor - a multicenter study
36	エソメプラゾールマグネシウム水和物	[Scand J Gastroenterol. 52(2017)828-832] Endoscopic findings of the gastric mucosa during long-term use of proton pump inhibitor - a multicenter study
37	オメプラゾール	[Eur J Clin Pharmacol. 73(2017)1019-1025] Correlation between proton pump inhibitors and risk of pyogenic liver abscess
38	ペグフィルグラスチム(遺伝子組換え)	【第15回日本臨床腫瘍学会学術集会. (2017)】B細胞性リンパ腫における R-CHOP後のペグフィルグラスチム投与群とペグフィルグラスチム非投与群の 血小板減少頻度の後方視的解析
39	クロピドグレル硫酸塩	【第103回日本消化器病学会総会. (2017)】Vonoprazanのclopidogrelおよび prasugrelの抗血小板効果への影響
40	ビカルタミド	[Thorax. 72(2017)628-634] Androgen deprivation therapy for prostate cancer and the risk of hospitalisation for community-acquired pneumonia
41	ゴセレリン酢酸塩	[Thorax. 72(2017)628-634] Androgen deprivation therapy for prostate cancer and the risk of hospitalisation for community-acquired pneumonia
42	カナグリフロジン水和物	[Lancet Diabetes Endocrinology. (2017)] SGTL2 inhibitors and amputations in the US FDA Adverse Event Reporting System
43	ラベタロール塩酸塩	[Pediatrics. 138(2016)1-8] Late pregnancy beta blocker exposure and risks of neonatal hypoglycemia and bradycardia

44	乾燥BCGワクチン	【Eur Rev Med Pharmacol Sci. 20(2016)3696-3702】Disseminated bacille Calmette-Guerin disease in Saudi children: clinical profile, microbiology, immunology evaluation and outcome
45	セツキシマブ(遺伝子組換え)	【第15回日本臨床腫瘍学会学術集会】Incidence and risk factors of interstitial lung disease (ILD) of head and neck cancer patients treated with Cetuximab
46	オクスカルバゼピン	[Toxicology Mechanisms and Methods. 27(2017) 201-206] Oxcarbazepine-induced cytotoxicity and genotoxicity in human lymphocyte cultures with or without metabolic activation
47	インフルエンザH A ワクチン	[J Clin Oncol. 35(2017)e14523] Immune response and adverse events to influenza vaccine in cancer patients undergoing PD-1 blockade
48	メトホルミン塩酸塩	【PLoS One. 12(2017)1-11】Diabetes, use of metformin, and the risk of meningioma
49	ソラフェニブトシル酸塩	[Ann Oncol. 28(2017)246-253] Risk of serious adverse events and fatal adverse events with sorafenib in patients with solid cancer: a meta-analysis of phase 3 randomized controlled trials
50	ラモトリギン	【精神神経学雑誌. (2017) S345】Lamotrigineの増量速度と皮膚症状の関連について
51	シロリムス	[J Am Soc Nephrol. 19(2008)1411-1418] Sirolimus is Associated with New- Onset Diabeted in Kidney Transplant Recepients
52	プロキシフィリン・エフェドリン塩酸塩・フェノバ ルビタール配合剤	[Ann Neurol. 82(2017)115-120] Phenobarbital and midazolam increase neonatal seizure-associated neuronal injury
53	オルメサルタン メドキソミル	[Int J Clin Pharmacol Ther. 55(2017)295-303] Angiotensin receptor blockers and the risk of cancer: data mining of a spontaneous reporting database and a claims database
54	ロスバスタチンカルシウム	[J Intern Med. 281 (2017)206-216] Use of statins offsets insulin- related cancer risk
55	アセトアミノフェン	[Am J Epidemiol. 185(2017)40-47] Duration of Analgesic Use and Risk of Hearing Loss in Women
56	エスゾピクロン	[PLoS One. 12(2017)1-16] Benzodiazepine and Z-drug use and risk of pneumonia in patients with chronic kidney disease: A population-based nested case-control study
57	ラベプラゾールナトリウム	[Eur J Clin Pharmacol. 73(2017)1019-1025] Correlation between proton pump inhibitors and risk of pyogenic liver abscess
58	ラベプラゾールナトリウム	【The American Geriatrics Society. 65(2017)1441-1447】Association of Proton Pump Inhibitors Usage with Risk of Pneumonia in Dementia Patients
_		

[AIDS: 31(2017)1781-1795] Cardiovascula a clinical controversy in need of a pha	
	armacorograar expranacron
【JAMA Neurology. 74(2017)773-779】Assortherapy with functional status, adverse among patients with polyneuropathy	
【J Am Coll Cardiol. 69(2017)318】Long to stratification in atrial fibrillation processes CHADS2≦1 with antithrombotic therapy	
62 カルシトリオール 【医療薬学フォーラム2017第25回クリニカル (2017) 217】 高齢者における活性型ビタミン	
[J Infect Dis. 215(2017)503-509] Acute use of nonsteroidal anti-inflammatory of myocardial infarction: A nationwide case	drugs on risk of acute
64 ピオグリタゾン塩酸塩 【J Clin Endocrinol Metab. 102(2017)914- for Bone Fracture: Safety Data From a F	
65 メチルプレドニゾロンコハク酸エステルナトリウム 【JAMA. 318(2017)432-442】 Effect of Oral Clinical Outcomes in Patients With IgA Randomized Clinical Trial	
[JAMA. 318(2017)557-566] Effect of Azit Decline-Free Survival After Allogeneic Transplant: The ALLOZITHRO Randomized (Hematopoietic Stem Cell
【Eur J Clin Pharmacol. 73(2017)819-826, post-transplant cancer among kidney transplant cancer among kidney transplant cancer among kidney transplant cancer among kidney transplantation	ansplant recipients is
[BMJ. 358(2017) j3326] Risk of neonatal intrauterine co-exposure to opioids and medications:cohort study	
[BMC Nephrol. 18(2017)256] Non-steroidal induced acute kidney injury in the common population and people with chronic kidner review and meta-analysis	munity dwelling general
Tセトアミノフェン [J Arthroplasty. (2017) 1-5] Intravenous an Adjunct to Multimodal Analgesia After A Prospective, Randomized, Double-Blind	er Total Knee Arthroplasty:
71 メトトレキサート 【第61回日本リウマチ学会総会・学術集会. おける関節リウマチの帯状疱疹リスクの検討	
T2 ランソプラゾール 【The American Geriatrics Society. 65(20 Proton Pump Inhibitors Usage with Risk Patients	
【Br J Dermatol. 176(2017)1492-1499】Met for cutaneous malignant melanoma: a ret registry-based cohort study	

74	メトトレキサート	【J Clin Oncol. 35(2017)548s】Solid organ transplant after treatment for childhood cancer: A report from the Childhood Cancer Survivor Study
75	ソホスブビル	【Indian J Gastroenterol. 36(2017)235-238】Relationship of hepatitis B virus infection to the recurrence of hepatocellular carcinoma after direct acting antivirals
76	レジパスビル アセトン付加物・ソホスブビル	【Indian J Gastroenterol. 36(2017)235-238】Relationship of hepatitis B virus infection to the recurrence of hepatocellular carcinoma after direct acting antivirals
77	アバカビル硫酸塩	[HIV Med. 17(2016)542-549] Smoking and projected cardiovascular risk in an HIV-positive Asian regional cohort
78	アルファカルシドール	【日本内分泌学会雑誌. 93(2017)41-43】当院における重症高Ca血症の検討 一血清Ca値と腎機能の相関ー
79	エスシタロプラムシュウ酸塩	【PLoS One. 11(2016)1-18】Risk of Ventricular Arrhythmia with Citalopram and Escitalopram: A Population-Based Study
80	メトトレキサート	【第61回日本リウマチ学会総会・学術集会. (2017)519】関節リウマチに合併した間質性肺炎の急性増悪に関わるリスクの検討
81	ランソプラゾール	【Eur J Clin Pharmacol. 73(2017)1019-1025】Correlation between proton pump inhibitors and risk of pyogenic liver abscess
82	ラベプラゾールナトリウム	【The American Geriatrics Society. 65(2017)1441-1447】Association of Proton Pump Inhibitors Usage with Risk of Pneumonia in Dementia Patients
83	メトホルミン塩酸塩	[J Clin Oncol. 35(2017)e15684] Metformin effects on clinical outcome in advanced HCC patients receiving sorafenib: Validation study
84	インフリキシマブ(遺伝子組換え)	[Semin Arthritis Rheum. 47(2017)102-107] Safety of resuming biologic DMARDs in patients who develop tuberculosis after anti-TNF treatment
85	オメプラゾール	【The American Journal of Gastroenterology. 112(2017)1084-1093】 Proton-pump inhibitor use and the risk of first-time ischemic stroke in the general population: A nationwide population-based study
86	プロキシフィリン・エフェドリン塩酸塩・フェノバ ルビタール配合剤	[BMJ Open. 7(2017)e017248] Comparative safety of antiepileptic drugs for neurological development in children exposed during pregnancy and breast feeding: a systematic review and network meta-analysis
87	ラベプラゾールナトリウム	[Frontiers in Pharmacology. 8(2017)481] Correlation of proton pump inhibitors with pulmonary tuberculosis: A case-control study in Taiwan
88	ラベプラゾールナトリウム	【Sao Paulo medical journal. 134(2016)473-479】Prevalence of vitamin B12 deficiency in type 2 diabetic patients using metformin: a cross-sectional study

89	オクスカルバゼピン	[Eur Arch Psychiatry Clin Neurosci. 206(2017)1-18] Use and safety of antiepileptic drugs in psychiatric inpatients-data from the AMSP study
90	プレドニゾロン	[Rheumatol Int. 37(2017)369-376] Long-term use of biologic agents does not increase the risk of serious infections in elderly patients with rheumatoid arthritis
91	フルオロウラシル	【第26回日本がん転移学会学術集会・総会. (2017)119】フルオロウラシル投与によるマウス乳がん肺転移の促進機構の解明
92	フルオロウラシル	[Patient and Survival Care. (2017] New-onset congestive heart failure (CHF) and cardiovascular disease (CVD) in older colorectal cancer (CRC) survivors: A population-based study
93	デソゲストレル・エチニルエストラジオール	[J Natl Cancer Inst. 109 (2016) 1-11] Effects of In Utero Exposure to Ethinyl Estradiol on Tamoxifen Resistance and Breast Cancer Recurrence in a Preclinical Model
94	エソメプラゾールマグネシウム水和物	[Am J Gastroenterol, 112(2017)1084-1093] Proton-pump inhibitor use and the risk of first-time ischemic stroke in the general population: A nationwide population-based study
95	オメプラゾール	[Am J Gastroenterol, 112(2017)1084-1093] Proton-pump inhibitor use and the risk of first-time ischemic stroke in the general population: A nationwide population-based study
96	フェニトイン	[Neurology. 88(2017)2183-2191] HLA-A*24:02 as a common risk factor for antiepileptic drug-induced cutaneous adverse reactions
97	ゾルピデム酒石酸塩	[CNS Drugs. 31(2017)711-722] New, Occasional, and Frequent Use of Zolpidem or Zopiclone (Alone and in Combination) and the Risk of Injurious Road Traffic Crashes in Older Adult Drivers: A Population-Based Case-Control and Case-Crossover Study
98	コンドロイチン硫酸エステルナトリウム含有一般用 医薬品	[J Infect Dis. 215 (2017) 503-509] Acute respiratory infection and use of nonsteroidal anti-inflammatory drugs on risk of acute myocardial infarction: A nationwide case-crossover study
99	プロキシフィリン・エフェドリン塩酸塩・フェノバ ルビタール配合剤	[Oxid Med Cell Longev. (2017)] Progression of Hepatic Adenoma to Carcinoma in Ogg1 Mutant Mice Induced by Phenobarbital
100	オメプラゾール	[The American Geriatrics Society. 65(2017)1441-1447] Association of Proton Pump Inhibitors Usage with Risk of Pneumonia in Dementia Patients
101	エソメプラゾールマグネシウム水和物	[The American Geriatrics Society. 65(2017)1441-1447] Association of Proton Pump Inhibitors Usage with Risk of Pneumonia in Dementia Patients
102	アスピリン・ランソプラゾール配合剤	[Br J Clin Pharmacol. 83(2017)1835-1843] Risk of myocardial infarction in patients with atrial fibrillation using vitamin K antagonists, aspirin or direct acting oral anticoagulants
103	クロルヘキシジングルコン酸塩	[J Am Coll Surg. 224(2017)334-340] Preoperative Chlorhexidine Gluconate Use Can Increase Risk for Surgical Site Infections after Ventral Hernia Repair

104	モルヒネ塩酸塩水和物	【Pharmacogenomics. 18(2017)143-156】Fatty acid amide hydrolase-morphine interaction influences ventilatory response to hypercapnia and postoperative opioid outcomes in children
105	カルバゾクロム・アスコルビン酸配合剤	[Food Chem Toxicol. 103(2017)233-245] Lycopene, resveratrol, vitamin C and FeSO4 increase damage produced by pro-oxidant carcinogen 4-nitroquinoline-1-oxide in Drosophila melanogaster: Xenobiotic metabolism implications
106	プレドニゾロン	【Biol Pharm Bull. 40(2017)824-829】 Analysis of Adverse Drug Reaction Risk in Elderly Patients Using the Japanese Adverse Drug Event Report (JADER) Database
107	プレドニゾロン	【Biol Pharm Bull. 40(2017)782-788】Factorial Analysis of Hepatitis B Virus Reactivation-Induced Hepatitis B Using JADER
108	アスピリン	【J Clin Oncol. 35(2017)102】Epidemiologic study of risk factors for meningioma in the Mayo Clinic Study of Aging
109	アスピリン	[Br J Clin Pharmacol. 83 (2017) 1835-1843] Risk of myocardial infarction in patients with atrial fibrillation using vitamin K antagonists, aspirin or direct acting oral anticoagulants
110	アジスロマイシン水和物	【JAMA. 318(2017)557-566】Effect of Azithromycin on Airflow Decline-Free Survival After Allogeneic Hematopoietic Stem Cell Transplant: The ALLOZITHRO Randomized Clinical Trial
111	リスペリドン	[J Am Geriatr Soc. 65(2017)1521-1526] Posttraumatic stress disorder, antipsychotic use and risk of dementia in veterans
112	オメプラゾール	【The American Geriatrics Society. 65(2017)1441-1447】Association of proton pump inhibitors usage with risk of pneumonia in dementia patients
113	アロプリノール	【PLoS One. 12(2017)1-18】The renal phenotype of allopurinol-treated HPRT-deficient mouse
114	ベムラフェニブ	[J Clin Oncol. 35(2017)486s] Association of concomitant use of acid reducing agents in full-dose vemurafenib users with risk of progression in BRAF V600 mutation-positive unresectable or metastatic melanoma patients: A retrospective cohort study
115	ゾレドロン酸水和物	[Biological and Pharmaceutical Bulletin. 40(2017)824-829] Analysis of Adverse Drug Reaction Risk in Elderly Patients Using the Japanese Adverse Drug Event Report (JADER) Database
116	ブロナンセリン	[Drugs Aging. 33(2016)865-888] A Review of Adverse Outcomes Associated with Psychoactive Drug Use in Nursing Home Residents with Dementia
117	アジスロマイシン水和物	[JAMA. 318(2017)557-566] Effect of Azithromycin on Airflow Decline-Free Survival After Allogeneic Hematopoietic Stem Cell Transplant: The ALLOZITHRO Randomized Clinical Trial
118	メトクロプラミド	[Journal of Reproductive Medicine. 62(2017)427-431] Abortifacient effect of decreased decidual and placental galectin-1 expression due to metoclopramide exposure in pregnant rats

119	アロプリノール	【Journal of Clinical Dermatology. 46(2017)234-238】Allopurinol-induced drug eruptions: The analyses of clinical features and prognostic factors in 56 cases
120	エポプロステノールナトリウム	[International Heart Journal. 58 (2017) 557-561] High Frequency of Acute Adverse Cardiovascular Events After Lung Transplantation in Patients With Pulmonary Arterial Hypertension Receiving Preoperative Long-Term Intravenous Prostacyclin
121	アログリプチン安息香酸塩・ピオグリタゾン塩酸塩	[Diabetes Obes Metab. 26(2017)] Pioglitazone and the Risk of Bladder Cancer in Older Adults with Type 2 diabetes: A Comparison with a Clinically Meaningful Treatment
122	プロキシフィリン・エフェドリン塩酸塩・フェノバ ルビタール配合剤	[J Pharm Health Care Sci. 3(2017)19] Drug-induced gingival hyperplasia: a retrospective study using spontaneous reporting system databases
123	プロキシフィリン・エフェドリン塩酸塩・フェノバ ルビタール配合剤	[Journal of Young Pharmacists. 9(2017)357-361] Effect of antiepileptic drugs on psychomotor functions and memory in epilepsy patients
124	フェンタニルクエン酸塩	[BMJ. 358(2017)1-10] Risk of neonatal drug withdrawal after intrauterine co-exposure to opioids and psychotropic medications: cohort study
125	デキサメタゾンメタスルホ安息香酸エステルナトリ ウム	[Graefes Arch Clin Exp Ophthalmol. 255(2017)463-473] A multicenter, 12-month randomized study comparing dexamethasone intravireal implant with ranibizumab in patients with diabetic macular edema
126	パクリタキセル	【Clin Pharmacol Ther. 102(2017)547-553】Clopidogrel-Paclitaxel Drug-Drug Interaction: A Pharmacoepidemiologic Study
127	プロカルバジン塩酸塩	[Br J Cancer 117(2017)306-314] .Infradiaphragmatic irradiation and high procarbazine doses increase colorectal cancer risk in Hodgkin lymphoma survivors
128	カペシタビン	[J Clin Oncol. 35(2017)] Concurrent use of capecitabine with radiation therapy and survival in breast cancer (BC) after neoadjuvant chemotherapy.
129	フェンタニルクエン酸塩	[Pharmacotherapy. 37(2017)806-813] Trends of neonatal abstinence syndrome epidemic and maternal risk factors in Florida
130	ドセタキセル	【J Clin Oncol. 35(2017)518s】 Chemotherapy-induced ovarian failure (CIOF) in young women with early breast cancer (EBC)
131	ワルファリンカリウム	【第23回肺塞栓症研究会. 49(2017)782】ワルファリンによる抗凝固療法下の 慢性血栓塞栓症性肺高血圧症患者における出血および血栓症再発リスク
132	プレドニゾロン	[Mod Rheumatol. 27(4)646-651] Clinical characteristics of and risk factors for serious infection in Japanese patients within six months of remission induction therapy for antineutrophil cytoplasmic antibody-associated vasculitis registered in a nationwide, prospective, inception cohort study
133	プレドニゾロン	【第61回日本リウマチ学会総会・学術集会. (2017)663】生物学的製剤で治療中の関節リウマチ患者における妊娠. 出産の検討

134	シンバスタチン	【Circulation 135(2017)A39】Statin use is associated with elevated serum glucose and incidence of type 2 diabetes in US veterans
135	プレドニゾロン	【第61回日本リウマチ学会総会・学術集会。(2017)456】 ANCA関連血管炎初発70例に対する寛解導入療法・維持療法の有効性と安全性
136	アレンドロン酸ナトリウム水和物	【第61回日本リウマチ学会総会・学術集会. (2017)543】骨粗鬆症治療薬投与後にみられる腎機能の変化
137	プレドニゾロン	【日本整形外科学会雑誌 91(2017)S50】非定型大腿骨骨折における転子下骨折と骨幹部骨折の比較検討
138	プレドニゾロン	【第61回日本リウマチ学会総会・学術集会. (2017)372】Correlation factors of early adverse events by high dose glucocorticoid treatment
139	プレドニゾロン	【第61回日本リウマチ学会総会・学術集会. (2017)440】ANCA関連血管炎におけるリツキシマブ治療の有効性と安全性
140	プレドニゾロン	【第61回日本リウマチ学会総会・学術集会. (2017)371】The predictive risk factors for complication of infection during the treatment for polymyositis and dermatomyositis
141	アトルバスタチンカルシウム水和物	[Intern Med J. 47(2017)24] Statin-associated immune mediated necrotising myopathy in a New Zealand population: a case series
142	テストステロンエナント酸エステル・エストラジ オール吉草酸エステル	[PLoS One. 11(2016)e0162662] Peroral Estradiol Is Sufficient to Induce Carcinogen-Induced Mammary Tumorigenesis in Ovariectomized Rats without Progesterone
143	ピオグリタゾン塩酸塩	【J Clin Endocrinol Metab. 102(2017)914-922】Pioglitazone and Risk for Bone Fracture: Safety Data From a Randomized Clinical Trial
144	プロキシフィリン・エフェドリン塩酸塩・フェノバ ルビタ―ル配合剤	[Osteoporos Int. 28(2017)2591-2600] Bone loss with antiepileptic drug therapy: a twin and sibling study
145	ラモトリギン	[Neurology. 88(2017)2183-2191] HLA-A*24:02 as a common risk factor for antiepileptic drug-induced cutaneous adverse reactions
146	ラベプラゾールナトリウム	[PLoS One. 12(2017)e0169826] Use of Proton-Pump Inhibitors Predicts Heart Failure and Death in Patients with Coronary Artery Disease
147	ラベプラゾールナトリウム	【JAMA oncology. 3(2017)767-773】Association of Proton Pump Inhibitors and Capecitabine Efficacy in Advanced Gastroesophageal Cancer: Secondary Analysis of the TRIO-013/LOGIC Randomized Clinical Trial
148	ラベプラゾールナトリウム	【PLoS One. 10(2015)e0128004】Risk of Community-Acquired Pneumonia with Outpatient Proton-Pump Inhibitor Therapy: A Systematic Review and Meta-Analysis

149	イマチニブメシル酸塩	[J Cancer Res Clin Oncol. 143(2017)1543-1554] Tyrosine kinase inhibitor therapy-induced changes in humoral immunity in patients with chronic myeloid leukemia
150	フルチカゾンプロピオン酸エステル・ホルモテロー ルフマル酸塩水和物	[Int J Chron Obstruct Pulmon Dis. 11(2016)2775-2783] The association between inhaled corticosteroid and pneumonia in COPD patients: the improvement of patients' life quality with COPD in Taiwan (IMPACT) study
151	アルテプラーゼ(遺伝子組換え)	[Lancet. 390(2017)747-759] Comparative efficacy and safety of reperfusion therapy with fibrinolytic agents in patients with ST-segment elevation myocardial infarction: a systematic review and network meta-analysis
152	クロピドグレル硫酸塩	[J Anesth. 102(2017)547-553] Clopidogrel-paclitaxel drug-drug interaction: A pharmacoepidemiologic study
153	クロピドグレル硫酸塩	【Clin Pharmacol Ther. 102(2017)547-553】Clopidogrel-Paclitaxel Drug-Drug Interaction: A Pharmacoepidemiologic Study
154	エストラジオール	[Eur J Cancer. 84(2017)60-68] Menopausal hormone therapy and cancer risk: An overestimated risk?
155	ノルフロキサシン	[Can J Neurol Sci. 44(2017)S11] Fluoroquinolone antibiotics and risk of secondary Pseudotumor Cerebri Syndrome
156	ブロナンセリン	[Diabetologia. 60(2007)1678-1690] Diabetic ketoacidosis and diabetes associated with antipsychotic exposure among a previously diabetes-naive population with schizophrenia: a nationwide nested case-control study
157	ハロペリドールデカン酸エステル	[Psychopharmacology. 234(2017)2563-2570] Incidence and risk factors of acute akathisia in 493 individuals with first episode non-affective psychosis: a 6-week randomised study of antipsychotic treatment
158	カナグリフロジン水和物	[53rd Annual Meeting of the European Association for the Study of Diabetes. (2017)] The CANVAS Program (CANagliflozin cardioVascular Assessment Study)
159	メトホルミン塩酸塩	[Br J Clin Pharmacol. 83(2017)2034-2044] Use of oral antidiabetic agents and risk of community-acquired pneumonia: a nested case-control study
160	プログラフ	[Reprod Sci. 24(2017)1334-1339] H+/K+-ATPase-Inhibition Causes Left-Right Aortic Arch Inversion in Mouse Development
161	プログラフ	[Transpl Int. 29(2016)21] A 3-YEAR POST-HOC ANALYSIS OF THE RANDOMIZED H2304 EXTENSION STUDY EVALUATION OF THE MAJOR ADVERSE CARDIAC EVENTS RISK WITH EVEROLIMUSBASED CALCINEURIN INHIBITOR REDUCTION OR WITHDRAWAL REGIMEN IN LIVER TRANSPLANT RECIPIENTS
162	ハロペリドールデカン酸エステル	[Psychopharmacology. 234 (2017) 2563-2570] Incidence and risk factors of acute akathisia in 493 individuals with first episode non-affective psychosis: a 6-week randomised study of antipsychotic treatment
163	イマチニブメシル酸塩	【Leukemia. 30(2016)1255-1262】Secondary malignancies in chronic myeloid leukemia patients after imatinib-based treatment: long-term observation in CML Study IV

164	プレドニゾロン	【Japanese journal of nephrology. 59(2017)330】顕微鏡的多発血管炎(MPA)の寛解導入に対するリツキシマブ(RTX)単回投与の検討
165	プレドニゾロン	【第61回日本リウマチ学会総会・学術集会. (2017)846】リウマチ性疾患患者における骨壊死発症症例の特徴
166	ワルファリンカリウム	【YAKUGAKU ZASSHI. 137(2017)999-1003】トラマドールの併用がワルファリン服用患者のPT-INRの変動に及ぼす影響
167	アジスロマイシン水和物	【JAMA. 318(2017)557-566】Effect of Azithromycin on Airflow Decline-Free Survival After Allogeneic Hematopoietic Stem Cell Transplant: The ALLOZITHRO Randomized Clinical Trial
168	オフロキサシン	[Clin Infect Dis. 64(2017)1052-1058] Quinolone ear drops after tympanostomy tubes and the risk of eardrum perforation: A retrospective cohort study
169	フルオロメトロン	【眼科. 59 (2017) 649-654】帯状角膜変性に生じた細菌性角膜潰瘍の2例
170	ラベプラゾールナトリウム	【Invest Ophthalmol Vis Sci. 58(2017)4138-4142】The Charles Bonnet Syndrome in Patients With Neovascular Age-Related Macular Degeneration: Association With Proton Pump Inhibitors
171	L - アスパラギナーゼ	[Haematologica. 102(2017)1578-1586] HLA-DRB1*07:01-HLA-DQA1*02:01- HLADQB1*02:02 haplotype is associated with a high risk of asparaginase hypersensitivity in acute lymphoblastic leukemia
172	オフロキサシン	[Clin Infect Dis. 64(2017)1052-1058] Quinolone ear drops after tympanostomy tubes and the risk of eardrum perforation: A retrospective cohort study
173	ベルベリン含有一般用医薬品	[Journal of Mammalian Ova Research. 28(2011)40-46] Coptis Rhizome and Phellodendron Bark Extracts and Berberine Inhibit the Development of Mouse Embryos
174	オランザピン	【第37回岩手薬学大会. (2017)10】乳がんFEC療法の発熱性好中球減少症に対するオランザピンの影響
175	アビラテロン酢酸エステル	[Med Oncol. 34(2017)166] Low dose versus standard dose of corticosteroids in the management of adverse events of special interest from abiraterone acetate: data from a literature-based meta-analysis
176	リスペリドン	[Am J Psychiatry. 174(2017)438-450] Morbidity and mortality associated with medications used in the treatment of depression: an analysis of cases reported to U.S. Poison Control Centers, 2000-2014
177	アセトアミノフェン含有一般用医薬品	【日本麻酔科学会九州麻酔科学会第55回大会. (2017)】腹腔鏡下下部消化管 手術における術後シバリング発生関連因子の検討
178	オランザピン	[Am J Psychiatry. 174(2017)438-450] Morbidity and mortality associated with medications used in the treatment of depression: an analysis of cases reported to U.S. Poison Control Centers, 2000-2014

179	ブロナンセリン	[Pharmacoepidemiol Drug Saf. 26(2017)551-552] Association of antipsychotic medications and all-cause mortality in elderly patients affected by cardio-and cerebrovascular diseases: A nested case-control study
180	ラベプラゾールナトリウム	【第3回日本医薬品安全性学会学術大会 プログラム・抄録集. (2017) 129】 高用量メトトレキサート療法施行時のプロトンポンプ阻害薬併用におけるメトトレキサート排泄遷延の調査.
181	ロサルタンカリウム・ヒドロクロロチアジド	【J Intern Med. 282(2017)322-331】Hydrochlorothiazide use is strongly associated with risk of lip cancer
182	クロピドグレル硫酸塩	[Thromb Haemost. 117(2017)934-939] Mortality and cancer after 12 versus 30 months dual antiplatelet therapy: The Korean Outcomes Registry Evaluating Antithrombotics (KOREA)
183	アルテプラーゼ(遺伝子組換え)	[Neurology. 88(2017)7] Thrombectomy and thrombolysis in pediatric acute ischemic stroke
184	アルテプラーゼ(遺伝子組換え)	[Neurology. 88(2017)103] IV tPA utilization and outcomes in Asian Americans
185	ブデソニド	[Br J Clin Pharmacol. 83(2017)2077-2086] Pneumonia risk in asthma patients using inhaled corticosteroids: a quasi-cohort study
186	ブデソニド・ホルモテロールフマル酸塩水和物	[Br J Clin Pharmacol. 83(2017)2077-2086] Pneumonia risk in asthma patients using inhaled corticosteroids: a quasi-cohort study
187	バルプロ酸ナトリウム	[Pharmacoepidemiology and Drug Safety 26(2017)] Risk of incident type 2 diabetes following anticonvulsant-mood stabilizer treatment initiation in publicly insured U.S. youth
188	クロピドグレル硫酸塩	[J Anesth. 31(2017)631-635] Increased risk of paclitaxel-induced peripheral neuropathy in patients using clopidogrel: a retrospective pilot study
189	インフルエンザHAワクチン	[The 21st International Epidemiological Association [IEA] World Congress of Epidemiology [WCE2017]. (2017)] The change of Japanese vaccination system and its influence on the excess mortality from influenza: mandatory mass schoolchildren vaccination or optional vaccination?
190	ベルベリン塩化物水和物・ゲンノショウコエキス	[Journal of Mammalian Ova Research. 28(2011)40-46] Coptis Rhizome and Phellodendron Bark Extracts and Berberine Inhibit the Development of Mouse Embryos
191	トラネキサム酸	[PLoS One. 12(2017)e0177011] Intraoperative tranexamic acid is associated with postoperative stroke in patients undergoing cardiac surgery
192	ゼラチン含有一般用医薬品	[J Crit Care. 35(2016)75-83] How safe is gelatin? A systematic review and meta-analysis of gelatin-containing plasma expanders vs crystalloids and albumin
193	ピオグリタゾン塩酸塩	【日本骨代謝学会学術集会プログラム抄録集. (2017)186】2型糖尿病男性における骨代謝異常の横断的検討

Functional Outcome After Stroke Thrombolysis Individual Patient Data Meta Analysis 195 カナグリフロジン水和物 「Sard Annual Neeting of the European Association for the Study of Diabetes (2017) The CANVAS Program (CMaglificzin cardioVasculi Addessment Study) 196 フルテカゾンプロピオン酸エステル・ホルモテロー [Fr J Clin Pharmacol, 83 (2017) 2077-2088) Pneumonia risk in asthmatic patients using infield continuotariotal: a quasi-cohort study patients using infield continuotariotal: a quasi-cohort study patients using infield continuotariotal: a quasi-cohort study patients using infield continuotariotal and Intrinsial Spendariotary Committee On-the Epidemic of Opinid Overdosson Advisory Committee On the Epidemic of Opinid Overdosson Advisory Committee On the Epidemic of Opinid Overdosson Program Study Program Advisory Committee On the Epidemic of Opinid Overdosson Program Study Intrinsial Program Study Intelligence (17 Committee On the Epidemic of Opinid Overdosson Program Study Intrinsial Program Study Intrinsial Program Study Intelligence (17 Committee One) Program Study Intrinsial Program Study Intelligence (17 Committee One) Program Study	Data Meta-Analysis 195 カナグリフロジン木和物			
Diabetes. (2017) The CAWAS Program (CAMagliflozin cardioVascult Assessment Study) Assessment Study) Assessment Study	おナグリフロジン水和物	194	アルテプラーゼ(遺伝子組換え)	Functional Outcome After Stroke Thrombolysis Individual Patient
197 フェンタニルクエン酸塩 Statement from Public Health Agency of Canada. (2017)] Statement from the Go-chairs of the Federal Provincial and Territorial Spendy of Committee on the Epidemic of Opicid Overdoese Advisory Committee on the Epidemic of Opicid Overdoese Advisory Committee on the Epidemic of Opicid Overdoese Advisory Committee on the Epidemic of Opicid Overdoese Registry Evaluating Antithrombotics (NOREA) Imperform Supplemental Version 30 months dual anticipative the therapy: The Korean Outcomes Registry Evaluating Antithrombotics (NOREA) Imperform Supplemental Version Spending Antithrombotics (NOREA) Imperform Supplemental Version Metabolise—Polated Vitamin B Use in Relation to Lung Cancer Risk in the Vitamins and Lifestyle (VITAL) Cohort Imperform Supplemental Version Spending Vitamin B Use in Relation to Lung Cancer Risk in the Vitamins and Lifestyle (VITAL) Cohort Imperform Advisory (VITAL) Cohort	197 フェンタニルクエン酸塩 Inhaise Corticosteroics a quasi-connort study 197 フェンタニルクエン酸塩 ISatement from Public Health Agency of Ganada. (2017)] Statement from the Co-chairs of the Federal Provincial and Territorial Specia Advisory Committee on the Epidemic of Opicial Overdoses 198 クロビドグレル硫酸塩 IThromb Hasenott. 117 (2017) 394-393 Mortality and cancer after 12 versus 30 months dual antipitatellet therapy: The Korean Outcomes Registry Evaluating Antithrombotics (KOREA) The Korean Outcomes Registry Evaluating Antithrombotic Registry Evaluating Antithrombotic Registry Evaluating Antithrombotic Registry Evaluating Re	195	カナグリフロジン水和物	Diabetes. (2017)] The CANVAS Program (CANagliflozin cardioVascular
197 フェンタニルクエン酸塩 from the Co-chairs of the Federal, Provincial and Territorial Spendivisory Committee on the Epidemic of Opicial Overdoses Advisory Committee on the Epidemic of Opicial Overdoses Advisory Committee on the Epidemic of Opicial Overdoses Advisory Committee on the Epidemic of Opicial Overdoses Thromb Haemost. 117 (2017) 934-939] Mortality and cancer after 12 versus 30 months dual antiplated therapy: The Korean Outcomes Registry Evaluating Antithrombotics (KOREA) Fine Academy Committee C	197	196	フルチカゾンプロピオン酸エステル・ホルモテロー ルフマル酸塩水和物	
198 クロピドグレル硫酸塩 versus 30 months dual antiplatelet therapy: The Korean Outcomes Registry Evaluating Antithrombotics (KOREA) Registry Evaluating Antithrombotics (KOREA) I.J. Clin Oncol. 35(2017)3440-3448] Long-Term. Supplemental. Onc-Garbon Metabolism-Related Vitamins B Use in Relation to Lung Cancer Risk in the Vitamins and Lifestyle (VITAL) Cohort Cancer Risk in the Vitamins and Lifestyle (VITAL) Cohort I.J. Charles of Example of Exa	versus 30 months dual antiplatelet therapy: The Korean Outcomes Registry Evaluating Antithrombotics (KOREA) Registry Evaluating Antithrombotic Registry Evaluation Registry Evaluation Registry Policy (VITA) Cohort Lung Candidate Policy	197	フェンタニルクエン酸塩	from the Co-chairs of the Federal, Provincial and Territorial Special
199 ピリドキシン塩酸塩含有一般用医薬品	199 ピリドキシン塩酸塩含有一般用医薬品	198	クロピドグレル硫酸塩	versus 30 months dual antiplatelet therapy: The Korean Outcomes
pump inhibitor use and risk of progression of chronic kidney disk [The 21st International Epidemiological Association [IEA] World Congress of Epidemiology [WCE2017]. (2017)] Use of paracetamol. ibuprofen or aspirin in pregnancy and risk of cerebral palsy in the child: A cohort study based on two Scandinavian birth cohort: [Andrology. (2017)1-7] Male urinary paracetamol and semen quality. [BMC Infect Dis. 17(2017)375] Use of ranitidine is associated with infections in newborns hospitalized in a neonatal intensive care unit: a cohort study [33rd International Conference on Pharmacoepidemiology and Therapeutic Risk Management. 26(2017)473] Use of hydrochlorothia: and risk of skin cancer [Pediatr Infect Dis. J. 36(2017)688-994] Cardio-respiratory events and inflammatory response after primary immunization in preterm infants < 32 weeks gestational age: A randomized controlled study. [Disease Models. 6(2013)643-651] A new and clinically relevant murine model of solid-organ transplant aspergillosis [33rd International Conference on Pharmacoepidemiology and Therapeutic Risk Management. 26(2017)227-228] Association of antithrombotic drug use with subdural hematoma risk	pump inhibitor use and risk of progression of chronic kidney disease [The 21st International Epidemiology [MC2017]. (2017)] Use of paracetamol, ibuprofen or aspirin in pregnancy and risk of cerebral palsy in the child: A cohort study based on two Scandinavian birth cohorts [Andrology. (2017)1-7] Male urinary paracetamol and semen quality [BMC Infect Dis. 17 (2017) 375] Use of ranitidine is associated with infections in newborns hospitalized in a neonatal intensive care unit: a cohort study [Andrology. (2017) 1-7] Male urinary paracetamol and semen quality [BMC Infect Dis. 17 (2017) 375] Use of ranitidine is associated with infections in newborns hospitalized in a neonatal intensive care unit: a cohort study [Andrology. (2017) 1-7] Male urinary paracetamol and semen quality [BMC Infect Dis. 17 (2017) 375] Use of ranitidine is associated with infections in newborns hospitalized in a neonatal intensive care unit: a cohort study [Pdistrinational Conference on Pharmacoepidemiology and Therapeutic Risk Management. 26 (2017) 473] Use of hydrochlorothiazide and risk of skin cancer [Pdistr Infect Dis J. 36 (2017) 688-994] Cardio-respiratory events and inflammatory response after primary immunization in preterm infants < 32 weeks gestational age: A randomized controlled study [Disease Models. 6 (2013) 643-651] A new and clinically relevant murine model of solid-organ transplant aspergillosis [33rd International Conference on Pharmacoepidemiology and Therapeutic Risk Management. 26 (2017) 227-228] Association of antithrombotic drug use with subdural hematoma risk [BMC Infect Dis. 17 (2017) 375] Uta Primary immunization in preterm infants < 32 weeks gestational age: A randomized controlled study infants. The primary immunization in preterm infants < 32 weeks gestational age: A randomized controlled study infants. The primary immunization in preterm infants < 32 weeks gestational age: A randomized controlled study infants. The primary immunization in preterm infants < 32 weeks gestational age: A randomized con	199	ピリドキシン塩酸塩含有一般用医薬品	One-Carbon Metabolism-Related Vitamin B Use in Relation to Lung
Congress of Epidemiology [WCE2017]. (2017) Juse of paracetamol, ibuprofen or aspirin in pregnancy and risk of cerebral palsy in the child: A cohort study based on two Scandinavian birth cohort: 202 アセトアミノフェン	201 アセトアミノフェン	200	オメプラゾール	【Gastroenterology. 153(2017)702-710】Association between proton pump inhibitor use and risk of progression of chronic kidney disease
[BMC Infect Dis. 17(2017)375] Use of ranitidine is associated with infections in newborns hospitalized in a neonatal intensive care unit: a cohort study [33rd International Conference on Pharmacoepidemiology and Therapeutic Risk Management. 26(2017)473] Use of hydrochlorothia; and risk of skin cancer [Pediatr Infect Dis J. 36(2017)688-994] Cardio-respiratory events and inflammatory response after primary immunization in preterm infants < 32 weeks gestational age: A randomized controlled study. [Disease Models. 6(2013)643-651] A new and clinically relevant murine model of solid-organ transplant aspergillosis [33rd International Conference on Pharmacoepidemiology and Therapeutic Risk Management. 26(2017)227-228] Association of antithrombotic drug use with subdural hematoma risk	Comparison of the content of the	201	アセトアミノフェン	Congress of Epidemiology [WCE2017]. (2017)] Use of paracetamol, ibuprofen or aspirin in pregnancy and risk of cerebral palsy in
203 ラニチジン塩酸塩 infections in newborns hospitalized in a neonatal intensive care unit: a cohort study 204 パルサルタン・ヒドロクロロチアジド配合剤 (33rd International Conference on Pharmacoepidemiology and Therapeutic Risk Management. 26(2017)473] Use of hydrochlorothia; and risk of skin cancer 205 沈降精製百日せきジフテリア破傷風不活化ポリオ (セービン株) 混合ワクチン (Pediatr Infect Dis J. 36(2017)688-994) Cardio-respiratory event: and inflammatory response after primary immunization in preterm infants < 32 weeks gestational age: A randomized controlled study 206 タクロリムス水和物 (Disease Models. 6(2013)643-651] A new and clinically relevant murine model of solid-organ transplant aspergillosis 207 アスピリン・ランソプラゾール配合剤 (33rd International Conference on Pharmacoepidemiology and Therapeutic Risk Management. 26(2017)227-228] Association of antithrombotic drug use with subdural hematoma risk (15 ** ** ** ** ** ** ** ** ** ** ** ** **	Infections in newborns hospitalized in a neonatal intensive care unit: a cohort study	202	アセトアミノフェン	[Andrology. (2017)1-7] Male urinary paracetamol and semen quality
Therapeutic Risk Management. 26(2017)473] Use of hydrochlorothia: and risk of skin cancer 205 沈降精製百日せきジフテリア破傷風不活化ポリオ (セービン株)混合ワクチン [Pediatr Infect Dis J. 36(2017)688-994] Cardio-respiratory event: and inflammatory response after primary immunization in preterm infants < 32 weeks gestational age: A randomized controlled study 206 タクロリムス水和物 [Disease Models. 6(2013)643-651] A new and clinically relevant murine model of solid-organ transplant aspergillosis 207 アスピリン・ランソプラゾール配合剤 [33rd International Conference on Pharmacoepidemiology and Therapeutic Risk Management. 26(2017)227-228] Association of antithrombotic drug use with subdural hematoma risk [10] [10] [10] [11] [12] [13] [13] [14] [14] [15] [14] [15] [14] [15] [14] [15] [14] [15] [14] [15] [15] [14] [15] [15] [14] [15] [15] [14] [15] [15] [14] [15]	Therapeutic Risk Management. 26 (2017) 473] Use of hydrochlorothiazida and risk of skin cancer Therapeutic Risk Management. 26 (2017) 473] Use of hydrochlorothiazida and risk of skin cancer Therapeutic Risk Management. 26 (2017) 473] Use of hydrochlorothiazida and risk of skin cancer Therapeutic Risk Management. 26 (2017) 473] Use of hydrochlorothiazida and risk of skin cancer Therapeutic Risk Management. 26 (2017) 473] Use of hydrochlorothiazida and risk of skin cancer Therapeutic Risk Management. 26 (2017) 473] Use of hydrochlorothiazida and risk of skin cancer Therapeutic Risk Management. 26 (2017) 473] Use of hydrochlorothiazida and risk of skin cancer Therapeutic Risk Management. 26 (2017) 473] Use of hydrochlorothiazida and risk of skin cancer Therapeutic Risk Management. 26 (2017) 473] Use of hydrochlorothiazida and risk of skin cancer Therapeutic Risk Management. 26 (2017) 473] Use of hydrochlorothiazida and risk of skin cancer Therapeutic Risk Management. 26 (2017) 473] Use of hydrochlorothiazida and risk of skin cancer Therapeutic Risk Management. 26 (2017) 473] Use of hydrochlorothiazida and risk of skin cancer Therapeutic Risk Management. 26 (2017) 473] Use of hydrochlorothiazida and risk of skin cancer Therapeutic Risk Management. 26 (2017) 473] Use of hydrochlorothiazida and risk of skin cancer Therapeutic Risk Management. 26 (2017) 473] Use of hydrochlorothiazida and risk of skin cancer Therapeutic Risk Management. 26 (2017) 473] Use of hydrochlorothiazida and risk of skin cancer Therapeutic Risk Management. 26 (2017) 473] Use of hydrochlorothiazida and risk of skin cancer Therapeutic Risk Management. 26 (2017) 473] Use of hydrochlorothiazida and risk of skin cancer Therapeutic Risk Management. 26 (2017) 473] Use of hydrochlorothiazida and risk of skin cancer Therapeutic Risk Management. 26 (2017) 473] Use of hydrochlorothiazida and risk of skin cancer Therapeutic Risk Management. 26 (2017) 473] Use of hydrochlorothiazida and risk of skin cancer Thera	203	ラニチジン塩酸塩	infections in newborns hospitalized in a neonatal intensive care
205 次降精製自日ゼミシフテリア破場風不活化ポリオ	205 (セービン株) 混合ワクチン and inflammatory response after primary immunization in preterm infants < 32 weeks gestational age: A randomized controlled study 206 タクロリムス水和物 【Disease Models. 6 (2013) 643-651】 A new and clinically relevant murine model of solid-organ transplant aspergillosis 207 アスピリン・ランソプラゾール配合剤 【33rd International Conference on Pharmacoepidemiology and Therapeutic Risk Management. 26 (2017) 227-228】 Association of antithrombotic drug use with subdural hematoma risk 208 フルボキサミンスレイン辞物	204	バルサルタン・ヒドロクロロチアジド配合剤	Therapeutic Risk Management. 26(2017)473] Use of hydrochlorothiazide
murine model of solid-organ transplant aspergillosis [33rd International Conference on Pharmacoepidemiology and Therapeutic Risk Management. 26(2017)227-228] Association of antithrombotic drug use with subdural hematoma risk	murine model of solid-organ transplant aspergillosis [33rd International Conference on Pharmacoepidemiology and Therapeutic Risk Management. 26(2017) 227-228】 Association of antithrombotic drug use with subdural hematoma risk [日本薬学会第137年会・講演要旨集. 4(2017) 155】 レセプトデータを用いた	205	沈降精製百日せきジフテリア破傷風不活化ポリオ (セービン株)混合ワクチン	and inflammatory response after primary immunization in preterm
207 アスピリン・ランソプラゾール配合剤 Therapeutic Risk Management. 26(2017)227-228】Association of antithrombotic drug use with subdural hematoma risk	207 アスピリン・ランソプラゾール配合剤	206	タクロリムス水和物	
【日本薬学会第137年会・護海栗旨集 4(2017)155】レセプトデータを用		207	アスピリン・ランソプラゾール配合剤	Therapeutic Risk Management. 26(2017)227-228] Association of
		208	フルボキサミンマレイン酸塩	【日本薬学会第137年会・講演要旨集. 4(2017)155】レセプトデータを用いた 妊娠中の抗うつ薬が出生児出生児への影響の解析

209	リトドリン塩酸塩	【日本薬学会第137年会・講演要旨集. 4(2017)166】新生児低血糖発症リスクに関する検討ーリトドリンが新生児血糖に及ぼす影響とその関連因子ー
210	アトルバスタチンカルシウム水和物	[J Clin Pharmacol. 57(2017)1305-1314] Effect of steady-state faldaprevir on pharmacokinetics of atorvastatin or rosuvastatin in healthy volunteers: A prospective open-label, fixed-sequence crossover study
211	ゼラチン	[J Crit Care. 35(2016)75-83] How safe is gelatin? A systematic review and meta-analysis of gelatin-containing plasma expanders vs crystalloids and albumin
212	ゲムシタビン塩酸塩	【臨床薬理の進歩. 38(2017)129-136】薬剤性間質性肺炎の責任遺伝子探索と 関連性解析
213	ラベプラゾールナトリウム	【Pharmacotherapy. 36(2016)986-993】Risk and Severity of Hospital-Acquired Clostridium difficile Infection in Patients Taking Proton Pump Inhibitors
214	アスピリン・ランソプラゾール配合剤	[Int J Cardiol. 221(2016)161-166] Clinical implications of low-dose aspirin on vasospastic angina patients without significant coronary artery stenosis; a propensity score-matched analysis
215	アログリプチン安息香酸塩・ピオグリタゾン塩酸塩	【Pharmacoepidemiol Drug Saf. 26(2017)549-550】Nested Case-Control Studies to Assess the Association Between Pioglitazone Use and Bladder Cancer Risk in a Swedish Type 2 Diabetes Cohort
216	ボノプラザンフマル酸塩・アモキシシリン水和物・ クラリスロマイシン	[Pharmacoepidemiol Drug Saf. 26(2017)182] Long-term risk of acute myocardial infarction, stroke and death with outpatient use of clarithromycin: A retrospective cohort study
217	インフルエンザH A ワクチン	[14th Asian and Oceanian Congress of Child Neurology. (2017)] Narcolepsy in Children: Relationship to the H1N1 Influenza Vaccination, Association with Psychiatric and Cognitive Impairments and Consequences in Daily Life
218	ボノプラザンフマル酸塩・アモキシシリン水和物・ メトロニダゾール	【Pharmacoepidemiol Drug Saf. 26(2017)25】Antibiotic prescribing during infancy and risk of treated airway diseases among children born in Denmark 2004-2012
219	液体酸素	【臨床眼科. 71(2017)1435-1439】高知医療センターにおける未熟児網膜症の発症関連因子および治療適応因子の検討
220	リザトリプタン安息香酸塩	【Cephalalgia. 37(2017)965-978】Comparative tolerability of treatments for acute migraine: A network meta-analysis
221	クロピドグレル硫酸塩	[Medicine(Baltimore). 96(2017)e8169] Poor prognosis after surgery for intertrochanteric fracture in elderly patients with clopidogrel treatment: A cohort study
222	ジルチアゼム塩酸塩	[Am J Cardiol. 120(2017)588-594] Efficacy and safety of rivaroxaban versus warfarin in patients taking nondihydropyridine calcium channel blockers for atrial fibrillation (from the ROCKET AF trial)
223	アミオダロン塩酸塩	【JAMA. 318(2017)1250-1259】Association Between Use of Non-Vitamin K Oral Anticoagulants With and Without Concurrent Medications and Risk of Major Bleeding in Nonvalvular Atrial Fibrillation

224	ビルダグリプチン・メトホルミン塩酸塩	[Clin Ther. 38(2016)1392-1400] Safety of Concomitant Metformin and Proton Pump Inhibitor Use: A Population Retrospective Cohort Study
225	エストラジオール吉草酸エステル	[The 21st International Epidemiological Association [IEA] World Congress of Epidemiology [WCE2017]. (2017)] Effects of menopausal hormone therapy and the risks of screen detected and interval breast cancers in a large UK prospective study
226	リトドリン塩酸塩	[Pediatr Allergy Immunol. (2017)1-8] Beta-2 receptor agonist exposure in the uterus associated with subsequent risk of childhood asthma
227	クラリスロマイシン	【Pharmacoepidemiol Drug Saf. 26(2017)182】Long-term risk of acute myocardial infarction, stroke and death with outpatient use of clarithromycin: A retrospective cohort study
228	フルコナゾール	【JAMA. 318(2017)1250-1259】Association Between Use of Non-Vitamin K Oral Anticoagulants With and Without Concurrent Medications and Risk of Major Bleeding in Nonvalvular Atrial Fibrillation
229	カナグリフロジン水和物	[Curr Med Res Opin. 33(2017)553-562] Longer-term safety and tolerability of canagliflozin in patients with type 2 diabetes: a pooled analysis
230	サキサグリプチン水和物	[The 21st International Epidemiological Association [IEA] World Congress of Epidemiology [WCE2017]. (2017)] Dipeptidyl Peptidase-4 Inhibitors Associated with a Higher Risk of Cardiovascular Events: A Population-based Cohort Study in Taiwan
231	ガバペンチン	[PLoS Med. (2017)1-13] Gabapentin, opioids, and the risk of opioid-related death: A population-based nested case-control study
232	アログリプチン安息香酸塩・メトホルミン塩酸塩	[Gynecol Oncol. 146(2017)636-641] Antidiabetic medication, statins and the risk of endometrioid endometrial cancer in patients with type 2 diabetes
233	アスピリン	[The 21st International Epidemiological Association [IEA] World Congress of Epidemiology [WCE2017]. (2017)] Use of paracetamol, ibuprofen or aspirin in pregnancy and risk of cerebral palsy in the child: A cohort study based on two Scandinavian birth cohorts
234	クロピドグレル硫酸塩	【Clin Pharmacol Ther. 102(2017)547-553】Clopidogrel-Paclitaxel Drug-Drug Interaction: A Pharmacoepidemiologic Study
235	ソマトロピン(遺伝子組換え)	【J Clin Endocrinol Metab. 102(2017)1661-1672】Cancer Risks in Patients Treated With Growth Hormone in Childhood: The SAGhE European Cohort Study
236	インフリキシマブ(遺伝子組換え)	[Arthritis Care and Research. 69(2017)1526-1534] Risk of Hypersensitivity to Biologic Agents Among Medicare Patients With Rheumatoid Arthritis
237	ジメチコン	【Ophthalmologica. 238(2017)68-73】Polydimethyl Siloxane as an Internal Tamponade for Vitreoretinal Surgery
238	ソマトロピン(遺伝子組換え)	[Clin Endocrinol. 85(2016)813-818] Mortality and cancer incidence among patients treated with recombinant growth hormone during childhood in Israel

239	テノホビル ジソプロキシルフマル酸塩	【BMC Infect Dis. 17(2017)396】Clinical and genetic factors associated with kidney tubular dysfunction in a real-life single centre cohort of HIV-positive patients
240	バルサルタン・ヒドロクロロチアジド配合剤	【J Intern Med. 282(2017)322-331】Hydrochlorothiazide use is strongly associated with risk of lip cancer
241	テストステロンエナント酸エステル・エストラジ オール吉草酸エステル	[Am J Physiol Lung Cell Mol Physiol. 313(2017)L477-L490] Estrogen and cigarette sidestream smoke particulate matter exhibit ERα-dependent tumor-promoting effects in lung adenocarcinoma cells
242	テストステロンエナント酸エステル	[Clin Endocrinol. 85(2016)436-443] Testosterone therapy, association with age, initiation and mode of therapy with cardiovascular events: a systematic review
243	イトラコナゾール	[Drug Saf. 32(2009)239-244] First-trimester itraconazole exposure and pregnancy outcome: a prospective cohort study of women contacting teratology information services in Italy
244	オクスカルバゼピン	[14th Asian and Oceanian Congress of Child Neurology. (2017)] Investigate the effect of antiepileptic drugs on bone metabolism in children with epilepsy
245	アログリプチン安息香酸塩・メトホルミン塩酸塩	[Clin Ther. 38(2016)1392-1400] Safety of Concomitant Metformin and Proton Pump Inhibitor Use: A Population Retrospective Cohort Study
246	ランソプラゾール	[Clin Ther. 38(2016)1392-1400] Safety of Concomitant Metformin and Proton Pump Inhibitor Use: A Population Retrospective Cohort Study
247	モンテルカスト	【Eur Respir J. 50(2017)1-10】Neuropsychiatric adverse drug reactions in children initiated on montelukast in real-life practice
248	ラベプラゾールナトリウム	【第94回日本消化器内視鏡学会雑誌. 59(2017)2217】当科のEPLBD後における合併症・総胆管結石再発因子に関する検討
249	ラベプラゾールナトリウム	[Dig Dis Sci. 62(2017)2821-2827] Associations of Proton-Pump Inhibitors and H2 Receptor Antagonists with Chronic Kidney Disease: A Meta-Analysis
250	ジドブジン	[Fertil Steril. 108(2017)e154-e155] Zidovudine inhibits telomere elongation, increases the transposable element line-1 copy number and compromises mouse embryo development
251	酸化セルロース	[Otolaryngol Head Neck Surg. 147(2012)489-492] Sialocele after parotid surgery: assessing the risk factors
252	L-アスパラギナーゼ	【第79回日本血液学会学術集会. 58(2017)1509】Risk factors for L-asparaginase-related liver injury in patients with adult Ph-negative ALL
253	モルヒネ塩酸塩水和物	【Chest. 152(2017)821-832】Morphine Use in the ED and Outcomes of Patients With Acute Heart Failure: A Propensity Score-Matching Analysis Based on the EAHFE Registry

_		
254	ロサルタンカリウム・ヒドロクロロチアジド	【J Intern Med. 282(2017)322-331】Hydrochlorothiazide use is strongly associated with risk of lip cancer
255	ボリコナゾール	[Am J Transplant. (2017)] Voriconazole and squamous cell carcinoma after lung transplantation: A multicenter study
256	トルバプタン	【J Card Fail. 23(2017)S30】Clinical characteristics and outcomes in the heart failure patients with tolvaptan; from asian HF registry Japanese cohort data
257	ドキソルビシン塩酸塩	【第55回日本癌治療学会学術集会. (2017)736】AC療法施行乳癌患者における 発熱性好中球減少症発現に関連する因子の検討
258	リトドリン塩酸塩	【Pediatr Allergy Immunol. (2017)1-8】Beta-2 receptor agonist exposure in the uterus associated with subsequent risk of childhood asthma
259	レボフロキサシン水和物	[CMAJ. 189(2017)E625-E633] Use of antibiotics during pregnancy and risk of spontaneous abortion
260	エストラジオール吉草酸エステル	[Int J Cancer. 141(2017)1763-1770] Menopausal hormone therapy and risk of melanoma: Do estrogens and progestins have a different role?
261	プロゲステロン	【PLoS Med. 14(2017)e1002390】Vaginal progesterone pessaries for pregnant women with a previous preterm birth to prevent neonatal respiratory distress syndrome (the PROGRESS Study): A multicentre, randomised, placebo-controlled trial
262	ラベプラゾールナトリウム	[World J Gastroenterol. 23(2017)6500-6515] Proton pump inhibitors therapy and risk of Clostridium difficile infection: Systematic review and meta-analysis
263	ラベプラゾールナトリウム・アモキシシリン水和 物・クラリスロマイシン	【Pharmacoepidemiol Drug Saf. 26(2017)182】Long-term risk of acute myocardial infarction, stroke and death with outpatient use of clarithromycin: A retrospective cohort study
264	アスピリン・ランソプラゾール配合剤	[Clin Ther. 39(2017)1291-1312] The Efficacy and Safety of 3 Types of Interventions for Stroke Prevention in Patients With Cardiovascular and Cerebrovascular Diseases: A Network Meta-analysis
265	ラモトリギン	【第3回次世代を担う若手のためのレギュラトリーサイエンスフォーラム. (2017)22】JADERを用いた感染症と重篤副作用との関連に関する薬剤疫学研究:薬効別解析
266	イバンドロン酸ナトリウム水和物	【J Am Geriatr Soc. 65(2017)1924-1931】Long-term oral bisphosphonate therapy and fractures in older women: the Women's Health Initiative
267	ガンシクロビル	【医療薬学 43(2017)552-562】. データマイニング手法を用いたガンシクロビル誘発性好中球減少症の要因分析
268	アログリプチン安息香酸塩・メトホルミン塩酸塩	[Saudi Pharmaceutical Journal. 25(2017)906-910] The effect of metformin use on pregnancy rates among polycystic ovary syndrome patients undergoing in vitro fertilization: A retrospective-cohort study

269	インフリキシマブ(遺伝子組換え)	[Arthritis and Rheumatology. 69(2017)] Rheumatoid arthritis and the risk for interstitial lung disease: A comparison of risk associated with biologic and conventional DMARDs
270	アスパルテーム含有一般用医薬品	[Acta Otolaryngol. 137(2017)421-425] Dose and time dependent ototoxicity of aspartame in rats
271	インスリン グラルギン(遺伝子組換え)	[J Clin Oncol. 32(2017)3647-3653] Long-Term Use of Long-Acting Insulin Analogs and Breast Cancer Incidence in Women With Type 2 Diabetes
272	アスピリン・ランソプラゾール配合剤	[European journal of internal medicine. 39(2017)63-68] Different impact of aspirin on renal progression in patients with predialysis advanced chronic kidney disease with or without previous stroke
273	プロゲステロン	[Drug Alcohol Depend. 165(2016)265-269] Self-administration of progesterone and synthetic neuroactive steroids by male rhesus monkeys
274	インフルエンザHAワクチン	[Vaccine. 35(2017)5314-5322] Association of spontaneous abortion with receipt of inactivated influenza vaccine containing H1N1pdm09 in 2010-11 and 2011-12
275	モルヒネ塩酸塩水和物	【Eur J Clin Pharmacol. 73(2017)1287-1295】Adverse cardiac events associated with incident opioid drug use among older adults with COPD
276	パロキセチン塩酸塩水和物	[15th International Congress of Therapeutic Drug Monitoring & Clinical Toxicology. (2017)] Neonatal abstinence syndrome after in utero exposure to antidepressant and benzodiazepines
277	リトドリン塩酸塩	[Pediatr Allergy Immunol. (2017)1-8] Beta-2 receptor agonist exposure in the uterus associated with subsequent risk of childhood asthma
278	エストラジオール吉草酸エステル	[Eur J Cancer. 84(2017)60-68] Menopausal hormone therapy and cancer risk: An overestimated risk?
279	ラベプラゾールナトリウム	【日本消化器病学会雑誌. (2017)114】ヘリコパクター感染者における胃癌発生リスクの検討
280	ラベプラゾールナトリウム	【第3回次世代を担う若手のためのレギュラトリーサイエンスフォーラム要旨 集. (2017)22】JADERを用いた感染症と重篤副作用との関連に関する薬剤疫 学研究:薬効別解析
281	タクロリムス水和物	【Transpl Int. 30(2017)459】Impact of tacrolimus intra-patient variability on long-term outcome after liver transplantation
282	フルチカゾンプロピオン酸エステル・ホルモテロー ルフマル酸塩水和物	【International Journal of Pharmaceutical Sciences and Research. 8(2017)3991-3999.】 The risk of hyperglycemia associated with the use of prescribed medications
283	フルチカゾンプロピオン酸エステル・ホルモテロー ルフマル酸塩水和物	【Eur Respir J. 50(2017)】The risk of mycobacterial infections associated with inhaled corticosteroid use

284	アロプリノール	[Am J Gastroenterol. 112 (2017) 1382-1388] Idiosyncratic Drug Induced Liver Injury in African-Americans Is Associated With Greater Morbidity and Mortality Compared to Caucasians
285	トラネキサム酸	[J Cardiothorac Vasc Anesth. 31(2017)1611-1617] Low-Dose Versus High-Dose Tranexamic Acid Reduces the Risk of Nonischemic Seizures After Cardiac Surgery With Cardiopulmonary Bypass
286	プレガバリン	[Medical Tribune. (2017)] Gabapentinoid is not a panacea drug
287	塩化ラジウム(223Ra)	【社内資料】骨転移のある去勢抵抗性前立腺癌患者を対象とした塩化ラジウム (223Ra) を含む第111相試験に対する独立データモニタリング委員会よる 盲検解除の勧告
288	ピリドキシン塩酸塩含有一般用医薬品	[J Bone Miner Res. 32(2017)1981-1989] B Vitamins and Hip Fracture: Secondary Analyses and Extended Follow-Up of Two Large Randomized Controlled Trials
289	インフリキシマブ(遺伝子組換え)	【Arthritis and Rheumatology. 69(2017)】 Rates of malignancy associated with anti-tnf agents and subsequent biologic use after malignancy using U.S. seer registry data
290	メトトレキサート	[Arthritis and Rheumatology. 69(2017)] Rates of malignancy associated with anti-tnf agents and subsequent biologic use after malignancy using U.S. seer registry data
291	オクスカルバゼピン	[BMC Pediatr. 16(2016)1-6] Potential effects of valproate and oxcarbazepine on growth velocity and bone metabolism in epileptic children- a medical center experience
292	クロピドグレル硫酸塩	[Int J Cardiol. 246(2017)20-25] Sex differences in the effect of diabetes mellitus on platelet reactivity and coronary thrombosis: From the Assessment of Dual Antiplatelet Therapy with Drug-Eluting Stents (ADAPT-DES) study
293	シルデナフィルクエン酸塩	[PLoS One. 12(2017)e0183388] Use of phosphodiesterase inhibitors and prevalence of self-reported glaucoma in the United States
294	ドキソルビシン塩酸塩	【Intern Med J. 47(2017)1166-1172】Chemotherapy-related cardiotoxicity: are Australian practitioners missing the point?
295	オメプラゾール	[Dig Dis Sci. 62(2017)2821-2827] Associations of proton-pump inhibitors and H2 receptor antagonists with chronic kidney disease: A meta-analysis
296	コルヒチン	[Clin Ther. 39(2017)e36-e37] SAFETY OF COLCHICINE FOR GOUT: A TEN-YEAR SURVERY OF THE HONG KONG POPULATION
297	オセルタミビルリン酸塩	[Vaccine. 35(2017)4817-4824] Oseltamivir use and severe abnormal behavior in Japanese children and adolescents with influenza: Is a self-controlled case series study applicable?
298	オメプラゾール	[Dig Dis Sci. 62(2017)2821-2827] Associations of proton-pump inhibitors and H2 receptor antagonists with chronic kidney disease: A meta-analysis

299	エソメプラゾールマグネシウム水和物	【Dig Dis Sci. 62(2017)2821-2827】Associations of proton-pump inhibitors and H2 receptor antagonists with chronic kidney disease: A meta-analysis
300	メチルフェニデート塩酸塩	[Cutan Ocul Toxicol. 36(2017)362-365] Lens opacities in children using methylphenidate hydrochloride
301	L ーアスパラギナーゼ	【Pediatr Blood Cancer. 64(2017)e26694】Cerebral sinus venous thrombosis during childhood acute lymphoblastic leukemia therapy: Risk factors and management
302	A型インフルエンザHAワクチン (H1N1株)	[Pharmacoepidemiol Drug Saf. 26(2017)1321-1327] Spontaneous reporting of suspected narcolepsy after vaccination against pandemic influenza A (H1N1) in Germany
303	ラベプラゾールナトリウム	【J Intern Med. (2017)】Long-term use of Proton Pump Inhibitors, Dose-response Relationship, and Associated Risk of Ischemic Stroke and Myocardial Infarction
304	ニボルマブ(遺伝子組換え)	【Bone Marrow Transplant. 52(2017)1463-1464】Association between GvHD and nivolumab in the FDA adverse event reporting system
305	インフリキシマブ(遺伝子組換え) [後続 1]	【JAMA. 318(2017)1679-1686】Association Between Use of Thiopurines or Tumor Necrosis Factor Antagonists Alone or in Combination and Risk of Lymphoma in Patients With Inflammatory Bowel Disease
306	リトドリン塩酸塩	【日本周産期・新生児医学会雑誌 53(2017)721】双胎妊娠における分娩前 12時間以内の塩酸リトドリンの使用は新生児低血糖の危険因子である
307	タクロリムス水和物	【第49回日本小児感染症学会総会・学術集会プログラム・抄録集. (2017)159】カルシニューリン阻害薬はMyD88依存性に川崎病マウスモデルの 冠動脈炎を増悪させる
308	塩酸セルトラリン	【JAMA. 318(2017)1876-1890】Effect of Sertraline on Depressive Symptoms in Patients With Chronic Kidney Disease Without Dialysis Dependence: The CAST Randomized Clinical Trial
309	ランソプラゾール	【BMJ Journals. 10(2017)】Long-term proton pump inhibitors and risk of gastric cancer development after treatment for Helicobacter pylori: a population-based study
310	ガドテル酸メグルミン	[Radiol Med. (2017)] Effects of serial macrocyclic-based contrast materials gadoterate meglumine and gadobutrol administrations on gadolinium-related dentate nuclei signal increases in unenhanced T1-weighted brain: a retrospective study in 158 multiple sclerosis (MS) patients
311	ニロチニブ塩酸塩水和物	[Cell Physiol Biochem. 42(2017)2182-2193] Caspase-Independent Pathway is Related to Nilotinib Cytotoxicity in Cultured Cardiomyocytes
312	テルミサルタン・ヒドロクロロチアジド配合剤	【Br J Clin Pharmacol. 83(2017)2541-2548】The impact of serum potassium-influencing antihypertensive drugs on the risk of out-of-hospital cardiac arrest: A case-control study
313	クリンダマイシンリン酸エステル	【Br J Clin Pharmacol. 83(2017)2557-2571】Use of antibiotics during pregnancy and the risk of major congenital malformations: a population based cohort study

314	アログリプチン安息香酸塩・メトホルミン塩酸塩	【Diabetes Obes Metab. 19(2017)1579-1586】Acute kidney injury, plasma lactate concentrations and lactic acidosis in metformin users: A GoDarts study
315	スキサメトニウム塩化物水和物	[Resuscitation. 121(2017)76-80] Factors snd outcomes associated with inpatient cardiac arrest following emergent endotracheal intubation
316	酸化マグネシウム	[15th International Congress of Therapeutic Drug Monitoring & Clinical Toxicology. (2017)] Retrospective investigation of concomitant medications as potential risk factors for sever neutropenia in cancer patients treated with carboplatin and paclitaxel combination therapy
317	インフリキシマブ(遺伝子組換え)	[J Crohns Colitis. 11(2017)680-689] Five-year Safety Data From ENCORE, a European Observational Safety Registry for Adults With Crohn's Disease Treated With Infliximab [Remicade(R)] or Conventional Therapy
318	オメプラゾール	[Oncotarg. 8(2017)70332-70344] Omeprazole promotes carcinogenesis of fore-stomach in mice with co-stimulation of nitrosamine
319	オメプラゾール	[Medicine(Baltimore). 95(2016)e3363] Association Between the Use of Proton Pump Inhibitors and the Risk of ESRD in Renal Diseases: A Population-Based, Case-Control Study
320	オメプラゾール	[BMC Nephrol. 17(2016)] Proton pump inhibitors are associated with increased risk of development of chronic kidney disease
321	エソメプラゾールマグネシウム水和物	【BMJ Journals. 10(2017)】Long-term proton pump inhibitors and risk of gastric cancer development after treatment for Helicobacter pylori: a population-based study
322	エソメプラゾールマグネシウム水和物	[Medicine(Baltimore). 95(2016)e3363] Association Between the Use of Proton Pump Inhibitors and the Risk of ESRD in Renal Diseases: A Population-Based, Case-Control Study
323	エソメプラゾールマグネシウム水和物	[BMC Nephrol. 17(2016)] Proton pump inhibitors are associated with increased risk of development of chronic kidney disease
324	オメプラゾール	【BMJ Journals. 10(2017)】Long-term proton pump inhibitors and risk of gastric cancer development after treatment for Helicobacter pylori: a population-based study
325	クリンダマイシンリン酸エステル	【Br J Clin Pharmacol. 83(2017)2557-2571】Use of antibiotics during pregnancy and the risk of major congenital malformations: a population based cohort study
326	ジゴキシン	【Proc. Am. Ass. Cancer Res. 58(2017)841-842】 Cancer mortality by antiarrhythmic drug use in a population-based cohort of Finnish men
327	リトドリン塩酸塩	【第27回日本医療薬学会年会. (2017)997】切迫流・早産患者におけるリトドリン投与による掻痒症発現の検討
328	レパグリニド	【Int J Cardiol. 228(2017)1007-1014】Comparing the risks of hospitalized heart failure associated with glinide, sulfonylurea, and acarbose use in type 2 diabetes: A nationwide study

329	バンコマイシン塩酸塩	[Ann Pharmacother. 51(2017)937-944] Intravenous Vancomycin Associated With the Development of Nephrotoxicity in Patients With Class III Obesity
330	ジクロフェナクナトリウム	[Eur Heart J. 38(2017)217] Cardiovascular risks associated with diclofenac initiation: a nationwide emulated randomized trial
331	エバスチン	[Eur J Clin Pharmacol. 73(2017)1499-1510] Use of antihistamines and risk of ventricular tachyarrhythmia: a nested case-control study in five European countries from the ARITMO project
332	ジクロフェナクナトリウム	[Eur Heart J. 38(2017)217] Cardiovascular risks associated with diclofenac initiation: a nationwide emulated randomized trial
333	オメプラゾール	[Eur J Clin Pharmacol. 73 (2017) 855-865] . Influence of genetic and non-genetic factors on phenytoin-induced severe cutaneous adverse drug reactions
334	イリノテカン塩酸塩水和物	【Clin Pharmacol Ther. 102(2017)123-130】Cost Evaluation of Irinotecan-Related Toxicities Associated With the UGT1A1*28 Patient Genotype
335	オキシブチニン塩酸塩	【J Clin Pharmacol. 57(2017)1064-1070】Antimuscarinic Use in Females With Overactive Bladder Syndrome Increases the Risk of Depressive Disorder: A 3-Year Follow-up Study
336	タクロリムス水和物	[Eur J Clin Pharmacol. 73(2017)819-826] The incidence of post-transplant cancer among kidney transplant recipients is associated with the level of tacrolimus exposure during the first year after transplantation
337	フルボキサミンマレイン酸塩	[BMJ. 358(2017)1-8] Antidepressants during pregnancy and autism in offspring:population based cohort study
338	タクロリムス水和物	[Eur J Clin Pharmacol. 73(2017)819-826] The incidence of post-transplant cancer among kidney transplant recipients is associated with the level of tacrolimus exposure during the first year after transplantation
339	ランソプラゾール	[Eur J Clin Pharmacol. 73(2017)1019-1025] Correlation between proton pump inhibitors and risk of pyogenic liver abscess
340	クロピドグレル硫酸塩	[Eur J Clin Pharmacol. 73(2017)843-854] Meta-analysis of effects of ABCB1 polymorphisms on clopidogrel response among patients with coronary artery disease
341	インドメタシン	[J Infect Dis. 215 (2017) 503-509] Acute respiratory infection and use of nonsteroidal anti-inflammatory drugs on risk of acute myocardial infarction: A nationwide case-crossover study
342	フルボキサミンマレイン酸塩	[BMJ. 357(2017)1-9] Prenatal antidepressant use and risk of attention-deficit/hyperactivity disorder in offspring:population based cohort study
343	アナストロゾール	[Breast Cancer. 24(2017)528-534] Body mass index and menopausal disorders during menopause affect vasomotor symptoms of postmenopausal Japanese breast cancer patients treated with anastrozole: a prospective multicenter cohort study of patient-reported outcomes

344	アスピリン	[Lancet. 390(2017)490-499] Age-specific risks, severity, time course, and outcome of bleeding on long-term antiplatelet treatment after vascular events: a population-based cohort study
345	サラゾスルファピリジン	【J Infect Dis. 15(2017)566-573】Hepatitis B virus reactivation in rheumatoid arthritis patients undergoing biologics treatment
346	ジピリダモール	[Lancet. 390(2017)490-499] Age-specific risks, severity, time course, and outcome of bleeding on long-term antiplatelet treatment after vascular events: a population-based cohort study
347	フルボキサミンマレイン酸塩	【BMJ. 358(2017)j3326】Risk of neonatal drug withdrawal after intrauterine co-exposure to opioids and psychotropic medications: cohort study
348	フェンタニルクエン酸塩	[Frontiers in Physiology. $8(2017)1-12$] Fentanyl Promotes Breast Cancer Cell Stemness and Epithelial-Mesenchymal Transition by Upregulating $\alpha1$, 6-Fucosylation via Wnt/ β -Catenin Signaling Pathway
349	オメプラゾールナトリウム	[Eur J Clin Pharmacol. 73(2017)1019-1025] Correlation between proton pump inhibitors and risk of pyogenic liver abscess
350	クロピドグレル硫酸塩	【Clin Pharmacol Ther. 102(2017)547-553】Clopidogrel-Paclitaxel Drug-Drug Interaction: A Pharmacoepidemiologic Study
351	ポリエチレングリコール処理人免疫グロブリン	【JAMA Internal Medicine. 177(2017)430-432】Evaluation of potencies of immune globulin products against hapatitis A
352	クロピドグレル硫酸塩	[J Anesth. 31(2017)631-635] Increased risk of paclitaxel-induced peripheral neuropathy in patients using clopidogrel: a retrospective pilot study
353	ボリコナゾール	【Eur J Clin Pharmacol. 73(2017)1181-1185】Voriconazole-induced QT prolongation among hemato-oncologic patients: clinical characteristics and risk factors
354	クロピドグレル硫酸塩	【Clin Pharmacol Ther. 102(2017)547-553】Clopidogrel-Paclitaxel Drug-Drug Interaction: A Pharmacoepidemiologic Study
355	クロピドグレル硫酸塩	[Clin Pharmacol Ther. 102(2017)547-553] Clopidogrel-Paclitaxel Drug-Drug Interaction: A Pharmacoepidemiologic Study
356	クロピドグレル硫酸塩	[J Anesth. 31(2017)631-635] Increased risk of paclitaxel-induced peripheral neuropathy in patients using clopidogrel: a retrospective pilot study
357	ドセタキセル水和物	[Jpn Clin Oncol. 47(2017)683-689] Comparing docetaxel plus cisplatin versus fluorouracil plus cisplatin in esophageal squamous cell carcinoma treated with neoadjuvant chemoradiotherapy
358	リスペリドン	[J Am Acad Child Adolesc Psychiatry. 56(2017)642-651] Concomitant use of atypical antipsychotics with other psychotropic medication classes and the risk of type 2 diabetes mellitus

359	ラタノプロスト	【日本薬学会第137年会・講演要旨集. 4(2017)115】日米の有害事象自発報告 データベースを用いたプロスタグランジン系点眼薬の血圧上昇に関する解析
360	フルボキサミンマレイン酸塩	[BMJ. 358(2017)1-10] Antidepressant use during pregnancy and psychiatric disorders in offspring: Danish nationwide register based cohort study
361	フルチカゾンプロピオン酸エステル	[Br J Clin Pharmacol. 83(2017)2077-2086] Pneumonia risk in asthma patients using inhaled corticosteroids: a quasi-cohort study
362	アミオダロン塩酸塩	[JAMA. 318(2017)1250-1259] Association Between Use of Non-Vitamin K Oral Anticoagulants With and Without Concurrent Medications and Risk of Major Bleeding in Nonvalvular Atrial Fibrillation
363	メトホルミン塩酸塩	[Br J Clin Pharmacol. 83(2017)2034-2044] Use of oral antidiabetic agents and risk of community-acquired pneumonia: a nested case-control study
364	フルボキサミンマレイン酸塩	【日本薬学会第137年会・講演要旨集. 4(2017)155】レセプトデータを用いた 妊娠中の抗うつ薬が出生児出生児への影響の解析
365	ロサルタンカリウム・ヒドロクロロチアジド	【J Intern Med. 282(2017)322-331】Hydrochlorothiazide use is strongly associated with risk of lip cancer
366	アスピリン	【JAMA. 318(2017)1260-1271】Association Between Use of Antithrombotic Medication and Hematuria-Related Complications
367	コデインリン酸塩水和物(1%以下)	[Eur J Clin Pharmacol. 73(2017)1287-1295] Adverse cardiac events associated with incident opioid drug use among older adults with COPD
368	カルベジロール	[Br J Clin Pharmacol. 83(2017)2292-2302] Beta-blocker use and fall risk in older individuals: Original results from two studies with meta-analysis
369	ロサルタンカリウム・ヒドロクロロチアジド	【J Intern Med. 282(2017)322-331】Hydrochlorothiazide use is strongly associated with risk of lip cancer
370	アスピリン	[J Am Acad Dermatol. 76(2017)AB69] Chronic daily single dose aspirin exposure and subsequent nonmelanoma skin cancer
371	ジクロフェナクナトリウム	[Eur Heart J. 38(2017)217] Cardiovascular risks associated with diclofenac initiation: a nationwide emulated randomized trial
372	リツキシマブ(遺伝子組換え)	[Clin Transplant. 31(2017)] Favorable results in ABO-incompatible renal transplantation without B cell-targeted therapy: Advantages and disadvantages of rituximab pretreatment
373	カフェイン水和物	【J Pediatr. 189(2017)120-127】Maternal caffeine consumption during pregnancy and behavioral disorders in 11-year-old offspring: A Danish National Birth Cohort study

1	
374 美白化粧品(医薬部外品)	【第35回日本美容皮膚科学会総会・学術大会. (2017)】美白剤(ロドデノール含む)の作用メカニズムと注意点
375 美白化粧品(医薬部外品)	【第23回国際色素細胞学会. (2017)】Tyrosinase-catalyzed oxidation of 4-(4-hydroxyphenyl)-2-butanone(raspberry ketone):Implications for melanocyte toxicity
376 美白化粧品(医薬部外品)	【第23回国際色素細胞学会. (2017)】Application of melanin index and L*a*b* color space for the evaluation of vitiligo and chemical leukoderma
377 美白化粧品(医薬部外品)	【第23回国際色素細胞学会. (2017)】Analysis of repigmentation in vitiligo using the mouse model with rhododenol-induced leukoderma
378 美白化粧品(医薬部外品)	【第23回国際色素細胞学会. (2017)】New game player of vitiligo: Mast cell actiavtion in vitiligo and rhododendrol-induced leukoderma
379 美白化粧品(医薬部外品)	【Cosmetics. 4(2017)1-17】In Vitro Methods for Predicting Chemical Leukoderma Caused by Quasi-Drug Cosmetics
380 美白化粧品(医薬部外品)	【FRAGRANCE JOURNAL. 45(2017)12-20】最近の色素細胞研究
381 美白化粧品(医薬部外品)	【花王メラニン研究会第2回研究助成・成果報告会. (2017)】ロドデノール白 斑患者に誘発されたメラノサイト特異的細胞障害性T細胞の長期存続経過
382 美白化粧品(医薬部外品)	【花王メラニン研究会第2回研究助成・成果報告会. (2017)】化学物質の白斑 毒性
383 ビタミン含有保健剤	[J Clin Oncol. 35(2017)3440-3448] Long-Term, Supplemental, One-Carbon Metabolism-Related Vitamin B Use in Relation to Lung Cancer Risk in the Vitamins and Lifestyle (VITAL) Cohort
384 クリーム	[Am J Epidemiol. 85(2017) 317-328] Maternal Licorice Consumption During Pregnancy and Pubertal, Cognitive, and Psychiatric Outcomes in Children
385 美白化粧品(医薬部外品)	【Skin Res Technol. (2017)】Spectrophotometer is useful for assessing vitiligo and chemical leukoderma severity by quantifying color difference with surrounding normally pigmented skin
386 ビタミン剤(ビタミンC剤)	【Acta Otolaryngol. 137(2017)421-425】Dose and time dependent ototoxicity of aspartame in rats
387 ビタミン含有保健剤	【J Bone Miner Res. 32(2017)1981-1989】B Vitamins and Hip Fracture: Secondary Analyses and Extended Follow-Up of Two Large Randomized Controlled Trials