表 1.3 Reported Measures of ETS in Representative Indoor Environments

Indoor environment Measured r		kers of ETS	Ref.
7 Restaurants:			-
smoking section	median RSP:	53.2 μg/m³	66
	median nicotine:	3.2 μg/m³	
nonsmoking section	median RSP:	27.8 μg/m³	
	median nicotine:	1.0 μg/m³	
585 Offices:			
smoking offices	mean RSP (s.d.):	46 μg/m³ (57)	67 ·
	mean nicotine (s.d.):	6.7 μg/m³ (14.8)	
nonsmoking offices	mean RSP (s.d.);	20 μg/m³ (18)	
	mean nicotine (s.d.):	$0.2 \mu g/m^3 (0.8)$	
Nightclubs	mean RSP:	151 μg/m³	
	mean nicotine:	58 μg/m³	
Tavems	mean RSP:	93 μg/m³	68
	mean nicotine:	46.4 μg/m³	
Neighborhood pubs	mean RSP:	95 μg/m³	
	mean nicotine:	38.6 μg/m³	
4 Boeing 747 aircraft in			
transoceanic flight:			
smoking sections	mean RSP:	37.5 μg/m³	
	mean UVPM:	23.9 μg/m³	
	mean nicotine:	10.5 μg/m ³	50
nonsmoking sections	mean RSP:	13.5 μg/m³	
	mean nicotine:	6.7 μg/m³	
	mean UVPM:	2.5 μg/m³	
Billiard parlor	RSP:	355 μg/m³	
	nicotine:	19.4 µg/m³	
	solanesol:	12.8 µg/m³	
2 Homes	RSP:	187–212 μg/m³	
	nicotine:	12.1–14.4 μg/m ³	36
	solanesol:	6.4 <i>–</i> 6.6 µg/m³	
Department store	RSP:	55 μg/m³	
	nicotine:	0.6 µg/m³	
	solanesol:	not detected	