II - 8. Framework scaffolding (base section)



- 1. Has the ground surface been compacted?
- 2. Have baseplates been used?
- 3. Have jack bases been secured to the sill with nails?
- 4. Are the lower parts of standards connected with ledger pipes?
- 5. Is the space between the scaffolding and the building no more than 30 cm?
- 6. Has horizontal netting been installed where gaps exceed 30 cm?
- 7. Have braces been installed throughout the scaffolding?
- 8. Have wall ties been properly installed?

II - 9. Pipe scaffolding (upper section)



- 1. Have wall ties been properly installed?
- 2. Is the working platform at least 40 cm wide? Are gaps in the working platform no more than than 3 cm wide?
- 3. Are long diagonal braces bound tightly to all standards?
- 4. Are there appropriate facilities for vertical access?
- 5. Is there a sign indicating loading capacity?
- 6. Are you using a safety belt on the scaffolding?
- 7. Is the load less than 400 kg per span?

II - 10. Pipe scaffolding (base section)



- 1. Has the ground surface been compacted?
- 2. Have baseplates been used?
- 3. Have pipe bases been secured to the sill with nails?
- 4. Is the first level platform no higher than 2 m?
- 5. Is the width of the scaffolding no more than 1.5 m?
- 6. Are the lower parts of standards connected with ledger pipes?
- 7. Are spans between standards no more than 1.85 m wide?

II −11. Assembling and dismantling framework scaffolding



- 1. Has an operations chief or operations leader been appointed?
- 2. Has a signalman been appointed for the lifting and lowering of materials?
- 3. Is there a lifeline?
 - Are you using a safety belt?
- 4. Are any materials on the scaffolding unstable?
- 5. Do you avoid throwing materials down from the scaffolding?
- 6. Have barricades and Do Not Enter signs been put in place?
- 7. Have vertical access facilities been installed for each level?
- 8. Is the interval between lifeline posts no more than 10 m?
- 9. Do workers have the necessary licenses?

 ${\rm I\!I}-12.$ Assembling and dismantling pipe scaffolding



- 1. Has an operations chief or operations leader been appointed?
- 2. Has a lookout or signalman been appointed? Is there a sign indicating that person?
- 3. Is there a lifeline? Is the interval between lifeline posts no more than 10 m?
- 4. Are you using a safety belt?
- 5. Do you avoid performing multi-level work?
- 6. Have baseplates been used? Are pipe bases secured with nails?
- 7. Is planking firmly secured?
- 8. Is there a sign indicating the operations chief?
- 9. Have barricades, rope, and Do Not Enter signs been put in place?

II - 13. Steel frame erection



- 1. Is there a lifeline? Is the interval between lifeline posts no more than 10 m?
- 2. Are you using a safety belt?
- 3. Are you using a lifeline and safety grips when climbing up and down?
- 4. Do you have a toolbelt?
- 5. Are you using appropriate signaling methods with the crane operator?
- 6. Is the steel frame erected properly based on an assembly plan and work procedures?
- 7. Has an operations chief or operations leader been appointed?
- 8. Have barricades, rope, and Do Not Enter signs been put in place?
- 9. Has a safety net been installed?