著者名(タイトル	雑誌名	年
Sugawar	Vein reconstruction in modified right liver graft for living donor liver transplantation	Ann Surg	2003
Sugawar	Small-for-size graft problems in adult-to-adult living-donor liver transplantation	Transplantation	2003
	Duct-to-duct biliary reconstrcution in living donor liver transplantation - experience of 92 cases	Transplantation Proc	2003
	Influence of hepatitis B virus genotypes on the progression of chronic type B liver disease.	Hepatology	2003
Sumie S	Interventional radiology for advanced hepatocellular carcinoma: comparison of hepatic artery infusion chemotherapy and transcatheter arterial lipiodol chemoembolization.	Am J Roentgenol	2003
Suzuki F	HBe antigen loss during lamivudine therapy is not caused by mutation in precore and core promoter genes in patients with chronic hepatitis B.	Journal of Medical	2003
Suzuki F	Efficacy of Lamivudine Therapy and Factors Associated with Emergency of Resistance Chronic Hepatitis B Virus Infection in Japan	Intervirology	2003
Suzuki §	Transforming growth facter-beta-1 genetic polymorphism in Japanese patients with chronic hepatitis C virus infection	Journal of Gastroenterology	2003
Suzuki \$	Distribution of hepatitis B virus (HBV) genotypes among HBV carriers in the cote d'Ivoire: Complete genome sequence and phylogenetic relatedness of HBV genotype E	ournal of Medical	2003
Suzuki Y	Histological Improvements after a Three-Year Lamivudine Therapy in Patients with Chronic Henatitis B in Whom YMDD Mutants Did Not or Did Develop	Intervirology	2003
T Ito, T	Surgery-Related Morbidity In Living Donors Of Right lobe Liver Graft: Lessons From The First 200 Cases	Transplantation	2003
Tamaga	Characteristics of claudin expression in follicle-associated epithelium of pever's patches: Preferential localization of	Lab. Invest	2003
Tamori 🖊	Sequencing of human-viral DNA junctions in hepatocellular carcinoma from patients with HCV and occult HBV infection.	J. Med. Virol.	2003
Tamori 🖊		J. Med. Virol.	2003
Tamori /	Lamivudine therapy for hepatitis B virus reactivation in a patient receiving intra- arterial chemo therapy for advanced hepatocellular carcinoma.	Hepatol. Res.	2003
Tanaka 🛭	Natural Histories of Hepatitis C virus Infection in Men and Women Simulated by the Markov Model	Journal of Medical Virology	2003
Tanaka	Development of hepatocellular carcinoma after longterm sustained complete response to interferon therapy; what is the mechanism?	J Gastroenterol	2003
Tanaka.	Natural Histories of Hepatitis C Virus Infection in Men and Women Simulated by the Markov Model	Journal of Medi	2003
Tazuma	Impaired gallbladder mucosal function in aged gallstone patients suppresses gallstone recurrence after successful extracorporeal shockwave lithotripsy. J Gastroenterol	J Gastroenterol He	2003
Teragak	Prevalence of hepatitis C virus infection among patients with hypertrophic cardiomyopathy.	Heart Vessels.	2003
Tetsuya	Small-For-Size Graft In Living Donor Liver Transplantation: How Far Should We Go?	Liver Transplantation	2003
	Pharmacokinetics of rivavirin in combined interferon-alpha 2b and rivavirin therapy for chronic hepatitis C virus infection	Br J Clin Pharmacol	2003
Tsuda H	The preventive effect of antineoplaston AS2-1 on HCC recurrence.	Oncol Rep	2003
Uenishi i	Cytokeratin-19 fragments in serum (CYFRA 21-1) as a marker in primary liver cancer.	Br. J. Cancer	2003
Umeshit	Operative morbidity of living liver donors in Japan	The Lancet	2003
	Antioxidant and anti-inflammatory effects of diet supplemented with sesamin on hepatic ischemia-reperfusion injury in rats.	Hepato- Gastroenterol	2003
	Interleukin-1b gene polymorphisms associated with hepatocellular carcinoma in hepatitis C virus infection.	Hepatology	2003
Watanab :	Sequence elements correlating with circulating viral load in genotype 1b hepatitis C	Virology	2003
Watanab		Hepatology Research	2003
Y Nakan I	Mechanisms of viral hepatitis induced liver injury.	Curr Mol Med	2003
Y Nakan	Analysis of the CD8-positive T cell response in Japanese patients with chronic hepatitis C using HI A-A*2402 peptide tetramers.	J Med Virol	2003
Yamagu (Stimulation of CD40 inhibits Fas- or chemotherapy-mediated apoptosis and increases cell motility in human gastric carcinoma cells.	Int J Oncol	2003
Yamashill	Long-term acceptance of rat cardiac allgrafts on the basis of adenovirus mediated CD40lg puls CTLA4lg gene therapies	Transplantation	2003
	A tumor–suppressive role for trypsin in human cancer progression.	Cancer Res	2003

	タイトル	雑誌名	年
	A case-control study for early prediction of hepatitis B e antigen seroconversion by hepatitis B virus DNA levels and mutations in the precore region and core promoter.	J Med Virol.	2003
	Clinical significance of antibody against hepatitis B virus core antigenin patients with hepatitis C virus-related hepatocellular carcinoma	Liver Int	2003
Yasuhiro	Outcomes For Pediatric Liver Retransplantation From Living Donors	Transplantation	2003
Yasuhisa	A Role Of Helicobacter Pylori Infection In The Development Of Duodenal Ulcer After Adult Living-Related Liver Transplantaion	Transplanation	2003
Yoshida	Anti-proliferative action of endogenous dehydroepiandrosterone metabolites on human cancer cell lines	Steroids	2003
Yoshina	Platelet-derived endothelial cell growth factor mediates Rho-associated coiled-coil domain kinase messenger RNA expression and promotes cell motility.	Ann Surg Oncol	2003
Yoshina	Clinical significance of the expression of activin A in esophageal carcinoma.	Int J Oncol	2003
Yoshizav	Long-term follow-up of hepatitis C virus infection: HLA class II loci influences the natural history of the disease.	Tissue Antigens	2003
Yuen M-	Clinical outcome and virologic profiles of severe hepatitis B exacerbation due to YMDD mutations	Journal of	2003
Yuki, Y.	New generation of mucosal adjuvants for the induction of protective immunity	Hepatology Rev.Med.Virol.	2003
Zhang H	Mechanism of β 1-integrin-mediated hepatoma cell growth involves p27 and s-phase	Hepatology	2003
E. Ishida	kinase-associated protein 2. Biodistribution characteristics of galactosylated emulsions and incorporated probucol	Pharmaceutical	2004
Furukaw	for hepatocyte-selective targeting of lipophilic drugs in mice Evolution of immunosuppression in liver transplantation: Contribution of cyclosporine	Research Transplantation	2004
Hashikur	Delayed domino liver transplantation: use of the remnant liver of a recipient of a	Proc Transplantation	2004
Inoue, S	temporary auxiliary orthotopic liver transplant as a liver graft for another patient Preparation of a positive control DNA for molecular diagnosis of Bacillus anthracis.	Jpn. J. Infect. Dis.	2004
Ito K, Ta	Predicting relapse after cessation of Lamivudine monotherapy for chronic hepatitis B	Clinical Infectious	2004
Kasahar	virus infection ponse as well as virological responnterferon treatment reduces the risk of mortality	Diseases J. Viral Hepatitis.	2004
Kasahar	by preventing liver-related deaths in chronic hepatitis C patients showing biochemical Interferon treatment improves survival in chronic hepatitis C patients showing	J Viral Hepat	2004
Katayan	biochemical as well as virological responses by preventing liver-related death. Titration of hepatitis C virus in chimpanzees for determining the copy number	Intervirology	2004
Kawase	required for transmission Disinfection of dental unit waterline :Effect of electonic current on form of biofilm	J.of Medical and	2004
M. Enon	Effects of Ribavirin combined with Interferon-a2b on viral kinetics during first 12	Dental Sciences J Viral Hepat	2004
	weeks of treatment in patients with hepatitis C virus Genotype 1 and high baseline Inhibition of experimental hepatic metastasis by targeted delivery of catalase in mice	Clinical and	2004
	Hepatocyte-targeted gene transfer by combination of vascularly delivered plasmid	Experimental Gene Therapy	2004
	DNA and in vivo electroporation Tissue and intrahepatic distribution and subcellular localization of mannosylated	Journal of	
	cationic liposome/plasmid DNA complex after intravenous administration in mice	Controlled	2004
M. Yoko	Polymaer design and incorporation method for polymeric micelle carrier system containing water-insoluble anti-cancer agent camptothecin.	Journal of Drug Targeting	2004
Masuda,	Detection of Occult Cancer Cells in Peripheral Blood and Bone Marrow by	Int J Cancer	2004
Mimori, I	Quantitative RT-PCR Assav for Cytokeratin-7 in Breast Cancer Patients with Clinical significance of the overexpression of the candidate oncogene CYP24 in	Ann Oncol	2004
Nagao Y	esophageal cancer. Hepatitis C virus and lichen planus.	J Gastroenterol He	2004
	A cohort study of chronic liver disease in an HCV hyperendemic areaof Japan: a	Int J Mol Med	2004
Nagao Y		Hepatology	2004
		Research International	2004
	orospective analysis for 12 years Clinical Significance of Elongation Factor 1 delta mRNA Expression in Esophageal	Journal of Br J Cancer	2004
	Carcinoma	Molecular Therapy	2004
	liposome/olasmid DNA comolex using sodium chloride on comolex formation Epidemiological and clinical study of sporadic acute hepatitis E caused by indigenous	Journal of	2004
	strains of hepatitis E virus in Japan compared with acute hepatitis A	Gastroenterology	
oaton I.		Journal of Hospital Infection	2004

	雑誌名	年
lymorphism of the MxA gene promoter influence the response to apy in patients with hepatitis C viral infection.	Journal Viral Hepatitis	2004
NA in saliva and gingival crevicular fluid from HCV carriers	The Journal of Infectious	2004
between hepatitis C virus NS5A and NS5B on hepatitis C virus	J Virol	2004
185.648 first-time blood donors during 1995-2000	Intervirology	2004
ssion signature can quantify the variable extnt of hepatic fibrosis	J Hepatol	2004
r-testis antigens (CTA) genes in intrahepatic cholangioma	Ann Surg Oncol	2004
ansferase 1A7 genetic polymorphisms are associated with noma in Japanese patients with hepatitis C virus infection.	Clin Cancer Res	2004
nune responses by DNA vaccination through targeted gene psylated cationic liposome formulations following intravenous	Biochemical and Biophysical Research	2004
sinusoidal endothelial cells and Kunffer cells	International	2004
-A24-restricted CTL epitope from cancer-testis antigen, NY- n.of a specific antitumor immune response	Clin Cancer Res	2004
on of MMP and uPA systems and prognostic relevance of their	Int J Cancer	2004
therapy in hepatocellular carcinoma prevention for individual	Gut	2004
petitive ELISA for the detection of antibodies to LipL32, common interrogans species.	投稿中	
plasma and tissues in a rat model of liver cirrhosis before and	Hepatology Res.	
Finterferon- α treatment in patients with chronic hepatitis C:	J Gastroenterol	
rolimus to cyclosporine microemulsion therapy in liver transplant	Transplant Proc	
sons of results in surgical resection and percutaneous ethanol	執筆中	
y partial orthotopic liver transplantation from living donors for unset type II citrullinemia	Liver Transpl	
\$ \$	sons of results in surgical resection and percutaneous ethanol enge in treatment strategy for small hepatocellular carcinoma partial orthotopic liver transplantation from living donors for	sons of results in surgical resection and percutaneous ethanol 執筆中 enge in treatment strategy for small hepatocellular carcinoma y partial orthotopic liver transplantation from living donors for Liver Transpl

1 ++ ++ /- /- H	T. 7-7		
著者名(3名		雑誌名	年
•	Rapid tumor formation of human T-cell leukemia virus type 1-infected cell lines in novel NOD-SCID/gammac(null) mice: suppression by an inhibitor against NF-kappaB.	J Virol.	2003
	A duodenally absorbable CXC chemokine receptor 4 antagonist, KRH-1636, exhibits a lootent and selective anti-HIV-1 activity.	Proc Natl Acad Sci. U.S.A.	2003
	Intravenous inoculation of replication-deficient recombinant vaccinia virus DIs expressing simian immunodeficiency virus gag controls highly pathogenic simian-human immunodeficiency virus in monkeys.	J Virol.	2003
	murine model of HIV central nervous system infection.	Proc Natl Acad Sci U S A	2003
	Two carboxyl-terminal activation regions of Epstein-Barr virus latent membrane protein 1 activate NF-kappaB through distinct signaling pathways in fibroblast cell	J Biol Chem.	2003
Saitoh T, Na	TWEAK induces NF-kappaB2 p100 processing and long lasting NF-kappaB activation.	J Biol Chem.	2003
Yoshida A, T	Induction of protective immune responses against R5 human immunodeficiency virus type 1 (HIV-1) infection in hu-PBL-SCID mice by intrasplenic immunization with HIV-1-pulsed dendritic cells: possible involvement of a novel factor of human CD4(+) T-	J Virol.	2003

著者名(3名	ダイトル	雑誌名	年。
Abe T, Take	The other side of TNF-targeted therapy of patients with rheumatoid arthritis.	Curr Rheum	2001
	Localization of Human Interleukin 13 Receptor in Non-Haematopoietic	Report	
		Cells ytokine	2001
	A549 cells can express interleukin-16 and stimulate eosinophil chemotaxis.	Am J Respir Cell Mol Biol	2001
	Compositional and functional changes of pulmonary surfactant in a guinea-pig model of chronic asthma.	Respir Med	2001
	the northern part of Japan	Human Mut	2001
Ebisawa M,E	Adherance of eosinophils of endothelial cells stimulated with human mast cells	Int Arch Allergy	2001
Fujihashi K,	Peyer's patches are required for oral tolerance to proteins	Proc. Natl. Acad.	2001
Fujii K, Fujii	CD44 is the physiological trigger of Fas up-regulation on rheumatoid synovial cells.	Sci. USA J Immunol	2001
FukunagaK,	Genetic polymorphisms of chemikine receptors CCR3 and CCR5 in Japanese and	Eur. Respir. J	2001
Goto D, Nak	British asthmatics Interaction between Smad anchor for receptor activation and Smad3 is not essential	Biochem Biophys	2001
Goto M, Han	for TGF-beta/Smad3-mediated signaling Intra-articular injection of hyaluronate (SI-6601D) improvesjoint pain and synovial	Res Commun Clin Exp	2001
Hamasaki S.	fluid prostaglandin F2 levels in rheumatoid arthritis: a multicenter clinical trial. Resistance of CD4-positive T lymphocytes to etoposide-induced apoptosis mediated	Rheumatol J Neuroimmunol	2001
	by upregulation of Bcl-xl, expression in patients with HTI V-I-associated myelopathy		<u> </u>
	Effect of immune complexes in serum from patients with rheumatoid vasculitis on the expression of cell adhesion molecules on polymorphonuclear cells.	Clin Exp Rheumatol	2001
Hashimoto Y	Novel immunosuppressive effect of FK506 by augmentation of T cell apoptosis.		2001
	Effects of nitric oxide on matrix metalloproteinase-2 production by rheumatoid synovial cells.	Life Sci	2001
Hirose K, Iw	MgcRacGAP is involved in cytokinesis through associating with mitotic spindle and midbody	J Biol Chem	2001
Honda S, K	Expression of membrane-type 1 matrix metalloproteinase in rheumatoid synovial cells.	Clin Exp Immunol	2001
Horikawa K,	Essential role of Stat5 for IL-5-dependent IgH switch recombination in mouse B cells.	J Immunol	2001
likura Y,Miur	Efficacy of pranlukast in childhood asthma	Clincal and	2001
Inoue N, Wat	Restricted VH gene usage in lamina propria B cells that produced anticolon antibody from patients with ulcerative colitis.	Experimental Gastroenterology.	2001
K. Fukunaga	Single nucleotide polymorphism of human platelet-activating factor receptor impairs	J Biol Chem	2001
Kagami S, N	Stat5a regulates T helper cell differentiation by several distinct mechanisms.	Blood	2001
	Expression of Gab1 lacking the Pleckstrin Homology domain is associated with neoplastic progression	Mol Cell Biol	2001
Kameda H, F	Identification of the EGFR-Gab1-SHP-2 complex formation and its functional loss	Cell Growth Differ	2001
Kaminuma Q	during neoplastic cell progression Dynamics of antigen-specific helper T cells at the initiation of airway eosinophilic	Eur J Immunol	2001
Kanai T, Wat	inflammation. Macrophage-derived IL-18 mediated intestinal inflammation in the murine model of	Gastroenterology.	2001
Kasai M, Kur	Crohn's disease. T cell vaccination eliminates antigen–specific T cells and prevents antigen–induced	Int Arch Allergy	2001
Kawagishi Y	eosinophil recruitment into the tissue. Clinical significance of measurement of urinary leukotriene E4 in asthmatic patients	Immunol Allergy	2001
Kawahara Y,	without attack. MR assessment of meniscal movement during knee flexion: correlation with the	J Comput Assist	2001
Kawasaki A,	severity of cartilage abnormality in the femorotibial joint. Presence of four major haplotypes in human BCMA gene: Lack of association with	Tomogr Genes Immun	2001
	systemic luous erythematosus and rheumatoid arthritis c-Fos/ activator protein-1 transactivates wee 1 kinase at G1/S to inhibit premature	EMBO J	2001
	mitosis in antigen-specific Th1 cell Synovial Stromal Cells from Rheumatoid Arthritis Patients Attract Monocytes by	Arthritis Research	L.
	Producing MCP-1and IL-8. Influence of enterotoxin on mucosal intranet : selective inhibition of extrathymic T	Eur. J. Immunol	2001
	cell development in intestinal intraepithelial lymphocytes by oral exposure to heat-		
	Dysfunction of T cell receptor AV24AJ18+, BV11+ double-negative regulatory natural killer T cells in autoimmune diseases		2001
∟u Y, lamuli	Effect of whole-body x-irradiation on antigen-induced airway response in sensitized	Eur Respir J	2001

Matsumoto	Comparative study of fat-suppressed Gd-enhanced MRI of hands in the early stage of	f Mad Pharmatal	2001
	<u>Irheumatoid arthritis (RA) and non-RA</u>	· · ·	2001
	Nitric oxide protects cultured rheumatoid synovial cells from Fas-induced apoptosis by inhibiting casoase-3.	Immunology	2001
	FK 506-mediated T-cell apoptosis induction.	Transplant Proc.	2001
L	Mixed Connective Tissue Disease Associated with von Recklinghausen's	Internal Med	2001
Migita K, <u>Ka</u>	Regulation of rheumatoid synoviocyte proliferation by endogenous p53 induction.	Clin Exp Immunol	2001
	Nitric oxide protects cultured rheumatoid synovial cells from Fas-induced apoptosis by inhibiting caspase-3	Immunology	2001
Migita K, Ya	Impaired degradation of serum amyloid A (SAA) protein by cytokine-stimulated monocytes.	Clin Exp Immunol	2001
Mita H, End	Possible involvement of mast-cell activation in aspirin provocation of aspirin-induced	Allergy	2001
Mita H, Has	Levels of cysteinyl leukotriene receptor mRNA in human peripheral leucocytes: significantly higher expression of cysteinyl leukotriene receptor 2 mRNA in	Clin Exp Allergy	2001
Miyamoto K	Inhibitory effect if interleukin 3 on the early dependent of human B-lymphopoiesis	Br. J Haematol	2001
Mori A, Iked	IL-5 production by peripheral blood Th cells of adult asthma patients in response to	Int Arch Allergy	2001
Nakamura H	IL-4 differentially regulates eotaxin and MCP-4 in lung epithelium and circulating	Am J Physiol	2001
Nonomura Y	Suppression of arthritis by forced expression of cyclin-dependent kinase inhibitor of 21Cin1 gene into the joints	Lung Cell Mol Int Immunol	2001
Ohkusa T, F	Improvement in atrophic gastritis and intestinal metaplasia in patients from whom Helicobacter pylori was eradicated	Ann Int Med.	2001
Saito H, Aki	Effect of emedastine difumarate on CC chemokine-elicited eosinophil migration.	Int Arch Allergy	2001
Sakurai D, Y	Expression of ID family genes in the synovia from patients with rheumatoid arthritis.	Immunol Biochem Biophys Res Commun	2001
Sawada T, V	Colon cancer cell adhesion to endothelial E-selectin inhibits detachment of endothelial cells through activation of beta(1)-integrin	Biochem Biophys	2001
Sera N, Kaw	Fas/FasL mediated apoptosis of thyrocytes in Graves' disease.	Res Com Clin Exp Immunol	2001
Setoguchi K	Peroxisome proliferator-activated receptor haploinsufficiency enhances B cell proliferative responses and exacerbates experimentally induced arthritis	J Clin Invest	2001
Shibatomi K	A Novel Role for Interleukin–18 in Human Natural Killer Cell Death.	Arthritis Rheum	2001
Shiozawa K,	Alternatively-spliced EDA-containing fibronectin in synovial fluid as a predictor of	Rheumatology	2001
Shirota H, S	Novel roles of CpG oligodeoxynucleotides as a leader for the sampling and presentation of CpG-tagged antigen by dendritic cells	J Immunol	2001
Simizu M, M	A role of stem cell factor and c-kit signaling for the organogenesis of intesine : regulation of fetal intestinal enithelial cell adhesion to fibronectin.	Exp. Cell Res.	2001
Suto A, Nak	Role of CD4+ CD25+ regulatory T cells in T helper 2 cell-mediated allergic	Am J Respir Crit	2001
Takabe W, 7	Anti-atherogenic antioxidants regulate the expression and function of proteasome -	Care Med J. Biol. Chem.	2001
Takahashi T	A new locus for a dominant form of multinodular goiter on 3q23.1-q26.3	Biochem Biophys	2001
Tamura N, K	Soluble CD154 in rheumatoid arthritis: elevated plasma levels in cases with vasculitis.	Res Commun. Ann Rheum Dis.	2001
Tanaka Y	The role of chemokines and adhesion molecules in the pathogenesis of rheumatoid	Drugs Today	2001
Terui T, San	TGF-b-producing CD4+ mediastinal lymph node cells obtained from mice tracheally	J Immunol	2001
Toshihiro Na	The state of the s	Journal of	2001
Uchida Y, Kı	Increase of dendritic cells type 2 (DC2) by altered response to interleukin-4 in atopic	Immunology J Allergy Clin	2001
Urayama S,	natients. New disease-modifying antirheumatic drug 2-acetylthiomethyl-4-(4-methylphenyl)-	Immunol J Lab Clin Med	2001
Yamada R,	4-oxobutanoic acid(KE-298) selectively augments activation-induced T cell death. Association between a single-nucleotide polymorphism in the promoter of the human	Am J Hum Genet.	2001
	interleukin-3 gene and rheumatoid arthritis in Japanese patients, and maximum- likelihood estimation of combinatorial effect that two genetic loci have on		
Yamamoto K	T cells and autoimmune diseases.	Allergy Inter-	2001
	Importance of NF- KB in rheumatoid synovial tissues: in situ NF- KB expression and in vitro study using cultured synovial cells	national Ann Rheum Dis	2001
	VIEW STORY USING CONTROL SYNOVIAL CHIS		L

Yoshida N, A Interleukin (IL)—4/IL—9 and exogenous IL—16 induce IL—16 production by BEAS=2B cell Immunol cells: a bronchial enithelial cell line and the signaling responsible to the signaling responsibility. A property of the signaling responsibility of the signaling responsibility of the signaling responsibility. A property of the signaling responsibility of the signaling responsibility of the signaling responsibility. A property of the signaling responsibility of the signaling responsibility. A property of the signaling responsibility of the signaling responsibility. A put signaling responsibility of the signaling responsibility of the signaling responsibility. A put signaling responsibility of the signaling responsibility of the signaling responsibility. A put signaling responsibility of the signaling responsibility of the signaling responsibility. A put signaling responsibility of the signaling responsibility of the signaling responsibility. A put signaling responsibility of the signaling responsibility of the signaling responsibility. A put signaling responsibility	2002 2002 2002 2002 2002 2002 2002 200
signaling nathway. a new mode of regulation of the MAP kinase cascade. Auto-immunity Amagai M, Y Staphylococcal exfoliative toxin B specifically cleaves desmoglein 1 Arima K, Shi Upregulation of IL-13 concentration in vivo by the IL13 variant associated with bronchial asthma Arima K, Shi Upregulation of IL-13 concentration in vivo by the IL13 variant associated with bronchial asthma Arima M, Fu A putative silencer element in the IL-5 gene recognized by Bc16. Bottini N, Hi IL-4 receptor alpha chain genetic polymorphism and total IgE levels in the English nonulation: two-locus hanlotvoes are more informative than individual SNPs. Cheng G, Ar Anti-interlevikin-9 antibody treatment inhibits airway inflammation and hyperreactivity in mouse, asthma model. Elichi Tanak Adverse effects of sulfasalazine in patients with rheumatoid arthritis are associated with dinlotvoe configuration at the N-acetyltransferasa 2 gene. Fujimoto T, Up-regulation of interleukin-12 receptor expression in peripheral blood mononuclear cells of natients with HTIV-1-associated myeloanthy/tropical spastic naragaresis. Fukuyama S NALT organogenesisn is independent of the IL-7R, LT a1b2/LTbR and NIK signaling pathways but does require the Id2 gene and CD3 CD4*CD45* cells. Gilot, D., Loy Liver protection from apoptosis requires both blockage of initiator caspase activities and inhibition of ASK1/JNK nathway via elutathions S-transferase regulation. Hanakawa Y Molecular mechanisms of blister formation in bullous impetigo and staphylococcal scaled skin syndrome. Hattori N, K Interferon-gamma, a strong suppressor of cell proliferation, induces upregulation of keratin K6, one of the inflammatory—and proliferation-associated keratins Higashi N, T A comparative study of elocosanoid concentration in sputum and urine in patients with Clin Exp Allergy Inoshita, S, Phosphorylation and Inactivation of Mol-1 by c-Jun N-terminal Kinase (JNK) in resonase to evidence and protein amyloidosis in a patient with plasma cell dyscrasia. Inoshita, S, Pho	2002 2002 2002 2002 2002 2002 2002 200
Abe 1, 1 ake Rheumatoid Arthritis and tumor necrosis factor alpha. Auto-immunity Amagai M, Y Staphylococcal exfoliative toxin B specifically cleaves desmoglein 1 Arima K, Shi Upregulation of IL-13 concentration in vivo by the IL13 variant associated with hronchial asthma Arima M, Fu A putative silencer element in the IL-5 gene recognized by Bc16. Bottini N, H IL-4 receptor alpha chain genetic polymorphism and total IgE levels in the English nonulation: two-locus haplotyces are more informative than individual SNPs. Cheng G, Arl Anti-interleukin-9 antibody treatment inhibits airway inflammation and hyperreactivity in mouse, asthma model. Elichi Tanak Adverse effects of sulfasalazine in patients with rheumatoid arthritis are associated with diplotyce configuration at the N-acetyltransferase 2 gene. Fujimoto T, Up-regulation of interleukin-12 receptor expression in peripheral blood mononuclear cells of natients with HTLV-1-associated myelooathy/tropical spastic paraganesis. Fukuyama S NALT organogenesism is independent of the IL-7R, LT alb2/LTbR and NIK signaling pathways but does require the Id2 gene and CD3* CD4* CD45* cells. Gilot, D., Loi, Liver protection from apoptosis requires both blockage of initiator caspase activities and inhibition of ASK1/JNK nathway via elutathione. S-transferase regulation. Hanakawa Y Differentiatel effects of desmoglein 1 and desmoglein 3 on desmosome formation. Hanakawa Y Molecular mechanisms of blister formation in bullous impetigo and staphylococcal scalded skin syndrome. Hattori N, Kilmer Romanatory and proliferation—associated keratins. Higashi N, T A comparative study of elcosanoid concentration in sputum and urine in patients with assirin-intolerant asthma. Inoshita, S., Phosphorylation and inactivation of McI-1 by c-Jun N-terminal Kinase (JNK) in response to oxidative stress. Inoue S, Ino Mutation Analysis of PKD1 in Japanese Autosomal Dominant Polycystic Kidney Disease (ADPKD) patients. Ishikawa H, Amyloid a protein amyloidosis in a patient with plasma cel	2002 2002 2002 2002 2002 2002 2002 200
Arima K, Shi Upregulation of IL-13 concentration in vivo by the IL13 variant associated with bronchial asthma Arima M, Ful A putative silencer element in the IL-5 gene recognized by Bc16. Bottini N, Hd IL-4 receptor alpha chain genetic polymorphism and total IgE levels in the English nonulation: two-locus handstvoes are more informative than individual SNPs. Cheng G, Ar Anti-interleukin-9 antibody treatment inhibits airway inflammation and hyperreactivity in mouse asthma model. Elichi Tanak Adverse effects of sulfasalazine in patients with rheumatoid arthritis are associated with dinlotvoe configuration at the N-acetyltransferase 2 gene. Fujimoto T, Up-regulation of interleukin-12 receptor expression in peripheral blood mononuclear cells of natients with HTLV-I-associated myelooathy/tronical spastic paranaresis. Fukuyama S NALT organogenesisn is independent of the IL-7R, LT alb2/LTbR and NIK signaling pathways but does require the Id2 gene and CD3* CD4*CD45* cells. Gilot, D., Lo, Liver protection from apoptosis requires both blockage of initiator caspase activities and inhibition of ASKI/JNK nathway via elutathione S-transferase regulation. Hanakawa Y Molecular mechanisms of blister formation in bullous impetigo and staphylococcal scalded skin syndrome. Hattori N, Ki Interferon-gamma, a strong suppressor of cell proliferation, induces upregulation of keratin K6, one of the inflammatory— and proliferation—associated keratins Higashi N, T A comparative study of eloosanoid concentration in sputum and urine in patients with associated assima. Inoshita, S., Phosphorylation and Inactivation of McI-1 by c-Jun N-terminal Kinase (JNK) in resonase to oxidative stress. Inoue S, Inod Mutation Analysis of PKD1 in Japanese Autosomal Dominant Polycystic Kidney Disease (ADPKD) patients Ishikawa H, Ia-4 and IL-13: Their Pathological Roles in Allergic Diseases and their Potential in Developing New Therapies. Jibiki, L, Has Apoptosis signal-regulating kinase 1-mediated signaling pathway regulates nitric oxide—induce	2002 2002 2002 2002 2002 2002 2002 200
Arima M, Fu A putative silencer element in the IL-5 gene recognized by Bc16. Bottini N, Ho IL-4 receptor alpha chain genetic polymorphism and total IgE levels in the English nonulation: two-locus hanlotvoes are more informative than individual SNPs. Cheng G, Ar Anti-interleukin-9 antibody treatment inhibits airway inflammation and hyperreactivity in mouse, asthma model. Elichi Tanak Adverse effects of sulfasalazine in patients with rheumatoid arthritis are associated with diolotvoe configuration at the N-acetyltransferase 2 gene. Fujimot T, Up-regulation of interleukin-12 receptor expression in peripheral blood mononuclear calls of natients with HTLV-L-associated myelopathy/tronical spastic naranaresis. Fukuyama S NALT organogenesisn is independent of the IL-7R, LT a1b2/LTbR and NIK signaling pathways but does require the Id2 gene and CD3 CD4*CD45* cells. Gilot, D., Lou Liver protection from apoptosis requires both blockage of initiator caspase activities and inhibition of ASK1/JINK nathway via elutathione S-transferase regulation. Hanakawa Y Molecular mechanisms of blister formation in bullous impetigo and staphylococcal scalded skin syndrome. Hattori N, K Interferon-gamma, a strong suppressor of cell proliferation, induces upregulation of Lastrain K6, one of the inflammatory—and proliferation—associated keratins. Higashi N, T A comparative study of eicosanoid concentration in sputum and urine in patients with assinin—intolerant asthma. Inoshita, S., Phosphorylation and Inactivation of Mel-1 by c-Jun N-terminal Kinase (JNK) in reasonse to oxidative stress. Inoue S, Inoi Mutation Analysis of PKD1 in Japanese Autosomal Dominant Polycystic Kidney Disease (ADPKD) natients. Ishikawa H, I Amyloid a protein amyloidosis in a patient with plasma cell dyscrasia. Intern Med. Izuhara K, A IL-4 and IL-13: Their Pathological Roles in Allergic Diseases and their Potential in Develoning New Therapies. Jibiki, I, Has Apoptosis signal-regulating kinase 1-mediated signaling pathway regulates nitric oxide-induced a	2002 2002 2002 2002 2002 2002 2002 200
Arima M, Ful A putative silencer element in the IL-5 gene recognized by Bc16. Bottini N, Hd IL-4 receptor alpha chain genetic polymorphism and total IgE levels in the English nonulation: two-locus haplotynes are more informative than individual SNPs Cheng G, Ar Anti-interleukin-9 antibody treatment inhibits airway inflammation and hyperreactivity Am J Respir Cr In mouse asthma model. Elichi Tanak Adverse effects of sulfasalazine in patients with rheumatoid arthritis are associated with diolotyne configuration at the N-acetyltransferase 2 gene. Fujimoto T, Up-regulation of interleukin-12 receptor expression in peripheral blood mononuclear cells of natients with HTI V-I-associated myelopathy/tronical spastic paraparesis. Fukuyama S NALT organogenesism is independent of the IL-7R, LT a1b2/LTbR and NIK signaling pathways but does require the Id2 gene and CD3* CD4*CD45* cells. Gilot, D., Lot Liver protection from apoptosis requires both blockage of initiator caspase activities and inhibition of ASK1/JNK nathway via elutathione. S-transferase regulation. Hanakawa Y Molecular mechanisms of blister formation in bullous impetigo and staphylococcal scaled skin syndrome. Hattori N, K Interferon-gamma, a strong suppressor of cell proliferation, induces upregulation of keratin K6 one of the inflammatory—and proliferation—associated keratins. Higashi N, T A comparative study of eicosanoid concentration in sputum and urine in patients with associated scan oxidative stress. Inooshita, S., Phosphorylation and Inactivation of McI-1 by c—Jun N-terminal Kinase (JNK) in resonouse to oxidative stress. Inoue S, Ino Mutation Analysis of PKD1 in Japanese Autosomal Dominant Polycystic Kidney Disease (ADPKD) natients Ishikawa H, Impoloid a protein amyloidosis in a patient with plasma cell dyscrasia. Intern Med. Izuhara K, A IL-4 and IL-13: Their Pathological Roles in Allergic Diseases and their Potential in Developing New Therapies. Jibiki, I, Has Apoptosis signal-regulating kinase 1-mediated signaling pathway regulates n	2002 t 2002 2002 2002 2002 2002 2002 200
Cheng G, Ar Anti-interleukin-9 antibody treatment inhibits airway inflammation and hyperreactivity in mouse asthma model Elichi Tanak Adverse effects of sulfasalazine in patients with rheumatoid arthritis are associated with diolotyce configuration at the N-acetyltransferase 2 gene. Fujimoto T, Up-regulation of interleukin-12 receptor expression in peripheral blood mononuclear cells of natients with HTLV-I-associated myelopathy/tropical spastic paranaresis. Fukuyama SINALT organogenesisn is independent of the IL-7R, LT a1b2/LTbR and NIK signaling pathways but does require the Id2 gene and CD3 ⁻ CD4 ⁺ CD45 ⁺ cells. Gilot, D., Loy Liver protection from apoptosis requires both blockage of initiator caspase activities and inhibition of ASK1/JINK nathway via elutathione. S-transferase regulation. Hanakawa Y Molecular mechanisms of blister formation in bullous impetigo and staphylococcal scalded skin syndrome. Hattori N, K Interferon-gamma, a strong suppressor of cell proliferation—associated keratins. Higashi N, T A comparative study of eicosanoid concentration in sputum and urine in patients with associatent K6, one of the inflammatony—and proliferation—associated keratins. Inoshita, S., Phosphorylation and Inactivation of McI-1 by c-Jun N-terminal Kinase (JNK) in response to oxidative stress. Inoue S, Inod Mutation Analysis of PKD1 in Japanese Autosomal Dominant Polycystic Kidney Disease (ADPKD) patients Ishikawa H, I Amyloid a protein amyloidosis in a patient with plasma cell dyscrasia. Intern Med. Izuhara K, A IL-4 and IL-13: Their Pathological Roles in Allergic Diseases and their Potential in Current Drug Develoning New Therapies. Jibiki, I, Has Apoptosis signal-regulating kinase 1-mediated signaling pathway regulates nitric oxide-induced activator protein—1 activation in human bronchial enithelial cells. K. Asano, T. Leukotriene C4 synthase gene A(-444/C) polymorphism and clinical response to a	2002 2002 2002 2002 2002 2002 2002 200
Cheng G, Af Anti-interleukin-9 antibody treatment inhibits airway inflammation and hyperreactivity in mouse asthma model Elichi Tanak Adverse effects of sulfasalazine in patients with rheumatoid arthritis are associated with diolotyne configuration at the N-acetyltransferase 2 gene. Fujimoto T, Up-regulation of interleukin-12 receptor expression in peripheral blood mononuclear cells of natients with HTLV—respondent myelopathy/tronical soastic naranaresis. Fukuyama S NALT organogenesisn is independent of the IL-7R, LT a1b2/LTbR and NIK signaling pathways but does require the Id2 gene and CD3 ⁻ CD4 ⁺ CD45 ⁺ cells. Gilot, D., Loy Liver protection from apoptosis requires both blockage of initiator caspase activities and inhibition of ASK1/JNK nathway via elutathione. S-transferase regulation. Hanakawa Y Molecular mechanisms of blister formation in bullous impetigo and staphylococcal scaled skin syndrome. Hattori N, K Interferon-gamma, a strong suppressor of cell proliferation, induces upregulation of keratin K6. one of the inflammatory—and proliferation—associated keratins. Higashi N, T A comparative study of eicosanoid concentration in sputum and urine in patients with aspirin—intolerant asthma. Inoshita, S., Phosphorylation and Inactivation of Mol-1 by c-Jun N-terminal Kinase (JNK) in response to oxidative stress. Inoue S, Inod Mutation Analysis of PKD1 in Japanese Autosomal Dominant Polycystic Kidney Disease (ADPKD) natients Ishikawa H, Amyloid a protein amyloidosis in a patient with plasma cell dyscrasia. Intern Med. Izuhara K, A IL-4 and IL-13: Their Pathological Roles in Allergic Diseases and their Potential in Develoning New Therapies. Jibiki, L, Has Apoptosis signal-regulating kinase 1-mediated signaling pathway regulates nitric oxide-induced activator protein—1 activation in human bronchial enithelial cells. K. Asano, T. Leukotriene C4 synthase gene A(-444)C polymorphism and clinical response to a	2002 2002 2002 2002 01 2002 2002 2002 20
Elichi Tanak Adverse effects of sulfasalazine in patients with rheumatoid arthritis are associated with diplotype configuration at the N-acetyltransferase 2 gene. Fujimoto T, Up-regulation of interleukin-12 receptor expression in peripheral blood mononuclear cells of patients with HTI V-I-associated myelopathy/tropical spastic paraparesis. Fukuyama S NALT organogenesisn is independent of the IL-7R, LT a1b2/LTbR and NIK signaling pathways but does require the Id2 gene and CD3 CD4 CD45 cells. Gilot, D., Lou Liver protection from apoptosis requires both blockage of initiator caspase activities and inhibition of ASK1/JNK pathway via slutathione S-transferase regulation. Hanakawa Y Molecular mechanisms of blister formation in bullous impetigo and staphylococcal scaled skin syndrome. Hattori N, K Interferon-gamma, a strong suppressor of cell proliferation, induces upregulation of keratin K6, one of the inflammatory- and proliferation-associated keratins. Higashi N, T A comparative study of eloosanoid concentration in sputum and urine in patients with aspirin-intolerant asthma. Inoshita, S., Phosphorylation and Inactivation of McI-1 by c-Jun N-terminal Kinase (JNK) in response to oxidative stress. Inoue S, Inoue Mutation Analysis of PKD1 in Japanese Autosomal Dominant Polycystic Kidney Disease (ADPKD) patients Ishikawa H, Amyloid a protein amyloidosis in a patient with plasma cell dyscrasia. Intern Med. Izuhara K, A IL-4 and IL-13: Their Pathological Roles in Allergic Diseases and their Potential in Develoning New Theraoies. Joiki, I, Has Apoptosis signal-regulating kinase 1-mediated signaling pathway regulates nitric oxide-induced activator protein-1 activation in human bronchial enithelial cells. K. Asano, T. Leukotriene C4 synthase gene A(-444)C polymorphism and clinical response to a Pharmacogenet	2002 2002 2002 oil 2002 2002 2002 2002 2002 2002
Fujimoto T, Up-regulation of interleukin-12 receptor expression in peripheral blood mononuclear cells of natients with HTLV-I-associated myelonathy/tronical spastic naranaresis. NALT organogenesisn is independent of the IL-7R, LT a1b2/LTbR and NIK signaling pathways but does require the Id2 gene and CD3 ⁻ CD4 ⁺ CD45 ⁺ cells. Gilot, D., Lov Liver protection from apoptosis requires both blockage of initiator caspase activities and inhibition of ASK1/JNK nathway via glutathione. S-transferase regulation. Hanakawa Y Differentiatl effects of desmoglein 1 and desmoglein 3 on desmosome formation Hanakawa Y Molecular mechanisms of blister formation in bullous impetigo and staphylococcal scalded skin syndrome. Hattori N, K Interferon-gamma, a strong suppressor of cell proliferation, induces upregulation of keratin K6, one of the inflammatory—and proliferation—associated keratins Higashi N, T A comparative study of eicosanoid concentration in sputum and urine in patients with aspirin—intolerant asthma. Inoshita, S., Phosphorylation and Inactivation of McI-1 by c-Jun N-terminal Kinase (JNK) in resonase to oxidative stress Inoue S, Inol Mutation Analysis of PKD1 in Japanese Autosomal Dominant Polycystic Kidney Disease (ADPKD) patients Ishikawa H, Amyloid a protein amyloidosis in a patient with plasma cell dyscrasia. Intern Med. Lizuhara K, A IL-4 and IL-13: Their Pathological Roles in Allergic Diseases and their Potential in Developing New Therapies. Jibiki, I, Has Apoptosis signal-regulating kinase 1-mediated signaling pathway regulates nitric oxide-induced activator orotein-1 activation in human bronchial enithelial cells. K. Asano, T. Leukotriene C4 synthase gene A(-444)C polymorphism and clinical response to a	2002 2002 ol 2002 2002 2002 2002 2002 2002
Fukuyama SNALT organogenesisn is independent of the IL-7R, LT a1b2/LTbR and NIK signaling pathways but does require the Id2 gene and CD3 ⁻ CD4 ⁺ CD45 ⁺ cells. Gilot, D., Lov Liver protection from apoptosis requires both blockage of initiator caspase activities and inhibition of ASK1/JNK nathway via glutathione. S-transferase regulation. Hanakawa Y Differentiatl effects of desmoglein 1 and desmoglein 3 on desmosome formation. Hanakawa Y Molecular mechanisms of blister formation in bullous impetigo and staphylococcal scalded skin syndrome. Hattori N, K Interferon—gamma, a strong suppressor of cell proliferation, induces upregulation of keratin K6, one of the inflammatory—and proliferation—associated keratins. Higashi N, T A comparative study of eicosanoid concentration in sputum and urine in patients with aspirin—intolerant asthma. Inoshita, S., Phosphorylation and Inactivation of McI-1 by c-Jun N-terminal Kinase (JNK) in response to oxidative stress. Inoue S, Inot Mutation Analysis of PKD1 in Japanese Autosomal Dominant Polycystic Kidney Disease (ADPKD) patients Ishikawa H, I Amyloid a protein amyloidosis in a patient with plasma cell dyscrasia. Izuhara K, A IL-4 and IL-13: Their Pathological Roles in Allergic Diseases and their Potential in Develoning New Therapies. Jibiki, I., Has Apoptosis signal—regulating kinase 1—mediated signaling pathway regulates nitric oxide—induced activator protein—1 activation in human bronchial enithelial cells. K. Asano, T. Leukotriene C4 synthase gene A(-444)C polymorphism and clinical response to a Pharmacogenet	2002 ol 2002 2002 ol 2002 2002 2002 2002
Gilot, D., Lo. Liver protection from apoptosis requires both blockage of initiator caspase activities and inhibition of ASK1/JNK pathway via glutathione. S-transferase regulation. Hanakawa Y Differentiatl effects of desmoglein 1 and desmoglein 3 on desmosome formation Hanakawa Y Molecular mechanisms of blister formation in bullous impetigo and staphylococcal scalded skin syndrome. Hattori N, K Interferon—gamma, a strong suppressor of cell proliferation, induces upregulation of keratin K6, one of the inflammatory—and proliferation—associated keratins Higashi N, T A comparative study of eicosanoid concentration in sputum and urine in patients with aspirin—intolerant asthma. Inoshita, S., Phosphorylation and Inactivation of Mcl-1 by c-Jun N-terminal Kinase (JNK) in response to oxidative stress. Inoue S, Ino Mutation Analysis of PKD1 in Japanese Autosomal Dominant Polycystic Kidney Disease (ADPKD) patients Ishikawa H, Amyloid a protein amyloidosis in a patient with plasma cell dyscrasia. Intern Med. Izuhara K, A IL-4 and IL-13: Their Pathological Roles in Allergic Diseases and their Potential in Develoning New Therapies. Jibiki, I., Has Apoptosis signal—regulating kinase 1—mediated signaling pathway regulates nitric oxide—induced activator protein—1 activation in human bronchial enithelial cells K. Asano, T. Leukotriene C4 synthase gene A(-444)C polymorphism and clinical response to a	ol 2002 2002 ol 2002 2002 2002 2002 2002
And inhibition of ASK1/JNK nathway via glutathione S-transferase regulation. Hanakawa Y Differentiati effects of desmoglein 1 and desmoglein 3 on desmosome formation Hanakawa Y Molecular mechanisms of blister formation in bullous impetigo and staphylococcal scalded skin syndrome. Hattori N, K Interferon-gamma, a strong suppressor of cell proliferation, induces upregulation of keratin K6, one of the inflammatory—and proliferation—associated keratins Higashi N, T A comparative study of eicosanoid concentration in sputum and urine in patients with aspirin—intolerant asthma. Inoshita, S., Phosphorylation and Inactivation of Mcl-1 by c-Jun N-terminal Kinase (JNK) in response to oxidative stress. Inoue S, Inou Mutation Analysis of PKD1 in Japanese Autosomal Dominant Polycystic Kidney Disease (ADPKD) patients Ishikawa H, Amyloid a protein amyloidosis in a patient with plasma cell dyscrasia. Intern Med. Izuhara K, A IL-4 and IL-13: Their Pathological Roles in Allergic Diseases and their Potential in Developing New Therapies Jibiki, L, Has Apoptosis signal-regulating kinase 1-mediated signaling pathway regulates nitric oxide—induced activator protein—1 activation in human bronchial enithelial cells K. Asano, T. Leukotriene C4 synthase gene A(-444)C polymorphism and clinical response to a	ol 2002 2002 ol 2002 2002 2002 2002 2002
Hanakawa Y Molecular mechanisms of blister formation in bullous impetigo and staphylococcal scalded skin syndrome Hattori N, K Interferon—gamma, a strong suppressor of cell proliferation, induces upregulation of keratin K6, one of the inflammatory—and proliferation—associated keratins Higashi N, T A comparative study of eicosanoid concentration in sputum and urine in patients with aspirin—intolerant asthma. Inoshita, S., Phosphorylation and Inactivation of McI-1 by c—Jun N—terminal Kinase (JNK) in response to oxidative stress. Inoue S, Inot Mutation Analysis of PKD1 in Japanese Autosomal Dominant Polycystic Kidney Disease (ADPKD) patients Ishikawa H, I Amyloid a protein amyloidosis in a patient with plasma cell dyscrasia. Intern Med. Izuhara K, A IL—4 and IL—13: Their Pathological Roles in Allergic Diseases and their Potential in Developing New Therapies. Jibiki, L, Has Apoptosis signal—regulating kinase 1—mediated signaling pathway regulates nitric oxide—induced activator protein—1 activation in human bronchial epithelial cells. K. Asano, T. Leukotriene C4 synthase gene A(-444)C polymorphism and clinical response to a	2002 oI 2002 2002 2002 2002 2002
Scalded skin syndrome	2002 2002 2002 2002 2002
Hattori N, K Interferon—gamma, a strong suppressor of cell proliferation, induces upregulation of keratin K6, one of the inflammatory—and proliferation—associated keratins A comparative study of eicosanoid concentration in sputum and urine in patients with aspirin—intolerant asthma. Inoshita, S., Phosphorylation and Inactivation of McI-1 by c-Jun N-terminal Kinase (JNK) in response to oxidative stress. Inoue S, Inot Mutation Analysis of PKD1 in Japanese Autosomal Dominant Polycystic Kidney Disease (ADPKD) patients Ishikawa H, Amyloid a protein amyloidosis in a patient with plasma cell dyscrasia. Izuhara K, A IL-4 and IL-13: Their Pathological Roles in Allergic Diseases and their Potential in Developing New Therapies. Jibiki, I, Has Apoptosis signal—regulating kinase 1—mediated signaling pathway regulates nitric oxide—induced activator protein—1 activation in human bronchial epithelial cells K. Asano, T. Leukotriene C4 synthase gene A(-444)C polymorphism and clinical response to a	2002 2002 2002 2002
Higashi N, T A comparative study of eicosanoid concentration in sputum and urine in patients with assirin-intolerant asthma. Inoshita, S., Phosphorylation and Inactivation of McI-1 by c-Jun N-terminal Kinase (JNK) in response to oxidative stress. Inoue S, Ino Mutation Analysis of PKD1 in Japanese Autosomal Dominant Polycystic Kidney Disease (ADPKD) patients Ishikawa H, Amyloid a protein amyloidosis in a patient with plasma cell dyscrasia. Izuhara K, A IL-4 and IL-13: Their Pathological Roles in Allergic Diseases and their Potential in Developing New Therapies. Jibiki, I, Has Apoptosis signal-regulating kinase 1-mediated signaling pathway regulates nitric oxide-induced activator protein-1 activation in human bronchial epithelial cells K. Asano, T. Leukotriene C4 synthase gene A(-444)C polymorphism and clinical response to a	2002 2002 2002
Inoue S, Inou Mutation Analysis of PKD1 in Japanese Autosomal Dominant Polycystic Kidney Disease (ADPKD) patients Ishikawa H, Amyloid a protein amyloidosis in a patient with plasma cell dyscrasia. Izuhara K, A IL-4 and IL-13: Their Pathological Roles in Allergic Diseases and their Potential in Developing New Therapies Jibiki, I, Has Apoptosis signal-regulating kinase 1-mediated signaling pathway regulates nitric oxide-induced activator protein-1 activation in human bronchial epithelial cells K. Asano, T. Leukotriene C4 synthase gene A(-444)C polymorphism and clinical response to a	2002
Inoue S, Inoue S, Inoue Mutation Analysis of PKD1 in Japanese Autosomal Dominant Polycystic Kidney Disease (ADPKD) patients Ishikawa H, I Amyloid a protein amyloidosis in a patient with plasma cell dyscrasia. Intern Med. Izuhara K, A IL-4 and IL-13: Their Pathological Roles in Allergic Diseases and their Potential in Developing New Therapies Jibiki, I, Has Apoptosis signal-regulating kinase 1-mediated signaling pathway regulates nitric oxide-induced activator protein-1 activation in human bronchial epithelial cells K. Asano, T. Leukotriene C4 synthase gene A(-444)C polymorphism and clinical response to a	2002
Ishikawa H, Amyloid a protein amyloidosis in a patient with plasma cell dyscrasia. Izuhara K, A IL-4 and IL-13: Their Pathological Roles in Allergic Diseases and their Potential in Developing New Therapies. Jibiki, I., Has Apoptosis signal-regulating kinase 1-mediated signaling pathway regulates nitric oxide-induced activator protein-1 activation in human bronchial epithelial cells. K. Asano, T. Leukotriene C4 synthase gene A(-444)C polymorphism and clinical response to a	
Developing New Therapies Jibiki, I., Has Apoptosis signal-regulating kinase 1-mediated signaling pathway regulates nitric oxide-induced activator protein-1 activation in human bronchial epithelial cells. K. Asano, T. Leukotriene C4 synthase gene A(-444)C polymorphism and clinical response to a Pharmacogenet	วูกกว
Jibiki, I, Has Apoptosis signal-regulating kinase 1-mediated signaling pathway regulates nitric Am. J. Respir. Coxide-induced activator protein-1 activation in human bronchial epithelial cells. K. Asano, T. Leukotriene C4 synthase gene A(-444)C polymorphism and clinical response to a	2002
K. Asano, T. Leukotriene C4 synthase gene A(-444)C polymorphism and clinical response to a Pharmacogenet	ri. 2002
	os 2002
Kamachi M, Regulation of apoptotic cell death by cytokines in a human salivary gland cell line: Distinct and synergistic mechanisms in apoptosis induced by tumor necrosis factor α and interferon γ	2002
Kambara C, Increased sialyl Lewis(x) antigen-positive cells mediated by HTLV-1 infection in peripheral blood CD4(+) T lymphocytes in patients with HTLV-1-associated	2002
Kawagishi Y Leukotriene C4 synthase promoter polymoriphism in Japanese patients with aspirin- J Allergy Clin	2002
Kawahata K Peripheral tolerance to a nuclear autoantigen:dendritic cells expressing a nuclear	2002
Kawahata K Generation of CD4+CD25+ regulatory Tcells from autoreactive Tcells simultaneously with their negative selection in the thymus and from nonautoreactive Tcells by endogeneous TCR expression.	2002
Kawakami A Modulation of the expression of membrane-bound CD54 (mCD54) and soluble form of CD54 (sCD54) in endothelial cells by glucosyl transferase inhibitor possible role of ceramide for the shedding of mCD54.	s 2002
Kawasaki A, Analysis on the association of human BLYS (BAFF, TNFSF13B) polymorphisms with Genes Immun systemic lupus erythematosus and rheumatoid arthritis	2002
Kobayashi MBP180 ELISA using bacterial recombinant NC16a protein as a diagnostic and J Dermatol Sci	2002
monitoring tool for bullous pemphigoid. Komai K, Ok Alternative splicingvariants of the human DBL (MCF-2) proto-oncogene. Biochem Biophy	s 2002
Komatsuzaw Identification of six major outer membrane proteins from Actinobacillus Gene	2002
Actinomycetemcomitans Komatsuzaw Increased glycan chain length distribution and decreased susceptibility to Chemother	2002
moenomycin in a vancomycin-resistant Stanhylococcus aureus mutant Antimicrob Kono H, Suz Spatial raft coalescence represents an initial step in Fc gbR signaling. J Immunol.	12002

Kunisawa J,	Lack of antigen-specific immune responses in anti-IL-7a antibody-treated Peyer's patch-null mice following intestinal immunization with microencapsulated antigen.	Eur. J. Immunol.	2002
Kuranaga, E	Reaper-mediated inhibition of DIAP1-induced DTRAF1 degradation results in activation of JNK in Drosophila.	Nat. Cell Biol.	2002
Kuroda T, T	Comparison of gastroduodenal, renal and abdominal fat biopsies for diagnosing amyloidosis in rheumatoid arthritis	Clin Rheumatol	2002
Kuroki K, Ts	Polymorphisms of human CD19 gene: Possible association with susceptibility to systemic lupus erythematosus in Japanese.	Genes Immun	2002
Kweon M-N	Development of antigen-induced enterocolitis in SCID mice reconstituted with spleen-derived memory type CD4 ⁺ CD45RB ⁺ T cells	Gut	2002
Kweon M-N	A non-toxic chimeric enterotoxin adjuvant induces protective immunity in both	J. Infect. Dis.	2002
Kyogoku C,	mucosal and systemic compartments with reduced IgE Ab Studies on the association of Fcg receptor IIA, IIB, IIIA and IIIB polymorphisms with rheumatoid arthritis in Japanese: Evidence for a genetic interaction between HLA- DRB1 and FCGR3A.	Genes Immun	2002
Matsui K, Yı	Identification of an alternative splicing variant of cathepsin C/dipeptidyl-peptidase I	Gene	2002
	Physiological roles of ASK1-mediated signal transduction in oxidative stress- and endoplasmic reticulum stress-induced apoptosis: advanced findings from ASK1 knockout mice.	Antioxid. Redox Signal	2002
	The role of peroxynitrite in cyclooxygenase-2 expression of rheumatoid synovium.	Clin Exp Rheumatol	2002
	The role of peroxynitrite in cyclooxygenase-2 expression of rheumatoid synovium.	Clin Exp Rheumatol	2002
	Characterizaton of PGE2 receptor subtypes in human eosinophils.	J Allergy Clin Immunol	2002
	A novel murine model of Graves' hyperthyroidism with intramuscular injection of adenovirus expressing the thyrotropin receptor	J Immunol	2002
	Gene expression profile after peroxisome proliferator activator receptor-gamma ligand administration in dextran sodium sulfate mice.		2002
	Expression of Smad7 in bronchial epithelial cells is inversely correlated to basement membrane thickness and airway hyperresponsiveness in patients with asthma	J Allery Clin Immunol	2002
	ASK1 is essential for endoplasmic reticulum stress-induced neuronal cell death	Genes Dev.,	2002
	Characterization of mouse cysteinyl leukotriene receptors; mCysLT1 and mCysLT2. Differential pharmacological properties and tissue distribution	J. Biol. Chem.	2002
	Transient contribution of mast cells to pulmonary eosinophilia but not to hyperresponsiveness.	Clin Exp Allergy	2002
	Damaged epithelia regenerated by bone marrow-derived cells in the human sastrointestinal tract.	Nature Med.	2002
	Development of colitis in STAT6-deficient TCRa ^{-/-} mice: A potential of STAT6-independent IL-4 signaling for the generation of Th2-biased pathologic CD4 ⁺ bbT cells	Am. J. Pathol.	2002
Ota T, Abura	Targets of transcriptional regulation by two distinct type I receptors for transforming growth factor-beta in human umbilical vein endothelial cells	J Cell Physiol.	2002
Oyadomari S	Targeted disruption of The CHOP gene protects mice against ER stress-induced diabetes.	J Clin Inves	2002
Pang M, Tsi	Defective expression and tyrosine phosphorylation of the T cell receptor zeta chain in neripheral blood T cells from systemic lunus erythematosus patients	Clin Exp Immunol	2002
Saeki, K., Ko	Oxidation-triggered c-Jun N-terminal kinase (JNK) and p38 mitogen-activated protein (MAP) kinase pathways for apoptosis in human leukaemic cells stimulated by epigallocatechin-3-gallate (EGCG): a distinct pathway from those of chemically induced and receptor-mediated apoptosis.	Biochem. J.	2002
	Activation of TGF- β /Smad2 signaling is associated with airway remodeling in asthma.	J Allery Clin Immunol	2002
	Detection of an up-regulation of a group of chemokine genes in murine cardiac allograft in the absence of interferon-gamma by means of DNA microarray1.	Transplantation.	2002
	Inhibitory effects of IFN-g on HIV-1 replication in latently infected cells.	Biochem Biophys Res Commun	2002
	Identification of a novel transcriptional activator, BSAC, by a functional cloning to inhibit tumor necrosis factor-induced cell death.	J Biol Chem.	2002
	Phosphatidyl inositol 3 kinase is a key regulator of early phase differentiation in keratinocytes.	J Biol Chem	2002
	B cells capturing antigen conjugated with CpG oligodeoxynucleotides induce Th1 cells by elaborating II -12		2002
	Interleukin-21 prevents antigen-induced IgE production by inhibiting germline Ce transcription of II -4-stimulated B cells.	Blood	2002
	CD4+ CD25+ T cell development is regulated by at least two distinct mechanisms.	Blood	2002
	Proteolytic processing of Stat6 signaling in mast cells as a negative regulatory mechanism.	J Exp. Med	2002