著者名(	タイトル	雑誌名	年
Okabe S	Functional connectivity revealed by single-photon emission computed tomography (SPECT) during repetitive transcranial magnetic stimulation (rTMS) of the motor	Clin Neuryophysiol	2003
Okazaki	Expression of parathyroid hormone-related peptide and insulin-like growth factor I	J Orthop Res	2003
Okumiya	Imbalanced substrate specificity of mutant b-galactosidase in patients with Morquio B disease	Mol. Genet. Meta	2003
Ono, Y.,	Evaluation of Kampo medicines used to treat rheumatoid arthritis in collagen-induced arthritis and oX transgenic mice	Mod. Rheumatol.	2003
Oshima	Intrathecal injection of HVJ-E containing HGF gene to cerebrospinal fluid can prevent and ameliorate hearing impairment in rats	FASEB J	2003
Oshitani	Analysis of intestinal HLA-DR bound peptides and dysregulated immune responses to enteric flora in the pathogenesis of inflammatory bowel disease	Int J Mol Med	2003
Oyoshi i	Preferential expansion of V γ –J γ P/V δ 2–J δ 3 γ δ –T cells in nasal T–cell	Am J Pathol	2003
Pipo JR,	New GAA mutations in Japanese patients with GSDII (Pompe disease).	Pediatr Neurol	2003
	Identification of a putative intestinal stem cell marker and early lineage marker; Musashi1	Differentiation	2003
	Amplification of selfish restriction modification genes.	Mol. Microbiol.	2003
	Local bone formation by injection of recombinant human bone morphogenetic protein- 2 contained in polymer carriers.	Bone	2003
	Tacrolimus may be associated with lower osteonecrosis rates after renal transplantation.	Clinical Orthopaedic and	2003
	Distinct calcium response induced by T-cell antigen receptor stimulation in thymocytes and mature T cells	Bioimages	2003
	A novel Sp1-family-related cis-acting element for transcription of type VII collagen gene (COL7A1)	J Dermaol Sci	2003
	Lymphoid enhancer factor 1 makes cells resistant to transforming growth factor induced repression of c-myc.	Cancer Res	2003
	Effective induction of acquired resistance to Listeria monocytogenes by immunizing mice with in vivo-infected dendritic cells.	Infect Immun.	2003
	Late onset of obesity in male androgen receptor-deficient (ARKO) mice	Biochem. Biophys. Res. Commun.	2003
	Innate apoptosis of human B lymphoblasts transformed by Epstein-Barr virus:  modulation by cellular immortalization and senescence.	Cell Struct Funct	2003
	A novel insertion mutation in COL7A1 identified in Hallopeau-Siemens recessive dystrophic epidermolysis bullosa.	Acta Dermato- Venereol	2003
	Comprehensive analysis of intestinal cytokine messenger RNA profile by real-time quantitative polymerase chain reaction in patients with inflammatory bowel disease.	Int J Mol Med	2003
	Multicenter randomized controlled trial for the treatment of ulcerative colitis with a lukocytapheresis column.	Curr Pharm Des	2003
	Identification of COL7A1 alternative splicing inserting 9 amino acid residues into the fibronectin type III linker domain.	J Invest Dermatol	2003
	Epidermolysis bullosa: directions for future research and new challenges for treatment	Arch Dermatol Res	2003
	In vitro induction and transplantation of eye during early Xenopus developoment.	Dev Growth Differ	2003
	Inhibition of STAT3 prevents neointima formation by inhibiting proliferation and promoting appotosis of neointimal smooth muscle cells	Hum Gene Ther	2003
	Selective screening for fatty acid oxidation disorders by tandem mass spectrometry: difficulties in practical discrimination	Journal of Chromatography	2003
	Cetirizine, an H1-receptor antagonist, suppresses the expression of macrophage migration inhibitory factor (MIF): Its potential anti-inflammatory action.	Clin Exp Allergy	2003
Shimom	Modulation of procarboxypeptidase R (proCPR) activation by complementary peptides to thrombomoduline.	Microbiol. Immunol	2003
Shiohara	Recall phenomenon: some skin-resident cells remember previous insults.	Dermatology	2003
	Severe Palmo-plantar Hyperkeratosis in Koebner Epidermolysis Bullosa Simplex	J Dermatol	2003
	So-called biological dressing effects of cultured epidermal sheets are mediated by the production of EGF family. TGF-b and VEGF.	J Dermatol Sci	2003
Sho E, K	High flow drives vascular endothelial cell proliferation during flow-induced arterial remodeling associated with the expression of vascular endothelial growth factors.	Experimental and Molecular	2003
Siegel D	Loss of kindlin-1, a human homolog of the Caenorhabditis elegans actin-extracellular- matrix linker protein UNC-112, causes Kindler syndrome.	Am J Hum Genet	2003
Sogawa	A murine model of granulomatous colitis with mesenteric lymphadenitis induced by mycobacterial cord factor.	Virchows Arch	2003
Sonoda	Duplication (22)(q11.22-q11.23) without coloboma and cleft lip or palate.	Pediatr Int.	2003

著者名(		雑誌名	年
	Characterization of Dannon disease in a man and his affected mother	Neuromuscl Disord	2003
	Drug-selected co-expression of P-glycoprotein and gp91 in vivo from an MDR1- bicistronic retrovirus vector	J Gene Med.	2003
	Cytokines suppress adipogenesis and PPAR-gamma function through the TAK1/TAB1/NIK cascade	Nature Cell Biol.	2003
Suzuki, I	Neutrophil functions of patients with MPO-ANCA-related vasculitis	Internal Med.	2003
T Furub	Remote effects of self-paced teeth clenching on the excitability of hand motor area	Exp Brain Res	2003
Takagi T	Contrasting action of IL-12 and IL-18 in the development of dextran sodium sulfate colitis in mice.	Scand J Gastroenterol	2003
Takahas	Histopathological features of murine systemic vasculitis caused by Candida albicans	Inflamm res.	2003
Takahas	A novel strategy for in vivo expansion of transplanted hepatocytes using preparative hepatic irradiation and Fast -induced hepatocelluair apoptosis.	Gene Therap	2003
Takahas	Bcl-2 prvents doxorubicin-induced apoptosis of huma liver cancer cells.	Hepatol Res	2003
Takahas	In vitro differentiation from naive to mature e-selectin binding CD4 T cells: acquisition of skin-homing properties occurs independently of cutaneous lymphocyte antigen	J Immunol.	2003
Takahas	Anterior thoracic spinal fusion in dogs by injection of recombinant human bone morphogenetic protein-2 and a synthetic polymer	Journal of Spinal	2003
	Attenuation of ganglioside $G_{M1}$ accumulation in the brain of $G_{M1}$ gangliosidosis mice by neonatal intravenous gene transfer	Disorders & Gene Ther	2003
Taketan	Increase in IP3 and intracellular Ca2+ induced by phosphate depletion in LLC-PK1 cells	Biochem. Biophys.	2003
Takeya	Novel human homologues of p47phox and p67phox participate in activation of superoxide-producing NADPH	Res_Commun J Biol Chem.	2003
Tamai K	Japanese guidelines for diagnosis and treatment of junctional and dystrophic epidermolysis bullosa.	Arch Dermatol	2003
Tamaki *	Growth and differentiation ability of main- and side-population cells derived from skeletal muscle CD34+/45- fraction.	Res Exp Cell Res	2003
Tanaka .	Different attenuated phenotypes of GM2 gangliosoidosis variant B in Japanese	J Hum Genet	2003
Tanaka	patients with HEXA mutations at codon 499, and five novel mutations responsible for Proliferation and differentiation of Xenopus A6 cells under hypergravity as revealed why time-lapse imaging	In Vitro Cell Dev	2003
Tanaka	Migration of EGFP expressing bone marrow- derived microglia/macrophage into the	Riol Animal Neuroscience	2003
Tanaka `	mice brain following permanent focal ischemia Inter- and intra-cellular signaling in secondary osteoporosis.	J Bone Miner	2003
Tanaka,	Latent HIV-1 reactivation in transgenic mice requires cell cycle-dependent	Metab AIDS	2003
Tani, S.,		Microbiol.	2003
Tanigue	Changes of serum levels of osteocalcin, alkaline phosphatase, IGF-I and IGF-binding	Immunol Injury	2003
Teraki Y		J Allergy Clin	2003
Tohjima	Decreased AP-1 activity and interleukin-11 expression by bone marrow stromal cells	Immunol J Bone Miner Res	2003
Tomatsu	may be associated with impaired bone formation in aged mice. N-acetylgalactosamine-6-sulfate sulfatase dificiency (Galns-/-) produced by	Hum Mol Genet	2003
Tomatsu	targeted disruption of the gene defective in Morquio A disease Production of MPS VII mouse (Gus(tm(hE540AXmE536A)Sly)) doubly tolerant to	Hum Mol Genet	2003
Tomita \	human and mouse beta-glucuronidase. Simultaneous occurrence of three squamous cell carcinomas in a recessive	Acta Derm	2003
Tonchev	dystrophic enidermolysis bullosa patient Increased proliferation of neural progenitors and neurogenesis in the postischemic	Venereol Mol Cell Neurosci	2003
Tonchev	brain of young adult primates.  Differential proliferative response in the postischemic hippocampus, temporal cortex	Glia	2003
	and olfactory bulb of adult primates.  Ameliorating effect of anti-inducible co-stimulator monoclonal antibody in a murine	Gastroenterology	2003
	model of chronic colitis.  Therapeutic effect of anti-OX40L and anti-TNF-α MAbs in a murine model of	Am J Physiol	2003
	chronic colitis.	J Dermatol Sci	2003
	vitro  Evaluation of femoral perfusion in a non-traumatic rabbit osteonecrosis model with	Journal of	
	T2*-weighted dynamic MRI Does transcranial magnetic stimulation improve the motor symptoms of Parkinson	Orthopaedic	2003
	disease.	J Neurol	2003

	タイトル	雑誌名	年
Tsuji Y,	Changing pattern of deiminated proteins in developing human epidermis.	J Invest Dermatol	2003
Tsunemi	Psoriasis guttata in association with hepatocellular carcinoma.	Acta Derm Venereol	2003
Uchida k	Critical regions for activation gating of thee inositol 1,4,5-trisphosphate receptor.	J Biol Chem	2003
Uchida S	Factors secreted by human amniotic epithelial cells promote the survival of rat retinal	Neurosci Lett	2003
Uehara I	Serum Alanine aminotransferase concentrations in patients with Kawasaki disease.	Pediatr Infect Dis	2003
Uehara I	Kawasaki disease in parents and children.	Acta Paediatr	2003
Uetani N	Subchondral insufficiency fracture of the femoral head: magnetic resonance imaging findings correlated with micro-computed tomography and histonathology	J Comput Assist	2003
Ugawa Y	Exaggerated 16-20 Hz motor cortical oscillation in patients with positive or negative	Tomogr Clin Neurophysiol	2003
Uraushir	Regulation of murine inflammatory bowel disease by CD25 <sup>+</sup> and CD25-CD4 <sup>+</sup> glucocorticoid-induced TNF receptor family-related gene+ regulatory T cells.	J Immunol	2003
Voronov	Interleukin 1 is required for tumor invasiveness and angiogenesis.	Proc. Natl. Acad. Sci. USA	2003
Wada T,	A Japanese Case of Segmental Darier's Disease Caused by Mosaicism for the ATP2A2 Mutation	Br J Dermatol	2003
Wakitani	Embryonic stem cells injected into the mouse knee joint form teratoma and subsequently destroy the knee joint.	Rheumatology	2003
Watanab	Comparative Effects of Angiotensin II Receptor Blockade (Candesartan) with  Angiotensin-Converting, Enzyme Inhibitor (Quinapril) in Rats with Dilated	Journal of Cardiovascular	2003
Watanab	Betaxolol Improves the Survival Rate and Changes Natriuretic Peptide Expression in Rats with Heart Failure	Journal of	2003
	Interleukin-18 induces expression and release of cytokines from murine glial cells:	Cardiovascular J. Neurochem.	2003
	Cortical reorganization in training	J Electromyography	2003
Yabe S,	FRL-1, a member of the EGF-CFC family, is essential for neural differentation in Xenouous early development.	Development	2003
Yahata Y	Nuclear translocation of phosphorylated STAT3 is essential for VEGF-induced human dermal microvascular endothelial cell migration and tube formation.	J Biol Chem	2003
Yamada,	High serum @level of menatetrenone in male patients with ossification of posterior longitudinal ligament	Spine	2003
Yamanal	The Trend of NTDs in Japan and the Efficacy of Folic Acid Campaign.	Reprod Toxcol	2003
Yamasal	SOCS1/JAB and SOCS3/CIS3 negatively regulate the STATs signaling pathway in normal human epidermal keratinocytes	J Invest Dermatol	2003
Yamasal	Keratinocyte growth inhibition by high-dose epidermal growth factor is mediated by transforming growth factor b · · · autoinduction: A negative feedback mechanism for keratinocyte growth	J Invest Dermatol	2003
Yamazal	Mucosal T cells expressing high levels of IL-7 receptor are potential targets for treatment of chronic colitis.	J Immunol	2003
Yanai F,	Essential roles of perforin in antigen-specific cytotoxicity mediated by human CD4+ T lymphocytes: analysis using the combination of hereditary perforin-deficient effector	J Immunol	2003
Yano S,	Interleukin 15 induces the signals of epidermal proliferation through ERK and PI 3- kinase in a human epidermal keratinocyte cell line. HaCaT	Biochem Biophys	2003
Yazawa	CD19 regulates innate immunity by the toll-like receptor RP105 signaling in B	Res Commun Blood	2003
Yokoyan	Methylation of ASC/TMS1, a proapoptotic gene responsible for activating procaspase=1, in human colorectal cancer.	Cancer Letters	2003
Yoshida	Expression of a splicing isoform of mNumb is downregulated during endocrine differentiation in pancreas	Differentiation	2003
Yoshino	A sensitive method for 4-hydroxybutyric acid in urine using gas chromatography-	Journal of	2003
Yukiharu	Pedicle bone grafting versus transtrochanteric rotational osteotomy for avascular	Chromatography J Bone Joint Surg	2003
Zhang S	Protein C.1N is required for translocation of inositol 1,4,5–trisphosphate receptor type  1 to the basolateral membrane domain in polarized madin–darby canine kidney cell	Br J Biol Chem	2003
Zhang Y	Common cytological and cytogenetic features of Epstein-Barr virus (EBV)-positive	Br. J.	2003
Zoroofi I	· · · · · · · · · · · · · · · · · · ·	Haematology IEEE Trans. Inf.	2003
	Regulation of Human Malignant Melanoma Growth and Metastasis by AGE-AGE	Technol BioMed J Invest	2004
	Receptor Interactions	Dermatol	

著者名( 		雑誌名	年
	Neutrophil contribution to the crescentic glomerulonephritis in SCG/Kj mice.	Nephrology, Dialysis and	2004
Arita K,	Gap junction development inthe human fetal hair follicle and bulge region.	Br J Dermatol	2004
Fujii, Y.,	A potential live vector, foamy virus, directed intra-cellular expression of ovine interferon-t exhibited the resistance to HIV infefction.	J. Vet. Med. Sci.	2004
H Mochi	EFFECTS OF MOTOR CORTICAL STIMULATION ON THE EXCITABILITY OF CONTRAL ATERAL MOTOR AND SENSORY CORTICES	Exp Brain Res	2004
Hanawa	A novel method to assay proteins in blood plasma after intravenous injection of plasmid DNA	Tohoku J Exp Med	2004
	Applications of T-lymphoma labeled with fluorescent quantum dots to cell tracing markers in mouse body.	Biochem. Biophys.	2004
Ishida, Y	The essential involvement of cross-talk between IFN-? and TGF-? in the skin wound-healing process.	J. Immunol.	2004
Ishida, Y	Essential involvement of IFN-? in Clostridium difficile toxin A-induced enteritis.	J. Immunol	2004
Ishihara,	The point mutation of tyrosine 759 of the IL-6 family cytokine receptor gp130 synergizes with HTLV-1 pX in promoting rheumatoid arthritis-like arthritis	Int. Immunol.	2004
Itoh H, T	A pilot randomized trial of a human anti-interleukin-6 recptor monoclonal antibody in active Cron's disease	Gastroenterology	2004
Itoh K ,	Expression of lysosomal protective protein/cathepsin A in a stably transformed human neuroblastoma, cell during bi-directional differentiation, into neuronal, and	Neurochem. Int	2004
Jingushi	Slipped capital femoral epiphysis: etiology and treatment.	J Orthop Sci.	2004
K Deguc	Abnormal baroreceptor-mediated vasopressin release as possible marker in early diagnosis of multiple system atrophy	J Neurol	2004
Kanno M	Effects of acute repetitive transcranial magnetic stimulation on dopamine release in the rat dorsolateral striatum	Neurosurg J Neurol Sci.	2004
Kobari, Y	T cells accumulating in the inflamed joints of a spontaneous murine model of rheumatoid arthritis become restricted to common clonotypes during disease	Int. Immunol.	2004
Kondo M	Transforming growth factor—• signaling is differentially inhibited by Smad2D450E and Smad3D407E	Cancer Sci	2004
Kotani M	Cytochemical and biochemical detection of intracellularly accumulated sialyl	Clin Chim Acta	2004
M Ikegud	glycoconiugates in sialidosis and galactosialidosis fibroblasts with Macckia amurnsis.  Effects of successive repetitive transcranial magnetic stimulation on motor	Journal of the	2004
Masunag	nerformances and brain perfusion in idiopathic Parkinson's disease.  Pyloric atresia junctional epidermolysis bullosa syndrome showing novel	Neurological Exp	2004
Murayan	594insC/Q425P mutations in integrin b4 gene (ITGB4). Ligand-induced transrepression by a nuclear receptor mediated by a bHLH-type	Dermatol EMBO J.	2004
Nakamui	activator through co-regulator switching Laboratory data as risk factors of giant coronary aneurysms due to Kawasaki	Pediatr Int	2004
Nasuno	disease Expression of coxsackievirus and adenovirus receptor in neointima of the rat carotid	Cardiovasc	2004
	artery. Novel missense mutation found in Japanese patient with myeloperoxidase deficiency.	Pathol Gene	2004
Okazawa	Human intestinal epithelial cell-derived interleukin (IL)-18, along with IL-2, IL-7 and	Clin Exp Immunol	2004
	II_15 is a notent synergistic factor for the proliferation of intraepithelial lymphocytes. Curved intertrochanteric varus osteotomy for osteonecrosis of the femoral head.	J Bone Joint Surg	2004
	Structural and immunocytochemical studies on α-N-acetlygalacto- saminidase	Br J Hum Genet	2004
	deficiency (Schindler/ Kaazaki disease) Human amnion mesenchyme cells express phenotype of neuroglial progenitor cells.	J Neurosci Res	2004
	Hyperexpression of Inducible Costimulator and Its Contribution on Lamina Propria T	Gastroenterology	2004
	cells in Inflammatory Rowel Disease.  Microbial serine carboxypeptidase inhibitiors-comparative analysis of actions on	J Antibiot	2004
	homologous enzumes derived from man, yeast and wheat.  Brain masculinization requires androgen receptor function	Proc. Natl. Acad.	2004
	Motor Cortical Repetitive Transcranial Magnetic Stimulation Induce Long-Term	Sci. USA	
	Lasting Effects in  Autocrine/paracrine role of the angiopoietin-1 and -2/Tie2 system in cell	Ann Neurol	2004
	proliferation and chemotaxis of cultured fibroblastic synovingytes in rheumatoid	Hum Pathol	2004
	Production of virus-specific antiserum corresponding to sequences in the lactate dehydrogenase-elevating virus (LDV) ORF6 protein.	Comp Immunol Microbiol Infect	2004
	Analysis of protein expression by mammalian cell lines stably expressing lactate dehydrogenase-elevating virus ORF 5 and ORF 6 proteins.	Comp Immunol Microbiol Infect	2004
Takamor	High plasma heparin cofactor II activity is associated with reduced incidence of in- stent restenosis after percutaneous coronary intervension.	Circulation,	2004

## 難治性

著者名(	タイトル	雑誌名	年
	Endogenous dopamine release induced by repetitive transcranial magnetic stimulation over the primary motor cortex : An [11C] raclopride PET study in anesthetized	Biol Psychiat	2004
Timosha	Leukocyte derived IL- $\beta$ interact with renal IL-1 receptor I to promote renal TNF and glomerular injury in murine crescentic glomerulonephritis.	Am. J. Physiol.	2004
Timosha	Contributions of IL-1 $eta$ and IL-1 $lpha$ to crescentic glomerulonephritis in mice.	Am. J. Physiol.	2004
Tokuya	Subchondral insufficiency fracture of the humeral head and glenoid resulting in rapidly destructive arthrosis: A case report	J Shoulder Elbow	2004
	Development and Testing of New Screening Method for Keratan Sulfate in Mucopolysaccharidosis IVA	Pediatric Research	2004
	Ultraviolet A -induced production of Matrix Metalloproteinase-1 is Mediated by Macrophage Migration Inhibitory Factor (MIF) in Human Dermal	J Biol Chem	2004
	Histamince production via mast cell-independent induction of histidine decarboxylase in response to lipopolysaccharide and interleukin-1.	Int. Immunopharmacol	2004
	Protein kinase A potentiates Ad4BP/SF-1 transactivation by re-integrating the subcellular dynamic interactions of the nuclear receptor with its cofactors, GCN5/TRRAP, and suppressor, DAX-1: a laser confocal imaging study in living KGN	Mol. Endocrinol.	2004
	Facilitation of A δ –fiber–mediated acute pain by repetitive transcranial magnetic stimulation.	Neurology	2004
	Effects of 1-Hz repetitive transcranial magnetic stimulation on acute pain induced by	Pain:	2004
Yamada	Analysis of recombinant human saposin A expressed by Pichia pastoris	Biochem Biophy Res Commun	2004
	Photodynamic therapy may be useful to debulk cutaneous lymphoma proir to radiotherapy	British J Dermatol	in pres
	Novel collagen sponge reinforced with polyglycolic acid fiber produces robust, normal hair in murine hair reconstitution model.	Tissue Engineering	in oress
	Characterization of multipotent stem cell in the skin-positive effect of TGF-beta on sphere colony formation.	Exp Cell Res	in press
	Matrix metalloproteinase–9 expression iscoordinately modulated by the KRE–M9 and TPA responsive elements	J Invest Dermatol	
	Cytochemical and biochemical detection of intracellularly accumulated sialyl glycoconiugates in sialidosis and galacto-sialidosis fibroblasts with Macckia	Clin. Chim. Acta	in oress
	The G2028R glycine substitution mutation in COL7A1 leads to marked inter-familiar clinical heterogeity in dominant dystrophic epidermolysis bullosa	J Dermaol Sci	in oress
	Expression of maf in the skin during rat embryonic development.	Acta Histochem	in oress
	Blockade of interleukin-6 receptor ameliorates functional recovery in spinal cord injury.	J Neurosci Res	In oress
	Mutations analysis of ATP2A2 gene in two Darier's disease pedigrees with marked different clinical severity within affected family members.	Br J Dermatol	in press
	Vascular adventitia generates neuronal progenitors in monkey hippocampus after ischemia	Hippocampus	In press
Yano S,	Mechanical stretching in vitro regulates signal transduction pathways and cellular croliferation in human epidermal keratinocytes.	J Invest Dermatol	

Abig. Accidention.  Abig. Accidention.  Abig. Accidention.  Abig. Accidention.  Abig. Accidention.  Abig. Accidention.  At attiren to allerate rats.  Allera's Movement of endoplesmin reticulum in the fiving axon is distinct from other membranes vasicies in its rats. form, and senerativity to microfulude inhibitors.  Accidential in the internation of th	in on princing the part of the	タイトル	雑誌名	年
Althara Whovement of endoplasmin reticulum in the living axon is distinct from other membraneus vesicles in its rate, form, and sensitivity to microribulia inhibitors.  Ara, 1. Zivosasa enhances the immune response to DNA vaccine for human immunous properties. The community of the properties of analyses of ampribian organogenesis and body in the Jev Biol 2001 and the properties of the properties of analyses of ampribian organogenesis and body in the Jev Biol 2001 and the properties of an advanced and properties of the propertie		IANCA production.	Inflammation	2001
Ara, Y.         Zymosan enhances the immune response to DNA vaccine for human immunodaficiancy virus time. Immunodaficiancy virus time. Introduction of commentary virus time. Immunodaficiancy virus time. Introduction of commentary virus time. Introduction virus time virus time. Introduction virus virus virus virus. Introduction virus virus virus virus. Introduction virus virus virus virus virus. Introduction virus vi		lof atnigen to allergic rats.	J. Immunol.	2001
Ara, Y. Zymosan enhances the immuner response to DNA vaccine for human immunology 2001 immunological control in the company of the control of complement avatem Arai T, 60 Formylyterin, a xanthine oxidase inhibitor, intracellularly generates reactive oxygen free Rad Biol. Arai T, 60 Formylyterin, a xanthine oxidase inhibitor, intracellularly generates reactive oxygen free Rad Biol. Senetical involved in anotaxis and neal profileration. Arai T, 10 Formylyterin, a xanthine oxidase inhibitor, intracellularly generates reactive oxygen free Rad Biol. Arai T, 10 Formylyterin, a xanthine oxidase inhibitor, and the profileration by rapid turnover proteins, and Hepatol Intracellular cascinos in the fracture realists. Active realists of the control of the control of the various accelerates rat femoral fracture healing by acting on J Bone Miner Radiologic and endoscopic findings.  Azuma L Con-intensity object ultrasound accelerates rat femoral fracture healing by acting on J Bone Miner Radiologic and endoscopic findings.  Azuma L Con-intensity object ultrasound accelerates rat femoral fracture healing by acting on J Bone Miner Radiologic and endoscopic findings.  Campbel Contrologypetidase R (CPR) is an inactivator of complement derived inflammatory and the properties of the control of complement of the control of contro		membrangus vesicles in its rate, form, and sensitivity to microtubule inhibitors	J Neurosci Res	2001
Aral I. (8-Formylpforin, a xanthine oxidase inhibitor, intracellularly generates reactive oxygen [Face all Giol. 200] sensities involved in anottonis and call configration in vitro induction systems for analyses of amphibian organogenesis and body [Int J Dev Biol In Artizumin In vitro induction systems for analyses of amphibian organogenesis and body [Int J Dev Biol Internation of Control of Control of Station of Proteins of Internation of Control of Station of Proteins of Internation of Internation of International Internation of International Internatio		Zymosan enhances the immune response to DNA vaccine for human immunodeficiency virus type—1 through the activation of complement system.	Immunology	2001
Arizumi  In vitro induction systems for analyses of amphibian organogenesis and body   Int J Dev Biol   2001   Asakura Efficacy of treatment with chimeric monoclonal antibody (Infiximab) to tumor necrosis   factor-alpha for Crohn's disease in Japanevaluation by rapid tumover proteins, and radiologic and endoscopic findings.    Azuma   Useriatensty pulsed ultrasound accelerates rat femoral fracture healing by acting on   1 Bone Miner   2001   Action   2001   Action   2001		6-Formylpterin, a xanthine oxidase inhibitor, intracellularly generates reactive oxygen species involved in apoptosis and cell proliferation		2001
tactor-alpha for Grohn's disease in Japancevaluation by rapid turnover proteins, and radiologic and endoscopic findinas.  Azuma U.cov-intensity pulsed ultrasound accelerates rat femoral fracture healing by acting on the various nellular reactions in the fracture callus.  Cambbe Carboxypeptidase R (CPR) is an inactivator of complement derived inflammatory of the various nellular reactions in the fracture callus.  Cui SH, A thiol proteinase inhibitor, E-64-d, corrects the abnormalities in conceanavalin A cap formation and the lysosomal enzyme activity in leucocytes from patients with Chediak-Higashi syndrome by reversing the down-regulated protein kinase C activity.  Chediak-Higashi syndrome by reversing the down-regulated protein kinase C activity.  Croma-transducted porcine kidney cells.  Fujiokal Initial changes of non-traumatic osteonecrosis of femoral head in fat suppression imazes: hone marrow edema was not found before the annearance of hand natterns.  Fusion in Revention of P-cadherin expression in the lesional skin of pemphigus, Hailey-Hailey J Cutan Pathol disease and Dariar's disease.  Hamadal Molecular cloning of human squamous cell carcinoma antigens 1 and 2 in human cell Oncol Rep 2001 inns.  Hamadal Molecular cloning of human squamous cell carcinoma antigens 1 and 2 in human cell Dariar's disease.  Hamadal Molecular cloning of human squamous cell carcinoma antigens 1 gene and characterization of its promoter.  Higaki K Isaldinon of NPC1 deficient Chinese hamster ovary cell mutants by gene trap J Biochem (Tokvo).  Hiraki K Isaldinon of NPC1 deficient Chinese hamster ovary cell mutants by gene trap J Biochem (Tokvo).  Hiraki K Isaldinon of NPC1 deficient Chinese hamster ovary cell mutants by gene trap J Biochem (Tokvo).  Hiraki K Isaldinon of NPC1 deficient Chinese hamster ovary cell mutants by gene trap J Biochem (Tokvo).  Hiraki K Isaldinon of NPC1 deficient Chinese hamster ovary cell mutants by gene trap J Biochem (Tokvo).  Hiraki K Isaldinon of NPC1 deficient Chinese hamster ovary cell mutants b	_	In vitro induction systems for analyses of ampnibian organogenesis and body	Int J Dev Biol	2001
Cambbe         Carboxypeptidase R (CPR) is an inactivator of complement derived inflammatory inactivation of complement derived inflammatory inactivation and inhibitor of fibrinolysis         Immunol Rev (DPR) is an inactivator of complement derived inflammatory inactivation and the lysosomal enzyme activity in leucocytes from patients with Chediak-Higabis involveme by reversing the down regulated protein kinase C activity.         Clin Exp Immunol.         2001           Fujino M mitro prevention of cell-mediated xeno-graft rejection via the Fas/FasL-pathway in Complex transducted procrine kidney. cells.         Cin Exp Immunol.         Xenotransplant         2001           Fujioka Initial changes of non-traumatic osteonecrosis of femoral head in fat suppression immass-hone marrow dema was not found before the ameanance of band natirens.         Magnetic Resonance Science         2001           Fuse K Enhanced expression and production of monocyte chemoettractant protein-I in myocarditis.         Cin Exp Immunol 2001         2001           Hamada Gene expression of human squamous cell carcinoma antigens 1 and 2 in human cell inces.         Drocol Rep 2001         2001           Hamada Molecular cloning of human squamous cell carcinoma antigens 1 gene and characterization of its promoter.         J Biochem 2001         2001           Hiras K Solation of NPC1 deficient Chinese hamster ovary cell mutants by gene trap underscrization and its promoter.         J Biochem 2001         2001           Hiras K Solation of NPC1 deficient Chinese hamster ovary cell mutants by gene trap underscrization of the promoters of the promoters of the promoters of the promoters o		factor-alpha for Crohn's disease in Japan:evaluation by rapid turnover proteins, and radiologic and endoscopic findings.		2001
Cambbe   Carboxypeptidase R (OPR) is an inactivator of complement derived inflammatory   Immunol. Rev   2001   Sentidas and an inhibitor, of Ephronovis:   2001   A thiol proteinase inhibitor, E-94-d, corrects the abnormalities in concanavalin A cap (Clin Exp Immunol.   2001   Chediak-Hisashi syndrome by reversing the down-regulated protein kinase C activity.   Chediak-Hisashi syndrome by reversing the down-regulated protein kinase C activity.   2001   CmA-transducted nornine kidney calls.   2001   CmA-transducted nornine kidney calls		the various cellular reactions in the fracture callus		2001
Cui SH. A thiol proteinase inhibitor, E-94-d, corrects the abnormalities in concanavalin A cap formation and the lysosomal enzyme activity in leucocytes from patients with Chadiak-Hisashi syndrome by reversing the down-regulated protein kinase C activity.  Fujino M In vitro prevention of cell-mediated xeno-graft rejection via the Fas/FasL-pathway in Cmad-transductad norcina kidney cells.  Fujioka Ilinitial changes of non-traumatic osteonecrosis of femoral head in fat suppression images hone marrow adena was pot found hefore the annearance of hand natterns.  Flequirement of phospholipase C 6 4 for the Zona pellucida-induced acrosome reaction.  Fuses K Enhanced expression and production of monocyte chemoattractant protein-1 in myocarditis.  Hakuno Upregulation of P-cadherin expression in the lesional skin of pemphigus, Halley-Halley J Cutan Pathol 2001 disease and Darier's disease.  Hamada Gene expression of human squamous cell carcinoma antigens 1 and 2 in human cell lines.  Hamada Molecular cloning of human squamous cell carcinoma antigens 1 gene and characterization of its promoter.  Higaki K Institution of NPC1 deficient Chinese hamster ovary cell mutants by gene trap dischemental and the protection of the protect	Campbe	Carboxypeptidase R (CPR) is an inactivator of complement derived inflammatory pentides and an inhibitor of fibrinolysis		2001
Fujicka Initial changes of non-traumatic osteonecrosis of femoral head in fat suppression images: hone marrow edema was not found hefore the angearance of hand natterns. Science 2001 (Resonance Traction Traction)  Fuse K Entanced expression and production of monocyte chemoattractant protein—I in Manaced expression and production of monocyte chemoattractant protein—I in Manaced expression of P-cadherin expression in the lesional skin of pemphigus, Hailey-Hailey J Cutan Pathol 2001 (Resonance Alleranced expression of human squamous cell carcinoma antigens I and 2 in human cell production of P-cadherin expression in the lesional skin of pemphigus, Hailey-Hailey J Cutan Pathol 2001 (Resonance Alleranced Expression of human squamous cell carcinoma antigens I and 2 in human cell production of human squamous cell carcinoma antigens I gene and sharkerization of human squamous cell carcinoma antigens I gene and sharkerization of human squamous cell carcinoma antigens I gene and sharkerization of human squamous cell carcinoma antigens I gene and sharkerization of human squamous cell carcinoma antigens I gene and sharkerization of human squamous cell carcinoma antigens I gene and sharkerization of human squamous cell carcinoma antigens I gene and sharkerization of human squamous cell carcinoma antigens I gene and sharkerization of human squamous cell carcinoma antigens I gene and human squamous cell carcinoma squamous cell carcinoma	Cui SH,	A thiol proteinase inhibitor, E-64-d, corrects the abnormalities in concanavalin A cap formation and the lysosomal enzyme activity in leucocytes from patients with Chediak-Higashi syndrome by reversing the down-regulated protein kinase C activity.		2001
Fujioka [Initial changes of non-traumatic osteonecrosis of femoral head in fat suppression images: home marrow edams was not found hefore the annearance of band natherms. Science 2001 Fusant Requirement of phospholipase C δ 4 for the Zona pellucida-induced acrosome Science 2001 Fusant Requirement of phospholipase C δ 4 for the Zona pellucida-induced acrosome Science 2001 Fusant Requirement of phospholipase C δ 4 for the Zona pellucida-induced acrosome Science 2001 Fusant Requirement of phospholipase C δ 4 for the Zona pellucida-induced acrosome Science 2001 Fusant Requirement of phospholipase C δ 4 for the Zona pellucida-induced acrosome Science 2001 Fusant Requirement of phospholipase C δ 4 for the Zona pellucida-induced acrosome Science 2001 Fusant Requirement of P-cadherin expression in the lesional skin of pemphigus, Hailey-Hailey J Cutan Pathol 2001 disease and Darier's disease.  Hamada Induced acrosome Responsion of Human squamous cell carcinoma antigens 1 and 2 in human cell Induced Coloring of human squamous cell carcinoma antigens 1 and 2 in human cell Induced Coloring of human squamous cell carcinoma antigens 1 gene and Characterization of its promoter Acrosome Characterization of its promoter Acrosome Characterization of its promoter Characterization of its promoter Characterization of its promoter Characterization of its promoter Characterization of Characterization of Citic Characterization of Characterization of Citic Characterization of Characterization Characterization Characterization Characterization Characterization Char	Fujino M	In vitro prevention of cell-mediated xeno-graft rejection via the Fas/FasL-pathway in	Xenotransplant	2001
Fuser K Enhanced expression and production of monocyte chemoattractant protein—I in monacriffits (Enhanced expression and production of monocyte chemoattractant protein—I in monacriffits (Upregulation of P-cadherin expression in the lesional skin of pemphigus, Hailey—Hailey J Cutan Pathol 2001 disease and Darier's disease.  Hamada (Index expression of human squamous cell carcinoma antigens 1 and 2 in human cell lines.  Hamada (Index expression of human squamous cell carcinoma antigens 1 and 2 in human cell lines.  Hamada (Index expression of human squamous cell carcinoma antigens 1 gene and characterization of human squamous cell carcinoma antigens 1 gene and characterization of human squamous cell carcinoma antigens 1 gene and characterization of human squamous cell carcinoma antigens 1 gene and characterization of human squamous cell carcinoma antigens 1 gene and characterization of human squamous cell carcinoma antigens 1 gene and characterization of human squamous cell carcinoma antigens 1 gene and characterization of human squamous cell carcinoma antigens 1 gene and characterization of human squamous cell carcinoma antigens 1 gene and characterization of human squamous cell carcinoma antigens 1 gene and characterization of human squamous cell carcinoma antigens 1 gene and characterization of human squamous cell carcinoma antigens 1 gene and characterization of human squamous cell carcinoma antigens 1 gene and characterization of human squamous cell carcinoma antigens 1 and 2 in human cell lines.  Hiraki K Isolation of NPC1 deficient Chinese harster ovary cell mutants by gene trap  J Biochem Biophys 2001  J Hum Genet 2001  Hiraki K Isolation of NPC1 deficient Chinese harster ovary cell mutants hydration in mice with transmit of recomment of tone morphogenetic protein-2-induced new bone formation in mice by do fination with a unsure with squamous protein 2001  Hiraki S Incidence rate of recurrent Kawasaki disease and related risk factors: from the results with Gancher disease.  Horiuchi Finahacement of tone	Fujioka I	Initial changes of non-traumatic osteonecrosis of femoral head in fat suppression		2001
Fuse K   Enhanced expression and production of monocyte chemoattractant protein—1 in myocarditis   Quitar Pathol   2001   myocarditis   Question of P-cadherin expression in the lesional skin of pemphigus, Hailey—Hailey   Quitar Pathol   2001   disease and Darier's disease   Question of P-cadherin expression in the lesional skin of pemphigus, Hailey—Hailey   Quotar Pathol   2001   Gene expression of human squamous cell carcinoma antigen 1 and 2 in human cell   Quotar Company   Quotar   Quotar Company   Quotar   Quotar   Quotar Company   Quotar   Quotar   Quotar   Quotar   Quotar   Quotar   Quotar   Quotar   Quo	Fukami l	Requirement of phospholipase C ờ 4 for the Zona pellucida~induced acrosome		2001
Hakuno   Upregulation of P-cadherin expression in the lesional skin of pemphigus, Hailey-Hailey   Uctan Pathol   disease and Darier's disease   2001   disease and Darier's disease   2001   d	Fuse K é	Enhanced expression and production of monocyte chemoattractant protein-1 in	Clin Exp Immunol	2001
Hamada Gene expression of human squamous cell carcinoma antigens 1 and 2 in human cell lines Hamada Molecular cloning of human squamous cell carcinoma antigen 1 gene and characterization of its promoter Higaki K Isolation of NPCI deficient Chinese hamster ovary cell mutants by gene trap mutasenesis Hiraki H. A novel activating mutation (C129S) in the calcium-sensing receptor gene in a Jananese family with autosomal dominant hynocalcemia Nutritional status of vitamin A, E, C, B₁, B₂, B₀, nicotinic acid, B₁₂, folate, and β - J. Nutr Sci vitaminol Nutritional status of vitamin A, E, C, B₁, B₂, B₀, nicotinic acid, B₁₂, folate, and β - J. Nutr Sci vitaminol Incidence rate of recurrent Kawasaki disease and related risk factors: from the results Acta Paediatrica 2001 Acta Paediatrica 2001 Incidence rate of recurrent Kawasaki disease and related risk factors: from the results Acta Paediatrica 2001 Incidence rate of recurrent Kawasaki disease and related risk factors: from the results Acta Paediatrica 2001 Incidence rate of recurrent Kawasaki disease and related risk factors: from the results Acta Paediatrica 2001 Incidence rate of recurrent Kawasaki disease and related risk factors: from the results Acta Paediatrica 2001 Incidence rate of recurrent Kawasaki disease in Japan Horiuchi Enhancement of bone morphogenetic proteim-2-induced new bone formation in mice by unboshodissterase inhibitor Pentoxifolline Incidence rate of recurrent therapy in thirteen Japanese paediatric patients with Gaucher disease Incident H. Restricted VH gene usage in lamina propria B cells that produced anticolon antibody from natients with ulcerative colitis. Incidence fiscase en lamina propria B cells that produced anticolon antibody from natients with ulcerative colitis. Incidence rate of recurrent therapy in thirteen Japanese paediatric patients with Incidence rate of recurrent therapy in thirteen Japanese paediatric patients with a lamina propria B cells that produced anticolon antibody from natients with ulcerative colitis. Incidence rate	Hakuno	Upregulation of P-cadherin expression in the lesional skin of pemphigus, Hailey-Hailey disease and Darier's disease	J Cutan Pathol	2001
characterization of its promoter Higaki K Joalton of NPC1 deficient Chinese hamster ovary cell mutants by gene trap mutagenesis Hirai, H, A novel activating mutation (C129S) in the calcium-sensing receptor gene in a Jananese family with autosomal dominant hypogalcemia Hiraoka Nutritional status of vitamin A, E, C, B₁, B₂, B₆, nicotinic acid, B₁₂, folate, and β – J. Nutr Sci Vitaminol Hiraida S Incidence rate of recurrent Kawasaki disease and related risk factors: from the results of nationwide surveys of Kawasaki disease in Janan Horiuchi Enhancement of bone morphogenetic protein-2-induced new bone formation in mice hy obsoshodiesterase inhibitor PentoxifUline. Gaucher disease Inoue N, Restricted VH gene usage in lamina propria B cells that produced anticolon antibody from natients with ulcerative colitis. Inoue S, Minimum ten-year follow-up clinical and radiographic results of Mark I and Mark II Lord type femoral component in total hin arthroplasty. Inoue S, Minimum ten-year follow-up clinical and radiographic results of Mark I and Mark II Lord type femoral component in total hin arthroplasty. Inoue S, Minimum ten-year follow-up clinical and radiographic results of Mark I and Mark II Lord type femoral component in total hin arthroplasty. Inoue S, Minimum ten-year follow-up clinical and radiographic results of Mark I and Mark II Lord type femoral component in total hin arthroplasty. Inoue S, Minimum ten-year follow-up clinical and radiographic results of Mark I and Mark II Lord type femoral component in total hin arthroplasty. Inoue S, Minimum ten-year follow-up clinical and radiographic results of Mark I and Mark II Lord type femoral component in total hin arthroplasty.  Inoue S, Minimum ten-year follow-up clinical and radiographic results of Mark I and Mark II Lord type femoral component in total hin arthroplasty.  Inoue S, Minimum ten-year follow-up clinical and radiographic results of Mark I and Mark II Lord type femoral component of type of Gaucher's disease characterized by hydrocephalus, orneal anactivi	Hamada	Gene expression of human squamous cell carcinoma antigens 1 and 2 in human cell	Oncol Rep	2001
Higak   Isolation of NPC1 deficient Chinese hamster ovary cell mutants by gene trap mutagenesis   Dischem (Trokvo)   2001   2	Hamada	Molecular cloning of human squamous cell carcinoma antigen 1 gene and		2001
Hirrai, H.   A novel activating mutation (C129S) in the calcium-sensing receptor gene in a Jananese familu with autosomal dominant hypocalcemia   J Hum Genet   J Hum G	Higaki K	Isolation of NPC1 deficient Chinese hamster ovary cell mutants by gene trap	J Biochem	2001
Nutritional status of vitamin A, E, C, B <sub>1</sub> , B <sub>2</sub> , B <sub>6</sub> , nicotinic acid, B <sub>12</sub> , folate, and β - Vitaminal caratana in volume woman status of incidence rate of recurrent Kawasaki disease and related risk factors: from the results of nationwide surveys of Kawasaki disease in Janan in Indiana in volume woman in the provided in Indiana in Janan in Vitaminal indiana in Janan in Indiana in Janan in	Hirai, H.,	A novel activating mutation (C129S) in the calcium-sensing receptor gene in a		2001
Hirata Sincidence rate of recurrent Kawasaki disease and related risk factors: from the results of nationwide surveys of Kawasaki disease in Janan  Horiuchi Enhancement of bone morphogenetic protein-2-induced new bone formation in mice by ohosphodiesterase inhibitor Pentoxifylline  Ida H. R. Effects of enzyme replacement therapy in thirteen Japanese paediatric patients with Gaucher disease incurrent Kewasaki disease in Janan  Restricted VH gene usage in lamina propria B cells that produced anticolon antibody from natients with ulcerative colitis.  Inoue N. Restricted VH gene usage in lamina propria B cells that produced anticolon antibody from natients with ulcerative colitis.  Inoue S. Minimun ten-year follow-up clinical and radiographic results of Mark I and Mark II Journal of Orthopaedic J		Nutritional status of vitamin A, E, C, B <sub>1</sub> , B <sub>2</sub> , B <sub>6</sub> , nicotinic acid, B <sub>12</sub> , folate, and $\beta$ –	Vitaminal	2001
Horiuchi   Enhancement of bone morphogenetic protein-2-induced new bone formation in mice by ohosphodiesterase inhibitor Pentoxifylline.   2001	Hirata S	Incidence rate of recurrent Kawasaki disease and related risk factors: from the results	Acta Paediatrica	2001
Ida H, R   Effects of enzyme replacement therapy in thirteen Japanese paediatric patients with   Gaucher disease   Gastroenterology   Continue N, Restricted VH gene usage in lamina propria B cells that produced anticolon antibody   Gastroenterology   Continue S, Minimun ten-year follow-up clinical and radiographic results of Mark I   and Mark II   Journal of   Orthopaedic   Orth	Horiuchi	Enhancement of bone morphogenetic protein-2-induced new bone formation in mice	Bone	2001
Restricted VH gene usage in lamina propria B cells that produced anticolon antibody from natients with ulcerative colitis   1	Ida H, R∢	Effects of enzyme replacement therapy in thirteen Japanese paediatric patients with	Eur J Pediatr	2001
Inoue S.Minimun ten-year follow-up clinical and radiographic results of Mark I and Mark II Lord tyne femoral component in total hin arthroplastyJournal of Orthopaedic Orthopaedic Orthopaedic Orthopaedic Orthopaedic Inui K, Y A new variant neuropathic type of Gaucher's disease characterized by hydrocephalus, corneal onacities. deformed toes and fibrous thickening of soleen and liver capsules inui, N., Correlation between 25-hydroxyvitamin D3 1a-hydroxylase gene expression in alveolar macrophages and the activity of sarcoidosis.Am. J. Med.2001Irisa T.Osteonecrosis induced by a single administration of low-dose lipopolysaccharide in rabbitsBone2001Ishibash Improved superoxide generating ability by interferon-gamma due to splicing pattern change of transcripts in neutrophils from patients with a solice site mutation in CYBBBlood2001Ishii E, Kolligoclonal α β = T cells in Epstein-Bar virus associated hemophagocytic lymphohistiocytosis with abnormal karyotyne(s)Cancer Genet Cyto2001Ishiko A A novel leucine to valine mutation in residue 7 of the helix initiation motif of keratin10 leads to bullous congenital ichthyosiform erythrodermaJ Invest Dermatol2001Itai K, S Keratinocyte gene therapy: inducible promoters and in vivo control of transgene expression.Clin Exp Dermatol2001Itoh M, Development of lysosomal storage in mice with targeted disruption of the β - galactosidase gene: a model of human Gu-gangliosidosisBrain Dev2001wasaki 2-Aminoethoxydiphenyl borat (2-APB) inhibits capacitateve calcium entryReceptors2001	Inoue N,	Restricted VH gene usage in lamina propria B cells that produced anticolon antibody	Gastroenterology	2001
Inui K, Y A new variant neuropathic type of Gaucher's disease characterized by hydrocephalus, orneal onacities deformed toes and fibrous thickening of soleen and liver capsules inui, N., Correlation between 25-hydroxyvitamin D3 1a-hydroxylase gene expression in alveolar macrophages and the activity of sarcoidosis.  Irisa T, Osteonecrosis induced by a single administration of low-dose lipopolysaccharide in rabbits.  Shibash Improved superoxide generating ability by interferon-gamma due to splicing pattern change of transcriots in neutrophils from patients with a solice site mutation in CYBB is in Epstein-Bar virus associated hemophagocytic Cancer Genet (Normohohistiocytosis with abnormal karyotyne(s)).  Shiko A A novel leucine to valine mutation in residue 7 of the helix initiation motif of keratin10 J Invest Dermatol leads to bullous congenital ichthyosiform erythroderma.  Taki K, S Keratinocyte gene therapy: inducible promoters and in vivo control of transgene expression.  To Novel Dermatol 2001  Shiko M, N Development of lysosomal storage in mice with targeted disruption of the β- Brain Dev 2001  Shiko A A minoethoxydiphenyl borat (2-APB) inhibits capacitateve calcium entry Receptors 2001	Inoue S,	Minimun ten-year follow-up clinical and radiographic results of Mark I and Mark II		2001
Inui, N., Correlation between 25-hydroxyvitamin D3 1a-hydroxylase gene expression in alveolar macrophages and the activity of sarcoidosis  Irisa T., Osteonecrosis induced by a single administration of low-dose lipopolysaccharide in rabbits  Improved superoxide generating ability by interferon-gamma due to splicing pattern change of transcriots in neutrophils from patients with a solice site mutation in CYBB (shii E, K Oligoclonal α β = T cells in Epstein-Bar virus associated hemophagocytic lymphohisticocytosis with abnormal karvotype(s).  Ishiko A A novel leucine to valine mutation in residue 7 of the helix initiation motif of keratin10 J Invest Dermatol leads to bullous congenital ichthyosiform erythroderma (tai K, S Keratinocyte gene therapy: inducible promoters and in vivo control of transgene expression.  Itoh M, I Development of lysosomal storage in mice with targeted disruption of the β - Brain Dev galactosidase gene: a model of human Gue-gangliosidosis  Wasaki (2-Aminoethoxydiphenyl borat (2-APB) inhibits capacitateve calcium entry Receptors 2001	Inui K, Y	A new variant neuropathic type of Gaucher's disease characterized by hydrocephalus.		2001
risa T, Osteonecrosis induced by a single administration of low-dose lipopolysaccharide in rabbits  (shibash Improved superoxide generating ability by interferon-gamma due to splicing pattern change of transcriots in neutrophils from patients with a solice site mutation in CYBB (shii E, K Oligoclonal α β = T cells in Epstein-Bar virus associated hemophagocytic (Cancer Genet Impohabistiocytosis with abnormal karyotype(s)).  Shiko A A novel leucine to valine mutation in residue 7 of the helix initiation motif of keratin10 J Invest Dermatol leads to bullous congenital ichthyosiform erythroderma  tai K, S Keratinocyte gene therapy: inducible promoters and in vivo control of transgene expression.  toh M, I Development of lysosomal storage in mice with targeted disruption of the β - (Clin Exp Dermatol 2001 galactosidase gene: a model of human Gu-gangliosidosis (2-Aminoethoxydiphenyl borat (2-APB) inhibits capacitateve calcium entry (Receptors 2001)	lnui, N., J	Correlation between 25-hydroxyvitamin D3 1a-hydroxylase gene expression in	Am. J. Med.	2001
Improved superoxide generating ability by interferon-gamma due to splicing pattern change of transcripts in neutrophils from natients with a splice site mutation in CYBB ishii E, K Oligoclonal α β = T cells in Epstein-Bar virus associated hemophagocytic Cyto ishiko A A novel leucine to valine mutation in residue 7 of the helix initiation motif of keratin10 J Invest Dermatol leads to bullous congenital ichthyosiform erythroderma tai K, S Keratinocyte gene therapy: inducible promoters and in vivo control of transgene expression.  toh M, I Development of lysosomal storage in mice with targeted disruption of the β - Brain Dev 2001 galactosidase gene: a model of human Gu-gangliosidosis  wasaki 2-Aminoethoxydiphenyl borat (2-APB) inhibits capacitateve calcium entry Receptors 2001	lrisa T, Y	Osteonecrosis induced by a single administration of low-dose lipopolysaccharide in	Bone	2001
shif E, KOligoclonal α β = T cells in Epstein-Bar virus associated hemophagocyticCancer Genet2001Immohohistiocytosis with abnormal karvotype(s)Cytoshiko A A novel leucine to valine mutation in residue 7 of the helix initiation motif of keratin10J Invest Dermatol2001leads to bullous congenital ichthyosiform erythrodermatai K, S. Keratinocyte gene therapy: inducible promoters and in vivo control of transgeneClin Exp Dermatol2001expression.toh M, I Development of lysosomal storage in mice with targeted disruption of the β -Brain Dev2001galactosidase gene: a model of human Gue-gangliosidosiswasaki (2-Aminoethoxydiphenyl borat (2-APB) inhibits capacitateve calcium entryReceptors2001	Ishibash	Improved superoxide generating ability by interferon-gamma due to splicing pattern	Blood	2001
shiko A A novel leucine to valine mutation in residue 7 of the helix initiation motif of keratin10 J Invest Dermatol leads to bullous congenital ichthyosiform erythroderma       2001         tai K, S Keratinocyte gene therapy: inducible promoters and in vivo control of transgene expression.       Clin Exp Dermatol 2001         toh M, I Development of lysosomal storage in mice with targeted disruption of the β – galactosidase gene: a model of human Gue-gangliosidosis       Brain Dev       2001         wasaki (2-Aminoethoxydiphenyl borat (2-APB) inhibits capacitateve calcium entry       Receptors       2001	lshii E, K	Oligoclonal $\alpha$ $\beta$ =T cells in Epstein–Bar virus associated hemophagocytic		2001
tai K, S Keratinocyte gene therapy: inducible promoters and in vivo control of transgene expression.  toh M, N Development of lysosomal storage in mice with targeted disruption of the β – Brain Dev 2001 galactosidase gene: a model of human Gu-gangliosidosis  wasaki (2-Aminoethoxydiphenyl borat (2-APB) inhibits capacitateve calcium entry Receptors 2001	lshiko A	A novel leucine to valine mutation in residue 7 of the helix initiation motif of keratin10		2001
toh M, Development of lysosomal storage in mice with targeted disruption of the \$\beta\$-  galactosidase gene: a model of human Gui-gangliosidosis  wasaki 2-Aminoethoxydiphenyl borat (2-APB) inhibits capacitateve calcium entry  Receptors 2001	ltai K, <u>S</u>	Keratinocyte gene therapy: inducible promoters and in vivo control of transgene	Clin Exp Dermatol	2001
wasaki 2-Aminoethoxydiphenyl borat (2-APB) inhibits capacitateve calcium entry Receptors 2001	itoh M, N	Development of lysosomal storage in mice with targeted disruption of the $\beta$ -	Brain Dev	2001
findependently of the function of inositol 1.4.5-trsphosphate receptors Channels	wasaki 🏻	galactosidase gene: a model of human G., – gangliosidosis 2-Aminoethoxydiphenyl borat (2-APB) inhibits capacitateve calcium entry independently of the function of inositol 1.4.5-traphosphate receptors		2001

著者名	タイトル	雑誌名	年
K Okada	Cyclooxygenase-2 expression in the hippocampus of genetically epilepsy susceptible El mice was increased after seizure.	Brain Research	200
K. Hana	RNaseA treatment of Taq and Tth DNA polymerases eliminatesprimer/template independent poly (dA-dT) synthesis	BioTechniques	200
K. Suzul	Neutrophil functions of patients with vasculitis related to MPO-ANCA.	International Journal of	200
	Direct Measurement of Erythrocyte Deformability in Diabetes Mellitus with A Transparent Microchannel Capillary Model and High-Speed Video Camera System	Microvascular Research	200
	Inhibition of B16 melanoma experimental metastasis by interferon-? through direct inhibition of cell proliferation and activation of anti-tumor host mechanisms	Immunology,	200
	Characterization of a vitamin D receptor knockout mouse as a model of colorectal	Carcinogenesis	200
	Molecular mechanism of type I congenital heparin cofactor (HC) II deficiency caused by a missense mutation at reactive P2 site: HC II Tokushima	Thromb Haemost	200
	Macrophage-derived IL-18-mediated intestinal inflammation in the murine model of Crohn's disease.	Gastroenterology	2001
	Estrogen receptor-mediated cross-talk with growth factor signaling pathways	Breast Cancer	200
	Effect of chemo therapy and stem cell transplantation in familial hemophagocytic lymphohisticcytosis analyzed by T-cell repertoire.	BrJHaem atology	2001
	The molecular basis of vitamin D-dependent rickets type I	Endocrine J.	2001
	Primary Charnley total hip arthroplasty: a comparison of American and Japanese cohorts followed for 10 to 20 years.	J Arthroplasty	2001
	Comparison of friction and frictional torque among various hip prostheses.	Transactions of the 47th Annual	2001
	Primary Charnley total hip arthroplasty :A comparison of American and Japanese cohorts followed for 10-20 years	J. Arthroplasty	2001
	Mechanical Alternants in Patients With Chronic Heart Failure	J Cardiac Failure	2001
	Morphological characteristics of the bony birth canal in patients with developmental dysplasia of the hip (DDH): investigation by three-dimensional CT.	J Orthop Sci	2001
	Evidence for the association of ultraviolet-C and H2O2-induced apoptosis with acid sphingomyelinase activation	BBA	2001
	Engraftment of genetically-engineered amnioto epithelail cells corrects lyhsosomal storage multiple areas of the brain in muopolysocharidosis type VII mice	Mol Therapy	2001
Kosuga I	Widespread distgribution of adenovirus—transduced monkey amniotic epithelial cells after local intra—cerebral injection: Implication for cell-mediated therapy for lysosome storage disorders.	Cell Tranplant	2001
	Cementless Lord total hip arthroplasty: cup loosening common after minimum 10-year follow-up of 103 hips	Acta Orthop Scand	2001
	Blood flow and blood volume in the femoral heads of healthy adults according to age:	Ann Nucl Med	2001
Kubo T,	Osteonecrosis of the femoral head that developed after long-term topical steroid application	J Ortho Sci	2001
	Tracer accumulation in femoral head during early phase of bone scintigraphy after renal transplantation	J Nucl Med	2001
	Downregulation of E-cadherin and Desmoglein 1 by autocrine hepatocyte growth factor during melanoma development	Oncogene	2001
√l Kannd	Monitoring an electroencephalogram for the safe application of therapeutic repetitive transcranial magnetic stimulation	J Neurology, Neurosurgery	2001
Masashi	Concentration and localization of YKL-40 in hip joint diseases.	J Rheum	2001
Masuyar	Dietary phosphorus restriction reverses the impaired bone mineralization in vitamin D	Endocrinology	2001
Matsuur	Synthesis and release of erythropoietin by human amniotic epithelial cells.	J of Tokyo Medical University	2001
/lezaki, ˈ	N-terminal activation function is dominant in ligand-dependent transactivation of medaka estrogen receptor a in human cells	Biochem. Biophys. Res. Commun.	2001
/lillat G,	Niemann-Pick C1 disease: correlations between NPC1 mutations, levels of NPC1 protein and phenotypes emphasize the functional significance of the putative sterol-sensing domain and of the cysteine-rich luminal loop	Am J Hum Genet	2001
∕iiyanis⊦	A high low-density lipoprotein cholesterol to high-density lipoprotein cholesterol ratio as a notential risk factor for corticosteroid-induced osteonecrosis in rabbits	Rheumatology	2001
<i>l</i> liyanisł	Subchondral changes in transient osteoporosis of the hip.	Skeletal Radiol	2001
Jaganus	Appendectomy protects against the development of ulcerative colitis and reduces its	Am J	2001