	タイトル	雑誌名	年
	Characterization of Dannon disease in a man and his affected mother	Neuromuscl Disord	2003
	Drug-selected co-expression of P-glycoprotein and gp91 in vivo from an MDR1- bicistronic retrovirus vector	J Gene Med.	2003
Suzawa,	Cytokines suppress adipogenesis and PPAR-gamma function through the TAK1/TAB1/NIK cascade	Nature Cell Biol.	2003
Suzuki, ł	Neutrophil functions of patients with MPO-ANCA-related vasculitis	Internal Med.	2003
T Furuba	Remote effects of self-paced teeth clenching on the excitability of hand motor area	Exp Brain Res	2003
Takagi T	Contrasting action of IL-12 and IL-18 in the development of dextran sodium sulfate colitis in mice.	Scand J Gastroenterol	2003
Takahas	Histopathological features of murine systemic vasculitis caused by Candida albicans extract – an animal model of Kawasaki Disease	Inflamm res.	2003
Takahas	A novel strategy for in vivo expansion of transplanted hepatocytes using preparative hepatic irradiation and Fast -induced hepatocelluair apontosis.	Gene Therap	2003
Takahas	Bcl-2 prvents doxorubicin-induced apoptosis of huma liver cancer cells.	Hepatol Res	2003
Takahas	In vitro differentiation from naive to mature e-selectin binding CD4 T cells: acquisition of skin-homing properties occurs independently of cutaneous lymphocyte antigen	J Immunol.	2003
Takahas	Anterior thoracic spinal fusion in dogs by injection of recombinant human bone morphogenetic protein-2 and a synthetic polymer.	Journal of Spinal	2003
	Attenuation of ganglioside G_{M1} accumulation in the brain of G_{M1} gangliosidosis mice by neonatal intravenous gene transfer	Disorders & Gene Ther	2003
Taketan	Increase in IP3 and intracellular Ca2+ induced by phosphate depletion in LLC-PK1	Biochem. Biophys. Res. Commun	2003
Takeya	Novel human homologues of p47phox and p67phox participate in activation of superoxide-p67phox participate in activation of superoxide-producing NADPH	J Biol Chem.	2003
Tamai K	Japanese guidelines for diagnosis and treatment of junctional and dystrophic epidermolysis bullosa	Arch Dermatol Res	2003
Tamaki	Growth and differentiation ability of main- and side-population cells derived from skeletal muscle CD34+/45- fraction.	Exp Cell Res	2003
Tanaka .	Different attenuated phenotypes of GM2 gangliosoidosis variant B in Japanese natients with HEXA mutations at codon 499, and five novel mutations responsible for	J Hum Genet	2003
Tanaka	Proliferation and differentiation of Xenopus A6 cells under hypergravity as revealed	In Vitro Cell Dev Biol Animal	2003
Tanaka (Migration of EGFP expressing bone marrow- derived microglia/macrophage into the mice brain following permanent focal ischemia	Neuroscience	2003
Tanaka `	Inter- and intra-cellular signaling in secondary osteoporosis.	J Bone Miner Metab	2003
Tanaka,	Latent HIV-1 reactivation in transgenic mice requires cell cycle-dependent demethylation of CRFB/ATF sites in the LTR	AIDS	2003
Tani, S.,	Preferential detection of procarboxypeptidase R by enzyme-lined immunosorbent	Microbiol.	2003
Tanigucl		Immunol Injury	2003
Teraki Y	7PL1	J Allergy Clin	2003
Tohjima	Decreased AP-1 activity and interleukin-11 expression by bone marrow stromal cells may be associated with impaired bone formation in aged mice.	Immunol J Bone Miner Res	2003
Tomatsu	N-acetylgalactosamine-6-sulfate sulfatase dificiency (Galns-/-) produced by targeted disruption of the gene defective in Morquio A disease.	Hum Mol Genet	2003
Tomatsι	Production of MPS VII mouse (Gus(tm(hE540AXmE536A)Sly)) doubly tolerant to human and mouse beta-glucuronidase.	Hum Mol Genet	2003
Tomita \	Simultaneous occurrence of three squamous cell carcinomas in a recessive dystrophic epidermolysis bullosa patient	Acta Derm	2003
Tonchev	Increased proliferation of neural progenitors and neurogenesis in the postischemic brain of voung adult primates	Venereol Mol Cell Neurosci	2003
Tonchev	Differential proliferative response in the postischemic hippocampus, temporal cortex and olfactory bulb of adult primates.	Glia	2003
Totsuka	Ameliorating effect of anti-inducible co-stimulator monoclonal antibody in a murine model of chronic colitis.	Gastroenterology	2003
Totsuka	model of chronic colitis. Therapeutic effect of anti-OX40L and anti-TNF-α MAbs in a murine model of chronic colitis.	Am J Physiol	2003
Tsuda T	Lack of evidence for TARC/CCL17 production by normal human keratinocytes in vitro	J Dermatol Sci	2003
Tsuji K,	Evaluation of femoral perfusion in a non-traumatic rabbit osteonecrosis model with T2*-weighted dynamic MRI	Journal of	2003
T:: C	Does transcranial magnetic stimulation improve the motor symptoms of Parkinson	Orthopaedic J Neurol	2003

aratari	タイトル	雑誌名	年
Tsuji Y,	Changing pattern of deiminated proteins in developing human epidermis.	J Invest Dermatol	2003
	Psoriasis guttata in association with hepatocellular carcinoma.	Acta Derm Venereol	2003
·	Critical regions for activation gating of thee inositol 1,4,5-trisphosphate receptor.	J Biol Chem	2003
Uchida S	Factors secreted by human amniotic epithelial cells promote the survival of rat retinal	Neurosci Lett	2003
Uehara I	Serum Alanine aminotransferase concentrations in patients with Kawasaki disease.	Pediatr Infect Dis	2003
Uehara	Kawasaki disease in parents and children.	Acta Paediatr	2003
Uetani N	Subchondral insufficiency fracture of the femoral head: magnetic resonance imaging findings correlated with micro-computed tomography and histopathology	J Comput Assist	2003
Ugawa Y	Exaggerated 16-20 Hz motor cortical oscillation in patients with positive or negative	Tomogr Clin Neurophysiol	2003
Uraushil	Regulation of murine inflammatory bowel disease by CD25 ⁺ and CD25-CD4 ⁺ glucocorticoid-induced TNF receptor family-related gene+ regulatory T cells.	J Immunol	2003
Voronov	Interleukin 1 is required for tumor invasiveness and angiogenesis.	Proc. Natl. Acad.	2003
Wada T,	A Japanese Case of Segmental Darier's Disease Caused by Mosaicism for the ATP2A2 Mutation	Sci. USA Br J Dermatol	2003
Wakitani	Embryonic stem cells injected into the mouse knee joint form teratoma and subsequently destroy the knee joint	Rheumatology	2003
Watanab	Comparative Effects of Angiotensin II Receptor Blockade (Candesartan) with Angiotensin-Converting Enzyme Inhibitor (Quinapril) in Rats with Dilated	Journal of Cardiovascular	2003
Watanab	Betaxolol Improves the Survival Rate and Changes Natriuretic Peptide Expression in Rats with Heart Failure	Journal of Cardiovascular	2003
Wheeler	Interleukin-18 induces expression and release of cytokines from murine glial cells: interactions with interleukin-1?	J. Neurochem.	2003
Y Mano	Cortical reorganization in training	J	2003
Yabe S,	FRL-1, a member of the EGF-CFC family, is essential for neural differentation in Xenouous early development.	Electromyography Development	2003
Yahata Y	Nuclear translocation of phosphorylated STAT3 is essential for VEGF-induced human dermal microvascular endothelial cell migration and tube formation.	J Biol Chem	2003
Yamada,	High serum @level of menatetrenone in male patients with ossification of posterior longitudinal ligament	Spine	2003
Yamanal	The Trend of NTDs in Japan and the Efficacy of Folic Acid Campaign.	Reprod Toxcol	2003
Yamasal	SOCS1/JAB and SOCS3/CIS3 negatively regulate the STATs signaling pathway in normal human epidermal keratinocytes	J Invest Dermatol	2003
Yamasal	Keratinocyte growth inhibition by high-dose epidermal growth factor is mediated by transforming growth factor b··· autoinduction: A negative feedback mechanism for keratinocyte growth	J Invest Dermatol	2003
Yamazal	Mucosal T cells expressing high levels of IL-7 receptor are potential targets for	J Immunol	2003
Yanai F,	treatment of chronic colitis Essential roles of perforin in antigen-specific cytotoxicity mediated by human CD4+ T	J Immunol	2003
Yano S,	lymphocytes: analysis using the combination of hereditary perforin-deficient effector interleukin 15 induces the signals of epidermal proliferation through ERK and PI 3-	Biochem Biophys	2003
Yazawa		Res Commun Blood	2003
Yokoyan	lymphocytes. Methylation of ASC/TMS1, a proapoptotic gene responsible for activating	Cancer Letters	2003
roshida	procaspase—1. in human colorectal cancer. Expression of a splicing isoform of mNumb is downregulated during endocrine differentiation in pancreas.	Differentiation	2003
oshino	A sensitive method for 4-hydroxybutyric acid in urine using gas chromatography-	Journal of	2003
/ukiharu	Pedicle bone grafting versus transtrochanteric rotational osteotomy for avascular	Chromatography J Bone Joint Surg	2003
Zhang S	Protein C.1N is required for translocation of inositol 1,4,5-trisphosphate receptor type	Br J Biol Chem	2003
Chang Y	1 to the basolateral membrane domain in polarized madin-darby canine kidney cell Common cytological and cytogenetic features of Epstein-Barr virus (EBV)-positive	Br. J.	2003
Zoroofi l	Automated segmentation of acetabulum and femoral head from 3D CT images.	Haematology IEEE Trans. Inf.	2003
Abe R, S	Regulation of Human Malignant Melanoma Growth and Metastasis by AGE-AGE	Technol BioMed J Invest	2004
l	Receptor Interactions	Dermatol]

	<u> </u>	雑誌名	年
<u> </u>	Neutrophil contribution to the crescentic glomerulonephritis in SCG/Kj mice.	Nephrology, Dialysis and	2004
	Gap junction development inthe human fetal hair follicle and bulge region.	Br J Dermatol	2004
	A potential live vector, foamy virus, directed intra-cellular expression of ovine interferon t exhibited the resistance to HIV infefction.	J. Vet. Med. Sci.	2004
H Mochi	EFFECTS OF MOTOR CORTICAL STIMULATION ON THE EXCITABILITY OF CONTRALATERAL MOTOR AND SENSORY CORTICES	Exp Brain Res	2004
Hanawa	A novel method to assay proteins in blood plasma after intravenous injection of plasmid DNA.	Tohoku J Exp Med	2004
	Applications of T-lymphoma labeled with fluorescent quantum dots to cell tracing markers in mouse body.	Biochem. Biophys.	2004
Ishida, Y	The essential involvement of cross-talk between IFN-? and TGF-? in the skin wound-healing process.	J. Immunol.	2004
Ishida, Y	Essential involvement of IFN-? in Clostridium difficile toxin A-induced enteritis.	J. Immunol	2004
Ishihara,	The point mutation of tyrosine 759 of the IL-6 family cytokine receptor gp130 synergizes with HTI V-1 oX in promoting rheumatoid arthritis-like arthritis.	Int. Immunol.	2004
Itoh H, T	A pilot randomized trial of a human anti–interleukin–6 recptor monoclonal antibody in active Cron's disease	Gastroenterology	2004
Itoh K ,	Expression of lysosomal protective protein/cathepsin A in a stably transformed human neuroblastoma cell during bi-directional differentiation, into neuronal, and	Neurochem. Int	2004
Jingushi	Slipped capital femoral epiphysis: etiology and treatment.	J Orthop Sci.	2004
K Deguo	Abnormal baroreceptor-mediated vasopressin release as possible marker in early diagnosis of multiple system atrophy.	J Neurol Neurosurg	2004
Kanno M	Effects of acute repetitive transcranial magnetic stimulation on dopamine release in the rat dorsolateral striatum.	J Neurol Sci.	2004
Kobari, \	T cells accumulating in the inflamed joints of a spontaneous murine model of rheumatoid arthritis become restricted to common clonotypes during disease	Int. Immunol.	2004
Kondo M	Transforming growth factor—• signaling is differentially inhibited by Smad2D450E and Smad3D407E	Cancer Sci	2004
Kotani M	Cytochemical and biochemical detection of intracellularly accumulated sialyl glycoconiugates in sialidosis and galactosialidosis fibroblasts with Macckia amurnsis.	Clin Chim Acta	2004
M Ikegu	Effects of successive repetitive transcranial magnetic stimulation on motor performances and brain perfusion in idiopathic Parkinson's disease.	Journal of the	2004
Masunag	Pyloric atresia-junctional epidermolysis bullosa syndrome showing novel 594insC/Q425P mutations in integrin b4 gene (ITGB4)	Neurological Exp	2004
Murayan	Ligand-induced transrepression by a nuclear receptor mediated by a bHLH-type activator through co-regulator switching	Dermatol EMBO J.	2004
Nakamui	Laboratory data as risk factors of giant coronary aneurysms due to Kawasaki	Pediatr Int	2004
	Expression of coxsackievirus and adenovirus receptor in neointima of the rat carotid	Cardiovasc	2004
	Novel missense mutation found in Japanese patient with myeloperoxidase deficiency.	Pathol Gene	2004
Okazawa	Human intestinal epithelial cell-derived interleukin (IL)-18, along with IL-2, IL-7 and II -15, is a potent synergistic factor for the proliferation of intraepithelial lymphocytes	Clin Exp Immunol	2004
Sakano	Curved intertrochanteric varus osteotomy for osteonecrosis of the femoral head.	J Bone Joint Surg	2004
	Structural and immunocytochemical studies on α-N-acetlygalacto- saminidase deficiency (Schindler/ Kaazaki disease).	Br J Hum Genet	2004
Sakurag	Human amnion mesenchyme cells express phenotype of neuroglial progenitor cells.	J Neurosci Res	2004
Sato T,	Hyperexpression of Inducible Costimulator and Its Contribution on Lamina Propria T cells in Inflammatory Bowel Disease	Gastroenterology	2004
Sato Y,	Microbial serine carboxypeptidase inhibitiors-comparative analysis of actions on homologous enzumes derived from man, yeast and wheat	J Antibiot	2004
Sato, T.,	Brain masculinization requires androgen receptor function	Proc. Natl. Acad.	2004
T Hayas	Motor Cortical Repetitive Transcranial Magnetic Stimulation Induce Long-Term Lasting Effects in	Sci_USA Ann Neurol	2004
Takahar	Autocrine/paracrine role of the angiopoietin-1 and -2/Tie2 system in cell	Hum Pathol	2004
Takahas	proliferation and chemotaxis of cultured fibroblastic synoviocytes in rheumatoid Production of virus-specific antiserum corresponding to sequences in the lactate	Comp Immunol	2004
Takahas	dehydrogenase-elevating virus (LDV) ORF6 protein. Analysis of protein expression by mammalian cell lines stably expressing lactate	Microbiol Infect Comp Immunol	2004
Takamor	dehydrogenase-elevating virus ORE 5 and ORE 6 proteins. High plasma heparin cofactor II activity is associated with reduced incidence of in-	Microbiol Infect Circulation,	2004
	stent restenosis after percutaneous coronary intervension.		

難治性

著者名(<u> </u> ጃኅኑル	雑誌名	年
	Endogenous dopamine release induced by repetitive transcranial magnetic stimulation over the primary motor cortex : An [11C] raciopride PET study in anesthetized	Biol Psychiat	2004
Timosha	Leukocyte derived IL- β interact with renal IL-1 receptor I to promote renal TNF and glomerular injury in murine crescentic glomerulonephritis.	Am. J. Physiol.	2004
Timosha	Contributions of IL-1 eta and IL-1 $lpha$ to crescentic glomerulonephritis in mice.	Am. J. Physiol.	2004
Tokuya	Subchondral insufficiency fracture of the humeral head and glenoid resulting in rapidly destructive arthrosis: A case report	J Shoulder Elbow	2004
	Development and Testing of New Screening Method for Keratan Sulfate in Mucopolysaccharidosis IVA	Pediatric Research	2004
	Ultraviolet A -induced production of Matrix Metalloproteinase-1 Is Mediated by Macrophage Migration Inhibitory Factor (MIF) in Human Dermal	J Biol Chem	2004
	Histamince production via mast cell-independent induction of histidine decarboxylase in response to lipopolysaccharide and interleukin-1.	Int. Immunopharmacol	2004
	Protein kinase A potentiates Ad4BP/SF-1 transactivation by re-integrating the subcellular dynamic interactions of the nuclear receptor with its cofactors, GCN5/TRRAP, and suppressor, DAX-1: a laser confocal imaging study in living KGN	Mol. Endocrinol.	2004
	Facilitation of A δ –fiber–mediated acute pain by repetitive transcranial magnetic stimulation.	Neurology	2004
	capsaicin Pain	Pain:	2004
Yamada	Analysis of recombinant human saposin A expressed by Pichia pastoris	Biochem Biophy Res Commun	2004
	Photodynamic therapy may be useful to debulk cutaneous lymphoma proir to radiotherapy.	British J Dermatol	in pres
	Novel collagen sponge reinforced with polyglycolic acid fiber produces robust, normal hair in murine hair reconstitution model	Tissue Engineering	in press
	Characterization of multipotent stem cell in the skin-positive effect of TGF-beta on sphere colony formation	Exp Cell Res	in press
	Matrix metalloproteinase-9 expression iscoordinately modulated by the KRE-M9 and TPA responsive elements.	J Invest Dermatol	In press
	Cytochemical and biochemical detection of intracellularly accumulated sialyl	Clin. Chim. Acta	in press
	The G2028R glycine substitution mutation in COL7A1 leads to marked inter-familiar clinical heterogeity in dominant dystrophic epidermolysis bullosa	J Dermaol Sci	in press
	Expression of maf in the skin during rat embryonic development.	Acta Histochem	in press
	Blockade of interleukin-6 receptor ameliorates functional recovery in spinal cord injury.	J Neurosci Res	In press
	Mutations analysis of ATP2A2 gene in two Darier's disease pedigrees with marked different clinical severity within affected family members.	Br J Dermatol	in press
	Vascular adventitia generates neuronal progenitors in monkey hippocampus after ischemia	Hippocampus	In press
Yano S,	Mechanical stretching in vitro regulates signal transduction pathways and cellular proliferation in human epidermal keratinocytes	J Invest Dermatol	

	タイトル	雑誌名	年
A. Koka	Chemiluminescent assay of alkaline phosphatase using dihydroxyacetone phosphate as substrate with lucigenin	Bioluminescence	2001
	New Access to a-Substituted (Z)-Fluoroalkene Dipepitde Isosteres Utilizing Organocopper Reagents under 'Reduction-Oxidative Alkylation (R-OA)' Conditions	Tetrahedron Lett.	2001
A. Otak	Synthesis of (Z)-Fluoroalkene Dipeptide Isosteres Utilizing Organocopper-mediated Reduction of gg-difluoro-a b-enoates	Tetrahedron Lett.	2001
A. Yama	Usefulness and limitation of DiBAC4(3), a voltage-sensitive fluorescent dye, for the measurement of membrane potentials regulated by recombinant large conductance	Jpn. J. Pharmacol.,	2001
A Hatto	Ca2+-activated K+ channels in HEK293 cells. A Fluorimetric, Column-Switching HPLC and its Application to an Elimination Study of		0001
<u> </u>	LLU-α Fnantiomers in Rat Plasma Bestatin, an inhibitor of aminopeptidases: preclinical and clinical studies. In: Mizutani	er	2001
	H (eds) Cell-Surface Aminopentidases: Lst-2, a human liver-specific organic anion transporter, determines methotrexate	Basic and Clinical Aspects Gastroenterology	2001
	sensitivity in gastrointestinal cancers The effectiveness of the O6-alkylguanine-DNA alkyltransferase encoded by the		2001
	ogtST gene from S. typhimurium in protection against alkylating drugs, resistance to O6-benzylguanine and sensitisation to dibromoalkane genotoxicity	Mutat. Res.	2001
•	Size-related and size-unrelated functional heterogeneity among pancreatic islets.	Life Sci.	2001
	Protein transduction domain of HIV-1 Tat protein promotes efficient delivery of DNA into mammalian cells	J. Biol, Chem.,	2001
	Contribution of myeloperoxidase to coronary artery vasculitis associated with MPO-ANCA production.	Inflammation.	2001
	Involvement of a calcium-independent pathway in plasmin-induced platelet shape change	Life Sci.	2001
	Determination of aflatoxins B1, B2, G1 and G2 in spices using a multifunctional column clean-up.	J.Chromatogr	2001
L	Examination of oral sensitization with ovalbumin in Brown Norway rats and three strains of mice	Immunology Letters	2001
	Involvement of interaction between p21 and PCNA for the maintenance of G2/M arrest after DNA damage	J. Biol. Chem.	2001
	Comparative studies of the enhancing effects of cyclodextrins on the solubility and oral bioavailability of tacrolimus in rats	J. Pharm. Sci	2001
	Comparison of the levels of enzymes involved in drug metabolism between transgenic or gene-knockout and the parental mice	Toxicol.Pathol.	2001
<u> </u>	Orally tolerant CD4 T cells respond poorly to antigenic stimulation but strongly to direct stimulation of intracellular signaling pathways	Cytotechnology	2001
	Novel green fluorescent protein-based ratiometric indicators for monitoring pH in defined intracellular microdomains	Biochem Biophys Res Commun	2001
	Relationships between non-occupational cadmium exposure and expression of nine cytochrome P450 forms in human liver and kidney cortex samples	Biochem.Pharmac	2001
L	A specific role of phosphatidylinositol 3-kinase; a regulation of autonomic Ca2+	J. Cell. Biol.	2001
	Requirements of basic amino acid residues within the lectin-like domain of LOX-1 for the binding of oxidized low-density lipoprotein.	FEBS Lett,	2001
	Activation-dependent surface expression of LOX-1 in human platelets.	Biochem Biophys Res Commun	2001
L	Diabetes enhances lectin-like oxidized LDL receptor-1 (LOX-1) expression in the vascular endothelium: possible role of lox-1 ligand and age	Biochem Biophys Res Commun.	2001
	Conserved carboxyl-terminal residues within the lectin-like domain of LOX-1 are	Biochem J	2001
	Actinohivin, a novel anti-HIV protein from an actinomycete that inhibits synsytium formation solution characterizaiton, and biological activities	Biochem. Biophys. Res. Commun	2001
Chiba H	A simple screening system for anti-HIV drugs:Symsytium formation assay using T-cell line tropic and macrophege tropic HIV env expressing cell lines-Establishmennt and	J. Antibiot.	2001
Chu PY,	Molecular epidemiology of enterovirus 71 in Taiwan	Arch Virol	2001
Chujoh `	Cross-Clade Neutralizing Antibody Production against Human Immunodeficiency Virus Type 1 Clade E and Bユ Strains by Recombinant Mycobacterium bovis BCG-Based	Vaccine	2001
	Candidate Vaccine.		
	Candidate Vaccine. The binding of oxidized low-density lipoprotein (ox-LDL) to ox-LDL receptor-1 reduces the intracellular concentration of nitric oxide in endothelial cells through an increased production of proposition	J Biol Chem,	2001
Cominac	The binding of oxidized low-density lipoprotein (ox-LDL) to ox-LDL receptor-1	J Biol Chem, Immunology	2001

atherasaclarotic lasins moto Clurisk cooperativity of alpha-naphthoflavone in cytochrome P450 3A-dependent drug xidation activities in headtic and intestinal microsoanes from mouse and human xidation activities in headtic and intestinal microsoanes from mouse and human Time of the file of the property of the property of the control of the property of the control o	著者名(ቃ የトル	雑誌名	年》
mode. I. Mycobacterium haemophilm infection in a Japanese aptient with AIDS: a case report. J. Infect. Chemother. Wiley of the Common of the		atherosclerotic lesins.	Girculation	2001
Fujins, I. Mycobacterium haemophilum infaction in a Japanese patient with AIDS: a case report. J. Infect. (Ohemother Struins). Structural bases of reorganition motif for adarsenin moiety Fujins II Assignment of the feline Fas (TNFSF6) gene to chromosome Flq12—>q13 by (Speanarch III). Assignment of the feline Fas (TNFSF6) gene to chromosome Flq12—>q12 by (Speanarch III). Assignment of the feline Fas (TNFSF6) gene to chromosome D2p13—>p12.2 by (Speanarch III). Assignment of the feline Fas (TNFSF6) gene to chromosome D2p13—>p12.2 by (Speanarch III). Assignment of the feline Fas (TNFRSF6) gene to chromosome D2p13—>p12.2 by (Speanarch III). Assignment of the feline Fas (TNFRSF6) gene to chromosome D2p13—>p12.2 by (Speanarch III). Assignment of the feline Fas (TNFRSF6) gene to chromosome D2p13—>p12.2 by (Speanarch III). Assignment of the feline Fas (TNFRSF6) gene to chromosome D2p13—>p12.2 by (Speanarch III). Assignment of Ganate III). Assignment of Ganate III in the metabolic activation of N-land III in the metabolic activation of N-land III in the metabolic activation of N-land III in the Machine Machine III III III III III III III III III I	Emoto C	Links Cooperativity of alpha-naphthoflavone in cytochrome P450 3A-dependent drug oxidation activities in hepatic and intestinal microsomes from mouse and human	Xenobiotica	2001
Tujins I, Assignment of the feline Fas (TNFSF6) gene to chromosome F1q12—⊃q13 by Qytogent. Cell Genet Gunder Assignment of the feline Fas (TNFSF6) gene to chromosome F1q12—⊃q13 by Qytogent. Cell Gunder Gu	Endo, T.	Mycobacterium haemophilum infection in a Japanese patient with AIDS: a case report.		2001
"ujino I Assignment of the feline Fas (TNFSF8) gene to chromosome FIq12—>q13 by fluorescence in situ hydridization "ujino Y Assignment of the feline Fas (TNFRSF8) gene to chromosome D2p13—>p12.2 by Octogenet. Cell 2001 fluorescence in situ hydridization "ujita T. Augmentation of megakaryocytopolesis by the hematopoletic microenvironment of human azanulanute calonu-stimulation factor transcence in situ hydridization all ally hydridization and ally hydricosamines application of genetically engineered Salmonella typhimurium YG7108 expressing each form of CYP together with human NADPH-ovtochrome P459 (GYP) in the metabolic activation of N— Mutat.Res. 2001 "ujitat. K Construction of Salmonella typhimurium YG7108 expressing a gent form of fundamental typhimurium YG7108 expressing each form of CYP together with human NADPH-ovtochrome P459 orductase "ujitata" (Predicting the mutagenicity of tobacco-related N-ribrosamines in humans using 11 strains of Salmonella typhimurium YG7108, each coexpressing a form of human cytochrome P459 and typhimurium YG7108, each coexpressing a form of human cytochrome P459 and typhimurium YG7108, each coexpressing a form of human cytochrome P459 and typhimurium YG7108 and loaded—Specific Epitopes in HV1-infected Thais and Jaconases. "Livitated of the typhimurium YG7108 and loaded—Specific Epitopes in HV1-infected Thais and Jaconases." Livitated Cytotoxic T Cell Recognition of HIV-1 Cross—Clade and Clade—Specific Epitopes in HV1-infected Thais and Jaconases. "Livitated Livitate Theorem P459 and the American Selection of HV1-infected Thais and Jaconases." Livitated Livitates from fetal Histor tissue by transferation of Sy49 LT. Infected Thais and Jaconases. "Livitated Livitates from fetal Histor tissue by transferation of Sy49 LT. Dimitate from fetal Histor tissue by transferation of Sy49 LT. Dimitates from fetal Histor tissue by transferation of Sy49 LT. Dimitates from fetal Histor tissue by transferation and macrophages in patients. "Livitates of the region of MDP1 (mycobacterial DNA—thin	Fujii, S.	Structural bases of recognition motif for adenenin moiety	Nucleic Acis	2001
Fujina Y Assignment of the feline Fas (TNFRSFB) gene to chromosome D2613—2p12.2 by Cytogenat. Cell fluorescenaen is nist hybridization. Fujita X, Augmentation of megakaryocytopolesis by the hematopicitic microenvironment of human, argunicurbe, colonvestimulation fractor transperie microenvironment of human expression of megakaryocytopolesis by the hematopic activation of N-man argunicurbe, colonvestimulation fractor transperie microenvironment of human cytochrome P450 (CVP) in the metabolic activation of N-man alkylnitrosamines application of genetically engineered Salmonella typhimurium YG108 expressing a form of human cytochrome P450 (CVP) in the metabolic activation of N-man and human cytochrome P450 representation of Salmonella typhimurium YG108 trains of Salmonella typhimurium YG108 trains of Salmonella typhimurium YG108 expressing a form of human cytochrome P450 along with NADPH-oytochrome P450 reductase Fujitax, K Perdicting the mutagenitory of tobacor-related N-mitrosamines in humans using 11 strains of Salmonella typhimurium YG1108, each coexpressing a form of human cytochrome P450 along with NADPH-oytochrome P450 reductase Fujitax K Perdicting the mutagenitory of tobacor-related N-mitrosamines in humans using 11 strains of Salmonella typhimurium YG1108, each coexpressing a form of human involved Charge of the mutagenitor of the Young train the Young train of Salmonella typhimurium YG1108, each coexpressing a form of human involved Charge of the Young train and Young train the Youn		fluorescence in situ hybridization	Cytogent, Cell	2001
Fujita X, Role of human cytochrome P450 (CYP) in the metabolic activation of N- alkyloritosamines: application of genetically engineered Salmonella typhimurium YG7108 expressing and form of CYP together with human NADPH-cytochrome P450 Fujita X, Construction of Salmonella typhimurium YG7108 expressing and form of CYP together with human NADPH-cytochrome P450 Fujita X, Construction of Salmonella typhimurium YG7108 expressing a form of human cytochrome P450 more part of the strains of Salmonella typhimurium YG7108 expressing a form of human cytochrome P450 more part of the strains of Salmonella typhimurium YG7108, each coexpressing a form of human cytochrome P450 along with NADPH-cytochrome P450 inductase Fujita X, Expressing a form of human cytochrome P450 along with NADPH-cytochrome P450 inductase Fujiwara Identification of thryoid hormone transporters in humans different molecules are involved in a tissue-sandine manner Fujiwara Identification of thryoid hormone transporters in humans different molecules are involved in a tissue-sandine manner Fujiwara Identification of thryoid hormone transporters in humans different molecules are involved in a tissue-sandine manner Fujiwara Identification of thryoid hormone transporters in humans different molecules are involved in a tissue-sandine manner Fujiwara Identification of thryoid hormone transporters in humans different molecules are involved in the strain Thais and Jananese Fujiwara Identification of the responsion of HIV-1 Cross-Clade and Clade-Specific Epitopes in HIV-1-infactad Thais and Jananese Fujiwara Identification of the responsion of HIV-1 Cross-Clade and Clade-Specific Epitopes in HIV-1-infactad Thais and Jananese Fujiwara Identification of the region of MIP/1 Cross-Clade and Clade-Specific Epitopes in HIV-1 Cross-Clade and Clade-Specific Epitopes in HIV-1 Cross-Clade and Clade-Specific Epitopes in HIV-1 Cross-Clade and Clade-Specific Cyclade and			Cytogenet. Cell	2001
Fujitax, Role of human cytochrome P450 (CYP) in the metabolic activation of Nalkylnitrosamines: application of genetically engineered Salmonella typhimurium YG7108 excressing and form of CYP together with human NADPH-cytochrome P450 (Province P450). With NADPH-cytochrome P450 (Province P450) along w	Fujita T,	Augmentation of megakaryocytopoiesis by the hematopoietic microenvironment of		2001
human extochrome P450 with NADPH-extochrome P450 reductase With strains of Salmonella typhimurium YG7108, each coexpressing a form of human extochrome P450 along with NADPH-extochrome P450 reductase Fujiwaral Identification of thyroid hormone transporters in humans different molecules are involved in a tissue-specific manner Fukada Cytockroit T cell Recognition of HIV-1 Cross-Clade and Clade-Specific Epitopes in HIV-1-infacted Thais and Japanese. Fukatsu Population pharmacolokinetics of tarcolimus in adult recipients receiving living-donor liver transplantation Fukusya, Establishment of a human hepatocyte line (OUMS-29) having CYP 1A1 and 1A2 activities from fetal liver tissue by transfection of SV40 LT Fuks, F. Dindas binds deacetylases and is recruited by a sequence-specific repressor to subject to external billiary dranses. Fukutoda Changes in the number of mucosal T-lymphocytes and macrophages in patients subject to external billiary dranses. Fukuton Intestinal Mucosal Immune Response in Chickens Following Intraocular Immunization with Linosome-Associated Salmonalla Enterica Servax Enteritidis Antiren. Fururyaen Identification of the region of MDP1 (mycobacterial DNA-binding protein 1), which successes transcription in with consome-Associated Salmonalla Enteriors confidential to the second on coronary ancingrandy. Grove, P. Synthetic activity of Sso DNA polymerase Y1, an Archaeal DinB-like DNA And and an activity of Sso DNA polymerase Y1, an Archaeal DinB-like DNA Albandarias and secretion of cytokines and production of nitric oxide by LPS- stimulated JA-4 cells. H. Araka New bioluminescent assay of alkaline phosphatase using adenosine-3 Xphosphate-5 X- and Americanists-ATC conjuvation. H. Hisan A mechanism of Ca ²⁺ release from Ca ²⁺ channel blockade on early phase Ca ²⁺ transients In Bioluminescence and Chemistry. Biolominescence and Enderion-based cloning of foreign DNAs into the E3 as well as E1 deletion rate at arial and ventricular cardiomyocytes. H. Mizug Characteristics of aden	Fujita, K	Role of human cytochrome P450 (CYP) in the metabolic activation of N- alkylnitrosamines: application of genetically engineered Salmonella typhimurium YG7108 expressing each form of CYP together with human NADPH-cytochrome P450		2001
Fruitian, M. Predicting the mutagenicity of tobacco-related N-nitrosamines in humans using 11 strains of Salmonella typhimurium (37108, each coexpressing a form of human cytochrome P450 along with NADPH-oytochrome P450 reductase encotochrome P450 reductase encotochro		human cytochrome P450 with NADPH-cytochrome P450 reductase		2001
Fukutori Intestinal Mucosal Immune Response in Chickens Following Intraocular Immunol Internation of the region of MDP1 (mycobacterial DNA-binding protein 1), which Insoname-assas transacriation of MDP1 (mycobacterial DNA-binding protein 1), which Insoname-assas transacriation of the region of MDP1 (mycobacterial DNA-binding protein 1), which Insoname-assas transacriation of Chelestryl ester transflation by MDP1 (mycobacterial DNA-binding protein 1), which Insoname-assacriated and and atterosciencis in Japanese subjects: A study hased on coronany angiography. Gruz, P. Synthetic activity of Sso DNA polymerase Y1, an Archaeal DinB-like DNA nohwmerase, is stimulated by ancessification of cytokines and production of nitric oxide by LPS-stimulated JA-dells. H. Hilsan Rechaming of Nitric Oxide with Fluorescent Indicators Based on Rhodamine Caracteristics of adenovirus-mediated tetracycling of Porting Mediation of Porting Posterior of Posterior Computer Stimulated JA-dells. H. Mizug Characteristics of adenovirus-mediated tetracycline controllable expression system. H. Mizug Characteristics of adenovirus-mediated tetracycline controllable expression system. H. Mizug Characteristics of adenovirus-mediated tetracycline controllable expression system. H. Mizug Characteristics of adenovirus-mediated tetracycline controllable expression system. H. Mizug Characteristics of adenovirus-mediated tetracycline controllable expression system. H. Mizug Characteristics of adenovirus-mediated tetracycline controllable expression system. H. Mizug Characteristics of adenovirus-mediated tetracycline controllable expression system. H. Mizug Characteristics of adenovirus-mediated tetracycline controllable expression system. H. Mizug Characteristics of adenovirus-mediated tetracycline controllable expression system. H. Mizug Characteristics of adenovirus-mediated tetracycline controllable expression system. H. Mizug Characteristics of adenovirus-mediated tetracycline controllable expression system. H. Mizug Characteristics of	Fujita, K	Predicting the mutagenicity of tobacco-related N-nitrosamines in humans using 11 strains of Salmonella typhimurium YG7108, each coexpressing a form of human	_	2001
HIV-1-infected Thais and Jacanese Fukatsus Upulation pharmacokinetics of terrolimus in adult recipients receiving living-donor liver, transplantation. Fukaya, Establishment of a human hepatocyte line (OUMS-29) having CYP 1A1 and 1A2 activities from fatal liver, trissue by transfection of, SV40 LT Loss, F., Domit3a binds deacetylases and is recruited by a sequence-specific repressor to slience transportion. Fukukoka Changes in the number of mucosal T-lymphocytes and macrophages in patients subject to external billiary dranage. Fukutom Intestinal Mucosal Immune Response in Chickens Following Intraocular Immunization with Lionsome—Associated Salmonella Enterica, Seroyar Entertitidis Anthigen with Lionsome—Associated Salmonella Enterica, Seroyar Entertitidis Anthigen mucosal transportion in vitro. Goto A. Cholesteryl ester transferprotein and atherosclerosis in Japanese subjects: A study hased on coronary anxiography. Gruz, P., Synthetic activity of Sos DNA polymerase Y1, an Archaeal DinB-like DNA and Momotani E. Salivary gland extract of Rhipicephalus appendiculatus ticks inhibits in vitro transcription and secretion of cytokines and production of nitric oxide by LPS-stimulated JA-4 cells. H. Araka New bioluminescent assay of alkaline phosphatase using adenosine—3.1phosphate—5.1—Bioluminescence and Amechanism of Ca ²⁺ release from Ca ²⁺ stores coupling to the Na ⁺ /Ca ²⁺ exchanger in cultured smooth muscle cells, H. Kinjim Bioimaging of Nitric Oxide with Fluorescent Indicators Based on Rhodamine Chromonhors. H. Masu Effect of T-type and L-type Ca ²⁺ channel blockade on early phase Ca ²⁺ transients in residuation of Bifunctional Anti-HIV Agents and Specific CXCR4 Antaganists—AZT Conjugation— H. Mizug In vitro ligation—based cloning of foreign DNAs into the E3 as well as E1 deletion region for generation of Facombinant Adenovirus vector. H. Tama Development of Specific OXCR4 Inhibitor, T140, Disclosing the Close H. Tama Development of Specific OXCR4 Inhibitor, T140, Disclosing the Close Che		Identification of thyroid hormone transporters in humans: different molecules are	Endocrinology	2001
Fukatsu Population pharmacokinetics of tacrolimus in adult recipients receiving living—donor liver transplantation. Fukaya, Establishment of a human hepatocyte line (OUMS-29) having CYP 1A1 and 1A2 livitro Cell. Dev. 2001 activities from fatal liver tissue by transfaction of SV40 LT. Fukaya, Establishment of a human hepatocyte line (OUMS-29) having CYP 1A1 and 1A2 livitro Cell. Dev. 2001 silence transportation. Fukaya, Establishment of a human hepatocyte line (OUMS-29) having CYP 1A1 and 1A2 livitro Cell. Dev. 2001 silence transportation. Fukukoka Changes in the number of mucosal T-lymphocytes and macrophages in patients subjects to external biliary dranses. Fukutom Intestinal Mucosal Immune Response in Chickens Following Intraocular Immunization with Linosome—Associated Salmonella Enterica Serovar Enteritidis Antiran. Furugen Identification of the region of MDP1 (mycobacterial DNA-binding protein 1), which summers as transferprotein and atherosclerosis in Japanese subjects: A study based on coronava vanionarably. Goto A, Cholesteryl ester transferprotein and atherosclerosis in Japanese subjects: A study based on coronava vanionarably. Gruz, P, Synthetic activity of Sso DNA polymerase Y1, an Archaeal DinB-like DNA Gwakisa Momotani E. Salivary gland extract of Rhipicephalus appendiculatus ticks inhibits in vitro transcription and secretion of cytokines and production of nitric oxide by LPS-stimulated JA-4 cells. H. Hisan A mechanism of Ca ²⁺ release from Ca ²⁺ stores coupling to the Na ⁺ /Ca ²⁺ exchanger in cultured smooth muscle cells, H. Kojim Bioimaging of Nitric Oxide with Fluorescent Indicators Based on Rhodamine Chromonhore. H. Masu Effect of T-type and L-type Ca ²⁺ channel blockade on early phase Ca ²⁺ transients In resign for generation of recombinant adenovirus vector. H. Mizug In vitro ligation—based cloning of foreign DNAs into the E3 as well as E1 deletion region for generation of recombinant adenovirus vector. H. Tama Synthesis and Evaluation of Bifunctional Anti-HIV Agents and	Fukada I	Cytotoxic T Cell Recognition of HIV-1 Cross-Clade and Clade-Specific Epitopes in HIV-1-infected Thais and Japanese.	AIDS	2001
Lactivities from fetal liver tissue by transfection of SV40 LT Fukuoka, F., Dmth3 binds deacetylases and is recruited by a sequence-specific repressor to silence transcrintion. Changes in the number of mucosal T-lymphocytes and macrophages in patients subject to axternal biliary dranage. Fukutom Intestinal Mucosal Immune Response in Chickens Following Intraocular Immunization with Linosome-Assoniated Salmonella Enterioa Sarovac Entertitidis Antiven. Furugen Identification of the region of MDP1 (mycobacterial DNA-binding protein 1), which sunpresses transcrintion in vitro. Goto A. Cholesteryl ester transferprotein and atherosclerosis in Japanese subjects: A study hased on coronary anciography. Gruz, P. Synthetic activity of Sso DNA polymerase Y1, an Archaeal DinB-like DNA obverase, is stimulated by mocessivity factors proliferating cell nuclear antigen and vitro transcription and secretion of cytokines and production of nitric oxide by LPS-stimulated UA-4 cells. H. Araka New bioluminescent assay of alkaline phosphatase using adenosine-3.xphosphate-5.x-almosphosulfate as substrate and luciferin lusiferase reaction. H. Hisan A mechanism of Ca ²⁺ release from Ca ²⁺ stores coupling to the Na ⁺ /Ca ²⁺ exchanger in cultured smooth muscle cells. H. Kojim Bioimaging of Nitric Oxide with Fluorescent Indicators Based on Rhodamine Chromonbror. H. Mizug In vitro ligation-based cloning of foreign DNAs into the E3 as well as E1 deletion region for generation of recombinant adenovirus vector. H. Mizug In vitro ligation-based cloning of foreign DNAs into the E3 as well as E1 deletion region for generation of recombinant adenovirus vector. H. Tama Bovelopment of Specific CXCR4 Inhibitors Possessing High Selectivity Indexes as Well as Complete Stability in Serum Based on anti-HV Agents and Specific CXCR4 Boiorg. Med. Chem. Left Life Sci., 2001 cardiomyocytes. H. Tamal Conformational Study of a Highly Specific CXCR4 Inhibitor, T140, Disclosing the Close Bioorg. Med. Proximity of Its Intrinsic Pharmaconhores Associa		Population pharmacokinetics of tacrolimus in adult recipients receiving living-donor liver transplantation.		2001
Fukuoka Silance transcription Fukuoka Changes in the number of mucosal T-lymphocytes and macrophages in patients subject to external bilitary dranaze. Fukutorn Intestinal Mucosal Immune Response in Chickens Following Intraocular Immunization with Linosome—Associated Salmonella Enterica Sacroyae Enteritidis Antiren. Furugen Identification of the region of MDP1 (mycobacterial DNA-binding protein 1), which suncresses transcription in vitro. Goto A. Cholesteryl ester transferprotein and atherosclerosis in Japanese subjects: A study based on coronary anciparaphy. Gruz, P. Synthetic activity of Sso DNA polymerase Y1, an Archaeal DinB-like DNA nolymerase. Is stimulated by orocessivity factors proliferating cell nuclear antigen and nolymerase. Is stimulated by orocessivity factors proliferating cell nuclear antigen and vitro transcription and secretion of cytokines and production of nitric oxide by LPS- stimulated JA-4 cells. H. Araka New bioluminescent assay of alkaline phosphatase using adenosine—3.2phosphate—5.2- absolubus/fate as substrate and luciferin lusiferase reaction H. Hisan A mechanism of Ca ²⁺ release from Ca ²⁺ stores coupling to the Na*/Ca ²⁺ exchanger in cultured smooth muscle cells, H. Kojim Bioimaging of Nitric Oxide with Fluorescent Indicators Based on Rhodamine Chromonohore. H. Mizug Characteristics of adenovirus—mediated tetracycline controllable expression system. Arta Effect of T-type and L-type Ca ²⁺ channel blockade on early phase Ca ²⁺ transients In rat atrial and ventricular cardiomycoytes, H. Mizug In vitro ligation—based cloning of foreign DNAs into the E3 as well as E1 deletion region for generation of Fereign DNAs into the E3 as well as E1 deletion region for generation of Fereign DNAs into the E3 as well as E1 deletion region for generation of Fereign DNAs into the E3 as well as E1 deletion Arta Biochim. Biophys. 2001 Antagonists—AZT Conjugation H. Tama Conformational Study of a Highly Specific CXCR4 Inhibitor, T140, Disclosing the Close Proximity of Its Intrinsic Pharmaconh	Fukaya,		In Vitro Cell. Dev.	2001
subject to external billianv dranare. Furtuen Intestinal Mucosal Immune Response in Chickens Following Intraocular Immunization with Linosome—Associated Salmonella Enterica Serovar Enteritidis Antiren. Furrugen Identification of the region of MDP1 (mycobacterial DNA-binding protein 1), which summersess transcription. In vitro. Goto A, Cholesteryl ester transferprotein and atherosclerosis in Japanese subjects: A study hased on coronary angiography. Gruz, P. Synthetic activity of Sso DNA polymerase Y1, an Archaeal DinB-like DNA notymerase. is stimulated by processivity factors proliferating cell nuclear antizen and commerciate in vitro transcription and secretion of cytokines and production of nitric oxide by LPS-stimulated JA-4 cells. H. Araka New bioluminescent assay of alkaline phosphatase using adenosine—3.Tphosphate—5.T—Bioluminescence and phosphosulfate as substrate and luciferin lusiferase reaction. H. Hisan A mechanism of Ca ²⁺ release from Ca ²⁺ stores coupling to the Na ⁺ /Ca ²⁺ exchanger in cultured smooth muscle cells, H. Kojim Bioimaging of Nitric Oxide with Fluorescent Indicators Based on Rhodamine Chromonhore. H. Mizug Characteristics of adenovirus—mediated tetracycline controllable expression system. H. Mizug In vitro ligation—based cloning of foreign DNAs into the E3 as well as E1 deletion region for generation of precombinant adenovirus vector. H. Tama Synthesis and Evaluation of Bifunctional Anti—HIV Agents and Specific CXCR4 Biorg, Med. Chem. Left H. Tama Conformational Study of a Highly Specific CXCR4 Inhibitor, T140, Disclosing the Close Bioorg, Med. Proximity of fits Intrinsic Dyhamaconhores Associated with Strong Anti-HIV Activity H. Tama BK channel activation by NS-1619 is partially mediated by intracellular Ca2+ release H. Yama BK channel activation by NS-1619 is partially mediated by intracellular Ca2+ release Biothim. Biophys. J. Pharmacol., 2001 Atlanda Cardiomyorytes. H. Yama BK channel activation by NS-1619 is partially mediated by intracellular Ca2+ release		Dnmt3a binds deacetylases and is recruited by a sequence∹specific repressor to silence transcription.		2001
rurugen Identification of the region of MDP1 (mycobacterial DNA-binding protein 1), which sunnresses transcription in vitro. Goto A, Cholesteryl ester transferprotein and atherosclerosis in Japanese subjects: A study based on coronary angiography Gruz, P, Synthetic activity of Sso DNA polymerase Y1, an Archaeal DinB-like DNA nolymerase, is stimulated by processivity factors proliferating cell nuclear antigen and commercial in vitro transcription and secretion of cytokines and production of nitric oxide by LPS-stimulated JA-4 cells. H. Arak New bioluminescent assay of alkaline phosphatase using adenosine-3_Tphosphate-5_T-ahosphosulfate as substrate and lucifarin lusiferase reaction. H. Hisarl A mechanism of Ca ²⁺ release from Ca ²⁺ stores coupling to the Na ⁺ /Ca ²⁺ exchanger in cultured smooth muscle cells, H. Kojim Bioimaging of Nitric Oxide with Fluorescent Indicators Based on Rhodamine Chromonhore. H. Masu Effect of T-type and L-type Ca ²⁺ channel blockade on early phase Ca ²⁺ transients In rat atrial and ventricular cardiomyocytes, H. Mizug Characteristics of adenovirus-mediated tetracycline controllable expression system. H. Mizug In vitro ligation-based cloning of foreign DNAs into the E3 as well as E1 deletion region for generation of Efficancy in the Region for generation of Efficancy in the Region for generation of Sifunctional Anti-HIV Agents and Specific CXCR4 Antagonists-AZT Conjugation. H. Tama Development of Specific CXCR4 Inhibitors Possessing High Selectivity Indexes as Bioorg, Med. Chem Left Conformational Study of a Highly Specific CXCR4 Inhibitor, T140, Disclosing the Close Proximity of Its Intrinsic Pharmaconhores Associated with Strong Anti-HIV Activity Chem Left H. Tama BK channel activation by NS-1619 is partially mediated by intracellular Ca2+ release Br. J. Pharmacol., 2001		subject to external biliary dranage	Eur. J. Surgery	2001
Goto A, Cholesteryl ester transferprotein and atherosclerosis in Japanese subjects: A study based on coronary ansiography. Atheroscelrosis in Japanese subjects: A study based on coronary ansiography. Synthetic activity of Sso DNA polymerase Y1, an Archaeal DinB-like DNA nolymerase, is stimulated by processivity factors proliferating cell nuclear antigen and Gwakisa Momotani E, Salivary gland extract of Rhipicephalus appendiculatus ticks inhibits in vitro transcription and secretion of cytokines and production of nitric oxide by LPS-stimulated JA-4 cells. Vet Parasitol. Vet Parasitol		with Liposome-Associated Salmonella Enterica Serovar Enteritidis Antigen	1	2001
hased on coronary aneigeranhy Gruz, P. Synthetic activity of Sso DNA polymerase Y1, an Archaeal DinB-like DNA nohymerase, is stimulated by processivity factors proliferating cell nuclear antigen and witro transcription and secretion of cytokines and production of nitric oxide by LPS-stimulated JA-4 cells. H. Araka New bioluminescent assay of alkaline phosphatase using adenosine-3xphosphate-5x-simulated JA-4 cells. H. Hisart A mechanism of Ca²+ release from Ca²+ stores coupling to the Na¹/Ca²+ exchanger in cultured smooth muscle cells, H. Kojim Bioimaging of Nitric Oxide with Fluorescent Indicators Based on Rhodamine Chromonhore. H. Masu Effect of T-type and L-type Ca²+ channel blockade on early phase Ca²+ transients In rat atrial and ventricular cardiomyocytes, H. Mizug Characteristics of adenovirus-mediated tetracycline controllable expression system. Bioimages, H. Mizug In vitro ligation-based cloning of foreign DNAs into the E3 as well as E1 deletion region for generation of recombinant adenovirus vector H. Tama Development of Specific CXCR4 Inhibitors Possessing High Selectivity Indexes as Well as Complete Stability in Serum Based on an Anti-HIV Pactivity Indexes as Well as Complete Stability in Serum Based on an Anti-HIV Pactivity Indexes as Proximity of Its Intrinsic Pharmacohores Associated with Strong Anti-HIV Activity H. Tama Conformational Study of a Highly Specific CXCR4 Inhibitor, T140, Disclosing the Close Proximity of Its Intrinsic Pharmacohores Associated with Strong Anti-HIV Activity H. Tama BK channel activation by NS-1619 is partially mediated by intracellular Ca2+ release Br. J. Pharmacol., 2001	Furugen	Identification of the region of MDP1 (mycobacterial DNA-binding protein 1), which suppresses transcription <i>in vitro</i>	Microb. Pathog.	2001
Commerase is stimulated by processivity factors or oliferating cell nuclear antigen and Momotani E. Salivary gland extract of Rhipicephalus appendiculatus ticks inhibits in vitro transcription and secretion of cytokines and production of nitric oxide by LPS—stimulated JA—4 cells. H. Araka New bioluminescent assay of alkaline phosphatase using adenosine—3. Thosphate—5. Bioluminescence and phosphosulfate as substrate and luciferin Jusiferase reaction H. Hisam A mechanism of Ca²+ release from Ca²+ stores coupling to the Na+/Ca²+ exchanger in cultured smooth muscle cells. H. Kojim Bioimaging of Nitric Oxide with Fluorescent Indicators Based on Rhodamine Chromophore H. Masu Effect of T-type and L-type Ca²+ channel blockade on early phase Ca²+ transients in rat atrial and ventricular cardiomyocytes, H. Mizug Characteristics of adenovirus—mediated tetracycline controllable expression system. H. Mizug In vitro ligation—based cloning of foreign DNAs into the E3 as well as E1 deletion region for generation of recombinant adenovirus vector H. Tama Synthesis and Evaluation of Bifunctional Anti–HIV Agents and Specific CXCR4 Antaronists—AZT Conjugation H. Tama Conformational Study of a Highly Specific CXCR4 Inhibitor, T140, Disclosing the Close Proximity of Its Intrinsic Pharmaconhores Associated with Strong Anti–HIV Activity H. Tama Involvement of Ca waves in excitation—contraction coupling of rat atrial Cardiomyocytes H. Yama BK channel activation by NS—1619 is partially mediated by intracellular Ca2+ release Bioluminescence 2001 Antaronists—AZT Conjugation Sicle Proximity of Its Intrinsic Pharmaconhores Associated with Strong Anti–HIV Activity Life Sci., 2001 Chem. Lett Life Sci., 2001 Chem. Lett Life Sci., 2001	Goto A,		Atheroscelrosis	2001
Gwakisa Momotani E. Salivary gland extract of Rhipicephalus appendiculatus ticks inhibits in vitro transcription and secretion of cytokines and production of nitric oxide by LPS-stimulated JA-4 cells. H. Araka New bioluminescent assay of alkaline phosphatase using adenosine-3Iphosphate-5I-bhosphosulfate as substrate and luciferin lusiferase reaction. H. Hisam A mechanism of Ca ²⁺ release from Ca ²⁺ stores coupling to the Na ⁺ /Ca ²⁺ exchanger in cultured smooth muscle cells, H. Kojim Bioimaging of Nitric Oxide with Fluorescent Indicators Based on Rhodamine Chromonhore. H. Masu Effect of T-type and L-type Ca ²⁺ channel blockade on early phase Ca ²⁺ transients In rat atrial and ventricular cardiomyocytes, H. Mizug Characteristics of adenovirus-mediated tetracycline controllable expression system. H. Mizug In vitro ligation-based cloning of foreign DNAs into the E3 as well as E1 deletion region for generation of recombinant adenovirus vector H. Tama Synthesis and Evaluation of Bifunctional Anti-HIV Agents and Specific CXCR4 Biorg. Med. Chem. H. Tama Development of Specific CXCR4 Inhibitors Possessing High Selectivity Indexes as well as Complete Stability in Serum Based on an Anti-HIV Paptide T140. H. Tama Conformational Study of a Highly Specific CXCR4 Inhibitor, T140, Disclosing the Close Proximity of Its Intrinsic Pharmacophores Associated with Strong Anti-HIV Activity H. Tama BK channel activation by NS-1619 is partially mediated by intracellular Ca2+ release Br. J. Pharmacol., 2001	Gruz, P.		J. Biol. Chem.	2001
nhosohosulfate as substrate and luciferin Jusiferase reaction H. Hisan A mechanism of Ca ²⁺ release from Ca ²⁺ stores coupling to the Na ⁺ /Ca ²⁺ exchanger in cultured smooth muscle cells, H. Kojim Bioimaging of Nitric Oxide with Fluorescent Indicators Based on Rhodamine Chromophore. H. Masu Effect of T-type and L-type Ca ²⁺ channel blockade on early phase Ca ²⁺ transients In rat atrial and ventricular cardiomyocytes, H. Mizug Characteristics of adenovirus-mediated tetracycline controllable expression system. H. Mizug In vitro ligation-based cloning of foreign DNAs into the E3 as well as E1 deletion region for generation of recombinant adenovirus vector H. Tama Synthesis and Evaluation of Bifunctional Anti-HIV Agents and Specific CXCR4 Antagonists-AZT Conjugation. H. Tama Development of Specific CXCR4 Inhibitors Possessing High Selectivity Indexes as Well as Complete Stability in Serum Based on an Anti-HIV Pentide T140. H. Tama Conformational Study of a Highly Specific CXCR4 Inhibitor, T140, Disclosing the Close Proximity of Its Intrinsic Pharmaconhores Associated with Strong Anti-HIV Activity. H. Tana Involvement of Ca waves in excitation-contraction coupling of rat atrial cardiomyocytes. H. Yama BK channel activation by NS-1619 is partially mediated by intracellular Ca2+ release Devolution of Ca2 and	Gwakisa	Momotani E. Salivary gland extract of Rhipicephalus appendiculatus ticks inhibits in vitro transcription and secretion of cytokines and production of nitric oxide by LPS-	Vet Parasitol.	2001
H. Hisan A mechanism of Ca ²⁺ release from Ca ²⁺ stores coupling to the Na ⁺ /Ca ²⁺ exchanger in cultured smooth muscle cells, H. Kojim Bioimaging of Nitric Oxide with Fluorescent Indicators Based on Rhodamine Chromophore. H. Masu Effect of T-type and L-type Ca ²⁺ channel blockade on early phase Ca ²⁺ transients In rat atrial and ventricular cardiomyocytes, H. Mizu Characteristics of adenovirus-mediated tetracycline controllable expression system. H. Mizu In vitro ligation-based cloning of foreign DNAs into the E3 as well as E1 deletion region for generation of recombinant adenovirus vector H. Tama Synthesis and Evaluation of Bifunctional Anti-HIV Agents and Specific CXCR4 Antagonists-AZT Conjugation. H. Tama Development of Specific CXCR4 Inhibitors Possessing High Selectivity Indexes as Well as Complete Stability in Serum Based on an Anti-HIV Pentide T140. H. Tama Conformational Study of a Highly Specific CXCR4 Inhibitor, T140, Disclosing the Close Proximity of Its Intrinsic Pharmacophores Associated with Strong Anti-HIV Activity Chem Lett H. Tama Involvement of Ca waves in excitation-contraction coupling of rat atrial Life Sci., 2001 cardiomyocytes H. Yama BK channel activation by NS-1619 is partially mediated by intracellular Ca2+ release Br. J. Pharmacol., 2001	H. Araka			2001
Chromophore. H. Masur Effect of T-type and L-type Ca ²⁺ channel blockade on early phase Ca ²⁺ transients In rat atrial and ventricular cardiomyocytes, H. Mizug Characteristics of adenovirus-mediated tetracycline controllable expression system. H. Mizug In vitro ligation-based cloning of foreign DNAs into the E3 as well as E1 deletion region for generation of recombinant adenovirus vector H. Tama Synthesis and Evaluation of Bifunctional Anti-HIV Agents and Specific CXCR4 Antagonists-AZT Conjugation. H. Tama Development of Specific CXCR4 Inhibitors Possessing High Selectivity Indexes as Well as Complete Stability in Serum Based on an Anti-HIV Pentide T140. H. Tama Conformational Study of a Highly Specific CXCR4 Inhibitor, T140, Disclosing the Close Bioorg. Med. Proximity of Its Intrinsic Pharmaconhores Associated with Strong Anti-HIV Activity H. Tanal Involvement of Ca waves in excitation-contraction coupling of rat atrial cardiomyocytes H. Yama BK channel activation by NS-1619 is partially mediated by intracellular Ca2+ release Chemistry Bioimages, 2001 Biochim. Biophys. Acta BioTechniques 2001 Chem. Chem. Bioorg. Med. Chem. Lett Chem. Lett Life Sci., 2001	H. Hisan	A mechanism of Ca ²⁺ release from Ca ²⁺ stores coupling to the Na ⁺ /Ca ²⁺ exchanger in		2001
H. Masu Effect of T-type and L-type Ca ²⁺ channel blockade on early phase Ca ²⁺ transients In rat atrial and ventricular cardiomyocytes, H. Mizug Characteristics of adenovirus-mediated tetracycline controllable expression system. H. Mizug In vitro ligation-based cloning of foreign DNAs into the E3 as well as E1 deletion region for generation of recombinant adenovirus vector H. Tama Synthesis and Evaluation of Bifunctional Anti-HIV Agents and Specific CXCR4 Antagonists-AZT Conjugation. H. Tama Development of Specific CXCR4 Inhibitors Possessing High Selectivity Indexes as Well as Complete Stability in Serum Based on an Anti-HIV Peotide T140. H. Tama Conformational Study of a Highly Specific CXCR4 Inhibitor, T140, Disclosing the Close Bioorg. Med. 2001 Proximity of Its Intrinsic Pharmacophores Associated with Strong Anti-HIV Activity H. Tanal Involvement of Ca waves in excitation-contraction coupling of rat atrial cardiomyocytes H. Yama BK channel activation by NS-1619 is partially mediated by intracellular Ca2+ release Bioomages, 2001 Biochim. Biophys. 2001 BioTechniques Chem. BioTechniques 2001 Chem. Bioorg. Med. 2001 Chem. Lett Chem. Lett Life Sci., 2001	H. Kojim			2001
H. Mizug In vitro ligation—based cloning of foreign DNAs into the E3 as well as E1 deletion region for generation of recombinant adenovirus vector H. Tama Synthesis and Evaluation of Bifunctional Anti—HIV Agents and Specific CXCR4 Boiorg. Med. 2001 Antagonists—AZT Coniugation. Chem. H. Tama Development of Specific CXCR4 Inhibitors Possessing High Selectivity Indexes as Well as Complete Stability in Serum Based on an Anti—HIV Peotide T140. Chem Lett H. Tama Conformational Study of a Highly Specific CXCR4 Inhibitor, T140, Disclosing the Close Bioorg. Med. 2001 Proximity of Its Intrinsic Pharmacophores Associated with Strong Anti—HIV Activity Chem. Lett H. Tanal Involvement of Ca waves in excitation—contraction coupling of rat atrial cardiomyocytes H. Yama BK channel activation by NS—1619 is partially mediated by intracellular Ca2+ release Br. J. Pharmacol., 2001	H. Masu	Effect of T-type and L-type Ca ²⁺ channel blockade on early phase Ca ²⁺ transients In		2001
H. Mizug In vitro ligation—based cloning of foreign DNAs into the E3 as well as E1 deletion region for generation of recombinant adenovirus vector H. Tama Synthesis and Evaluation of Bifunctional Anti-HIV Agents and Specific CXCR4 Boiorg. Med. 2001 Antagonists—AZT Conjugation. Chem. H. Tama Development of Specific CXCR4 Inhibitors Possessing High Selectivity Indexes as Well as Complete Stability in Serum Based on an Anti-HIV Peotide T140. Chem Lett H. Tama Conformational Study of a Highly Specific CXCR4 Inhibitor, T140, Disclosing the Close Bioorg. Med. 2001 Proximity of Its Intrinsic Pharmacophores Associated with Strong Anti-HIV Activity Chem. Lett H. Tanal Involvement of Ca waves in excitation—contraction coupling of rat atrial cardiomyocytes H. Yama BK channel activation by NS-1619 is partially mediated by intracellular Ca2+ release Br. J. Pharmacol., 2001	H. Mizug	Characteristics of adenovirus-mediated tetracycline controllable expression system.		2001
H. Tama Synthesis and Evaluation of Bifunctional Anti-HIV Agents and Specific CXCR4 Boiorg. Med. 2001 Antagonists-AZT Conjugation. Chem. H. Tama Development of Specific CXCR4 Inhibitors Possessing High Selectivity Indexes as Well as Complete Stability in Serum Based on an Anti-HIV Peotide T140. Chem. Lett H. Tama Conformational Study of a Highly Specific CXCR4 Inhibitor, T140, Disclosing the Close Bioorg. Med. 2001 Proximity of Its Intrinsic Pharmacophores Associated with Strong Anti-HIV Activity Chem. Lett H. Tanal Involvement of Ca waves in excitation-contraction coupling of rat atrial cardiomyocytes H. Yama BK channel activation by NS-1619 is partially mediated by intracellular Ca2+ release Br. J. Pharmacol., 2001	H. Mizug			2001
H. Tama Development of Specific CXCR4 Inhibitors Possessing High Selectivity Indexes as Well as Complete Stability in Serum Based on an Anti-HIV Pentide T140 H. Tama Conformational Study of a Highly Specific CXCR4 Inhibitor, T140, Disclosing the Close Bioorg, Med. Proximity of Its Intrinsic Pharmacophores Associated with Strong Anti-HIV Activity H. Tanal Involvement of Ca waves in excitation-contraction coupling of rat atrial cardiomyocytes H. Yama BK channel activation by NS-1619 is partially mediated by intracellular Ca2+ release Bioorg, Med. Chem. Lett Life Sci., 2001	H. Tama	Synthesis and Evaluation of Bifunctional Anti-HIV Agents and Specific CXCR4		2001
H. Tama Conformational Study of a Highly Specific CXCR4 Inhibitor, T140, Disclosing the Close Bioorg. Med. Proximity of Its Intrinsic Pharmacophores Associated with Strong Anti-HIV Activity Chem. Lett H. Tanal Involvement of Ca waves in excitation-contraction coupling of rat atrial Life Sci., 2001 cardiomyocytes H. Yama BK channel activation by NS-1619 is partially mediated by intracellular Ca2+ release Br. J. Pharmacol., 2001	H. Tama	Development of Specific CXCR4 Inhibitors Possessing High Selectivity Indexes as	Bioorg. Med.	2001
H. Tanal Involvement of Ca waves in excitation-contraction coupling of rat atrial Life Sci., 2001 cardiomyocytes H. Yama BK channel activation by NS-1619 is partially mediated by intracellular Ca2+ release Br. J. Pharmacol., 2001	H. Tama	Conformational Study of a Highly Specific CXCR4 Inhibitor, T140, Disclosing the Close	Bioorg. Med.	2001
H. Yama BK channel activation by NS-1619 is partially mediated by intracellular Ca2+ release Br. J. Pharmacol., 2001	H. Tanal	Involvement of Ca waves in excitation-contraction coupling of rat atrial		2001
un smooth muscle cells of porcine coronary artery.		BK channel activation by NS-1619 is partially mediated by intracellular Ca2+ release in smooth muscle cells of porcine coronary artery.	Br. J. Pharmacol.,	2001

著者名(雑誌名	年
Hachiya	Rapid and simple phenotypic assay for drug susceptibility of human immunodeficiency virus type 1 using CCR5-expressing Hela/CD4+ cell clone 1-10(MAGIC5)	Antimicrob.	2001
Hakamat	Green fluorescent protein-transgenic rat a tool for organ transplantation research. Biochem Biophys Res Commun:X	BBRC	2001
Hakozak		Liver	2001
Hakura /	An improvement of the Ames test using a modified human liver S9 preparation.	J Pharmacol	2001
Halvorse	8-iso-Prostaglandin F2 increases expression of LOX-1 in JAR cells.	Hypertension,	2001
Han, Y-I	Physicochemical parameters responsible for the affinity of methotrexate analogs for rat canalicular multispecific organic anion transporter (cMOAT/MRP2)	Pharm, Res.	2001
Hanagais	Lecithinized Cu, Zn-superoxide dismutase limits the infarct size following ischemia- reperfusion injury in rat heart in vitro	Biochemica Biophysica Res	2001
Handem	Emergence of new HIV-1 subtypes other than Subtype C among antenatal women in Lusaka. Zambia	AIDS Res Hum Retroviruses	2001
Hara T.	Presence of multiple HIV-1 subtypes among mothers and children in Japan.	AIDS Res. & Human	2001
Haraguc	Transcriptional regulation of Mesp1 and Mesp2 genes: differential usage of enhancers during development	Mech Dev	2001
	Pharmacokinetic and prognostic significance of intestinal MDR1 expression in recipients of living-donor liver transplantation.	Clin Pharmacol Ther	2001
Hashimo	IL-10 inhibits GM-CSF-dependent human monocyte survival at the early stage of the culture and inhibits the generation of macrophages	J. Imunol.	2001
Hattori ,	BACE1 interacts with nicastrin	J. Neurosci.	2001
Hayakav	Critical contribution of IFN-gamma and NK cells, but not perforin-mediated cytotoxicity, to anti-metastatic effect of alpha-galactosylceramide	Eur J Immunol	2001
Hayashi	Deductive prediction of precision and detection limit in bioluminescent measurement systems	Anal.Chim.Acta.	2001
,	Collagen minipellet as a controlled release delivery system for tetanus and diphteria	Vaccine	2001
Hirano, I	TMC-69, a new antitumor antibiotic with Cdc25A inhibitory activity, produced by Chrysosogrium sp. TC1068 Taxonomy, fermentation and biological activity	J. Antibiotics	2001
Hirasaw	Regulation of subcellular localization of alpha1-adrenoceptor subtypes	Life Sci	2001
Hiroi T,	HIV mucosal vaccine: nasal immunization with rBCG-V3J1 induces a long term V3J1 neutralizing immunity in Th1- and Th2-deficient conditions	J Immunol.	2001
Hirota K	Identification of an antigenic epitope in Helicobacter pylori urease that induces neutralizing antibody production	Infect. Immu.	2001
Hiroyuki	In vitro ligation-based cloning of foreign DNAs into the E3 as well as E1 deletion region for generation of recombinant adenovirus vector	Bio Techniques	2001
Hiroyuki	Approaches for generating recombinant adenovirus vectors	Adv. Drug Deliv. Rev	2001
	A simplified system for constructing recombinant adenoviral vectors containing heterologous ceptides in the HI loop of their fiber knob	Gene Ther.,	2001
Hiroyuki	Improvement of Adenovirus Vectors for Gene Transfer	Animał Cell Technology)	2001
	Characteristics of adenovirus-mediated tetracycline controllable expression system	Biochim. Biophys. Acta	2001
	Caspase-11 mediates oligodendrocyte cell death and pathogenesis of autoimmune- mediated demyelination	J. Exp. Med.	2001
	Diurnal variation in the biliary excretion of flomoxef in patients with percutaneous transhepatic biliary drainage.	Br J Clin Pharmacol	2001
	Electrophysiologic effects of an antiarrhythmic agent, bidisomide, on sodium current in isolated rat ventricular myocytes; comparison with mexiletine and disopyramide	Jpn J Pharmacol	2001
Honda M	HIV mucosal vaccine: nasal immunization with rBCG-V3J1 induces a long term V3J1	J. Immunol.	2001
	Molecular nature of UVB-induced deletions in the murine epidermis	Cancer Res	2001
	Sclerosing pancreato-cholangitis responsive to corticosteroid therapy: report of 2 case reports and review	Gastrointest Endosc	2001
Hosoya	Association of nonpolio enteroviral infection in the central nervous system of children with febrile seizures	Pediatrics	2001
Huang, (Optimization of tylosin feeding rate profile in production of acetyl-isovaleryl tylosin(AIV) from tylosin by Stretomyces thermotolerans YN554	J. Bioscience Bioengineering	2001
Huang, Y	A human hepatoma cell line expressing hepatitis C virus nonstructural proteins tightly regulated by tetracycline	Biochem. Biophys. Res. Commun.	2001
	Adaptation of influenza viruses to cells expressing low levels of sialic acid leads	J. Virol.,	2001