Ryusukid Biocompatibility of Various Kinds of Polymer Microspheres Estimated from Their  Fifact on Gan Junctional Intercellular Communication of Fibroblasts  Ryusukid Neural differentiation of midbrain cells on various protein-immobilized polyethylene films.  S. Nimil. Specific expression of annexin III in rat-small-hepatocytes,  S. Nosh Inactivation and aggregation of b-galactosidase in lyophilized formulation described by Pharm Res.  S. Yosh Inactivation and aggregation of b-galactosidase in lyophilized formulation described by Pharm Res.  S. Yosh Molecular mobility of lyophilized poly(vinybyrorilolone) and methyl cellulose as determined by the laborators and cotatine frame spin-fattine relaxation time of IH and Bull.  S. Yosh Molecular mobility of lyophilized poly(vinybyrorilolone) and methyl cellulose as the properties of the pharm Res.  S. Zonti Gerfelin, a novel inhibitor of granv/geranyl diphosphate synthase from Beauveria falling 0.00226/1. It shows the pharm Res.  S. Zonti Gerfelin, a novel inhibitor of granv/geranyl diphosphate synthase from Beauveria falling 0.00226/1. It shows the pharm Res.  S. Zonti Gerfelin, a novel inhibitor of granv/geranyl diphosphate synthase from Beauveria falling 0.00226/1. It shows that shows the pharm Res.  S. Zonti Gerfelin, a novel inhibitor of granv/geranyl diphosphate synthase from Beauveria falling 0.00226/1. It shows a pharmal falling of the pharm Res.  S. Zonti Gerfelin, a novel inhibitor of granv/geranyl diphosphate synthase from Beauveria falling 0.00226/1. It shows a pharmal falling of the pharmal falling of th		<b>ቃ</b> ፈኑル	雑誌名	年。
Effect, on Gaa, Junational Intercellular Communication of Ethochiasts Res.  S. Nimil. Specific expression of annexin III in rat-small-hepatocytes, S. Nimil. Specific expression of annexin III in rat-small-hepatocytes, S. Nosh Inactivation and aggregation of b-galactosidase in lyophilized formulation described by Rham. Res.  S. Yosh Inactivation and aggregation of b-galactosidase in lyophilized formulation described by Rham. Res.  S. Yosh Molecular mobility of hyophilized poly(vinyleyprolidone) and methyl cellulose as distancinant by the laboratory, and notation frame spirit of the distanciant of the protein of the distanciant of the distance of the	Rokkakı	Neuromedin U facilitates oxytocin release from the pituitary via beta adrenoceptors.	Neuroreport	2003
Ryusuké Neural differentiation of midbrain cells on various protein-immobilized polyethylene fillms.  S. Nilmi, Specific expression of annexin III in rat-small-hepatocytes, Biochem Biophy, Res. Cammus, Specific expression of annexin III in rat-small-hepatocytes, Biochem Biophy, Res. Cammus, Specific expression of annexin III in rat-small-hepatocytes, Biochem Biophy, Res. Cammus, Specific expression of annexin III in rat-small-hepatocytes, Biochem Biophy, Res. Cammus, Specific expression of the palactosidase in lyophilized formulation described by Pharm. Res. 200 Kohlraushr. Williams-Walts. Strached exponential function of palactorized poly(viryleyprofilodoe) and methyl cellulose as detactional by the laboratory and retained rate as in a control of the production of glass transition temperature of freeze-dried formulations by molecular flowing and the production of glass transition temperature of freeze-dried formulations by molecular flowing and the production of glass transition temperature of freeze-dried formulations by molecular celins 0.012/047. II. Structural elunidation.  S. Zenit General 2014. In communication and prophilized formulation described by Kohlcausch-Williams-Walts skratched exponential function.  S. Yoshid Molecular mobility of typhilized poly(vinyleyprofilodor) and methylociluclose as datermined by the laboratory and rotations frame spin-latitice relevation films of Hammus, and the surface of the prophilized formulation by molecular dynamics, simulation.  Sacor FArti-apoptotic regulation by hepatitis C virus core protein through upregulation of Virology 200 and prophilized formulations by molecular pharma continuation.  Saecular Hammus and pancreatic gellium-67 accumulation is characteristic feature of autoimmune loance and pancreatic gellium-67 accumulation is characteristic feature of autoimmune loance pharmulation and pancreatic gellium-67 accumulation is characteristic feature of autoimmune loance pharmulation and pancreatic gellium-67 accumulation is characteristic feature of file phar	Ryusuke	Biocompatibility of Various Kinds of Polymer Microspheres Estimated from Their Effect on Gap Junctional Intercellular Communication of Fibroblasts	Mater. Trans	2003
S. Nimit. Specific expression of arnexin III in rat-small-hepatocytes.  S. Yoshi Inactivation and aggregation of breatactosidase in lyophilized formulation described by Pharm. Res.  S. Yoshi Molecular mobility of lyophilized poly/virylyoprolidone) and methyl cellulose as dateminated by the laboratory and matine frame spin-lattice, relaxation time of 11 and Bull.  S. Yoshi Prediction of glass transition temperature of freeze-dried formulations by molecular dynamics, simulation.  S. Zenitt Gerfelin, a novel inhibitor of geranyligeranyl diphosphate synthase from Beauveria fallian 0x12004. I Announce fallian 0x1200	Ryusuke	Neural differentiation of midbrain cells on various protein-immobilized polyethylene		2003
S, Yoshi (Inactivation and aggregation of br-galactosidese in lyophilized formulation described by   Pharm. Res.   200	S. Niimi,		Biochem.Biophy.	2003
S. Yoshi Molecular mobility of lyophilized poly(vinylyprrolidone) and methyl cellulose as determined by the laboratorx and cotatine frame spin-lattice relaxation time of LH and Bull S. Yoshi Prediction of glass transition temperature of freeze-dried formulations by molecular dynamic simulation.  S. Zeniti Gerfelin, a novel inhibitor of geranylgeranyl diphosphate synthase from Beauveria felian QNP2041. It Exponent Farementation. Isolation, and Biological activities.  S. Zeniti Gerfelin, a novel inhibitor of geranylgeranyl diphosphate synthase from Beauveria felian QNP2041. It Struchural eliunidation.  S. Yoshid (Inactivation and aggregation of breglactosidase in lyophilized formulation desoribed by Knihotrausch-Williams-Watts struched exonomalist function.  S. Yoshid (Inactivation and aggregation of breglactosidase in lyophilized formulation desoribed by Knihotrausch-Williams-Watts struched exonomalist function.  S. Yoshid (Molecular mobility of lyophilized poly(vinylpyrrolidone) and methyloellucioses as determined by the laboratory and rationur frame soin-lattice, relaxation times of LH Bull S. Yoshid (Prediction of glass transition temperature of freeze-dried formulations by molecular chamics simulation.  Sacoc RAnti-apoptotic regulation by hepatitis C virus core protein through upregulation of inhibitor of cassasse-artivated Dnase.  Saegusa Hillar and pancreatic gallium-67 accumulation is characteristic feature of autoimmune pancreatis.  Saeki M. The B cell-specific major raft protein, Raftlin is necessary for the integrity of lipid raft. EMBO J. 200 and RGR siznal transdution.  Saeki M. Comprehensive UGT1A1 genotyping in a Japanese population by pyrosequencing.  Glin Chem. 200 and RGR siznal transdution.  Saeki M. Comprehensive UGT1A1 genotyping in a Japanese population by pyrosequencing.  Glin Chem. 200 and RGR siznal transdution assav.  Sakai-Klivvestigation of structure and enanticeselectivity of BSA-encapsulated solvegl. And and RGR siznal transformation. Saeki Alicentic and Calcium response induced by T	S. Yoshi		Pharm. Res.	2003
S. Yoshi Prediction of glass transition temperature of freeze-dried formulations by molecular dunamin simulation.  S. Zenitt Gerfelin, a novel inhibitor of geranylgeranyl diphosphate synthase from Beauveria falsion (N22047. I Taxonomy. Farmentation, Isolation and Biological activities.  S. Zenitt Gerfelin, a novel inhibitor of geranylgeranyl diphosphate synthase from Beauveria falsion (N22047. II Taxonomy. Farmentation, Isolation and Biological activities.  S. Yoshid Inactivation and aggregation of b-galactosidase in lyophilized formulation described by Kohlurasch-Williams—Waths stretched exonomential function.  S. Yoshid Molecular mobility of lyophilized poly(vinylpyrrolidone) and methyloelluciose as distermined by the blaboratory and cratations frame soin-lattice releavation times of IH II S. Yoshid Prediction of glass transition temperature of freeze-dried formulations by molecular chamics, simulation.  Sacoc R Anti-apoptotic regulation by hepatitis C virus core protein through upregulation of inhibitor of cassosae-antivated Dianse.  Saegusa Hillar and pancreatic gallium-67 accumulation is characteristic feature of autoimmune pancreatis.  Saeki K, The B cell-specific major raft protein, Raftin is necessary for the integrity of lipid raft.  Saeki M Comprehensive UGT1A1 genotyping in a Japanese population by pyrosequencing.  Clin Chem.  Sagane Molecular characterization of GroES and GroEL homologues from Clostridium hotullinum.  Saito T, Roles of oalcineurin and calcium/calmodulin-dependent protein kinase II in pressure oxerdad-indured andriac hyperatrophy.  Sakai A, Overexpression of NP95 mRNA by tumor promoters in the promotion phase of a two-stranson of the promotion of structure and enantices lectivity of BSA-encapsulated sol-gel and particular and calcium/calmodulin-dependent protein kinase II in pressure oxerdad-indured land random carrians assay.  Sakair-K Investigation of structure and enantices lectivity of BSA-encapsulated sol-gel and particular and calcium/calmodulin-dependent protein kinase II in p	S. Yoshi	Molecular mobility of lyophilized poly(vinylpyrrolidone) and methyl cellulose as		2003
S. Zeniti Gerfelin, a novel inhibitor of geranylgeranyl diphosphate synthase from Beauveria feling, (N92047). I Exonomy. Exementation, faliation, and Biological activities.  S. Zeniti Gerfelin, a novel inhibitor of geranylgeranyl diphosphate synthase from Beauveria felia. (N92047). If Extructural leutidation.  S. Yoshid Inactivation and aggregation of b-galactosidase in lyophilized formulation described by Kohlarusch-Mülliamse-Watta scrieched exonendial function.  S. Yoshid Inactivation and aggregation of b-galactosidase in lyophilized formulation described and the state of the product of the state of the sta	S. Yoshi	Prediction of glass transition temperature of freeze-dried formulations by molecular		2003
S. Zeniti Gerfelin, a novel inhibitor of geranylgeranyl diphosphate synthase from Beauveria for felian (N)2031 I. Structural elucidation (Syoshic Inactivation and aggregation of b-galactosidase in lyophilized formulation described by Kohlrausch-Williams—Watts stretched exonential function (Syoshic Molecular mobility of lyophilized poly(vinylpyrrolidone) and methylcelluclose as determined by the laboratory, and rotations frame soin-latitics relaxation firms of I.H. (Syoshic Prediction of glass transition temperature of freeze-dried formulations by molecular dynamics simulation.  Sacot Roth-apoptotic regulation by hepatitis C virus core protein through upregulation of inhibitor of caspase-activated Drase.  Saeguss filiar and pancreated cigalium—67 accountation is characteristic feature of autoimmune canoncreatitis.  Saeki K, The B cell-specific major raft protein, Raftlin is necessary for the integrity of lipid raft and BCR siznal transduction.  Saeki M, Comprehensive UGITA1 genotyping in a Japanese population by pyrosequencing.  Clin Chem. 200  Saeki M, Comprehensive UGITA1 genotyping in a Japanese population by pyrosequencing.  Saino T, Rose of calcineurin and calcium/calmodulin-dependent protein kinase II in pressure overload-induced cardiac hypertrophy.  Sakai A, Oversynession of NP95 mRNA by tumor promoters in the promotion phase of a two-staze BAI B/XT3 cell transformation, assay.  Sakai-K Investigation of structure and enantioselectivity of BSA—encapsulated soi—gel columns, for canillary, elactrophromatostraphy.  Sakai-K Investigation of structure and enantioselectivity of BSA—encapsulated soi—gel on a plastic microphin.  Sakamon Miller WEG. Establishment of an HIV cell-cell fusion assay by using two genetically J Virol Methods 200  J. Pharm. Biomed. 200  Anal. Sakai-K Investigation of structure and enantioselectivity of BSA—encapsulated hemagglutinating virus of Japane-lineary process of the color of central Polypurine Tract and Central Emiliatory and Enhancing Effects of finestrion of Central Polypurine	S. Zenit	Gerfelin, a novel inhibitor of geranylgeranyl diphosphate synthase from Beauveria	J. Antibiotics	2003
Syoshic Inactivation and aggregation of b-galactosidase in lyophilized formulation described by Kohlzausch-Williams—Watts stratched exponential function.  Syoshic Molecular mobility of lyophilized polyfun/pyrrolidone) and methylcelluclose as determined by the laboratory and rotations frame soin-lattine relaxation times of 1H. Syoshic Prediction of glass transition temperature of freeze-dried formulations by molecular dynamics simulation.  Sacor R Anti-apoptotic regulation by hepatitis C virus core protein through upregulation of inhibitor. of. casasse-activated Disase.  Saeguss Hilar and pancreatic galitium-67 accumulation is characteristic feature of autoimmune pancreatitis.  Saekik K, The Sell-specific major raft protein, Raftlin is necessary for the integrity of lipid raft and BCR siznal transduction.  Saekik M Comprehensive UGT1A1 genotyping in a Japanese population by pyrosequencing.  Clin Chem. 200.  Sagane Molecular characterization of GroES and GroEL homologues from Clostridium intullinum.  Saito T, Roles of calcineurin and calcium/calmodulin-dependent protein kinase II in pressure parachaed-induced cardian hypertronby.  Sakair A Overexpression of NP35 mRNA by tumor promoters in the promotion phase of a two-state and parachaed-induced cardian hypertronby.  Sakair K Investigation of structure and enanticeslectivity of BSA-encapsulated sol-gel parachaed in the promotion of an on-chip enzyme reactor by encapsulating trypsin in sol-gel on a plastic momental parachaed induced by T-cell antigen receptor stimulation in Bioimages 200.  Sakairel Miller WEG. Establishment of an HIV cell-cell fusion assay by using two genetically modified Hal a cell lines and recentor sene.  Sakama Inhibitory and Enhancing Effects of Insertion of Central Polypurine Tract and Central Tarmination Sequence on Gene Expression with Vactors Derived from Human Timunel.  Sakawa HV mucosal vaccine: nasal immunization with gp160-encapsulated hemagglutinating virus of Labaron and the parachaed produced by the fungus Phoma sp. TC 1674.  Sakak	S. Zenit	Gerfelin, a novel inhibitor of geranylgeranyl diphosphate synthase from Beauveria	J. Antibiot.	2003
Syoshid Molecular mobility of lyophilized poly(vinylpyrrolidone) and methyloelluclose as Chem. Pharm. 200 determined by the laboratory and notations frame soin-lattice calavarian times of I.H. Syoshid Prediction of glass transition temperature of freeze-dried formulations by molecular charmics simulation.  Sacot Ranti-apoptotic regulation by hepatitis C virus core protein through upregulation of virology 200 inhibition of casases—activated Dnase Saegus Hillar and pancreatic gallium—97 accumulation is characteristic feature of autoimmune pancreastitis.  Saeki K, The Se cell-specific major raft protein, Raftlin is necessary for the integrity of lipid raft and BCR signal transduction.  Saeki M Comprehensive UGT1A1 genotyping in a Japanese population by pyrosequencing.  Saeki M Comprehensive UGT1A1 genotyping in a Japanese population by pyrosequencing.  Saeki T, Roles of calcineurin and calcium/ calmodulin-dependent protein kinase II in pressure undendad-induced cardiac hyneatronby.  Sakia A Oversynession of NP95 inRNA by tumor promoters in the promotion phase of a two-stars BALB/3T3 cell transformation assav. Investigation of structure and enables of SSA-encapsulated sol-gel on a plastic Anal. Chem. Sakian C Creation of an on-chip enzyme reactor by encapsulating trypsin in sol-gel on a plastic Anal. Chem. Sakiano Muller WEC, Establishment of an HIV cell-cell fusion assay by using two genetically underlined that a cell lines and recentor seen.  Sakaino Muller WEC, Establishment of an HIV cell-cell fusion assay by using two genetically underlined that a cell lines and recentor seen.  Sakaino Miller WEC, Establishment of an HIV cell-cell fusion assay by using two genetically underlined that a cell lines and recentor seen.  Sakaino Miller WEC, Establishment of an HIV cell-cell fusion assay by using two genetically underlined that a cell lines and recentor seen.  Sakaino Miller WEC, Stablishment of an HIV cell-cell fusion assay by using two genetically underlined that a cell lines and recentor seen.  Sakaino Miller WEC	S.Yoshio	Inactivation and aggregation of b-galactosidase in lyophilized formukation described	Pharm. Res.	2003
Syoshid Prediction of glass transition temperature of freeze-dried formulations by molecular characteristic feature of autoimmune programmes simulation.  Saco R Anti-apoptotic regulation by hepatitis C virus core protein through upregulation of inhibitor of caspase-activated Drass and protein protein gallium-of assessed to gallium-of a scumulation is characteristic feature of autoimmune pancreastitis.  Saeki K, The B cell-specific major raft protein, Raftlin is necessary for the integrity of lipid raft and BCR siznal transduction.  Saeki M Comprehensive UGT1A1 genotyping in a Japanese population by pyrosequencing.  Glin Chem. 200 and BCR siznal transduction.  Sagane Molecular characterization of GroES and GroEL homologues from Clostridium J. Protein. Chem 200 hotulinum.  Saito T, Roles of calcineurin and calcium/calmodulin-dependent protein kinase II in pressure J. Molecular and Callular and Calcium-framental protein kinase II in pressure J. Molecular and Callular and Calcium-framental protein kinase II in pressure J. Molecular and Callular Acadexonometric pance of the promotion phase of a two Staza RAIR/3713 cell transformation assav.  Sakair-K Investigation of structure and enantioselectivity of BSA-encapsulated sof-gel J. Pharm. Biol. Pharm. Bull. Sakair-K Creation of an on-chip enzyme reactor by encapsulating trypsin in sof-gel on a plastic Anal. Chem. 200 microphia.  Sakamon Muller WEG. Establishment of an HIV cell-cell fusion assay by using two genetically modified Hela a cell lines and recentor ene.  Sakamon Miller WEG. Establishment of an HIV cell-cell fusion assay by using two genetically modified Hela a cell lines and recentor ene.  Sakamon District calcium response induced by T-cell antigen receptor stimulation in thromovytes and mature T cells.  Sakairal Thuman RNPS1 and its associated factors: a versatile alternative pre-mRNA splicing reculator in vivo.  Sakuae IIV mucosal vaccine: nasal immunization with gp160-encapsulated hemagglutinating virus of Japane Industry and the second protein fract and	S.Yoshi	Molecular mobility of lyophilized poly(vinylpyrrolidone) and methylcelluclose as	ł .	2003
Sacor Anti-apoptotic regulation by hepatitis C virus core protein through upregulation of inhibitor of casoase-activated Drase Saegusal Hilar and pancreatic gallium-67 accumulation is characteristic feature of autoimmune nancreatitis.  Saeki K, The Scell-specific major raft protein, Raftlin is necessary for the integrity of lipid raft and pancreatitis.  Saeki M, Comprehensive UGT1A1 genotyping in a Japanese population by pyrosequencing.  Clin Chem. 200	S.Yoshi	Prediction of glass transition temperature of freeze-dried formulations by molecular		2003
Saegus Hilar and pancreatic gallium-67 accumulation is characteristic feature of autoimmune pancreast in ancreast its saki K. The B cell-specific major raft protein, Raftlin is necessary for the integrity of lipid raft and BCR signal transduction.  Saeki K. The B cell-specific major raft protein, Raftlin is necessary for the integrity of lipid raft and BCR signal transduction.  Saeki M. Comprehensive UGT1A1 genotyping in a Japanese population by pyrosequencing.  Clin Chem. 200 Comprehensive UGT1A1 genotyping in a Japanese population by pyrosequencing.  Clin Chem. 200 Comprehensive UGT1A1 genotyping in a Japanese population by pyrosequencing.  Saeki M. Core of calcineurin and calcium/calmodulin-dependent protein kinase II in pressure overload-induced cardian hypertrophy.  Sakai A. Overexpression of NP95 mRNA by tumor promoters in the promotion phase of a two-strate BAI B/313 cell transformation.assav.  Sakai K. Investigation of structure and enantioselectivity of BSA-encapsulated sol-gel columns for canillary electrochromaterarany.  Sakai-K. Creation of an on-chip enzyme reactor by encapsulating trypsin in sol-gel on a plastic moriorion.  Sakamo Muller WEG. Establishment of an HIV cell-cell fusion assay by using two genetically modified HeI a cell lines and recentor gene.  Sakamon Distinct calcium response induced by T-cell antigen receptor stimulation in thymnoxytes and mature T cells.  Sakaishit Human RNPS1 and its associated factors: a versatile alternative pre-mRNA splicing regulator in vivo.  Sakaue IIV rucosal vaccine: nasal immunization with gp160-encapsulated hemagglutinating virus of Japane-linosome induces antigen-social CTIs and neutralizing antibody.  Sakumal Inhibitory and Enhancing Effects of Insertion of Central Polypurine Tract and Central Biochemical and Irremination Sequence on Gene Expression with Veotrost Derived from Human Bionhysical J. Virol.  Sakurai, TMC-260, a new inhibitor of IL-4 signal transduction produced by Acremonium Minuscipal Protection of Gene Expression with Veotrost Derived	Sacco F	Anti-apoptotic regulation by hepatitis C virus core protein through upregulation of	Virology	2003
Saeki K, The B cell-specific major raft protein, Raftlin is necessary for the integrity of lipid raft and BCR simal transduction.  Saeki M Comprehensive UGT1A1 genotyping in a Japanese population by pyrosequencing.  Glin Chem. 200 Molecular characterization of GroES and GroEL homologues from Clostridium I. Protein. Chem. 200 Molecular characterization of GroES and GroEL homologues from Clostridium I. Protein. Chem. 200 Molecular characterization of GroES and GroEL homologues from Clostridium I. Protein. Chem. 200 Molecular characterization of GroES and GroEL homologues from Clostridium I. Protein. Chem. 200 Molecular characterization of GroES and GroEL homologues from Clostridium I. Protein. Chem. 200 Molecular and calcium/calmodulin-dependent protein kinase II in pressure II. Molecular and Colling Molecular and Colling Saekai A. Overexpression of NP95 mRNA by tumor promoters in the promotion phase of a two-state RAI B/373 cell transformation assay.  Sakai-K Investigation of structure and enantioselectivity of BSA-encapsulated sol-gel I. Pharm. Biolic. 200 Molecular and calciumns for canillary electrochromatography.  Sakai-K Creation of an on-chip enzyme reactor by encapsulating trypsin in sol-gel on a plastic Anal. Chem. 200 molfified Hel a cell lines and recentor gene.  Sakamol Muller WEG. Establishment of an HIV cell-cell fusion assay by using two genetically I. Virol Methods 200 molfified Hel a cell lines and recentor gene.  Sakamol Muller WEG. Establishment of an HIV cell-cell antigen receptor stimulation in Biointages 200 molfified Hel a cell lines and recentor gene.  Sakamol Muller WEG. Establishment of an HIV cell-cell fusion assay by using two genetically I. Virol Methods 200 molfified Hel a cell lines and recentor by encapsulated hemagglutinating virol molfified Hel a cell lines and recentor gene.  Sakamol Muller WEG. Establishment of an HIV cell-cell fusion assay by using two genetically III muller genetically in vivo.  Sakaue HIV mucosal vaccine: nasal immunization with gp160-encapsulated hemaggluti	Saegusa	Hilar and pancreatic gallium-67 accumulation is characteristic feature of autoimmune	Pancreas	2003
Sagane Molecular characterization of GroES and GroEL homologues from Clostridium hoth/linum.  Saito T, Roles of calcineurin and calcium/calmodulin-dependent protein kinase II in pressure overload-induced cardiac hymertrophy.  Sakai A, Overexpression of NP95 mRNA by tumor promoters in the promotion phase of a two-stage BALB/3T3 cell transformation, assay.  Sakai-K Investigation of structure and enantioselectivity of BSA-encapsulated sol-gel columns for canillary electrochromatography.  Sakai-K Creation of an on-chip enzyme reactor by encapsulating trypsin in sol-gel on a plastic microphia.  Sakamol Muller WEG. Establishment of an HIV cell-cell fusion assay by using two genetically modified HeI a cell lines and resentor zene.  Sakamol Muller WEG. Establishment of an HIV cell-cell fusion assay by using two genetically modified HeI a cell lines and resentor zene.  Sakamol Muller WEG. Istablishment of an HIV cell-cell fusion assay by using two genetically modified HeI a cell lines and resentor zene.  Sakamol Muller WEG. Istablishment of an HIV cell-cell fusion assay by using two genetically modified HeI a cell lines and resentor zene.  Sakamol Muller WEG. Istablishment of an HIV cell-cell fusion assay by using two genetically distinct calcinum response induced by T-cell antigen receptor stimulation in thumocytes and mature T cells.  Sakamol HiV mucosal vaccine: nasal immunization with gp160-encapsulated hemaggiutinating distinct calcinum response induced by T-cell antigen receptor maturalizing antibody.  Sakuma Inhibitory and Enhancing Effects of Insertion of Central Polypurine Tract and Central Termination Sequence on Gene Expression with Vactors Derived from Human  Sakuras Possible role of dimerization in Human Immunodeficiency virus type 1 genome discohemical and glicohysical.  J. Virol. 200  Sakurai, 170–260, a new inhibitor of IL-4 signal transduction produced by Acremonium discohemical and place of the produced by the fungus Phoma sp. TC org. Lett.  Sasaki A The N-terminal truncated isoform of SOCS3 translated	Saeki K	The B cell-specific major raft protein, Raftlin is necessary for the integrity of lipid raft	EMBO J	2003
hotulinum  Sakai A, Roles of calcineurin and calcium/calmodulin-dependent protein kinase II in pressure nverload-induced cardiac hypertrophy.  Sakai A, Overexpression of NP95 mRNA by tumor promoters in the promotion phase of a two-staze BAIL B/373, cell transformation, assay.  Sakai-K Investigation of structure and enantioselectivity of BSA-encapsulated sol-gel columns for capillars, electrochromatography.  Sakai-K Investigation of structure and enantioselectivity of BSA-encapsulated sol-gel columns for capillars, electrochromatography.  Sakai-K Investigation of structure and enantioselectivity of BSA-encapsulated sol-gel columns for capillars, electrochromatography.  Sakai-K Investigation of structure and enantioselectivity of BSA-encapsulated sol-gel columns for capillars, electrochromatography.  Sakai-K Investigation of structure and enantioselectivity of BSA-encapsulated sol-gel columns for capillars, electrochromatography.  Sakai-K Investigation of structure and enantioselectivity of BSA-encapsulated sol-gel columns for capillars and enabled prography in sol-gel on a plastic column representation of prography in sol-gel on a plastic columns for capillars. In the solid prography in general solid prography in solid prography in solid prography in general solid prography i	Saeki M	Comprehensive UGT1A1 genotyping in a Japanese population by pyrosequencing.	Clin Chem.	2003
Saito T, Roles of calcineurin and calcium/calmodulin-dependent protein kinase II in pressure overload-induced cardiac hypertrophy.  Sakai A, Overexpression of NP95 mRNA by tumor promoters in the promotion phase of a two-Biol. Pharm. Bull. Staze BALB/3T3.cell transformation.assav.  Investigation of structure and enantioselectivity of BSA-encapsulated sol-gel columns for canillary electrochromatography.  Sakai-K Creation of an on-chip enzyme reactor by encapsulating trypsin in sol-gel on a plastic microphio.  Sakamot Muller WEG. Establishment of an HIV cell-cell fusion assay by using two genetically modified Hel a cell lines and recentor gene.  Sakamot Muller WEG. Establishment of an HIV cell-cell fusion assay by using two genetically modified Hel a cell lines and recentor gene.  Sakamot Muller WEG. Establishment of an HIV cell-cell fusion assay by using two genetically modified Hel a cell lines and recentor gene.  Sakamot Muller WEG. Establishment of an HIV cell-cell fusion assay by using two genetically introduced in genetic genet	Sagane		J. Protein. Chem	2003
Sakai A. Overexpression of NP95 mRNA by tumor promoters in the promotion phase of a two—staze RAI R/3T3 cell transformation.assav.  Sakai—K Investigation of structure and enantioselectivity of BSA-encapsulated sol-gel Anal.  Sakai—K Creation of an on-chip enzyme reactor by encapsulating trypsin in sol-gel on a plastic Anal. Chem.  Sakamot Muller WEG. Establishment of an HIV cell-cell fusion assay by using two genetically modified Hel a cell lines and recentor gene.  Sakamot Distinct calcium response induced by T-cell antigen receptor stimulation in thymnoxytes and mature T cells.  Sakashit Human RNPS1 and its associated factors: a versatile alternative pre-mRNA splicing resulator in vivo.  Sakauma Inhibitory and Enhancing Effects of Insertion of Central Polypurine Tract and Central Biochemical and Termination Sequence on Gene Expression with Vectors Derived from Human Sequence on Gene Expression with Vectors Derived from Human Deposition of Central Polypurine Tract and Central Biochemical and Central Polypurine Tract and Central Biochemical and Sakuragi Possible role of dimerization in Human Immunodeficiency virus type 1 genome ackaging.  Sakurai, TMC-260, a new inhibitor of IL-4 signal transduction produced by Acremonium J. Antibiotics 200 A	Saito T,	Roles of calcineurin and calcium/calmodulin-dependent protein kinase II in pressure		2003
Sakai-K Investigation of structure and enantioselectivity of BSA-encapsulated sol-gel columns for capillary, electrochromatography  Sakai-K Creation of an on-chip enzyme reactor by encapsulating trypsin in sol-gel on a plastic microchio.  Sakamol Muller WEG, Establishment of an HIV cell-cell fusion assay by using two genetically modified Hela cell lines and recentor gene.  Sakamol Distinct calcium response induced by T-cell antigen receptor stimulation in thymnoxytes and mature T cells.  Sakashit Human RNPS1 and its associated factors: a versatile alternative pre-mRNA splicing regulator in vivo.  Sakaue HIV mucosal vaccine: nasal immunization with gp160-encapsulated hemagglutinating virus of Janan-linosome induces antirens-socific CTLs and neutralizing arithbody.  Sakuma Inhibitory and Enhancing Effects of Insertion of Central Polypurine Tract and Central Termination Sequence on Gene Expression with Vactors Derived from Human.  Sakurag Possible role of dimerization in Human Immunodeficiency virus type 1 genome J. Virol. 200 anakasing.  Sakurai, TMC-260, a new inhibitor of IL-4 signal transduction produced by Acremonium killense Gruetz TC 1703.  Sakurai, TMC-264, a novel antiallergic heptaketide produced by the fungus Phoma sp. TC Org. Lett. 200 (1674.  Sasaki A The N-terminal truncated isoform of SOCS3 translated from an alternative initiation ALIG codon under stress conditions is stable due to the lack of a maior ubiquitination Nature Cell Biol. 200 (Sasaki, A Mammalian Sprouty4 suppresses Ras-independent ERK activation by binding to Raf1 (Nature Cell Biol.)  Sasakia Effective induction of acquired resistance to Listeria monocytogenes by immunizing in gamma-sarcoglycan-deficient mice.  Sasakinat Effective induction of acquired resistance to Listeria monocytogenes by immunizing mice with in viva-infected dendritic cells.  Sator Contam.	Sakai A	Overexpression of NP95 mRNA by tumor promoters in the promotion phase of a two-		2003
Sakai–K Creation of an on-chip enzyme reactor by encapsulating trypsin in sol-gel on a plastic microchio.  Sakamol Muller WEG. Establishment of an HIV cell-cell fusion assay by using two genetically modified Hel a cell lines and recentor gene.  Sakamol Distinct calcium response induced by T-cell antigen receptor stimulation in thymocytes and mature T cells.  Sakashit Human RNPS1 and its associated factors: a versatile alternative pre-mRNA splicing regulator in vivo.  Sakaue HIV mucosal vaccine: nasal immunization with gp160-encapsulated hemagglutinating virus of Japan-linosome induces antigen—soecific CTI s and neutralizing antibody.  Sakuma Inhibitory and Enhancing Effects of Insertion of Central Polypurine Tract and Central Biochemical and Termination Sequence on Gene Expression with Vectors Derived from Human Biophysical.  Sakurai Possible role of dimerization in Human Immunodeficiency virus type 1 genome J. Virol.  Sakurai, TMC-260, a new inhibitor of IL-4 signal transduction produced by Acremonium J. Antibiotics willianse Gruetz TC 1703.  Sakurai, TMC-264, a novel antiallergic heptaketide produced by the fungus Phoma sp. TC Org. Lett.  1674.  Sasaki, A The N-terminal truncated isoform of SOCS3 translated from an alternative initiation J Biol Chem. 2006.  Sasaki, A Mammalian Sprouty4 suppresses Ras-independent ERK activation by binding to Rafi Nature Cell Biol.  Sasaki, A Mammalian Sprouty4 suppresses Ras-independent ERK activation by binding to Rafi Nature Cell Biol.  Sasakina Effective induction of acquired resistance to Listeria monocytogenes by immunizing mice with in vivo—infected dendritic cells.  Sato K., Structure determination of minor red pigment in carthamus red colorant isolated by Food Addit Contam.	Sakai-K	Investigation of structure and enantioselectivity of BSA-encapsulated sol-gel		2003
Sakamo Muller WEG. Establishment of an HIV cell-cell fusion assay by using two genetically modified HeI a cell lines and recentor gene.  Sakamo Distinct calcium response induced by T-cell antigen receptor stimulation in thymocytes and mature T cells  Sakashit Human RNPS1 and its associated factors: a versatile alternative pre-mRNA splicing regulator in vivo.  Sakaue HIV mucosal vaccine: nasal immunization with gp160-encapsulated hemagglutinating virus of Japan-linosome induces antigen-soegific CTLs and neutralizing antibody.  Sakuma Inhibitory and Enhancing Effects of Insertion of Central Polypurine Tract and Central Biochemical and Inhibitory and Enhancing Effects of Insertion of Central Polypurine Tract and Central Biochemical and Possible role of dimerization in Human Immunodeficiency virus type 1 genome J. Virol.  Sakurag Possible role of dimerization in Human Immunodeficiency virus type 1 genome J. Virol.  Sakurai, TMC-260, a new inhibitor of IL-4 signal transduction produced by Acremonium J. Antibiotics 200 killianse Gruetz TC 1703.  Sakurai, TMC-264, a novel antiallergic heptaketide produced by the fungus Phoma sp. TC Org. Lett. 1674.  Sasaki A The N-terminal truncated isoform of SOCS3 translated from an alternative initiation ALIG codon under stress conditions is stable due to the lack of a major ubiquitination.  Sasaki,A Mammalian Sprouty4 suppresses Ras-independent ERK activation by binding to Raf1 Nature Cell Biol.  Sasakia Effective induction of acquired resistance to Listeria monocytogenes by immunizing in gamma-sarcoglycan-deficient mice.  Sashinal Effective induction of acquired resistance to Listeria monocytogenes by immunizing infect Immun.  Sato K., Structure determination of minor red pigment in carthamus red colorant isolated by preparative I C/MS.	Sakai-K	Creation of an on-chip enzyme reactor by encapsulating trypsin in sol-gel on a plastic		2003
Sakamo Distinct calcium response induced by T-cell antigen receptor stimulation in thymnoxytes and mature T cells  Sakashit Human RNPS1 and its associated factors: a versatile alternative pre-mRNA splicing regulator in vivo.  Sakaue HIV mucosal vaccine: nasal immunization with gp160-encapsulated hemagglutinating virus of Janan-linosome induces antigen-specific CTLs and neutralizing antibody.  Sakural Inhibitory and Enhancing Effects of Insertion of Central Polypurine Tract and Central Polypurine Tract an	Sakamo	Muller WEG. Establishment of an HIV cell-cell fusion assay by using two genetically	J Virol Methods	2003
Sakashit Human RNPS1 and its associated factors: a versatile alternative pre-mRNA splicing regulator in vivo.  Sakaue HIV mucosal vaccine: nasal immunization with gp160-encapsulated hemagglutinating virus of Japan-linosome induces antigen-specific CTLs and neutralizing antibody.  Sakuma Inhibitory and Enhancing Effects of Insertion of Central Polypurine Tract and Central Biochemical and Termination Sequence on Gene Expression with Vectors Derived from Human.  Sakurag Possible role of dimerization in Human Immunodeficiency virus type 1 genome nackaging.  Sakurai, TMC-260, a new inhibitor of IL-4 signal transduction produced by Acremonium kiliense Gruetz TC 1703.  Sakurai, TMC-264, a novel antiallergic heptaketide produced by the fungus Phoma sp. TC Org. Lett.  Sasaki A The N-terminal truncated isoform of SOCS3 translated from an alternative initiation ALIG codon under stress conditions is stable due to the lack of a major ubiquitination Nature Cell Biol.  Sasaki, A Mammalian Sprouty4 suppresses Ras-independent ERK activation by binding to Raf1 Nature Cell Biol.  Sasakiaa Pathological analysis of muscle hypertrophy and degeneration in muscular dystrophy in gamma-sarcoglycan-deficient mice  Sashinar Effective induction of acquired resistance to Listeria monocytogenes by immunizing mice with in vivo-infected dendritic cells.  Sato K., Structure determination of minor red pigment in carthamus red colorant isolated by preparative I C/MS.	Sakamo	Distinct calcium response induced by T-cell antigen receptor stimulation in	Bioimages	2003
Sakuue HIV mucosal vaccine: nasal immunization with gp160-encapsulated hemagglutinating virus of Janan-linosome induces antigen—soecific CTLs and neutralizing antibody  Sakuma Inhibitory and Enhancing Effects of Insertion of Central Polypurine Tract and Central Biochemical and Termination Sequence on Gene Expression with Vectors Derived from Human Biophysical Possible role of dimerization in Human Immunodeficiency virus type 1 genome J. Virol. 200 nackaging.  Sakurai, TMC-260, a new inhibitor of IL-4 signal transduction produced by Acremonium killense Gruetz TC 1703.  Sakurai, TMC-264, a novel antiallergic heptaketide produced by the fungus Phoma sp. TC 1674.  Sasaki A The N-terminal truncated isoform of SOCS3 translated from an alternative initiation ALIG codon under stress conditions is stable due to the lack of a major ubiquitination Nature Cell Biol. 200 Sasaoka Pathological analysis of muscle hypertrophy and degeneration in muscular dystrophy in gamma-sarcogivcan-deficient mice  Sasaoka Fetiological conduction of acquired resistance to Listeria monocytogenes by immunizing mice with in viva—infected dendritic cells.  Sato K., Structure determination of minor red pigment in carthamus red colorant isolated by preparative LC/MS.	Sakashi	Human RNPS1 and Its associated factors: a versatile alternative pre-mRNA splicing	Mol. Cell. Biol.	2003
Sakuras Inhibitory and Enhancing Effects of Insertion of Central Polypurine Tract and Central Biochemical and Termination Sequence on Gene Expression with Vectors Derived from Human Biophysical J. Virol.  Sakuras Possible role of dimerization in Human Immunodeficiency virus type 1 genome nackaging.  Sakurai, TMC-260, a new inhibitor of IL-4 signal transduction produced by Acremonium killense Gruetz TC 1703.  Sakurai, TMC-264, a novel antiallergic heptaketide produced by the fungus Phoma sp. TC 1674.  Sasaki A The N-terminal truncated isoform of SOCS3 translated from an alternative initiation AUG codon under stress conditions is stable due to the lack of a major ubjquitination.  Sasaki, A Mammalian Sprouty4 suppresses Ras-independent ERK activation by binding to Raf1 Nature Cell Biol.  Sasaoka Pathological analysis of muscle hypertrophy and degeneration in muscular dystrophy in gamma-sarcoglycan-deficient mice.  Sashinar Effective induction of acquired resistance to Listeria monocytogenes by immunizing mice with in viva-infected dendritic cells.  Sato K., Structure determination of minor red pigment in carthamus red colorant isolated by preparative LC/MS.	Sakaue	HIV mucosal vaccine: nasal immunization with gp160-encapsulated hemagglutinating	J Immunol.	2003
Sakurag Possible role of dimerization in Human Immunodeficiency virus type 1 genome nackaging  Sakurai, TMC-260, a new inhibitor of IL-4 signal transduction produced by Acremonium kiliense Gruetz TC 1703  Sakurai, TMC-264, a novel antiallergic heptaketide produced by the fungus Phoma sp. TC  1674.  Sasaki A The N-terminal truncated isoform of SOCS3 translated from an alternative initiation AUG codon under stress conditions is stable due to the lack of a major ubiquitination Nature Cell Biol.  Sasaki, A Mammalian Sprouty4 suppresses Ras-independent ERK activation by binding to Raf1  Sasaki Pathological analysis of muscle hypertrophy and degeneration in muscular dystrophy in gamma-sarcoglycan-deficient mice  Sashinar Effective induction of acquired resistance to Listeria monocytogenes by immunizing mice with in vivo-infected dendritic cells.  Sato K., Structure determination of minor red pigment in carthamus red colorant isolated by preparative LC/MS.	Sakuma	Inhibitory and Enhancing Effects of Insertion of Central Polypurine Tract and Central	1	2003 ·
Sakurai, TMC-260, a new inhibitor of IL-4 signal transduction produced by Acremonium kiliense Gruetz TC 1703.  Sakurai, TMC-264, a novel antiallergic heptaketide produced by the fungus Phoma sp. TC 1674.  Sasaki A The N-terminal truncated isoform of SOCS3 translated from an alternative initiation AUG codon under stress conditions is stable due to the lack of a major ubiquitination.  Sasaki, A Mammalian Sprouty4 suppresses Ras-independent ERK activation by binding to Raf1 Nature Cell Biol.  Sasaoka Pathological analysis of muscle hypertrophy and degeneration in muscular dystrophy in gamma-sarcoglycan-deficient mice  Sashinat Effective induction of acquired resistance to Listeria monocytogenes by immunizing mice with in vivo-infected dendritic cells.  Sato K., Structure determination of minor red pigment in carthamus red colorant isolated by preparative LC/MS.	Sakurag	Possible role of dimerization in Human Immunodeficiency virus type 1 genome		2003
Sakurai, TMC-264, a novel antiallergic heptaketide produced by the fungus Phoma sp. TC 1674.  Sasaki A The N-terminal truncated isoform of SOCS3 translated from an alternative initiation AUG codon under stress conditions is stable due to the lack of a major ubiquitination Sasaki, A Mammalian Sprouty4 suppresses Ras-independent ERK activation by binding to Raf1 Nature Cell Biol. 200 Sasaoka Pathological analysis of muscle hypertrophy and degeneration in muscular dystrophy in gamma-sarcoglycan-deficient mice Disorders  Sashinar Effective induction of acquired resistance to Listeria monocytogenes by immunizing Infect Immun. 200 mice with in vivo-infected dendritic cells.  Sato K., Structure determination of minor red pigment in carthamus red colorant isolated by Food Addit Contam.	Sakurai,	TMC-260, a new inhibitor of IL-4 signal transduction produced by Acremonium	J. Antibiotics	2003
Sasaki A The N-terminal truncated isoform of SOCS3 translated from an alternative initiation AUG codon under stress conditions is stable due to the lack of a major ubiquitination Sasaki, A Mammalian Sprouty4 suppresses Ras-independent ERK activation by binding to Raf1 Nature Cell Biol. 200 Sasaoka Pathological analysis of muscle hypertrophy and degeneration in muscular dystrophy in gamma-sarcoglycan-deficient mice Sashinat Effective induction of acquired resistance to Listeria monocytogenes by immunizing Infect Immun. 200 Sato K., Structure determination of minor red pigment in carthamus red colorant isolated by Food Addit Contam.	Sakurai	TMC-264, a novel antiallergic heptaketide produced by the fungus Phoma sp. TC	Org. Lett.	2003
Sasaki, A Mammalian Sprouty4 suppresses Ras-independent ERK activation by binding to Raf1 Nature Cell Biol. 200 Sasaoka Pathological analysis of muscle hypertrophy and degeneration in muscular dystrophy in gamma-sarcoglycan-deficient mice.  Sashinar Effective induction of acquired resistance to Listeria monocytogenes by immunizing Infect Immun. 200 Sato K., Structure determination of minor red pigment in carthamus red colorant isolated by Food Addit Contam.	Sasaki /	The N-terminal truncated isoform of SOCS3 translated from an alternative initiation	J Biol Chem.	2003
in gamma-sarcoglycan-deficient mice  Sashinar Effective induction of acquired resistance to Listeria monocytogenes by immunizing Infect Immun. 200 mice with in vivo-infected dendritic cells.  Sato K., Structure determination of minor red pigment in carthamus red colorant isolated by preparative LC/MS.  Contam.	Sasaki,/	AUG codon under stress conditions is stable due to the lack of a major ubiquitination Mammalian Sprouty4 suppresses Ras-independent ERK activation by binding to Raf1	Nature Cell Biol.	2003
Sashinal Effective induction of acquired resistance to <i>Listeria monocytogenes</i> by immunizing <i>Infect Immun.</i> 200 mice with in vivo-infected dendritic cells.  Sato K., Structure determination of minor red pigment in carthamus red colorant isolated by reparative LC/MS. Contam.	Sasaoka			2003
Sato K., Structure determination of minor red pigment in carthamus red colorant isolated by Food Addit Contam.	Sashina	Effective induction of acquired resistance to Listeria monocytogenes by immunizing		2003
	Sato K.,	Structure determination of minor red pigment in carthamus red colorant isolated by	Food Addit	2003
Lacro 11 Lacurheusarea uitheuri obut au cararac acuracies in agen ri austeriic Lady id tiirea hitoi Osii Dioctem 150,	Sato Y,	preparative L C/MS. Compensated hypertrophy of cardiac ventricles in aged transgenic FVB/N mice	Contam. Mol Cell Biochem	2003

著者名(		雑誌名	年
	Synthesis and properties of a novel bridged nucleic acid with a P3'->N5' phosphoramidate linkage 5'-amino-2' 4'-BNA	Chem. Commun.	2003
	A new fungal lectin recognizing alpha(1-6)linked L-fucose in the N-glycan.	J. Biol. Chem.,	2003
	Antiapoptotic Effect of Endothelin-1 in Rat Cardiomyocytes In Vitro.	Hypertension	2003
	Analysis of gene expression in peripheral blood eosinophils from patients with atopic dermatitis and in vitro cytokine-stimulated blood eosinophils	Clin. Exp. Immunol.	2003
Ogawa Y	Estrogen receptor binding activities of UV stabilizer used in food contact plastics and benzophenone derivatives.	J. Health Sci.	2003
	Cerebroside sulfotransferase deficiency ameliorates L-selectin-dependent monocyte infiltration in the kidney after ureteral obstruction	J. Biol. Chem.	2003
Ohata H	3-Methylcholanthrene activates human immunodeficiency virus type 1 replication via	Microbiol.	2003
Ohata, H	Calcium imaging in blood vessel in situ employing two-photon excitation fluorescence	J. Pharmacol, Sci.	2003
	Mechanism of the spatio-temporal regulation of Ras and Rap1.	EMBO J.	2003
	Effects of Olmesartan, an Angiotensin II Receptor Blocker, on Mechanically— Modulated Genes in Cardiac Myocytes	Cardiovasc Drugs Ther	2003
Ohmine	Analysis of Gene Expression Profiles in an Imatinib-Resistant Cell Line, KCL22/SR.	Stem Cells	2003
Ohmori	Haplotype analysis of human collectin placenta 1 (hCL-P1) gene.	J. Hum. Genet	2003
Ohnishi,	MD-2 Is Necessary for the Toll-Like Receptor 4 Protein To Undergo Glycosylation Essential for Its Translocation to the Cell Surface.	Clin Diagn Lab	2003
Ohnishi,	N-linked glycosylation critical to the Toll-like receptor 4 function require the presence of MD-2	Clin, Diagn. Lab.	2003
Ohta, T.	Glycotentacles:Synthesis of cyclic glycopeptides toward a tailored blocker of influenza virus hemagglutinin		2003
Oida T.,	CD4 <sup>+</sup> CD25 <sup>-</sup> T cells that express latency-associated peptide on the surface suppress CD4+CD45RBhigh-induced colitis by a TGFdependent mechanism	Journal of Immunology	2003
Okada N	Dendritic cells transduced with gp100 gene by RGD fiber-mutant adenovirus vectors are highly efficacious in generating anti-B16BL6 melanoma immunity in mice	Gene Ther.	2003
Okada N	Gene transduction efficiency and maturation status in mouse bone marrow-derived dendritic cells infected with conventional or RGD fiber-mutant adenovirus vectors	Cancer Gene	2003
Okađa Y	An investigation of adverse effects caused by the injection of high-dose TNF $\alpha$ - expressing adenovirus vector into established murine melanoma	Ther Gene Ther.	2003
Okame i	Evaluation of a newly developed immunochromatographic method for detection of Norovirus	J. J. A. Infect. Dis	2003
Okamote	Identification of IkBL as the second MHC-linked susceptibility locus for Rheumatoid	Am. J. Hum.	2003
Okano A	Huntingtin-interacting protein-1-related protein of rat (rHIP1R) is localized in the	Genet Brain Res.	2003
Okuda Y	Development of colitis in signal transducers and activators of transcription 6- deficient T-cell receptor alpha-deficient mice: a potential role of signal transducers and activators of transcription 6-independent interleukin-4 signaling for the	Am J Pathol.	2003
Okunuki	generation of Th2-biased pathological CD4 <sup>+</sup> betabetaT cells.  Oral Sensitization of W/W Mice with Ovalbumin and Possible Involvement of the	Biol. Pharm Bull	2003
Onodera	Decrease in x & -T Calls.  Development of a device for selective removal of CD4+ T cells.	Therap Apher Dial	2003
Osawa,	Effects of 14-Member Cyclic Macrolide Compounds on IL-2 Signal Transmission.	J. J. Antibiot.	2003
Oshima	ffect of carrot juice drinking on human serum cholesterol level	Suppl Jpn. J. Food	2003
Oshima	ONA microarray analysis of hematopoietic stem cell-like fractions from individuals with the M2 subtype of acute myeloid leukemia	Chem Leukemia	2003
Ota J, Y	Proteomic analysis of hematopoietic stem cell-like fractions in leukemic disorders.	Oncogene '	2003
Park EJ	Clonal expansion of double-positive intraepithelial lymphocytes by MHC class I- related chain a expressed in mouse small intestinal epithelium.	J. Immunol	2003
R Kanto I		Antiviral Therapy	2003
Richards,	Agonist-specific coupling of a cloned human alpha(1A)-adrenoceptor to different	Naunyn- Schmiedeberg's	2003
Rodriguel	Hypercholesterolemia and hypertension have synergistic deleterious effects on coronary endothelial function.	Cardiovasc Res	2003

著者名(	<b>タイトル</b>	雑誌名	年
Nakae, S	The role of IL-1 in the immune system. In (ed. G. Fantuzzi)	Cytokine Knockouts	2003
	Interleukin-1 is required for allergen-specific Th2 cell activation and the development of airway hypersensitivity response		2003
Nakae, S		Int. Immunol.	2003
Nakae, S	Interleukin-1 is required for allergen-specific Th2 cell activation and the development of airway hypersensitivity response.	Int. Immunol.	2003
Nakae, S	Suppression of immune induction of collagen-induced arthritis in IL-17-deficient mice.	J. Immunol.	2003
Nakae, S		Proc. Natl. Acad. Sci. USA	2003
	A novel nucleic acid analogue, 3'-amino-2'-deoxy-3',4'-BNA, with an N3'->P5'	Nucleic Acids Res. Suppl	2003
Nakagaw		Drug Metabol. Pharmacokin	2003
	Capillary affinity electrophoresis for the screening of post-translational modification of proteins with carbohydrates		2003
Nakamui	DNA immunization of the grafted liver by particle-mediated gene gun.	Transplantation	2003
Nakamu	Isothermal acid-titration calorimetry for evaluating the pH dependent of protein stability	Biophys. Chem.	2003
Nakamu	Temporal gene expression changes of adipogenesis in human mesenchymal stem cells	Biochem, Biophys. Res. Commun.	2003
Nakane	Cytapheresis with a filter for selective removal of CD4+ T cells in experimental autoimmune encephalomyelitis		2003
Nakano,	Sample clean-up method analysis of complex-type N-glycans released from	J. Chromatogr. A.	2003
Nakao R	Assesment of oral transmission using cell-free HIV-1 in mice reconstituted with human peripheral blood leucocytes.	Immunology.	2003
Nakao, A	Experimental models of rat small intestinal transplantation: cuff method and suture method	Transplant Proc	2003
Nakata I	Endocrinology: Nitric Oxide-mediated insulin secretion in response to citrulline in islet-cells.	Pancreas	2003
Nakatan	A low fish oil inhibits SREBP-1 proteolytic cascade, while a high-fish-oil feeding decreases SREBP-1 mRNA in mice liver relationship to anti-obesity	J. Lipid. Res.	2003
Nakatsu	Cryopreservation of spermatozoa from closed colonies, and inbred, spontaneous mutant, and transgenic strains of rats	Comp Med	2003
Nakazav	A novel action of terpendole E on the motor activity of mitotic kinesin Eg5.	Chemistry & Biology	2003
Narazak	Perfolin-dependent killing of tumor cells by V_1V_1-bearing T cells.	Immunol Lett	2003
,	HIV-1 infection in Pygmy hunter gatherers is from contact with Bantu rather than with nonhuman primates	AIDS Res Hum Retroviruses	2003
Niimi, S.	Specific expression of annexin Ⅲ in rat-small-hepatocytes	Biochem. Biophys. Res. Commun	2003
Nishi, K.	Raised plasma oxidized LDL in acute cerebral infarction.	J. Neurol. Neurosure.	2003
Nishikub	A single administration of interleukin-4 antagonistic mutant DNA inhibits allergic airway inflammation in a mouse model of asthma	Gene Ther.	2003
Nishima	Pharmacological evidence for involvement of phospholipase D, protein kinase C and sodium-calcium exchanger inadrenoceptor- mediated negative inotropy in adult	J. Pharmacol. Sci.	2003
Nishima	Inhibition of agonist-induced positive inotropy by a selective Rho-asociated kinase inhibitor Y-27632	J. Pharmacol. Sci.,	2003
Nishimu	CRMP-2 regulates polarized Munb-mediated endocytosis for axon growth.	Nature Cell Biology	2003
Nishiyan	Novel Cisplatin-Incorporated Polymeric Micelles Can Eradicate Solid Tumors in Mice.	Cancer Research	2003
Niwa T,	In vitro activation of 7-benzyloxyresorufin O-debenzylation and nifedipine oxidation in	Xenobiotica	2003
Nobuyo	Increasing the amount of fat in a conjugated linoleic acid-supplemented diet reduces	J Nutr.	2003
Norose,	IFN-γ-Regulated Toxoplasma gondii Distribution and Load in the Murine Eye.	Invest. Ophthalmol Vis	2003
Nunoi, F	Prevalence of Inherited Myeloperoxidase Deficiency in Japan.	Microbiol Immunol.	2003
O. Imam	Simple and rapid bioluminescent detection of two verotoxin genes using allele-specific PCR of F. coli O157·H7	Luminescence	2003
Obika, S	Synthesis a novel bridged nucleoside bearing a fused-azetidine ring, 3'-amino-3',4'-	Tetrahedron Lett	2003

著者名(	タイトル	雑誌名	年
Matsuur	Correlation of PP and PR intervals in premature low birth weight infants	Biol Sci Space	2003
	A core-shell-type fluorescent nanosphere possessing reactive poly(ethylene glycol) tethered chains on the suraface for zeptomole detection of protein in time-resolved fluorometric immuno-assay.	Anal. Chem	2003
	Viable cell detection by the combined use of fluorescent glucose and fluorescent	Bioscience, Biotechnology	2003
	Expression, oxidative refolding and characterization of six-histidine-tagged recombinant human LECT2, a 16 kDa, chemotactic protein with three disulfide bonds.	Protein Exoression Purif	2003
Minamis	Mutation of the phospholamban promoter associated with hypertrophic cardiomyopathy	Biochem Biophys Res Comm	2003
	Loss of p53 Induces M-phase retardation following G2 DNA camage Checkpoint abrogation.	Arch. Biochem. Biophys	2003
	A novel cyclic peptide immunization strategy for preventing HIV-1/AIDS infection and progression	J. Biol. Chem.	2003
	Overexpression of peroxisome proliferator-activated receptor γ coactivator-1 α (PGC-1 α) down-regulates GI UT4 mRNA in skeletal muscles	J. Biol. Chem.	2003
Miura S,	Regulatory sequence elements of mouse GLUT4 gene expression in adipose tissues.	Biochem. Biophys. Res. Commun.	2003
	Depletion of mitochondrial DNA in HIV-1-infected patients and its ameliorationby antiretroviral therapy.	J Med Virol.	2003
Miyake-	Role of Crk-associated substrate lymphocyte type in the pathophysiology of rheumatoid arthritis in tax transgenic mice and in humans	Arthritis Rheum.	2003
	Total synthesis of (土)-spiroxin C	Org. Lett.	2003
	Chronic stress attenuates glucocorticoid negative feedback: involvement of the prefrontal cortex and hippocampus	Neuro- science	2003
Mizoguc	Saiko-ka-ryukotsu- borei-to, a herbal medicine, ameliorates chronic stress-induced depressive state in rotarod performance	Pharmacol Biochem Behav	2003
Mizuguc	Tight positive regulation of transgene expression by a single adenovirus vector containing the rtTA and tTS expression cassettes in separate genome regions	Hum. Gene Ther.	2003
Mizuno ]	Molecular cloning of feline tumor necrosis factor receptor type I (TNFR I) and expression of TNFR I and TNFR II in lymphoid cells in cats	Eur. J. Immunogenetics	2003
Mizuno ]	Quantification analysis of Fas and Fas ligand mRNAs in feline T lymphoid cell lines after infection with feline immunodeficiency virus and primary peripheral blood	Vet. Immunol. Imunopathol	2003
Mizuno,	A novel transcriptional element which regulates expression of the CYP2D4 gene by Oct-1 and YY-1 binding	Biochim, Biophys. Acta → Gene	2003
	Increase of Bile Acid Production by Tacrolimus in the Rat Liver.	Transpl Proc	2003
Moriishi	PA28g-dependent nuclear retention and degradation of HCV core protein.	J. Virol.	2003
	Pathogenicity of Toxolasma gondii through B-2 cell-mediated downregulation of host defense responses.	Micobiol Immunol.,	2003
Munemu	Genetic diversity of enterovirus 71 isolated from cases of hand, foot and mouth disease in Yokohama City between 1982 and 2000	Arch Virol	2003
Murakan	Nucleotides enhance the secretion of interleukin 7 from primary-cultured murine intestinal epithelial cells	Cytotechnology	2003
	CD69-null mice protected from arthritis induced with anti-type-II collagen antibodies.	Int. Immunol.	2003
	Lipopolysaccharide-mimmeric activities of Toll-like-receptor 2-stimulatory substance(s) contained in Escherichia coli lipopolysaccharide preparations	Infect.Immun.	2003
Mustuga	Analytical method for formaldehyde, acetoaldehyde and PET cyclic oligomers in polyethylene terephthalate products	Japanese Journal of Food Chemistry	2003
	The Therapeutic Potential of CXCR4 Antagonists in the Treatment of HIV.		2003
	Molecular Size Reduction of a Potent CXCR4-Chemokimne Antagonists Using Orthogonal Combination of Conformation-based and Sequence-based Libraries.	Angew. Chem. Int. Ed. Engl	2003
N. Hatar		Brit. J.	2003
	Neonatal sudden death due to Legionella pneumophila associated with water birth in a domestic soa bath.	Pharmacol J Clin Microbiol.	2003
Nagai, T	Neonatal sudden death by Legionella pneumonia due to home water birth using an ever-ready 24-hour-a-day bath system.	J. Clin. Microbiol.	2003
Nagasak	Two cases with transient lipoprotein lipase (LPL) activity impairment: evidence for the nossible involvement of an LPL inhibitor.	Eur J Pediatr	2003
	Analysis of highly expressed genes in monocytes from atopic dermatitis patients.	Int. Arch. Allergy.	2003
NT .	Efficient gene transfer of a simian immunodeficiency viral vector into cardiomyocytes	Immunol J Gene Med	2003

	タイトル	雑誌名	年
	CSF-induced and HIV-1-mediated distinct regulation of Hck and C/EBP $\beta$ represent a heterogeneous susceptibility of monocyte-derived macrophage to M-tropic HIV-1	J. Exp. Med.	2003
	Fusogenic polymer—modified liposomes for the delivery of genes and charged fluorophores.	Methods in	2003
	rotein identification by peptide mass fingerprinting and peptide sequence tagging with alternating scans of nano-liquid chromatography/infrared multiphoton dissociation Fourier transform ion cyclotron resonance mass	J. Mass Spectrom.	2003
	Recent Advance of a1-Adrenoceptors Pharmacology.	Pharmacology & Therapeutics	2003
Kotani A	Prediction of measurement precision of apparatus using a chemometric tool in electrochemical detection of high-performance liquid chromatography	J. Chromatogr. A	2003
	Optimization of HPLC-ECD conditions for determination of catechins with precision and efficiency based on the FUMI theory.	Anal Sci.	2003
	Prediction of precision based on FUMI theory and a single test – Effect of thickness of radial flow cell on electrochemical detection using micro HPLC –	ΠE Letters	2003
	Patterns of Point Mutations Associated With Antiretroviral Drug Treatment Failure CRF01_AE(Subtype F) Infection Differ From Subtype B Infection	JAIDS	2003
	Purification and characterization of Chinese hamster phosphatidylserine synthase 2	J. Biol. Chem.	2003
	Biosynthetic regulation and intracellular transport of phosphatidylserine in mammalian cells	J. Biochem.	2003
	Modulation of endothelial Ca(2+)-activated K(+) channels by oxidized LDL and its contribution to endothelial proliferation.	Cardiovasc Res	2003
	Synthesis of lipid A type carboxymethyl derivatives with ether chains instead of ester chains and their I PS-antagonistic activities.	Carbohydr, Res.	2003
	AIM inhibits apoptosis of T cells and KT cells in Corynebacterium-induced granuloma formation in mice.	Am. J. Pathol.	2003
	Differences between Balb/c and C57 BL/6 mice in mouse hepatitis virus replication in primary hepatocyte culture	Exp. Anim.	2003
_ Myint,	Analysis of Virion Morphology and Assembly Pricess in Protease Inhibitor Resistant HIV–1	Antiviral Therapy	2003
	LOX-1, an oxidized LDL endothelial receptor, induces CD40/CD40L signaling in human coronary artery endothelial cells	Arterioscler Thromb Vasc Biol	2003
	Expression of lectin-like oxidized low-density lipoprotein receptors during ischemia- reperfusion and its role in determination of apoptosis and left ventricular dysfunction.	J Am Coll Cardiol	2003
Li, L., <u>S</u> a	Glucose enhances endothelial LOX-1 expression: role for LOX-1 in glucose-induced	Diabetes	2003
M. Burge	Functional expression of CXCR4(CD184) on small cell lung cancer cells (SCLC)	Опсоделе	2003
M. Maed	New label enzymes for boiluminescent enzyme immunoassay	J. Pharm. and Biomed. Anal	2003
	High-performance liquid chromatography-fluorescent assay of catechol-o- Methyltrapsferase activity in rat brain	Anal. Bioanal Chem	2003
	Reduced Membrane-Bound Catechol-O-Methyltransferase in the Liver of Spontaneously. Hypertensive Rats	Hypertens. Res.	2003
Mano N,	Inhibition of the rat hepatic microsomal flurbiprofen acyl glucuronidation by bile acids	J. Pharm.Sci.	2003
Mano N,	Exopeptidase Degradation for the Analysis of Phosphorylation Site in a Mono- phosphorylated Petide with Matrix-assisted Laser Desorption/Ionization Mass	Anal.Sci.	2003
Mano N,	Synthesis and Characterization of Deoxycholyl 2–Deoxyglucuronide: A Water–Soluble Affinity, Labeling Reagent	Lipids	2003
Maruyan	R167653 suppresses the progression of experimental autoimmune myocarditis.	Mol Cell Biochem	2003
Masuda,	Enhanced expression of enterocyte P-glycoprotein depresses cyclosporine	Liver Transpl	2003
Masumiy	The mouse sino-atrial node expersses both the type 2 and type 3 Ca2+ release channels/ryanodine receptors	FEBS Lett.	2003
Masumu	Low dose genotoxicity of 2-amino-3,8-dimethylimidazo[4,5-f]quinoxaline (MeIQx) in	Mutat. Res.	2003
Masumu	Potent genotoxicity of aminophenylnorharman, formed from non-mutagenic norharman	Carcinogenesis	2003
Matano <sup>*</sup>	No significant enhancement of protection by Tat-expressing Sendai viral vector- booster in a macague AIDS model	AIDS	2003
Matsuki,	IL-1 plays an important role in lipid metabolism by regulating insulin levels under physiological conditions.	J. Exp.Med.	2003
Matsumi	TRAF6-NFB pathway is essential for IL-1-induced TLR2 expression and its functional response to TLR2 ligand in murine hepatocytes	Immunology	2003
	Isolational response to 11 R2 ligand in murine hepatocytes Isolation and molecular characterization of a nelfinavir (NFV)-resistant human immunodeficiency virus type1 that exhibits NFV-dependent enhancement of	J.Virol	2003

alan sang	<b>タイトル</b>	雑誌名	年
Kato M,	Investigation of chromatographic performances and binding characteristics of BSA- encapsulated capillary column prepared by the sol-gel method	J. Pharm. Biomed. Anal	2003
Kato T.	Repeated hepatocyte injury promotes hepatic tumorigenesis in hepatitis C virus transgenic mice.	Cancer Science	2003
Kato T.	Efficient replication of the genotype 2a hepatitis C virus subgenomic replicon.	Gastroenterology	2003
Kato T.	Processing of hepatitis C virus core protein is regulated by its C-terminal sequence.	Journal of Medical	2003
Katsuma	Transcriptional profiling of gene expression patterns during sphingosine 1-phosphate-induced mesangial cell proliferation		2003
Katsura,	Intestinal absorption of drugs mediated by drug transporters: mechanisms and regulation	Drug Metab Pharmacokin	2003
Kawa S,	Autoimmune pancreatitis and bile duct lesions.	J Gastroenterol	2003
Kawahar	Diterpenoid from Salvia greggii	Phytochemistry	2003
Kawane	Impaired thymic development in mouse embryos deficient in apoptotic DNA degradation	Nat Immunol	2003
Kawasal	Purification of phosphatidylglycerophosphate synthase from cultured mammalian cells, Methods in Molecular Biology. Membrane Protein Protocols	Human Press	2003
Kawasal	Inducible liver injury in the transgenic rat by expressing liver-specific suicide gene.	Biochem Biophys Res Commun	2003
Kawasal	Determination of six p-hydroxybenzoic acid esters in laver (Nori) by HPLC.	Bull. Natl. Inst. Health Sci	2003
Kawasal	Identification of mouse MD-2 residues important for forming the cell surface TR4-MD-2 complex recognized by anti-TR4-MD-2 antibodies and for conferring LPS and	J. Immunol.	2003
Kawasal	Inducible liver injury in the transgenic rat by expressing liver-specific suicide gene.	BBRC	2003
Kawasal	Microanalysis of N-linked oligosaccharides in a glycoprotein by capillary liquid chromatography/mass spectrometry and liquid chromatography/tandem mass	Anal. Biochem.	2003
Kawashi	Major CD8 T cell response to live bacillus Calmette-Gu屍in is madiated by CD1 molecules	J. Immunol	2003
Kawatar	Deletion of the BH1 Domain of Bcl-2 Accelerates Apoptosis by Acting in a Dominant Negative Fashion.	J. Biol. Chem.	2003
Kawatar	Transmembrane domain of Bcl-2 is required for inhibition of ceramide synthesis, but	Exp. Cell Res.	2003
Kazuhid	Chemoenzymatic synthesis and application of glycopolymers containing multivalent sialyloligosaccharides with a poly(L~glutamic acid) backbone for inhibition of infection by influenza viruses	Glycobiology	2003
Kazuo Is	Enhancing effect of poly(L-lactide) on the differentiation of mouse osteoblast-like MC3T3-El cells	Biomaterials	2003
Kimura I	Epidemiological and clinical aspects of malaria in Japan.	J Travel Med	2003
Kirii, H.,	Lack of interleukin-1b decreases the severity of atherosclerosis in apolipoprotein E-	Arterioscler. Thromb Vasc.	2003
Kita, J.,	Genetic modification of cold-preserved renal grafts using HSP70 or bcl-2 HVJ-	Immunol	2003
Kitaura	Induced sensitization to nickel in guinea pigs immunized with mycobacteria by injection of purified protein derivative with nickel	New Microbiol.	2003
Kiyotani	Decreased coumarin 7-hydroxylase activities and CYP2A6 expression levels in humans caused by genetic polymorphism in CYP2A6 promoter region (CYP2A6*9).	Pharmacogenetics	2003
Knaji A	Improvement of Skeletal Lesions in Mice with Mucopolysaccharidosis Type VIIby Neonatal Adenoviral Gene Transfer	MOLECULAR THERAPY	2003
Kobayas	Toll-like receptor-dependent production of IL-12p40 causes chronic enterocolitis in myeloid cell-specific Stat3-deficient mice.	J. Clin Invest	2003
Kobayas	Gene transfer into the liver by plasmid injection into the portal vein combined with electroporation	J Gene Med	2003
Kohno 🛭	Ghrelin directly interacts with NPY-containing neurons in the rat arcuate nucleus: Ca2+ signaling via protein kinase A- and N-type channel-dependent mechanisms and	Diabetes	2003
Koibuch	cross-talk with leptin and orexin.  Acute disseminated encephalomyelitis following Plasmodium vivax malaria.	J. Infect.	2003
Koizumi	Triplex formation with 2'-0,4'-C-ethylene-bridged nucleic acids (ENA) having C3'-	Chemother Nucleic Acids Res.	2003
Kojima /	endo conformation at physiological pH Stable high-producer cell clone expressing virus-like particles of the Japanese	J. Virology	2003
Kojima,	encepha- litis virus E protein for a second-generation subunit vaccine.  Design of Biocompatible Dendrimers with Environment Sensitivity.	Macromolecules	2003
Komoriy	The development of sensitive latex agglutination tests for detecting astroviruses	JARMAN	2003
	(serotype 1 and 3) from clinical stool specimen	<u> </u>	)

著者名(	<del>ያፈ</del> ት/レ	雑誌名	年
Jane Mh	Induction of cytotoxic T lymphocyte responses by cholera toxin-treated bone	Vaccin	2003
	marrow-derived dendritic cells		
	NF-B p65 transacvation domain is involved in the NF-B-inducing kinase (NIK) pathway	Biochem. Biophys. Res. Commun.	2003
Jiang X,	The NF-B activation in the lymphotoxin beta receptor signaling depends on the phosphorylation of p65 at serine 536	J. Biol. Chem.	2003
Jimbo, A	ER stress induces caspase-8 activation stimulating the cytochrome c release and caspase-9 activation.	Exp. Cell Res.	2003
Jin, Y., S	A vertebrate RNA-binding protein Fox-1 regulates tissue-specific splicing via the pentanucleotide GCAUG	ЕМВО Ј	2003
Jun Yan	A novel function of connexin 32 : Marked enhancement of liver function in a hepatoma	Biochem. Biophys. Res. Commun.	2003
	Semiconductor quantum dot/albumin complex is a long-life and highly photostable endosome marker.	B.B.R.C.	2003
K. Hashi	Decreased levels of D-serine in the serum of patients with schizophrenia: Evidence in support of NMDA recentor hypofunction hypothesis of schizophrenia	Arch. Gen. Psychiatry	2003
K. Ito, K.	Highly sensitive simultaneous measurement of acetate kinase and pyruvate phosphate dikinase activities using a firefly luciferase-luciferin reaction and its application to a tandem bioluminescent enzyme immunoassay	Anal Sci.	2003
K. Mural	Effects of KRN4884, a novel K+ channel opener, on ionic currents in rabbit femoral arterial myocytes	J. Pharmacol. Sci.,	2003
K. Mural	TRPV2 is a component of osmotically sensitive cation channels in murine aortic	Circ. Res.,	2003
K.Hashir	Decreased Serum Levels of D-Serine in Patients With Schizophrenia	Arch.Gen.Psychiat	2003
K.Ohno,	Study on interactions of endocrine disruptors with estrogen receptor u sing	Analyst	2003
Kageyan	A broad-detecting and high-sensitive assay for Norwalk-like viruses by using real-	J. Clin. Microbiol.	2003
Kaizu M.	Higher levels of IL-18 circulate during primary infection of monkeys with a pathogenic SHIV than with a populathogenic SHIV.	Virology	2003
Kaizu M.	Infection of macaques withan R5-tropuc SHIV bearing a chimeric envelope carrying subtype E V3 loop among subtype B framework	Arch. Virol	2003
Kaizu M	Higher levels of IL-18 circulate during primary infection of monkeys with a pathogenic SHIV than with a nonpathogenic SHIV	Virology	2003
Kaizu M.	Infection of macaques withan R5-tropuc SHIV bearing a chimeric envelope carrying subtype E V3 loop among subtype B framework	Arch. Virol	2003
Kajiya, A	Isolation of Lectins by Affinity Chromatography with Porcine Plasma Proteins  Immobilized on Agarose	Biosci. Biotech. Biochem	2003
Kakehi, I	Hyaluronic acid: separation and biological implications	J. Chromatogr. B.	2003
	Synthesis of a poly(vinylpyrrolidone-co-dimethyl maleic anhydride) co-polymer and its application as renal targeting carrier.	Analyt Technol Nat. Biotechnol.	2003
	Long-term normalization in the central nervous system, ocular manifestation, and skeletal deformities by a single systemic adenovirus injection into neonatal mice with mucopolysaccharidosis VII	Gene Therapy	2003
Kamei Y	A forkhead transcription factor FKHR up-regulates lipoprotein lipase expression in	FEBS. Letters.	2003
Kamei, k	skeletal muscle. The trend of imported myucoses in Japan.	J. Infect.	2003
Kamo T,	Nonlamellar liquid crystalline phases and their particle formation in the egg yolk	Chemother Langmuir	2003
Kanamo	Large-scale production of genetically engineered CYP3A4 in E. coli: Application of a liarfermenter	Drug Metabol.	2003
Kanazav	c-Myc recruitsP-TEFb for transcription, cellular proliferation and apoptosis.	Pharmacokin. Oncogene	2003
Karahas	Endotoxin-tolerance to the cytotoxicity towarda macrophage-like cell	Biol.Pharm.Bull.	2003
Karim, N	line_J774_Linduced_by_linopolysaccaride_and_cycloexmide: Role_of_p38_MARK_in Precise and continuous observation of cellulose-catalyzed fydrolysis of cello-	Thermochim. Acta	2003
Kariyone	oligosaccharides using isothermal titrarion calorimetry Immunogenicity of peptide-25 of Ag85B in Th1 development: role of IFN- γ.	Int. Immunol.	2003
Kariyone	Immunogenicity of peptide-25 of Ag85B in Th1 development: role of IFN-g.	Int. Immunol.	2003
Katakura	Decreased tumorigenicity in Vivo When Transforming Growth Factor β Treatment		2003
Kataoka	Causes Cancer Cell Senescence LOX-1 pathway affects the extent of myocardial ischemia-reperfuion injury.	Biochem Biochem Biophys	2003
Katayan	Effects of spilled oil on microbial communities in tidal flat.	Res Commun Marine Pollution	2003
<u> </u>		Bulletin	<u> </u>