| 著者名(       | タイトル   | 雑誌名                              | 年    |
|------------|--|----------------------------------|------|
| Hiyama,    | Airway remodeling in a guinea pig model of chronic asthma: its influence on airway responsiveness and pharmacological properties of airway smooth muscle, and its prevention by corticosteroids. | Dokkyo J. Med.<br>Sci.           | 2003 |
| Honjo M    | Lectin-like oxidized LDL receptor-1 is a cell-adhesion molecule involved in  | Proc Natl Acad<br>Sci U.S.A      | 2003 |
| Horiba, I  | Na+-dependent fructose transport via rNaGLT1 in rat kidney.  | FEBS Lett.                       | 2003 |
| Horiba, I  | Cioning and characterization of a novel Na+-dependent glucose transporter NaGLT1 in rat kidney   | J. Biol. Chem.                   | 2003 |
| Horimot    | Generation of influenza A viruses with chimeric (type A/B) hemagglutinins  | Journal of<br>Virology           | 2003 |
|            | Bruton's tyrosine kinase is required for lipopolysaccharide-induced tumor necrosis factor alpha production   | J Exp Med                        | 2003 |
| Hossain    | Identification and characterization of HLA-A*3303-restricted, HIV-1 Pol-and Gag-<br>derived cytotoxic T cell epitopes  | AIDS Res. Huma.<br>Retroviruses. | 2003 |
| Hu, B., L  | Oxidized LDL through LOX-1 modulates LDL-receptor expression in human coronary artery endothelial cells  | Biochem Biophys<br>Res Commun    | 2003 |
| Ichikawa   | Breast milk macrophages spontaneously produce GM-CSF and differentiate into dendritic cells in the presence of exogenous II -4 alone   | Immunology                       | 2003 |
| Ichimori,  | Myeloperoxidase has directly-opposed effects on nitration reaction - Study on myeloperoxidase-deficient patient and myeloperoxidase-knockout mice  | Free Radical<br>Research         | 2003 |
| Igarashi,  | Decreased cyclosporin A concentrations in the absorption phase using microemulsion preconcentrate formulation in rats with cisplatin-induced acute renal failure                                 | Biol Pharm Bull                  | 2003 |
| lkeda Y,   | Post-translational regualtion of human ABCA7 and its function for the apoA-I-meidated lipid release  | Biochem, Biophys.<br>Res Commun  | 2003 |
| Inoue I,   | Apoptosis of endothelial cells may be mediated by genes of peroxisome proliferator-<br>activated receptor g1 (PPARg1) and PPARg  | J Atherosciero<br>Thrombo        | 2003 |
| Inoue K,   | Structural analysis by X-ray crystallography and calorimentry of a hemagglutinin component (HA1) of the progenitor toxin from Clostridium botulinum  | Microbiol                        | 2003 |
| Inoue, S   | Impact of graft length on surgical damage after intestinal transplantation in rats.  | Transplant<br>Immunol            | 2003 |
| Inoue, S   | Rat liver transplantation for total vascular reconstruction using a suture method.   | Microsurgery                     | 2003 |
| Ishida S   | Clinically potential subclasses of retinoid synergists revealed by gene expression   | Mol Cancer Ther.,                | 2003 |
|            | The essential involvement of cross-talk between IFN-g and TGF-b in the skin wound-healing process  | J. Immunol.                      | 2003 |
| Ishida, Y  | Essential involvement of IFN-g in Clostridium difficile toxin A-induced enteritis.   | J. Immunol.                      | 2003 |
| Ishihara,  | The point mutation of tyrosine 759 of the IL-6 family cytokine receptor gp130 synergizes with HTI V-1 pX in promoting rheumatoid arthritis-like arthritis  | Int. Immunoi.                    | 2003 |
|            | Detection of Replication-Competent Adenovirus Spiked into Recombinant Adenovirus Vector Products by Infectivity-PCR  | Mol., Therapy,                   | 2003 |
| Ishiwata   | Characterization of Gene Expression Profiles in Early Bovine Pregnancy Using a Custom cDNA Microarray.   | Mol. Reprod. Dev.                | 2003 |
| Ishiwata   | Evaluation of the antigenic similarities of adult-worm extracts from three<br>Gnathostoma species, using sera from Mexican and Japanese patients with  | Ann Trop Med<br>Parasitol        | 2003 |
| Isoda, K   | Deficiency of interleukin-1 receptor antagonist promotes neointimal formation after injury.  | Circulation                      | 2003 |
| Itabe, H.  | Minimally modified LDL is an oxidized LDL enriched with oxidized phosphatidylcholines  | J. Biochem.                      | 2003 |
| Ito M, Ya  | Induction of protective status against R5 HIV-1 infection in the hi-PBL-SCID mice by intra-splenic immunization with HIV-1-pulsed dendritic cells: possible involvement of                       |                                  | 2003 |
| Ito, A., Y | Distribution of rat organic anion transporting polypeptide-E (oatp-E) in the rat eye.  | Invest Ophthalmol<br>Vis Sci     | 2003 |
| Ito-ishid  | Expression, oxidative refolding and chracterization of six-histidine-tagged recombinant human I FCT2 a 16 kDa chemotactic protein with three disulfide bonds                                     | Protein<br>Exoression Purif      | 2003 |
| Iwakura,   | Autoimmune chronic inflammatory arthropathy in mice transgenic for the HTLV-I tax gene. In "Two decades of adult T-cell leukemia and HTLV-I research"  | Gann Monograph<br>on Cancer Res. | 2003 |
| Iwamoto    | HB-EGF and ErbB signaling is essential for heart function  | Proc. Natl. Acad.<br>Sci. U.S.A. | 2003 |
| Izumi Y,   | Intravenous inoculation of replication-deficient recombinant Vaccinia DIs expressing SIV Gag controls highly pathogenic SHIV in monkeys  | J. Virol.                        | 2003 |
| J Snoed    | Comparison of five interpretation algorithms for the prediction of protease inhibitor susceptibility in HIV-1 non-B subtyces.  | Antiviral Therapy                | 2003 |
| J. Hanna   |  | Blood                            | 2003 |
| J.O. Tre   | Lipid Bilayer Simulations of CXCR4 with Inverse Agonists and Weak Partial Agonists.  | J. Biol. Chem.                   | 2003 |

| 看有名(      | タイトル   | 雑誌名                              | 年    |
|-----------|--|----------------------------------|------|
| H. Tanal  | Possible Involvement of prostaglandins F2• and D2 in acetylcholine-induced positive instruction in Isolated mouse left atria.  | Pharmacology,                    | 2003 |
| H. Tanal  | Atrio- ventricular difference in myocardial excitation- contraction coupling —— influence of T-tubules and endocardial endothelium —   | Recent. Res.<br>Devel. Physiol   | 2003 |
| H. Tanal  | Optical Bioimaging: From Living tissue to a single molecule: atrio-Vintricular difference in myocardial excitation- contraction coupling - Sequential verses simultaneous activation of SR Ca2+ release units. | J. Pharmacol.Sci.,               | 2003 |
| H.Haseg   | Detarmination of serum D-lactic and-Llactic acids in normal subjects and diabetic natients by column-switching HPLC with pre-column fluorescence derivatization  | Anal Bioanal                     | 2003 |
|           | "ALL-in-One Assay", a direct phenotypic anti-human Immunodeficiency virus type 1 drug resistance assay for three-drug combination therapies that takes into consideration in vivo drug concentrations.         | J Virol Methods                  | 2003 |
|           | Stat3 protects against Fas-induced Liver injury by redox-dependent and-independent mechanisms  | The Journal of<br>Clinical       | 2003 |
| ·         | Characterization of vpr vector constructed from chimeric simian and human  | J. Vet. Med. Sci.                | 2003 |
| Haga, T.  | Construction and in vitro properties of chimeric simian and human immunodeficiency virus with the human TNF-alpha gene   | Microbiol.                       | 2003 |
|           | Protective mucosal immunity in aging is associated with functional CD4 <sup>+</sup> T cells in nasopharyngeal-associated lymphoreticular tissue.   | J. Immunol                       | 2003 |
| Haishima  | Estimation of uncertainty in kinetic-colorimetric assay of bacterial endotoxins  | J. Pharm. Biomed.<br>Anal.       | 2003 |
|           | Purification of mammalian serine palmitoyltransferase, a hetero-subunit enzyme for sphingolipid biosynthesis by affinity-peptide chromatography, Methods in Molecular Biology: Membrane Protein Protocols      | Human Press                      | 2003 |
|           | Suppressor of cytokine signaling-1 is essential for suppressing dendritic cell activation and systemic autoimmunity.   | Immunity.                        | 2003 |
| Hara K,   | Establishment of a method of anonymization of DNA samples in genetic research.   | J. Hum. Genet.                   | 2003 |
| Harada,   | Switching by pulse electric field of the elevated enzymatic reaction in the core of polyion complex micelles.  | J. Am. Chem. Soc.                | 2003 |
| Hara-Ku   | S. Increased sensitivity in PCR detection of TDH-producing Vibrio parahaemolyticus in seafood using purified template DNA.   | J. Food Protection               | 2003 |
| Hara-Ku   | Prevalence of Pandemic TDH-producing Vibrio parahaemolyticus O3:K6 in Seafood and the Coastal Environment in Japan.  | Applied and<br>Environmental     | 2003 |
| Harasaw   | Responses to noxious stimuli in the mice lacking alpha 1D aderenergic receptors.   | Neuroreport.                     | 2003 |
| Harasaw   | Responses To Noxious Stimuli in Mice Lacking a1d-Adrenergic Receptors.   | Neuro Report                     | 2003 |
| Hari, Y., | Selective recognition of CG interruption by 2',4'-BNA having 1-isoquinolone as a nucleobase in a pyrimidine motif triplex formation  | Tetrahedron                      | 2003 |
| Hasebe,   | Specific Inhibition of HIF-1a Activation and of VEGF Production by Flavonoids.   | Biol. Pharm.<br>Bullet           | 2003 |
| Hasegav   | Rapid tumor formation of human T-cell leukemia virus type 1-infected cell lines in novel NOD-SCID/ YC null mice; suppression by an inhibitor against NF- KB  | J. Virol.                        | 2003 |
| Hashimo   | Lysohosphatidic acid enhances in vivo infiltration and activation of guinea pig eosinophils and neutrophils via a Rho/ROCK-mediated pathway.   | J. Pharmacol. Sci.               | 2003 |
| Hasida F  | Analysis of Gene Expression in Peripheral Blood Eosinophils from Patients with Atopic Dermatitis by Differential Display.  |                                  | 2003 |
| Hayakav   | Size-exclusion chromatography of biological samples which contain extremely alkaline   |                                  | 2003 |
| Hayashi,  | proteins. A novel transgenic rat for in vivo genotoxicity assays using 6-thioguanine and Spi-  | Biophys Methods<br>Environ. Mol. | 2003 |
| Hayashi   | selection<br>Interleukin-4-expressing plasmid inhibits reovirus type-2-triggered autoimmune<br>insulitis in DBA/1J suckling mice   | Mutagen<br>Int. J. Exp. Path.    | 2003 |
| Higashi ` | Transmembrane lipid transfer is crucial for providing neutral lipids during very low density lipoprotein assembly in endoplasmic reticulum   | J. Biol. Chem.                   | 2003 |
| Hirabaya  | Evaluation of nonthreshold leukemogenic response to methyl nitrosourea in p53-<br>deficient C3H/He mice  | Toxicol Appl<br>Pharmacol        | 2003 |
| Hirabaya  | AhR suppresses hemopoiesis during steady state but accelerates cell cycle as an early response; a study of AhR-knockout mice   | Organohalogen                    | 2003 |
| Hirayam   | Design, synthesis and photochemical properties of caged bile acids,  | Compounds<br>Bioorg. Med.        | 2003 |
| Hiroshi ( | Possible role of the protein kinase C/CPI-17 pathway in the augmented contraction  | Chem Lett.<br>Br. J. Pharmacol.  | 2003 |
| Hishikaw  | of human myometrium after gestation.  Dosing-time-dependent variation in the biliary excretion of flomoxef in rats.  | Chronobiol Int.                  | 2003 |

|           |   | <u>·</u>                          |      |
|-----------|---|-----------------------------------|------|
| 著者名(      | <u> </u>  | 雑誌名                               | 年    |
| Chen J,   | Role of NFATx (NFAT4/NFATc3) in Expression of Immunoregulatory Genes in Murine<br>Peripheral CD4+ T Cells   |                                   | 2003 |
| Cominad   | Nebivolol and its 4-keto derivative increase nitric oxide in endothelial cells by reducing its oxidative inactivation.  | Immunology<br>J Am Coll Cardiol   | 2003 |
| Endo A,   | Selective inhibition of vascular endothelial growth factor receptor-2(VEGFR-  | J. Receptor Signal                | 2003 |
| Endo F,   | 2)identifies a central role for VEGFR-2 in human aortic endothelila cell responses to Animal models reveal pathophysiologies of tyrosinemias.                               | Transduction J. Nutr.             | 2003 |
| Endo, T.  | Molecular analysis of human herpesvirus 8 using single nucleotide polymorphisms in  | J. Clin. Microbiol.               | 2003 |
| Ezaki,J,, | open reading frame 26<br>Characterization of Cln3p,the gene product reponsible for juvenile neuronal ceroid   | J. Neurochem                      | 2003 |
| Fujihara  | linofuscinosis as a lysosomal integral membrane glycoprotein.  Molecular mechanisms of macrophage activation and deactivation by  | Pharmacol Ther.                   | 2003 |
| Fujii, S. | lipopolysaccharide: roles of the receptor complex Structural characterization of adenosine moiety in functional RNA molecules   | Nucleic Acids                     | 2003 |
| Fujino M  | Prolonged survival of rat liver allograft with adeno- viral gene transfection of human  | Research<br>Liver Transpl         | 2003 |
| Fujino T  | immunodeficiency virus type 1(HIV-1) nef<br>In vitro fasnesoid X receptor ligand sensor assay using surface plasmon resonance   | J. Steroid                        | 2003 |
| Fujio M   | and based on ligand-induced coactivator association Prolonged Survival of Liver Allograft With Adenoviral Gene Transfection Human   | Biochem Mol.<br>Liver             | 2003 |
| Fukudo,   | Immunodeficiency Type Inef Forecasting of blood tacrolimus concentrations based on the Bayesian method in   | Transolantation Clin              | 2003 |
| Fukuhar   | adult natients receiving living-donor liver transplantation Gene Expression Profile in the Regenerating Rat Liver after Partial Hepatectomy.                                | Pharmacokinet Journal of          | 2003 |
| Fukuyas   | Standards of the in vitro mutation frequency study and the antimicrobial activity   | Henatology<br>The Journal of      | 2003 |
| Funahas   | Study in soft Hypothalamic neuronal networks and feeding-related peptides involved in the   | Antibiotics<br>Anat Sci Int.      | 2003 |
| Funahas   | Distribution, function, and properties of leptin receptors in the brain.  | Int Rev Cytol                     | 2003 |
| Furuno-   | Effect of Atm disruption on spontaneously-arising and radiation-induced deletion  | Radiation Res.                    | 2003 |
| Furuse    | mutations in mouse liver Passive length-tensile properties of extraocular muscles under botulinum toxin type  | Jpn. J.                           | 2003 |
| Golbidi ( | Preventive effect of phosphoenolpyruvate on hypoxemia induced by oleic acid in  | Ochthalmol<br>Biol. Pharm. Bull.  | 2003 |
| Goto A,   | Plasma concentrations of LPL and LCAT are in putative association with hemale sex<br>and alcohol that are independent negative risk factors for coronary atherosclerosis in | Clin, Chim. Acta                  | 2003 |
| Goto M.   | Antigen feeding enhances frequency and antigen-specific proliferation ability of  | Bioscience,<br>Biotechnology.     | 2003 |
| Goto, M   | intraepithelial CD4 <sup>+</sup> T cells in T cell receptor transgenic mice  Decreased expression of P-glycoprotein during differentiation in human intestinal cell         | 1 1 2                             | 2003 |
|           | line Caco-2 Spread of HTLV-I Between Lymphocytes by Virus-Induced Polarization of the Cytosk  | Pharmacol                         | 2003 |
|           | Processing of DNA lesions by archaeal DNA polymerases from Sulfolobus solfataricus  | ,                                 | 2003 |
|           | Simultaneous blockade of co-stimulatory signals, CD28 and ICOS, induced a stable  | Transplant                        | 2003 |
|           | tolerance in rat heart transplantation. AdCTLA-4lg combined with donor splenocytes, bone marrow cells and anti-ICOS   | Immunology<br>Transplant          | 2003 |
|           | antibody treatment induce tolerance in a rat heart transplantation model. Simultaneous Blockade of Costimulatory Signals, CD28 and ICOS,Induced a                           | International<br>Transpl Immunol  | 2003 |
|           | Stable Tolerance in Rat Heart Transplantation Prolongation of liver xenograft survival by adenovirus vector-mediated CTLA-4lg   | Transplant                        | 2003 |
|           | gene transfer. Cyclic AMP inhibits translation of cyclin D3 in T-lymphocytes at the level of  | Immunology<br>Cellular Signalling | 2003 |
|           | elongation by inducing eFF2-phosphorylation.  Novel bioluminescent assay of alkaline phosphatase using adenosine-31-phosphate-5   |                                   | 2003 |
|           | Iphosohosufate as substrate and the luciferin-luciferase reaction and its application Photo-induced peptide cleavage for the green-to-red conversion of a fluorescent       | Molecular Cell                    | 2003 |
|           | orotein T140 Analogs as CXCR4 Antagonists Identified as Anti-metastatic Agents in the   | FEBS Lett.                        | 2003 |
|           | Treatment of Breast Cancer Enhancement of the T140-based pharmacophores leads to the development of more  | Org. Biomol. Chem                 |      |
|           | ootent and bio-stable CXCR4 antagonists Synthesis of potent CXCR4 inhibitors possessing low cytotoxicity and improved   | Org. Biomol. Chem                 |      |
|           | biostability based on T140 derivatives.  Reduction of Peptide Character of HIV Protease Inhibitors that Exhibit Nanomolar   | J. Med. Chem.                     | 2003 |
| L         | Potency against Multi-drug Resistant HIV-1 Strains  |                                   |      |

|                                  | タイトル   | 雑誌名                                      | 年            |
|----------------------------------|--|--|--------------|
| Zhu L., (                        | Activation of orexin neurons after noxious but not conditioned fear stimuli in rats.   | Neuroreport                              | 2002         |
|                                  | Diastereoselective Synthesis of y[(E)-CH=CMe]- and y[(Z)-CH=CMe]-TypeDipeptide Isosteres by Organocopper-Mediated anti-SN2' Reaction   | Org. Lett                                | 2002         |
|                                  | Glycated high-density lipoprotein regulates reactive oxygen species and reactive nitrogen species in endothelial cells   | Metabolism                               | 2003         |
|                                  | Application of Samarium Diiodide (SmI2)-induced Reduction of g-Acetoxy-a,b-<br>encates with a-Specific Kinetic Electrophilic Trapping for the Synthesis of Amino   | Chem. Commun.                            | 2003         |
|                                  | Coumarin-4-ylmethoxycarbonyls as Phototriggers for Alcohols and Phenols,   | Org. Lett.,                              | 2003         |
|                                  | J Baculovirus induces an innate immune response and confers protection from lethal influenza virus infection in mice.  | J.Immunol.                               | 2003 -       |
|                                  | Material labeling of soft toys and plasticizers in poluvinyl chloride products.  | J. Food Hyg. Soc                         | 2003         |
|                                  | Molecular characterization of human and rat organic anion transporter OATP-D   | Am J Physiol<br>Renal Physio             | 2003         |
|                                  | and detection of RooB mutation in multidrug-resistant tuberculosis in the Philippines  | Int J Tuberc Lung                        | 2003         |
| Aizaki H                         | Production and release of infectious hepatitis C virus from human liver cell cultures in<br>the three-dimensional radial-flow bioreactor   | Virology                                 | 2003         |
|                                  | Long-lasting gene expression by particle-mediated intramuscular transfection modified with bupivacain: Efficient combination therapy with IL-12 and IL-18 cDNA on the rat with carcoma.  | Cancer Gene Ther                         | 2003         |
|                                  | Difficulty of getting a long-term graft survival of MHC disparate composite graft using CTI A4-fg  | Transplantation                          | 2003         |
| Ajiki, T.,                       | Generation of donor hemato-lymphoid cells after rat limb composite grafting.   | Transplantation                          | 2003         |
|                                  | DNA vaccination of macaques by a full-genome simian/human immunodeficiency virus type 1 plasmid chimera that produces non-infectious virus particles   | J. Gen. Virol                            | 2003         |
| Akai, R.,                        | A method for detecting O-glycanase in biological samples using a combination of MALDI-TOF mass spectrometry and time-resolved fluorometry  | Analyst                                  | 2003         |
| Akiyama                          | Construction and in vivo infection of a new simian/human immunodeficiency virus  | J. Gen. Virol.                           | 2003         |
| Ando K,                          | Induction of Notch signaling by tumor necrosis factor in rheumatoid synovial   | Oncogene                                 | 2003         |
|                                  | Association of CYP2A6 gene deletion with cigarette smoking status in Japanese adults   | J Epidemiol.                             | 2003         |
|                                  | The transcrption factor Sox9 is required for cranial neural crest development in<br>Xenopus. Development   | Developmental<br>Biology                 | 2003         |
|                                  | Purification of fully activated Clostridium botulinum serotype B toxin for treatment of patients with Dystonia   | Infect Immun                             | 2003         |
| Asamits                          | RING finger protein AO7 supports the NF-B-mediated transcription by interacting with the transactivation domain of p65 subunit   | J. Biol. Chem.                           | 2003.        |
|                                  | numan peripheral blood leukocyte.  | Immunology                               | 2003         |
|                                  | Impaired selectin ligand biosynthesis and reduced inflammatory responses in b-1,4-   | Blood                                    | 2003         |
|                                  | Lymphocyte and NK cell subpopulations in HIV seronegative  | Thais. Asian Pac J<br>Allergy Immunol    | 2003         |
|                                  | Effects of serum albumin and liver cytosol on CYP2C9- and CYP3A4-mediated drug   | Drug Metabol.<br>Pharmacokin             | 2003         |
|                                  | Emergence of Protease inhibitor Resistance- Associated Mutations in Plasama HIV-<br>1 Preceds That in Provinuses of Perioheral Blood Monopuclear Cells by More Than a  | JAIDS                                    | 2003         |
| Bokyung                          | Conventional-type protein kinase C contributes to phorbol ester-induced inhibition of  | Br. J. Pharmacol.                        | 2003         |
| Boyaka                           | Chimeras of labile toxin one and cholera toxin retain mucosal adjuvanticity and direct.  Th cell subsets via their B subupit   | J. Immunol                               | 2003         |
| C. Trium                         | Fluorescent derivatization reagents for thiols bearing a new type of   | Proc.Japan Acad.                         | 2003         |
| C.Toriun                         | Altered expression of insulins I and II and their mRNAs in the islets of Langerhans in december the same of the sa | Biomed.Chromato                          | 2003         |
|                                  | An Identification Method for Altered Proteins in Tissues Utilizing Fluorescence  | Anal.Chem.                               | 2003         |
| C.Toriun                         | <u>Derivatization Liquid Chromatography. Tandem Mass Spectrometry, and a Database – I</u>  |  |              |
| C.Toriun<br>Chade, /             | Derivatization Liquid Chromatography. Tandem Mass Spectrometry, and a Database—<br>Endothelin-1 receptor blockade prevents renal injury in experimental  | Kidney Int                               | 2003         |
| C.Toriun<br>Chade, A<br>Chade, A | Derivativation Liquid Chromatography. Landem Mass Spectrometry, and a Database— Endothelin-1 receptor blockade prevents renal injury in experimental propercholesterolemia.  Mechanisms of renal structural alterations in combined hypercholesterolemia and renal artery stenosis.  | Kidney Int Arterioscler Thromb Vasc Biol | 2003<br>2003 |

|          | <i>\$</i> ብትル   | 雑誌名                                | 年    |
|----------|---|------------------------------------|------|
| Yamazal  | Cross-Clade Neutralizing Antibody Production against Human Immunodeficiency Virus Type 1 Clade E and B' Strains by Recombinant Mycobacterium bovis BCG-Based Candidate Vaccine.   | Vaccine                            | 2002 |
| Yan, X., | Antibacterial effect of Kampo herbal formulation Hochu-ekki-to (Bu-Zhong-Yi-Qi-<br>Tang) on <i>Helicobacter pylori</i> infection in mice.   | Microbiol.                         | 2002 |
|          | Characterization of polymerized polyphenols by size-exclusion HPLC.   | Biosci. Biotechnol.<br>Biochem     | 2002 |
|          | PACAP.  | Peptides                           | 2002 |
|          | Roles of IFN-g on stage conversion of an obligate intracellular protozoan parasite,<br>Toxonlasma gondii  | Int. Rev. Immunol.                 | 2002 |
|          | Interleukin-7 inhibits pre-T-cell differentiation induced by the pre-T-cell receptor<br>signal and the effect is mimicked by hGM-CSF in hGM-CSF receptor transgenic mice.   | Immunology                         | 2002 |
|          | Functional involvement of a novel Nedd4-like ubiquitin ligase on retrovirus budding.  | EMBO Reports                       | 2002 |
|          | Analysis of an anti-inflammatory steroidal drug, difluprednate, in aqueous humor by combination of semi-micro HPI C and column switching method   | Analysis                           | 2002 |
|          | Heavy-ion induced mutations in transgenic mouse gpt delta: Effect of p53 gene knockout  | Environ. Mol.<br>Mutagen           | 2002 |
|          | Leukotriene receptor antagonist, montelukast, can reduce the need for inhaled steroid while maintaining the clinical stability of asthmatic nations.  |                                    | 2002 |
|          | Predominant role of T cell receptor (TCR)— chain in forming preimmune TCR repertoire revieled by clonal TCR reconstitution system.  | J. Exp. Med.                       | 2002 |
|          | Pathological changes of renal epithelial cells in mice transgenic for the TT virus ORF1   |                                    | 2002 |
|          | Development of nephritic syndrome with severe ascites in mice transgenic for the TT virus ORF1 gene.  | Journal of General<br>Virology     |      |
|          | Aryl hydrocarbon receptor mediates benzene-induced hematotoxicity,  | Toxicol Sci                        | 2002 |
|          | p53 Deficiency-mediated Suppression of the Leukemic Differentiation in C3H/He Myeloid Leukemia  | Leukemia<br>ResearHc               | 2002 |
|          | SNP genotyping in the b2-adrenergic receptor by electronic microchip assay, DHPLC and direct sequencing Activation of STAT3 by the Hepatitis C virus core protein leads to cellular   | J. Hum. Genet                      | 2002 |
|          | transformation  Antigen presentation by Peryer Is patch cells can induce both Th1 and Th2 type  | J. Exp. Med.<br>Biosci Biotechnol  | 2002 |
|          | responses depending on antigen dosage, but a different cytokine response pattern from that of spleen cells  | Biochem                            | 2002 |
|          | Differential localization of colitogenic Th1 and Th2 cells monospecific to a microflora-  | Gastroenterology                   | 2002 |
| Yoshihik | Maximal HIV-1 replication in alveolar macrophages during tuberculosis requires both lymphocyte contact and cytokines.   | J. Exp. Med.                       | 2002 |
|          | Cross-Clade Neutralizing Antibody Production against Human Immunodeficiency Virus Type 1 Clade F and BI Strains by Recombinant Mycobacterium boyis BCG-Based  | Vaccine. Vaccine                   | 2002 |
| Yoshimo  | Induction of EGF-dependent apoptosis by vacuolar-type H+-ATPase inhibitors in A431 cells overexpressing the EGF receptor.   | Exp. Cell Res.                     | 2002 |
| Yoshimo  | Vacuolar-type H+-ATPase inhibitory activity of synthetic analogues of the concanamycins: Is the hydrogen bond network involving the lactone carbonyl, the hemiacetal hydroxy group, and the C-19 hydroxy group essential for the biological | Bioorg. Med.<br>Chem. Lett.        | 2002 |
| Yuasa F  | Analysis of human TIE2 function on hematopoietic stem cells in umbilical cord blood.  | Biochem. Biophys.<br>Res. Commun.  | 2002 |
|          | A Novel Murine Model of Graves' Hyperthyroidism with Intramuscular Injection of Adenovirus Expressing the Thyrotropin Receptor  | J. Immunol.                        | 2002 |
|          | Fiber-mutant technique can augment gene transduction efficacy and anti-tumor effects against established murine melanoma by cytokine-gene therapy using   | Cancer Lett.                       | 2002 |
|          | Tumor necrosis factor α –gene therapy for an established murine melanoma using RGD (Arg-Gly-Asp) fiber-mutant adenovirus vectors  | Jap. J. Cancer<br>Res              | 2002 |
| Yuyama   | Analysis of novel disease-related genes in bronchial asthma.  | Cytokine                           | 2002 |
|          | Strength evaluation of transcriptional regulatory elements for transgene expression by adenovirus vector  | J. Control. Rel.                   | 2002 |
|          | Efficacy of ivermection for chronic strongyloidiasis: two single doses given 2 weeks  | J Infect<br>Chemother              | 2002 |
|          | Identification of human mannose binding lectin (MBL) recognition sites for novel inhibitory antibodies.   | Hybridoma and<br>Hybridomics       | 2002 |
|          | Srength evaluation of transcriptional regulatory elements for transgene expression by adenovirus vector   | J. Control Release                 | 2002 |
| Zhou C   | PACAP and its receptors exert pleiotropic effects in the nervous system by  | Current Protein<br>and Peptide Sci | 2002 |

| 著者名(     |   | 雑誌名                              | 年        |
|----------|---|----------------------------------|----------|
|          | Oxidized LDL in carotid plaques and plasma associates with plaque instability.  | Arterioscler.<br>Thromb. Vasc.   | 2002     |
|          | of the APM1 gene modulate adipocyte-secreted adiponectin hormone levels and contribute to the genetic risk for type 2 diabetes in French Caucasians.  | Human Molecular<br>Genetics      | 2002     |
|          | Adoptive transfer of SIV na夫e autologous CD4+ cells to macaques chronically infected with SIV is sufficient to induce long term non progressor status   | Blood                            | 2002     |
| Vukmiric | The N-linked Oligosaccharides of Human Apolipoprotein B Are Important for the Assembly and Secretion of Apolipoprotein B-containing Very Low Density  | J. Lipid Res                     | 2002     |
| W. Homr  | Phenol sulfotransferase, ST1A3, as the main enzyme catalyzing sulfation of triglitazone in human liver  | Drug Metab.<br>Dispos            | 2002     |
|          | A point mutation that confers constitutive activity to CXCR4 reveals T140 is an inverse agonist and AMD3100 and ALX40-4C are weak partial agonists.   | J. Biol. Chem                    | 2002     |
| Wada, S. | Candida glabrata ABC transporters Cdr1p and Pdh1p expressed in a Saccharomyces cerevisiae strain deficient in membrane transporters show phosphorylation-dependent                                | J. Biol. Chem.                   | 2002     |
|          | Advantages of in vitro cytotoxicity yesting by using primary rat hepatocytes in comparison with established cell lines.   | J Toxicol Sci                    | 2002     |
|          | Auxiliary partial liver grafting in rats: Effect of host hepatectomy on graft regeneration and review of literature on surgical technique   |                                  | 2002     |
|          | Unique sensitivity to α-galactosylceramide of NKT cells in the uterus.  | Cell. Immunol.                   | 2002     |
|          | Gene expression profile analysis of rheumatoid synovial fibroblast cultures revealing the overexpression of genes responsible for tumor-like growth of rheumatoid                                 | Biochem Biophys<br>Res Commun    | 2002     |
|          | Cholesteryl Ester Transfer Protein Expressed in Lecithin: Cholesterol Acyltransferase Deficient Mice  | Arterioscler. Thromb_Vasc        | 2002     |
|          | Determination of Fluoxetine Enantiomers in Rat Plasma by Pre-column Fluorescence  Derivatization and Colimn-switching High-performance Liquid Chromatography                                      | Analyst                          | 2002     |
|          | Effect of water on the molecular mobility of sucrose and PVP in a colyophilized formulation as measured by 13C-NMR relaxation time.   | Chem. Pharm.                     | 2002     |
|          | Molecular basis of pimaran compounds as novel activators of large conductance Ca2+<br>activated K+ channelsubunit<br>Differentiation of subtype B and E of human immunodeficiency virus type 1 by |                                  | 2002     |
|          | nolymerase chain reaction using novel envigene primers.  An effective tool for homogeneous assays using a simple robot arm with stackers _  | J. Virol. Method. J. Biomol.     | 2002     |
|          | TRISTAN  Prostaglandin E2 down-regulates viable Bacille Calmette-Guerin-induced macrophage  | Screening                        | 2002     |
|          | cytotoxicity against murine bladder cancer cell MBT-2 in vitro Time-dependent potentiation of the ??cell is a Ca2+-independent phenomenon.  | J Endocrinol.                    | 2002     |
|          | -   | Acta Cryst.                      | 2002     |
|          | ions Co(II)-Regulated substrate specificity of cytosolic a-mannosidase  | J. Biochem.,                     | 2002     |
|          | Inhibitory effects of (-)-epigallocatechin gallate on the life cycle of human   | Antiviral Res                    | 2002     |
|          | immunodeficiency virus type 1 (HIV-1).  Pharmacokinetic role of P-glycoprotein in oral bioavailability and intestinal secretion   | J Pharmacol Exp                  | 2002     |
|          | of grenafloxacin in vivo.  Discovery of immunostimulatory CpG-DNA and its application to tuberculosis vaccine   | Ther                             | 2002     |
|          | development Acute disseminated encephalomyelitis following dengue fever.  | J Infect                         | 2002     |
| Yamamo   | Molecular design of bioconjugated cell adhesion peptide with a water-soluble  | Chemother<br>Current Drug        | 2002     |
| Yamamd   | nolymeric modifier for enhancement of antimetastatic effect.  Mice deficient in nervous system-specific carbohydrate epitope HNK-1 exhibit  | Targets J. Biol. Chem.           | 2002     |
| Yamamo   | impaired synaptic plasticity and spatial learning. Temperature-related change in the properties relevant to drug delivery of  | J. Controlled                    | 2002     |
| Yamana   | poly(ethylene glycol)-poly(D. Ilactide) block copolymer micelles in aqueous milieu.<br>Subcellular localization of HCV core protein regulates its ability for p53 activation and                  |                                  | 2002     |
| Yamanal  | no21 suppression  Innate form of HCV core protein plays an important role in the localization and the   | Res. Commun<br>Biochem. Biophys. | 2002     |
| Yamasal  | function of HCV core protein.  Genetic and immunochemical characterization of thiocyanate-degrading bacteria in   | Res. Commun<br>Appl. Environ.    | 2002     |
| Yamauc   | lake water Adiponectin stimulates glucose utilization and fatty-acid oxidation by activating AMP-   | Microbiol<br>Nature Medicine     | 2002     |
| Yamauc   | activated protein kinase.  Increased insulin sensitivity despite lipodystrophy in Crebbp heterozygous mice.   | Nature Genetics                  | 2002     |
|          | Differential Regulation of Apolipoprotein A-I/ATP binding Cassette Transporter A1-  | Biochim. Biopys.                 | 2002     |
|          | mediated Cholesterol and Phospholipid release   | Acta                             | <u> </u> |

| 著者名(     | <b>ቃ</b> ብトル  | 雑誌名                            | 年。     |
|----------|---|--------------------------------|--------|
| Taneichi | T cell-independent regulation of antigen-specific IgE antibody production induced by surface-coupled antigen of liposomes.  | J Immunol                      | 2002   |
| Taneichi | T cell-independent regulation of IgE antibody production induced by surface-linked liposomal antigen  | J. Immunol                     | 2002   |
| Taniguch | YM-181741, A novel benz[a]anthraquinone antibiotic with anti-helicopbacter pylori   | J. Antibiotics                 | 2002   |
| Taniguc  | Genetic subtypes of HIV type 1 based on the vpu/env sequences in Republic of Congo-Brazzaville.   | AIDS Res. Hum.<br>Retroviruses | 2002   |
| Tanoue   | Role of the alpha1D-adrenergic receptor in the development of salt-induced hypertension   | Hypertension.                  | 2002   |
| Tanoue   | Two novel transcripts for human endothelin B receptor produced bu RNA editing   | J. Biol. Chem.                 | 2002   |
| Tanoue   | Transgenic studies of a1-adrenergic receptor subtype function.  | Life Sciences.                 | 2002   |
| Tanoue   | The a 1D-adrenergic receptor directly regulates arterial blood pressure via vasoconstriction.   | J Clin. Invest.                | 2002   |
| Tatsumi  | Therapeutic efficacy of topically applied KP-103 against experimental tinea unguium in Guinea pigs in comparison with amorolfine and terbinafine                              | Antimicrob.                    | 2002   |
| Terada,  | EPA inhibits CSF-induced human monocyte-survival and maturation into macrophage through the stimulation of H2O2 production  | J. Leukocyte. Biol.            | 2002   |
| Teruyo   | Mechanism for PPARa activators-induced up-regulation of UCP2 mRNA in rodent hepatocytes   | J Biol Chem.                   | 2002   |
| Tezuka,  | Stimulation of osteoblastic cell differentiation by Notch.  | J. Bone Miner.<br>Res          | 2002   |
| Tnanaka  | nvolvement of IL-2/IL-2R system activation by parasite antigen in polyclonal expansion  | Oncogene                       | 2002   |
| Tobiume  | nefficient enhancement of viral infectivity and CD4 downregulation by Human<br>Immunodeficiency Virus Type 1 Nef from Japanese long-term nonprogressors                       | J. Virol.                      | 2002   |
| Toide, K | Hepatocyte nuclear factor-1 •• is a causal factor responsible for interindividual differences in the expression of UDP-glucuronosyltransferase 2B7 mRNA in human              | Drug<br>Metab Dispos           | 2002   |
| Toide, K | A major genotype in UDP-glucuronosyltransferase 2B15  | Drug Metab.and<br>Pharmacokin  | 2002   |
| Tokumu   | Identification of human plasma lysophospholipase D, a lysophosphatidic acid-<br>producing enzyme, as autotaxin, a multifunctional phosphodiesterase                           | J Biol Chem                    | 2002   |
| Tomiyan  | Different effects of Nef-mediated HLA class I down-regulation on HIV-1-specific   | J. Virol.                      | 2002   |
| Tomiyan  | CD8 <sup>+</sup> T cell cytokine activity and cytokine production.  Differentiation of human CD8 <sup>+</sup> T cells from a memory to memory/effector phenotype.             | J.Immunol.                     | 2002   |
|          | CYP2A6 gene deletion reduces oral cancer risk in betel quid chewers in Sri Lanka  | Carcinogenesis                 | 2002   |
| Torigoe, |   | Nucleic Acids Res.             | 2002   |
| Toshie T | selective recognition of C:G interruption Studies on the biocompatibility of artificial organs and tissue engineered products:  | Suppl<br>Animal Cell           | 2002   |
| Toshihir | embryonic neuronal cell differentiation on the various kinds of biodegradableoolymers. Migration of CX3CR1-positive T cells producing type 1 cytokines and cytotoxic          | Technology<br>Arthritis &      | 2002   |
| Tozawa   | molecules into the synovium of patients with rheumatoid arthritis. N-acetyl-L-cysteine enhances chemotherapeutic effect on prostate cancer cells.                             | Rheumatism<br>Urol Res         | 2002   |
| Tsuchiha | Fourteen-Membered Macrolides suppress IL-8 Production, but Do Not Promote   | Agents.                        | 2002 - |
| Tsuchiha | Apontosis of Activated Neutrophils Antimicrop.  14-Membered Macrolide Antibiotics IL-8 Production, but not Promote Apoptosis of   | Chemocher Antimicrob.          | 2002   |
|          | Activated Neutrophils. Selective expansion of perforin-positive CD8+ T cells by immature dendritic cells  | Agents<br>J Leukoc Biol.       | 2002   |
| Tsutsum  | infected with live Bacillus Calmette=Guerin mycobacteria<br>Alteration of intrahepatic cytokine expression and AP-1 activation in transgenic mice                             | Virology                       | 2002   |
| Uchida,  | exoressing hepatitis C core protein.<br>Hepatitis C virus core protein binds to a C-terminal region of NS5B RNA polymerase  | Hepatology Res.                | 2002   |
|          | Measurement of HCV RdRp activity with C-terminal 21 aa truncated NS5b protein:  | Hepatology Res.                | 2002   |
|          | optimization of assay Systemic administration of liposome-encapsulated OK-432 prolongs the survival of  | J. Gastroenterol.              | 2002   |
|          | rats with henatocellular carcinoma through the induction of IFN-g-producing henatic.<br>A pivotal role for CC chemokine receptor 5 in T-cell migration to tumor sites induced | Henatol<br>Cancer Research     | 2002   |
|          | by interleukin 12 treatment in tumor-bearing mice<br>An Acidic fibroblast growth factor-like factor secreted into the brain cell culture                                      | Biochim. Biopys.               | 2002   |
|          | medium upregulates apoE synthesis. HDL secretion and cholesterol metabolism in rat<br>Single T cell receptor—mediated recognition of an identical HIV-derived peptide         | Acta J.Immunol.                | 2002   |
|          | oresented by multiple HI A class I molecules.  Construction of FLAG tagging vectors for Candida albicans.   | Yeast                          | 2002   |
| ,        | and   |                                |        |