著者名(タイトル	雑誌名	年
Tsukaha	Rice as the most influential source of cadmium intake among general Japanese	Sci Total Environ	200
Tsumura	Estimated daily intake of plasticizers in one-week duplicate diet samples following regulation of DEHP-containing PVC gloves in Japan	Food Add. Contam	200
	Validation of the CALUX bioassay for the screening of PCDD/Fs and dioxin-like PCBs in retail fish	Analyst	200
Tsutsun	Evaluation of an aqueous KOH digestion followed by hexane extraction for analysis of PCDD/Fs and_dioxin-like PCBs in retailed fish	Anal. Bioanal. Chem	200
	The effects of dietary vitamin B12 deficiency on sperm maturation in developing and	Cong. Anom.	2003
	Effects of antioxidant HTHQ or ascorbic acid on carcinogenesis induced by administration of aminopyrine and sodium nitrite in a rat multi-organ carcinogenesis	Jpn. J. Cancer Res.	200
	Detection of norovirus (GI, GII), sapovirus and astrovirus in fecal samples using reverse transcription single-round multiplex PCR	J Virol Methods	200
	Real-time PCR for quantification of Streptococcus mutans.	FEMS Microbiol	200
	RGD motif enhances immunogenicity and adjuvanicity of peptide antigens following intranasal immunization.	Vaccine	200
Yoshiha	Association between Serum Albumin and Root Caries in Community-dwelling Older	J Dent Res	200
Young-F	Multiplex polymerase chain reaction assay for selective detection of Salmonella enterica seroyar Typhimurium	Jpn J Infect Dis	2003
Zhou Y,	Distribution of Human Rotaviruses, especially G9 Strains, in Japan from 1996 to 2000	Microbiol Immunol	2003
Adhikar v. AK.	Characterization of hexon and fiber genes of a novel strain of adenovirus involved in	J Clin Pathol	2004
	Interaction of some plant food extracts with aryl hydrocarbon receptor determined by in vitro receptor gene assay	Natural Medicines	2004
Ashizuka	Daily intake of polybrominated diphenyl ethers (PBDEs) in western Japan estimated by total diet study and duplicated diet study(仮題)	Journal of Agricultural and	2004
Ashizuka	Determination of polybrominated diphenyl ethers (PBDEs)and polybrominated dibenzo-a-dioxins, dibenzofurans (PBDDs/Dfs)in marine products仮題)	Journal of Agricultural and	2004
Hansmar	Genetic Diversity of Norovirus and Sapovirus in Hospitalized Infants with Sporadic Cases of Acute Gastroenteritis in Thailand	Journal of Clinical Microbiology	2004
Horiguch	Comprehensive study of the effects of age, iron deficiency, diabetes mellitus, and cadmium burden on dietary cadmium absorption in cadmium-exposed female	Toxicol Appl	2004
Horiguch	Environmental exposure to cadmium at a level insufficient to induce renal tubular dysfunction does not affect bone density among female Japanese farmers	Pharmacol Environ Res.	2004
Horiguel	Dietary exposure to cadmium at close to the current provisional tolerable weekly intake does not affect renal function among female Japanese farmers	Environ Res.	2004
Ikeda M,	Dietary cadmium intake in polluted and non-polluted areas in Japan in the past and in	Int Arch Occup Environ Health	2004
Kamasal		J. Appl.Glycosci.	2004
Kashida	Gene expression analyisi in the liver of mice on tumor-promoting effects of flumequine	Toxicology	2004
Kasuga I	Archiving of Food Samples from Restaurants and Caterers- Quantitative Profiling of	Journal of Food	2004
Kishimot	Ribotyping and a Study of Transmission of Staphylococcus aureus Collected from	Protection Journal of Food	2004
Kobayas	Immunomagnetic capture RTR-PCR for detection of Norovirus from foods implicated	Protection Microbiology and	2004
Li T−C,		Immunology Vaccine	2004
Moriguel	Decrease in urine specific gravity and urinary creatinine in elderly women.	anerie et e l'action de l'im-	2004
Moriguel	Effects of aging on cadmium and tubular dysfunction markers in urine from adult women in non-polluted areas.		2004
Nishina 🏻	Growth Kinetics of Vibrio parahaemolyticus O3:K6 under Varying Conditions of pH,	Journal of Food	2004
Okutani	Overview of Listeria monocytogenes contamination in Japan	Hygiene Society International	2004
Okutani	Nationwide survey of Listeria monocytogenes infection in Japan.	Journal of Food Epidemiology and	2004
Shinoz	Pretreatment of Ginko biloba extract weakens hypnosis action of phenobarbital and	Infection J. Pharmacy	2004
Shinoz	Induction and recovery of hepatic drug metabolizing enzymes in rats treated with	Pharmo Food	2004
Tankima		Chem.Toxicol. Toxicol. Lett.	2004

著者名(タイトル	雑誌名	年
Tsukaha	No effects of hematuria and proteinuria in school days, and probably current	Arch Environ	2004
	pregnancy and current lactation also, as risk factors of cadmium-induced renal	Contam Toxicol	
	tubular dysfunction among adult women in general populations in Japan.		1
Tung PC	Human astrovirus, Norovirus (GI, GII), and Sapovirus infections among diarrheal	J Med Virol	2004
	children in Pakistan		
Watanab	Gender-realted difference, geographical variation and time trend in dietary cadmium	Sci Total Environ	2004
	intake in Japan	<u></u>	1
	Simultaneous determination of emamectin, its metabolites, milbemectin, ivermectin	J. Health Sci.	2004
	and abamectin in tomato. Japanese radish and tea by LC/MS.		Li
Hansmai	Norovirus strains belongong to the Lordsdale virus cluster are a major cuase of acute	J Clin Microbiol	
	sporadic infantile gastroenteritis in Ho Chi Minh city. Vietnam		l
Li L, Nis	Characterizations of Adenovirus Type 41 isolates from children with acute	J Clin Microbiol	
	gastroenteritis in Japan Vietnam and Korea		
	Human astrovirus, Norovirus (GI, GII), and Sapovirus infections among diarrheal	J Med Virol	
	children in Pakistan	<u> </u>	L

following repeated electroconvulsive shock treatments. Iwata R, Pas A combined loop-SPE method for the automated preparation of [11C]doxepin. J. Labelled Cpd. Re 2001 Iwata R, Pas A simple loop method for the automated preparation of [11C]raclopride from [11C]methyl triflate. Kato A, Ohn Y2 the smallest of the Sendai virus C proteins, is fully capable of both counteracting the anti-viral action of interferons and inhibiting viral RNA synthesis. Katori N, Ad The study of the applicability of content uniformity and weight variation test – The state of commercial tablets and capsules in Japan- Katsura M, NMDA receptor activation enhances diazepam binding inhibitor and its mRNA expressions in mouse cerebral cortical neurons. Kaufman G Inpact of HIV-1 Protease, Reverse transcriptase, Clesvage Site, and p6 Mutations on the Virological Response to Quadruple Therapy with Saquinavir, Ritonavir, and Two Nucleoside Analog Kodama M, The PU.1 and NF-EM5 binding motifs in the Igk3' enhancer are responsible for directing somatic hypermutations to the intrinsic hotspots in the transgenic Vk gene (Notch1 inhibits differentiation of hematopoletic cells by sustaining GATA-2 Layne SP, B Global laboratory against influenza. Li Zi Son, Y Histamine H1 receptor-mediated inhibition of potassium-evoked release of 5-hydroxytryotamine from mouse forebrains. Matsui S, Ad U73122 inhibits the dephosphorylation and translocation of cofilin in activated macrohage-like Il937 cells Matsunaga Tyohimbine increases the binding potential for [11C]flumazenil in the monkey brain. Miyamato Y, Hyperfunction of dopaminergic and serotonergic neuronal systems in mice lacking NMDA receptor 1 subunit Mobarakeh Possible involvement of tachykinin NK1 and NMDA receptors in histamine-induced hypoxytryotamine from mouse forebrains of the subundancement of Chondrogenic Differentiation of Human Articular Chondrocytes by Biodegradable Polymers Muhammad Si Enhancement of Chondrogenic Differentiation of Human Articular Chondrocytes by Biodegradable Poly	著者名(3名		雑誌名	年
Asanum H. Immune responses and protection in different strains of aged mice immunized intransasily with an adjuvant-combined influenza vaccine. Asanum H. Mirmune responses and protection in different strains of aged mice immunized intransasily with an adjuvant-combined influenza vaccine. Asanum M. Mercetton against influenza B virus infaction by immunization with DNA vaccines. Vaccine 2001 Schort Z. Keel Wootection against influenza B virus infaction by immunization with DNA vaccines. Vaccine 2001 Brain Research 2001 Schort S. Good deprived activity stress decreased the activity of the histaminergio neuron system in rats. Fixudus K. Il Immunological and PCR analyses for Borna disease virus in psychiatric patients and slind dinears in Japan. Fixuda M. Holiferential effects of psychological stress on activation of the 5-hydroxytryptamineral model dinears in Japan. Fixudad M. Holiferential effects of psychological stress on activation of the 5-hydroxytryptamineral model dinears in Japan. Fixudad M. Holiferential effects of psychological stress on activation of the 5-hydroxytryptamineral model dinears in Japan. Fixudad M. Holiferential effects of psychological stress on activation of the 5-hydroxytryptamineral model dinears in Japan. Fixudad M. Holiferential effects of psychological stress on activation of the 5-hydroxytryptamineral model and the properties of the symbol model of the symbol mod	Amano H, I	Enhanced calcium influx in hippocampal CA3 neurons of spontaneously epileptic rats.	Epilepsia	2001
Asanuma H, Immune responses and protection in different strains of aged mice immunized intransable with an adiumant-mombined influenza wateries. Asanuma M, Neuroprotective effects of non-steroidal anti-inflammatory drugs by direct J. Neurochem. 2001 Asanuma M, Neuroprotective effects of non-steroidal anti-inflammatory drugs by direct J. Neurochem. 2001 Asanuma M, Neuroprotective effects of non-steroidal anti-inflammatory drugs by direct J. Neurochem. 2001 Asanuma M, Neuroprotective effects of non-steroidal anti-inflammatory of the histaminergic neuron protection of the control of the	Ando H, Nis		Antimicrob Agents	2001
Asamuma M, Neuroprotective effects of non-steroidal anti-inflammatory drugs by direct Chen Z, Kad Protection against influenza B virus infection by immunization with DNA vaccines. Chen Z, Kad Protection against influenza B virus infection by immunization with DNA vaccines. Chen Z, Kad Protection against influenza B virus infection by immunization with DNA vaccines. Chen Z, Kad Protection against influenza B virus infection by immunization with DNA vaccines. Chen Z, Kad Protection against influenza B virus infection by immunization with DNA vaccines. Chen Z, Kad Protection against influenza Service and Chen Service Se	Asanuma H,	Immune responses and protection in different strains of aged mice immunized	Vaccine	2001
Chen Z, Kad Protection against influence B virus infection by immunization with DNA vaccines. Vaccine 2001 Endou M, Y Good-deprived activity stress decreased the activity of the histaminergic neuron stream of the statement of	Asanuma M	Neuroprotective effects of non-steroidal anti-inflammatory drugs by direct	J. Neurochem.	2001
Fukuda K, Timmunological and PCR analyses for Borna disease virus in psychiatric patients and bland dinares in Janan Funada M, Himmunological and PCR analyses for Borna disease virus in psychiatric patients and bland dinares in Janan Funada M, Himmunological and PCR analyses for Borna disease virus in psychiatric patients and bland dinares in Janan Funada M, Himmunological and PCR analyses for Borna disease virus in psychiatric patients and dinarian and managements and dinarian	Chen Z, Kad	Protection against influenza B virus infection by immunization with DNA vaccines.	Vaccine	2001
Fundak N. T Immunological and PCR analyses for Borna disease virus in psychiatric patients and Indeed disease. Jacob N. H. Differential effects of psychological stress on activation of the 5-hydroxytryptamine—and donanina—nontaninar neurons in the brain of freeth moving rats. Fundak M. H. Differential effects of psychological stress on activation of the 5-hydroxytryptamine—and donanina—nontaninar neurons in the brain of freeth moving rats. Fundak M. Hinvolvement of corticotropin-releasing factor receptor subtrype 1 in morphine with the provided of th	Endou M, Ya		Brain Research	2001
Funada M. H Differential effects of psychological stress on activation of the 5-hydroxytrytamino- and donamina—prontinging neurons in the brain of freeth moving rats Funada M. H Involvement of corticotropin-releasing factor receptor subtype 1 in morphine withdrawal regulation of the brain noradreneric system Hagilara M. Extensive and long-term servivo production of dendritic cells from CD34 positive unbillical card land or hone marrox cells by novel culture system using mouse Hagiwara Y. Effects of intransal administration of cholera toxin (or Escherichia coli heat-labile anterotoxin B. subunits sunolamented with a traca amount of the holotoxin on the Hagiwara Y. Effectiveness and safety of mutant Escherichia coli heat-labile enterotoxin (LT H44A) Hagiwara Y. Effectiveness and safety of mutant Escherichia coli heat-labile enterotoxin (LT H44A) Hall S. Sora Ethanol consumption and reward are decreased in mu-opiate receptor knockout mice. Psychopharmacol 2001 Hayashi T. P Delta opioid peptide [D-Ala2, D-Lau5]enkephalin causes a near complete blockade of yangase induced by a single high dose of methamphetamine: examining the role of p53. Hirose K. et Antibiotic susceptibility of Salmonella enterica serovar Typhi and Salmonella enterica serovar Paratrohi. A isolated from clinical natients, in Janan Horruchi, M., Biapanese experience and concepts in quality control of diphtheria tetanus acellular neutrusis, combined (D7-BP) vaccines. Horruchi, M., Biapanese experience and concepts in quality control of diphtheria tetanus acellular neutrusis, combined (D7-BP) vaccines. Horruchi, M., Biapanese experience and concepts in quality control of diphtheria tetanus acellular neutrusis, combined (D7-BP) vaccines. Horruchi, M., Biapanese experience and concepts in quality control of diphtheria tetanus acellular neutrusis, combined (D7-BP) vaccines. Horruchi, M., Biapanese experience and concepts in quality control of diphtheria tetanus acellular neutrusis, combined (D7-BP) vaccines. Horruchi, M., Biapanese experienc	Fukuda K, T	Immunological and PCR analyses for Borna disease virus in psychiatric patients and	J Infect Dis	2001
Funada M. Hinvolvement of corticotropin-releasing factor receptor subtype 1 in morphine Middinawal resultation of the brain norandementaric system Mibilizat and blood or hone marrow cells by movel culture system using mouse Hagiwara Y. Effects of intransal administration of cholera toxin (or Escherichia coli heat-labile enterotoxin) B. Subupita supulmentar with a trace amount of the holotoxin on the Hagiwara Y. Effectiveness and safety of mutant Escherichia coli heat-labile enterotoxin (LT H44A) Vaccine as an adluvant for neal influenza vaccine Ethanol consumption and reward are decreased in mu-opiate receptor knockout mice. Psychopharmacol 2001 Hayashi T. + Delta opioid peptide (D-Ala2, D-Leu5)enkephalin causes a near complete blockade of the role of p53. Hirose K et Artibiotic susceptibility of Salmonella enterica serovar Typhi and Salmonella enterica serovar Artibiotic susceptibility of Salmonella enterica serovar Typhi and Salmonella enterica serovar Artibiotic susceptibility of Salmonella enterica serovar Typhi and Salmonella enterica serovar Artibiotic susceptibility of Salmonella enterica serovar Typhi and Salmonella enterica servar Denatural combined (DT2P) vaccines. Horiuchi M. Inchibitor of interactions and interactio	Funada M, F	Differential effects of psychological stress on activation of the 5-hydroxytryptamine-	Brain Res.	2001
Hagibrar M. Extensive and long-term ex vivo production of dendritic cells from CD34 positive Journal of 2001 Institute Institute Institute Journal of 2001 Institute	Funada M, F	Involvement of corticotropin-releasing factor receptor subtype 1 in morphine	Eur. J. Pharmacol.	2001
Hagiwar Y, Effects of intransal administration of cholera toxin (or Escherichia coli heat-labile vanterotoxin) B, subunitis sununamentad with a trace amunt of the holotoxin on the Hagiwara Y, Effectiveness and safety of mutant Escherichia coli heat-labile enterotoxin (LT H44A) Vaccine 2001 as an adiuvant for nasal influenza vascine Ethanol consumption and reward are decreased in mu-opiate receptor knockout mice. Psychopharmacol 2001 Haysshi T, Poleta opioid peptide [D-Ala2, D-Leu5]enkephalin causes a near complete blockade of the neuronal damage induced by a single high dose of methamphetamine: examining the role of p53. Hirose K, et Antibiotic susceptibility of Salmonella enterica serovar Typhi and Salmonella enterica serovar Paratyphi A isolated from clinical nations, in Japanese experience and concepts in quality control of diphtheria tetanus acellular netrusias combined (D17aP) vancines. Horiuchi, M, Inhibition of interactions and interconversions of prion protein isoforms by peptide framents from the C-terminal folded domain. Shihirat K, Potentiation of 5-H13 receptor functions in the hippocampal CAI region of rats followier reneated electroconvulsive shock treatments. Iwata R, Pas A simple loop method for the automated preparation of [11C]doxepin. Iwata R, Pas A simple loop method for the automated preparation of [11C]doxepin. Iwata R, Pas A simple loop method for the automated preparation of [11C]doxepin. Iwata R, Pas A simple loop method for the automated preparation of [11C]doxepin. Iwata R, Pas A simple loop method for the automated preparation of [11C]doxepin. Iwata R, Pas A simple loop method for the automated preparation of [11C]doxepin. Iwata R, Pas A simple loop method for the automated preparation of [11C]doxepin. Iwata R, Pas A simple loop method for the automated preparation of [11C]doxepin. Iwata R, Pas A simple loop method for the automated preparation of [11C]doxepin. Iwata R, Pas A simple loop method for the automated preparation of [11C]doxepin. Iwata R, Pas A simple loop met	Hagihara M,	Extensive and long-term ex vivo production of dendritic cells from CD34 positive		2001
Hagwara Y, Effectiveness and safety of mutant Escherichia coli heat-labile enterotoxin (I.T H44A) Vaccine 2001 As an adiuvant for nasal influenza vagnine 2001 Haysshi T, Delta opioid peptide [D-Ala2, D-Leu5]enkephalin causes a near complete blockade of the neuronal damage induced by a single high dose of methamphetamine: examining the role of p53. Hirose K, et Antibiotic susceptibility of Salmonella enterica serovar Typhi and Salmonella enterica acrovar Paratvohi A isolated from olininal natiants in Japan. Horiuchi Y, Japanese experience and concepts in quality control of diphtheria tetanus acellular natrussis combined (D12P) vaccines. Horiuchi M, Inhibition of interactions and interconversions of prion protein isoforms by peptide framents from the D-terminal folded domain. Behinara K, Potentiation of 5-H13 receptor functions in the hippocampal CA1 region of rats followine renarded electroconvulsive shock treatments. Wasta R, Pas A combined loop-SPE method for the automated preparation of [11C]doxepin. Wata R, Pas A simple loop method for the automated preparation of [11C]doxepin. J. Labelled Cpd. Re 2001 Iwata R, Pas A simple loop method for the automated preparation of [11C]machopride from fill climathy triflate. Kato A, Ohn Y2 the smallest of the Sendai virus C proteins, is fully capable of both counteracting the anti-viral action of interferons and inhibiting viral RINA swinthesis. Katori N, At The study of the applicability of content uniformity and weight variation test – The state of commercial tablets and capaciles in Japan. Katsura M, MMDA receptor activation enhances diazepam binding inhibitor and its mRNA exorvessions. In mouse nerebral cortical neurons. Kaufman G [Inpact of HIV-I Protease, Reverse transcriptiase, Clesvage Site, and p6 Mutations on the Virological Response to Quadruple Therapy with Saquinavir, Ritonavir, and Two Nucleoside Analog. Kodama M, The PU.1 and NF-EM5 binding motifs in the IgK3 enhance are responsible for link provasses in human deposition of hematopoietic cel	Hagiwara Y,	Effects of intranasal administration of cholera toxin (or Escherichia coli heat-labile		2001
Hall S, Sora [Ethanol consumption and reward are decreased in mu-opiate receptor knockout mice. Psychopharmacol 2001 Hayashi T, H Delta opioid peptide [D-Ala2, D-Leu5]enkephalin causes a near complete blockade of the neuronal damage induced by a single high dose of methamphetamine: examining the role of p53. Hirose K, et Antibiotic susceptibility of Salmonella enterica serovar Typhi and Salmonella enterica acrovar Partyphi A isolated from clinical natients in Janan. Horiuchi Y, Japanese experience and concepts in quality control of diphtheria tetanus acellular naterussis combined (DTaP) vaccines. Horiuchi, M, Inhibition of interactions and interconversions of prion protein isoforms by peptide fragments from the C-terminal folded domain. Ishihara K, Potentiation of 5-HT3 receptor functions in the hippocampal CA1 region of rats following reneated elacitroconvulsive shock treatments. Iwata R, Pas A combined loop-SPE method for the automated preparation of [11C]doxepin. Iwata R, Pas A simple loop method for the automated preparation of [11C]doxepin. Iwata R, Pas A simple loop method for the automated preparation of [11C]doxepin. Iwata R, Pas A simple loop method for the automated preparation of [11C]doxepin. Iwata R, Pas A simple loop method for the automated preparation of [11C]doxepin. Iwata R, Pas A simple loop method for the automated preparation of [11C]doxepin. Iwata R, Pas A simple loop method for the automated preparation of [11C]doxepin. Iwata R, Pas A simple loop method for the automated preparation of [11C]doxepin. Iwata R, Pas A simple loop method for the automated preparation of [11C]doxepin. Iwata R, Pas A simple loop method for the automated preparation of [11C]doxepin. Iwata R, Pas A simple loop method for the automated preparation of [11C]doxepin. Iwata R, Pas A simple loop method for the automated preparation of [11C]doxepin. Iwata R, Pas A simple loop method for the automated preparation of [11C]doxepin. Iwata R, Pas A simple loop method for the automated preparation of [11C]dox	Hagiwara Y,	Effectiveness and safety of mutant Escherichia coli heat-labile enterotoxin (LT H44A)	Vaccine	2001
the neuronal damage induced by a single high dose of methamphetamíne; examining the role of p53. Hirose K. et Antibiotic susceptibility of Salmonella enterica serovar Typhi and Salmonella enterica serovar Paratrubni A isolated from clinical nations. Janan. Horiuchi Y. Japanese experience and concepts in quality control of diphtheria tetanus acellular particular. Minibition of interactions and interconversions of prion protein isoforms by peptide fragments from the C-terminal folded domain. Inhibition of interactions and interconversions of prion protein isoforms by peptide fragments from the C-terminal folded domain. Solitana K. Fotentiation of 5-H13 receptor functions in the hippocampal CA1 region of rats following reneated electrononouslave shock treatments. Iwata R. Pas A combined loop-SPE method for the automated preparation of [11C]doxepin. Iwata R. Pas A simple loop method for the automated preparation of [11C]doxepin. Iwata R. Pas A simple loop method for the automated preparation of [11C]raclopride from f11C]method triflate. Kato A. Ohn Y2 the smallest of the Sendai virus C proteins, is fully capable of both counteracting that anti-viral action of interferons and inhibiting viral RNA synthesis. Katori N. Ad The study of the applicability of content uniformity and weight variation test - The state of commercial tablets and capsules in Japan- Katsura M, NMDA receptor activation enhances diazepam binding inhibitor and its mRNA expressions in mouse cerebral contrical neurons. Kaufman G [Inpact of HIV-1 Protease, Reverse transcriptase, Clesvage Site, and p6 Mutations on the Virological Response to Quadruple Therapy with Saquinavir, Ritonavir, and Two Retroviruses Nucleoside Analog Kodama M, I The PU.1 and NF-EM5 binding motifs in the Igk3' enhancer are responsible for directing somatic hymermutations to the intrinsic hotsnots in the transpenic Vit gene. Kumano K, Okotchi inhibits differentiation of hematopoietic cells by sustaining GATA-2 Elizi Son, Ys Histamine H1 receptor-mediated inhibition o	Hall S, Sora	Ethanol consumption and reward are decreased in mu-opiate receptor knockout mice.	Psychopharmacol	2001
Hirose K. et Antibiotic susceptibility of Salmonella enterica serovar Typhi and Salmonella enterica as serovar Paratvnhi A isolated from clinical nations in Janan. Horiuchi Y. Japanese experience and concepts in quality control of diphtheria tetanus acellular perfussis combined (DTaP) vaccines. Horiuchi, M., Inhibition of interactions and interconversions of prion protein isoforms by peptide fragments from the C-terminal folded domain. Ishihara K. Potentiation of 5-HT3 receptor functions in the hippocampal CA1 region of rats following repeated electroconvulsive shock treatments. Iwata R. Pas A combined loop-SPE method for the automated preparation of [11C]doxepin. Iwata R. Pas A simple loop method for the automated preparation of [11C]doxepin. Iwata R. Pas A simple loop method for the automated preparation of [11C]reclopride from [11C]methol triflate. Kato A, Ohn Y2 the smallest of the Sendai virus C proteins, is fully capable of both counteracting J Virol 2001 the anti-viral action of interferons and inhibiting viral RNA synthesis. Katori N., Ac The study of the applicability of content uniformity and weight variation test - The state of commercial tablets, and capsules in Japan- Katsura M, The Study of the applicability of content uniformity and weight variation test - The state of commercial tablets, and capsules in Japan- Kaufman G Inpact of HIV-I Protease, Reverse transcriptase, Clesvage Site, and p6 Mutations on the Virological Response to Quadruple Therapy with Saquinavir, Ritonavir, and Two Nucleoside Analog. Kodama M, I The PU.1 and NF-EM5 binding motifs in the Igk3' enhancer are responsible for directing somatic hypermutations to the intrinsic hotsnots in the transgenic Vk gene. Kumano K, Global laboratory against influenza. Li Zi Son, Ya Histamine HI receptor-mediated inhibition of potassium-evoked release of 5- behavioural Brain 2001 wydrovytryotamine from mouse forebrains. Matsunaga Tyohimbine increases the binding potential for [11C]flumazenil in the monkey brain. Myamato Y, Hyperfu	Hayashi T, F	the neuronal damage induced by a single high dose of methamphetamine: examining	Synapse	2001
Horluchi Y. Japanese experience and concepts in quality control of diphtheria tetanus acellular nextussis combined (DTaP) vaccines. Horiuchi, M., Inhibition of interactions and interconversions of prion protein isoforms by peptide frazments from the C-terminal Folded domain. Ishihara K. Potentiation of 5-HT3 receptor functions in the hippocampal CA1 region of rats following reneated electroconsulsive shock treatments. Iwata R. Pas A combined (Dop-SPE method for the automated preparation of [11C]doxepin. Iwata R, Pas A simple loop method for the automated preparation of [11C]doxepin. Iwata R, Pas A simple loop method for the automated preparation of [11C]raclopride from [11C]method triflate. Kato A, Ohn Y2 the smallest of the Sendai virus C proteins, is fully capable of both counteracting the anti-virual action of interferons and inhibiting viral RNA synthesis. Katori N., Ac The study of the applicability of content uniformity and weight variation test - The state of commercial tablets and caosules in Japan- Katsura M, INMDA receptor activation enhances diazepam binding inhibitor and its mRNA work of the Virological Response to Quadruple Therapy with Saquinavir, Ritonavir, and Two Nucleoside Analog Kodama M, The PUL1 and NP-EM5 binding motifs in the Igk3' enhancer are responsible for directine somatic hypermutations to the intrinsic hotsoots in the transcenic Vk gene Kumano K, C Notch1 inhibits differentiation of hematopoietic cells by sustaining GATA-2 Biood 2001 Layne SP, B Global laboratory against influenza. Li Zi Son, Ye Histamine H1 receptor-mediated inhibition of potassium-evoked release of 5- bixdroxytryntamine from mouse forebrains Matsuui S, Ac Un3122 inhibits the dephosphorylation and translocation of cofilin in activated macrophase-like IJ837 cells Miyamato Y, Hyperfunction of dopaminergic and serotonergic neuronal systems in mice lacking NMDA receptors. I subunit Mobarakeh I possible involvement of tachykinin NK1 and NMDA receptors in histamine-induced hydroxytryntamine from mouse fo	Hirose K. et	Antibiotic susceptibility of Salmonella enterica serovar Typhi and Salmonella enterica		2001
Horiuchi, M. Inhibition of interactions and interconversions of prion protein isoforms by peptide framents from the C-terminal folded domain. Ishihara K. Potentiation of 5-H13 receptor functions in the hippocampal CA1 region of rats following repeated electroconvulsive shock treatments. Iwata R. Pas A combined loop-SPE method for the automated preparation of [11C]doxepin. Iwata R. Pas A simple loop method for the automated preparation of [11C]doxepin. Iwata R. Pas A simple loop method for the automated preparation of [11C]raclopride from [11C]methol triflate. Kato A, Ohn Y2 the smallest of the Sendai virus C proteins, is fully capable of both counteracting the anti-viral action of interferons and inhibiting viral RNA synthesis. Katori N., Ad The study of the applicability of content uniformity and weight variation test - The state of commercial tablets and caosules in Japan- I NMDA receptor activation enhances diazepam binding inhibitor and its mRNA avoressions in mouse cerebral cortical neurons. Kaufman G Inpact of HIV-I Protease, Reverse transcriptase, Clesvage Site, and p6 Mutations on the Virological Response to Quadruple Therapy with Saquinavir, Ritonavir, and Two Nucleoside Analog. Kodama M. The PU.1 and NF-EM5 binding motifs in the Igk3' enhancer are responsible for directing somatic hymermutations to the intrinsic hotsnots in the transgenic Vk gene. Kumano K. C. Notch1 inhibits differentiation of hematopoletic cells by sustaining GATA-2 axoression. Li Zi Son, Ya Histamine H1 receptor-mediated inhibition of potassium-evoked release of 5-landour accombase-like U937 cells. Matsui S, Ad U73122 inhibits the dephosphorylation and translocation of cofilin in activated macrophase-like U937 cells. Miyamato Y, Hyperfunction of dopaminergic and serotonergic neuronal systems in mice lacking NMDA receptor. I subunit. Mobarakeh - Possible involvement of tachykinin NK1 and NMDA receptors in histamine-induced hymers. Muhammad I in vitro culture of human chondrocytes(1): A novel enhancement action of fer	Horiuchi Y,	Japanese experience and concepts in quality control of diphtheria tetanus acellular		2001
Schihara K. Potentiation of 5-HT3 receptor functions in the hippocampal CA1 region of rats following repeated electroconvulsive shock treatments. J. Labelled Cpd. Re 2001 Iwata R. Pas A combined loop-SPE method for the automated preparation of [11C]doxepin. J. Labelled Cpd. Re 2001 Iwata R. Pas A simple loop method for the automated preparation of [11C]raclopride from	Horiuchi, M.,	Inhibition of interactions and interconversions of prion protein isoforms by peptide	J. Biol. Chem.	2001
Iwata R, Pas A combined loop—SPE method for the automated preparation of [11C]doxepin. J. Labelled Cpd. Re 2001 Iwata R, Pas A simple loop method for the automated preparation of [11C]raclopride from [11C]methyl triflate. Kato A, Ohn Y2 the smallest of the Sendai virus C proteins, is fully capable of both counteracting the anti-viral action of interferons and inhibiting viral RNA synthesis. Katori N., Ad The study of the applicability of content uniformity and weight variation test – The state of commercial tablets and capsules in Japan— Katsura M, NMDA receptor activation enhances diazepam binding inhibitor and its mRNA expressions in mouse cerebral cortical neurons. Kaufman G Inpact of HIV-1 Protease, Reverse transcriptase, Clesvage Site, and p6 Mutations on the Virological Response to Quadruple Therapy with Saquinavir, Ritonavir, and Two Nucleoside Analog. Kodama M, The PU.1 and NF-EM5 binding motifs in the Igk3' enhancer are responsible for directing somatic hypermutations to the intrinsic hotspots in the transgenic Vk gene (Amano K, Motch1 inhibits differentiation of hematopoietic cells by sustaining GATA-2 expression. Layne SP, B Global laboratory against influenza. Li Zi Son, Ya Histamine H1 receptor—mediated inhibition of potassium—evoked release of 5— hydroxytryotamine from mouse forebrains Matsui S, Ad U73122 inhibits the dephosphorylation and translocation of cofilin in activated macrophage-like Ilg37 cells Matsunaga Yohimbine increases the binding potential for [11C]flumazenil in the monkey brain. Miyamato Y, Hyperfunction of dopaminergic and serotonergic neuronal systems in mice lacking NMDA receptor 1 subunit Mobarakeh Possible involvement of tachykinin NK1 and NMDA receptors in histamine—induced hyperalization in volumeralization of Chondrogenic Differentiation of Human Articular Chondrocytes by Biodegradable Polymers Muhammad In vitro culture of human chondrocytes(1): A novel enhancement action of ferrous Cytotechnology 2001	Ishihara K,	Potentiation of 5-HT3 receptor functions in the hippocampal CA1 region of rats	Neurosci. Lett.	2001
Kato A, Ohn Y2 the smallest of the Sendai virus C proteins, is fully capable of both counteracting the anti-viral action of interferons and inhibiting viral RNA synthesis. Katori N., Ac The study of the applicability of content uniformity and weight variation test – The study of the applicability of content uniformity and weight variation test – The State of commercial tablets and capsules in Japan– NMDA receptor activation enhances diazepam binding inhibitor and its mRNA excressions in mouse cerebral cortical neurons. Kaufman G Ilnpact of HIV-1 Protease, Reverse transcriptase, Clesvage Site, and p6 Mutations on the Virological Response to Quadruple Therapy with Saquinavir, Ritonavir, and Two Nucleoside Analog Kodama M, iThe PU.1 and NF-EM5 binding motifs in the Igk3' enhancer are responsible for directine somatic hypermutations to the intrinsic hotspots in the transpenic Vk gene. Kumano K, G Notch1 inhibits differentiation of hematopoietic cells by sustaining GATA-2 expression. Layne SP, B Global laboratory against influenza. Li Zi Son, Ya Histamine H1 receptor-mediated inhibition of potassium-evoked release of 5-hydroxytryntamine from mouse forebrains Matsui S, Ad Ur3122 inhibits the dephosphorylation and translocation of cofilin in activated macrophage-like U937 cells Matsunaga Yohimbine increases the binding potential for [11C]flumazenil in the monkey brain. Miyamato Y, Hyperfunction of dopaminergic and serotonergic neuronal systems in mice lacking NNDA recentor 1 subunit Mobarakeh Possible involvement of tachykinin NK1 and NMDA receptors in histamine-induced hyperalesia in mice. Muhammad Si Enhancement of Chondrogenic Differentiation of Human Articular Chondrocytes by Biodegradable Polymers Muhammad In vitro culture of human chondrocytes(1): A novel enhancement action of ferrous Cytotechnology 2001	Iwata R, Pas	A combined loop-SPE method for the automated preparation of [11C]doxepin.	J. Labelled Cpd. Ra	2001
the anti-viral action of interferons and inhibiting viral RNA synthesis. Katori N., Ac The study of the applicability of content uniformity and weight variation test – The state of commercial tablets and cansules in Japan – Katsura M. TMDA receptor activation enhances diazepam binding inhibitor and its mRNA expressions in mouse cerebral cortical neurons. Kaufman G inpact of HIV-1 Protease, Reverse transcriptase, Clesvage Site, and p6 Mutations on the Virological Response to Quadruple Therapy with Saquinavir, Ritonavir, and Two Nucleoside Analog. Kodama M, I The PU.1 and NF-EM5 binding motifs in the Igk3' enhancer are responsible for directing somatic hypermutations to the intrinsic hotspots in the transgenic Vk gene. Kumano K, C Notch1 inhibits differentiation of hematopoietic cells by sustaining GATA-2 Blood 2001 Layne SP, B Global laboratory against influenza. Li Zi Son, Ya Histamine H1 receptor-mediated inhibition of potassium-evoked release of 5-hydroxytryotamine from mouse forebrains Matsui S, Ac U73122 inhibits the dephosphorylation and translocation of cofilin in activated macrophage-like I1937 cells Matsunaga Tyohimbine increases the binding potential for [11C]flumazenil in the monkey brain. Miyamato Y, Hyperfunction of dopaminergic and serotonergic neuronal systems in mice lacking NMDA receptor 1 subunit. Mobarakeh Possible involvement of tachykinin NK1 and NMDA receptors in histamine-induced hyperalization in mice. Muhamad Si Enhancement of Chondrogenic Differentiation of Human Articular Chondrocytes by Biodegradable Polymers Muhammad In vitro culture of human chondrocytes(1): A novel enhancement action of ferrous Cytotechnology 2001		[11C]methyl triflate	Applied Radiation I	2001
Katori N., Ad The study of the applicability of content uniformity and weight variation test – The state of commercial tablets and capsules in Janan – State of commercial tablets and capsules in Janan – State of commercial tablets and capsules in Janan – State of commercial tablets and capsules in Janan – State of commercial tablets and capsules in Janan – State of commercial tablets and capsules in Janan – State of commercial tablets and capsules in Janan – State of commercial tablets and capsules in Janan – State of commercial tablets and capsules in Janan – State of commercial tablets and capsules in Janan – State of commercial tablets and capsules in Janan – State of commercial tablets and capsules in Janan – State of commercial tablets and capsules in Janan – State of commercial tablets and capsules in Janan – State of commercial tablets and capsules in Janan – State of commercial tablets and capsules in Janan – State of the Janan – State of HIV-1 Protease, Reverse transcriptase, Clesvage Site, and p6 Mutations on the Virological Response to Quadruple Therapy with Saquinavir, Ritonavir, and p6 Mutations on the Virological Response to Quadruple Therapy with Saquinavir, Ritonavir, and p6 Mutations on the Virological Response to Quadruple Therapy with Saquinavir, Ritonavir, and p6 Mutations on AIDS Res Hum Retroviruses Mutations on the Virological Response to Glesvage Site, and p6 Mutations on AIDS Res Hum Retroviruses values on the Virological Response to Glesvage Site, and p6 Mutations on AIDS Res Hum Retroviruses values in Retroviruses values in Retroviruses values on the Virological Response to Human Attentions on the Virological Response to Human Capsularity, Ritonavir, Alps Metroviruses values on p6 Mutations on the Metroviruses values on p6 Mutations on		the anti-viral action of interferons and inhibiting viral RNA synthesis	J Virol	2001
Katsura M, NMDA receptor activation enhances diazepam binding inhibitor and its mRNA axoressions in mause cerebral cortical neurons. Kaufman G Inpact of HIV-1 Protease, Reverse transcriptase, Clesvage Site, and p6 Mutations on the Virological Response to Quadruple Therapy with Saquinavir, Ritonavir, and Two Nucleoside Analog. Kodama M, The PU.1 and NF-EM5 binding motifs in the Igk3' enhancer are responsible for directing somatic hypermutations to the intrinsic hotspots in the transgenic Vk gene. Kumano K, Notch1 inhibits differentiation of hematopoietic cells by sustaining GATA-2 axoression. Layne SP, B Global laboratory against influenza. Li Zi Son, Y Histamine H1 receptor-mediated inhibition of potassium-evoked release of 5-hydroxytryotamine from mouse forebrains. Matsui S, Ad U73122 inhibits the dephosphorylation and translocation of cofilin in activated macrophage-like 11937 cells. Matsunaga Vohimbine increases the binding potential for [11C]flumazenil in the monkey brain. Miyamato Y, Hyperfunction of dopaminergic and serotonergic neuronal systems in mice lacking NMDA receptor 1 subunit. Mobarakeh Possible involvement of tachykinin NK1 and NMDA receptors in histamine-induced hyperalgesia in mice. Muhamad SI Enhancement of Chondrogenic Differentiation of Human Articular Chondrocytes by Biodegradable Polymers. Muhammad In vitro culture of human chondrocytes(1): A novel enhancement action of ferrous.	Katori N., Ad	The study of the applicability of content uniformity and weight variation test - The		2001
Kaufman G Inpact of HIV-1 Protease, Reverse transcriptase, Clesvage Site, and p6 Mutations on the Virological Response to Quadruple Therapy with Saquinavir, Ritonavir, and Two Nucleoside Analog Kodama M, I The PU.1 and NF-EM5 binding motifs in the Igk3' enhancer are responsible for directing somatic hypermutations to the intrinsic hotspots in the transgenic Vk gene. Kumano K, C Notch1 inhibits differentiation of hematopoietic cells by sustaining GATA-2 expression. Layne SP, B Global laboratory against influenza. Li Zi Son, Y; Histamine H1 receptor-mediated inhibition of potassium-evoked release of 5-hydroxytryotamine from mouse forebrains. Matsui S, Ac U73122 inhibits the dephosphorylation and translocation of cofilin in activated macrophage-like U937 cells. Matsunaga Tyohimbine increases the binding potential for [11C]flumazenil in the monkey brain. Miyamato Y, Hyperfunction of dopaminergic and serotonergic neuronal systems in mice lacking NMDA receptor 1 subunit. Mobarakeh Possible involvement of tachykinin NK1 and NMDA receptors in histamine-induced hyperalgesia in mice. Muhamad SI Enhancement of Chondrogenic Differentiation of Human Articular Chondrocytes by Biodegradable Polymers. Muhammad In vitro culture of human chondrocytes(1): A novel enhancement action of ferrous Muhammad In vitro culture of human chondrocytes(1): A novel enhancement action of ferrous Cytotechnology 2001		NMDA receptor activation enhances diazepam binding inhibitor and its mRNA expressions in mouse cerebral cortical neurons		2001
directing somatic hypermutations to the intrinsic hotspots in the transgenic Vk gene Kumano K, Q Notch1 inhibits differentiation of hematopoietic cells by sustaining GATA-2 expression. Layne SP, B Global laboratory against influenza. Li Zi Son, Ya Histamine H1 receptor-mediated inhibition of potassium-evoked release of 5- hydroxytryotamine from mouse forebrains Matsui S, Ad U73122 inhibits the dephosphorylation and translocation of cofilin in activated macrophage-like U937 cells Matsunaga Yohimbine increases the binding potential for [11C]flumazenil in the monkey brain. Miyamato Y, Hyperfunction of dopaminergic and serotonergic neuronal systems in mice lacking NMDA receptor 1 subunit. Mobarakeh Possible involvement of tachykinin NK1 and NMDA receptors in histamine-induced hyperalgesia in mice. Muhamad Si Enhancement of Chondrogenic Differentiation of Human Articular Chondrocytes by Biodegradable Polymers Muhammad In vitro culture of human chondrocytes(1): A novel enhancement action of ferrous Cytotechnology 2001		Inpact of HIV-1 Protease, Reverse transcriptase, Clesvage Site, and p6 Mutations on the Virological Response to Quadruple Therapy with Saquinavir, Ritonavir, and Two Nucleoside Analog		2001
Kumano K, Notch1 inhibits differentiation of hematopoietic cells by sustaining GATA-2 expression. Layne SP, B Global laboratory against influenza. Science 2001 Li Zi Son, Y: Histamine H1 receptor-mediated inhibition of potassium-evoked release of 5- hydroxytryotamine from mouse forebrains Matsui S, Ac U73122 inhibits the dephosphorylation and translocation of cofilin in activated macrophage-like U937 cells Matsunaga Yohimbine increases the binding potential for [11C]flumazenil in the monkey brain. Miyamato Y, Hyperfunction of dopaminergic and serotonergic neuronal systems in mice lacking NMDA receptor 1 subunit. Mobarakeh Possible involvement of tachykinin NK1 and NMDA receptors in histamine-induced hyperalgesia in mice. Muhamad Si Enhancement of Chondrogenic Differentiation of Human Articular Chondrocytes by Biodegradable Polymers. Muhammad In vitro culture of human chondrocytes(1): A novel enhancement action of ferrous Cytotechnology 2001	Kodama M, I	The PU.1 and NF-EM5 binding motifs in the Igk3' enhancer are responsible for directing somatic hypermutations to the intrinsic hotspots in the transcenic Vk sene	Int. Immunol.	2001
Layne SP, B Global laboratory against influenza. Li Zi Son, Ya Histamine H1 receptor-mediated inhibition of potassium-evoked release of 5-hydroxytryotamine from mouse forebrains Matsui S, Ad U73122 inhibits the dephosphorylation and translocation of cofilin in activated macrophage-like U937 cells Matsunaga T Yohimbine increases the binding potential for [11C]flumazenil in the monkey brain. Miyamato Y, Hyperfunction of dopaminergic and serotonergic neuronal systems in mice lacking NMDA receptor 1 subunit. Mobarakeh Possible involvement of tachykinin NK1 and NMDA receptors in histamine-induced hyperalgesia in mice. Muhamad Si Enhancement of Chondrogenic Differentiation of Human Articular Chondrocytes by Biodegradable Polymers Muhammad In vitro culture of human chondrocytes(1): A novel enhancement action of ferrous Cytotechnology 2001		Notch1 inhibits differentiation of hematopoietic cells by sustaining GATA-2 expression.	Blood	2001
hvdroxytryotamine from mouse forebrains Matsui S, Ad U73122 inhibits the dephosphorylation and translocation of cofilin in activated macrophage—like U937 cells Matsunaga Tyohimbine increases the binding potential for [11C]flumazenil in the monkey brain. Miyamato Y, Hyperfunction of dopaminergic and serotonergic neuronal systems in mice lacking NMDA receptor 1 subunit. Mobarakeh Possible involvement of tachykinin NK1 and NMDA receptors in histamine—induced hyperalgesia in mice. Muhamad Si Enhancement of Chondrogenic Differentiation of Human Articular Chondrocytes by Biodegradable Polymers Muhammad In vitro culture of human chondrocytes(1): A novel enhancement action of ferrous Cytotechnology 2001	Layne SP, B	Global laboratory against influenza.	Science	2001
Matsui S, Ad U73122 inhibits the dephosphorylation and translocation of cofilin in activated macrophage—like U937 cells Matsunaga Tyohimbine increases the binding potential for [11C]flumazenil in the monkey brain. Miyamato Y, Hyperfunction of dopaminergic and serotonergic neuronal systems in mice lacking NMDA receptor 1 subunit. Mobarakeh Possible involvement of tachykinin NK1 and NMDA receptors in histamine—induced hyperalgesia in mice. Muhamad Si Enhancement of Chondrogenic Differentiation of Human Articular Chondrocytes by Biodegradable Polymers Muhammad In vitro culture of human chondrocytes(1): A novel enhancement action of ferrous Cell Signal 2001 2001 J Neural Transm 2001 Eur. J. Pharmacol. 2001	Li Zi Son, Ya	Histamine H1 receptor-mediated inhibition of potassium-evoked release of 5-	Behavioural Brain	2001
Matsunaga Tyohimbine increases the binding potential for [11C]flumazenil in the monkey brain. Miyamato Y, Hyperfunction of dopaminergic and serotonergic neuronal systems in mice lacking NMDA receptor 1 subunit. Mobarakeh Possible involvement of tachykinin NK1 and NMDA receptors in histamine-induced hyperalgesia in mice. Muhamad SI Enhancement of Chondrogenic Differentiation of Human Articular Chondrocytes by Biodegradable Polymers Muhammad In vitro culture of human chondrocytes(1): A novel enhancement action of ferrous Cytotechnology 2001	Matsui S, Ad	U73122 inhibits the dephosphorylation and translocation of cofilin in activated	Cell Signal	2001
NMDA receptor 1 subunit. Mobarakeh Possible involvement of tachykinin NK1 and NMDA receptors in histamine-induced hyperalgesia in mice. Muhamad Si Enhancement of Chondrogenic Differentiation of Human Articular Chondrocytes by Biodegradable Polymers Muhammad In vitro culture of human chondrocytes(1): A novel enhancement action of ferrous Cytotechnology 2001	Matsunaga T	Yohimbine increases the binding potential for [11C]flumazenil in the monkey brain.	J Neural Transm	2001
Mobarakeh Possible involvement of tachykinin NK1 and NMDA receptors in histamine-induced hyperalgesia in mice. Muhamad SI Enhancement of Chondrogenic Differentiation of Human Articular Chondrocytes by Biodegradable Polymers Muhammad In vitro culture of human chondrocytes(1): A novel enhancement action of ferrous Cytotechnology 2001	Miyamato Y,	Hyperfunction of dopaminergic and serotonergic neuronal systems in mice lacking NMDA receptor 1 subunit	J. Neurosci.	2001
Muhamad SI Enhancement of Chondrogenic Differentiation of Human Articular Chondrocytes by Biodegradable Polymers Muhammad In vitro culture of human chondrocytes(1): A novel enhancement action of ferrous Cytotechnology 2001	Mobarakeh	Possible involvement of tachykinin NK1 and NMDA receptors in histamine-induced	Eur. J. Pharmacol.	2001
Muhammad In vitro culture of human chondrocytes(1): A novel enhancement action of ferrous Cytotechnology 2001	Muhamad Si	Enhancement of Chondrogenic Differentiation of Human Articular Chondrocytes by	Tissue Engineering	2001
town of E to the interest about to contain control of the control	Muhammad	In vitro culture of human chondrocytes(1): A novel enhancement action of ferrous sulfate on the differentiation of human chondrocytes.	Cytotechnology	2001

著者名(3名		雑誌名	年
	Nomifensine-induced c-fos mRNA expression in the discrete brain areas of the developing rat	Neurosci Lett	2001
	Spider silk has an ice nucleation activity	Naturwissenschaft en	2001
	Comparison of neuropathogenicity of poliovirus type 3 in transgenic mice bearing the poliovirus receptor gene and cynomolous monkeys	Vaccine	2001
	Decreased brain histamine contents in hypocretin/orexin receptor 2-mutated narcoleptic dogs	Neurosci. Lett.	2001
	Phencyclidine impairs latent learning in mice: interaction between glutamatergic systems and sigma1 receptors	Neuropsychopharn	2001
Obuchi M, C	Association of L* protein of Theiler's murine encephalomyelitis virus with microtubules in infected cells	Virology	2001
Odagiri T, K	The influenza B virus BM2 protein may be involved in the ribonucleoprotein complexes through the binding with membrane protein M1.	International Congress Series	2001
	Sequence Analysis of Human Endogeneous Retrovirus Clone 4–1 in Systemic Lupas Erythematosus	Autoimmunity	2001
Ogasawara I	Qantitative Analyses of Human Endogenous Retrovirus in Patients with Systemic	J.Rheumatol	2001
Ohkuma S, I	Nitric oxide and peroxynitrite as factors to stimulate neurotransmitter release in the CNS	Prog. Neurobiol.	2001
Ohkuma S, I	Peroxynitrite affects Ca2+ influx through voltage-dependent calcium channels	J. Neurochem.	2001
Ohta M., Ka	Usefulness of glycopeptide mapping by liquid chromatography/mass spectrometry in comparability assessment of glycoprotein products	Biologicals	2001
Okada H, Sa	Comparative analysis of host responses related to immuno-suppression between measles patients and vaccine recipients with live attenuated measles vaccines.	Arch Virol	2001
Oki M <u>, Anko</u>	Efficient lentiviral transduction of human cord blood CD34+ cells followed by their expansion and differentiation into dendritic cells	Experimental	2001
Reickert T,	The Japanese Experience with vaccinatiog schoolchildren against influenza.	Hematology New Engl J Med	2001
	Studies on the Biocompatibility of Biomaterials: Effect of Various Types of Biomaterial Microspheres. Proc. Fourth Pacific Rim Int. conf. On Advanced Materials and Processing (PRICM4)	The Japan Institute of metals	2001
	The inhibitory mechanism of gap junctional intercellular communication induced by polyethylene and the restorative effects by surface modification with various proteins.	J. Biomed Mater	2001
	Studies on in vitro evaluation for the biocompatibility of various biomaterials:	J. Biomed Mater	2001
S.Yoshioka,	Usefulness of the Kohlrausch-Williams-Watts Stretched Exponential Function to Describe Protein Aggregation in Lyophilized Formulations and the Temperature Dependence Near the Glass Transition Temperature	Pharm. Res.	2001
Saito T, Lim	Characterization of a human H9N2 influenza virus isolated in Hong Kong.	Vaccine	2001
	Surface molecules essential for positive selection are retained but interfered in the throng epithelial cells after monolayer culture	Cell Immunol	2001
Sayed A-NM	Enhancement of immobility induced by repeated-phencyclidine injection: association with c-Fos protein in the mouse brain.	Behav. Brain Res.	2001
Sekigawa I, (Retroviruses and Auto immunity	Int. Medicine	2001
Shimizu K <u>, C</u>	Manic fringe and lunatic fringe modify different sites of the Notch2 extracellular region, resulting in different signaling modulation	J Biol Chem	2001
Shimoda M,	Isotype-specific Selection of High Affinity Memory B Cells in Nasal-associated	J Exp Med	2001
	Mu Opiate Receptor Gene Dose Effects on Different Morphine Actions. Evidence for Differential in vivo &mer. Receptor Reserve	Neuropsychopharm	2001
Sora I, Hall S	Molecular mechanisms of cocaine reward: combined dopamine and serotonin transporter knockouts eliminate cocaine place preference.	Proc Natl Acad Sc	2001
Tagawa M, K	Differential cognitive effects of ebastine and d-chlorpheniramine in healthy subjects: Correlation between osychomotor performance and plasma concentration.	Br. J. Clin. Pharma	2001
	Neuroimaging of histamine H1-receptor occupancy in human brain by positron emission tomography (PET): A comparative study of ebastine, a second-generation antihistamine, and (+)-chlorpheniramine, a classical antihistamine	Br J Clin Pharmace	2001
Taizo Sumid		J. of Japanese	2001
Takahashi Y		Society for Immunity	2001
Takaki M, Uj	Two kinds of mitogen-activated protein kinase phosphatases, MKP-1 and MKP-3, are	J Neurochem	2001
Takekoshi M	differently activated by acute and chronic methamohetamine treatment in the rat Cloning and expression of human anti-tumor necrosis factor—a monoclonal antibodies	J Biochem.	2001
	from Fostein-Barr Virus transformed oligoclonal libraries		<u> </u>

著者名(3名		雑誌名	年
	re-Evaluation of HBsAg detection kits approved for marketing in Japan	Jpn.J.Infect.Dis.	2001
	Sanetaka Shirahata, Neural stem cells loses telomerase activity upon differentiation into astrocytes.	Cytotechnology	2001
Tani K, Iyo N	The effects of dentate granule cell destruction on behavioural activity and Fos protein expression induced by systemic methamphetamine in rats	Br J Pharmacol	2001
Tsukamoto	The effects of FK506, a specific calcineurin inhibitor, on methamphetamine-induced behavioral change and its sensitization in rats	Psychopharmacolo	2001
Umino Y, Ta	Inhibition of rubella virus growth by Fungizone.	Vaccine	2001
	Corticosterone-induced psychotic and mood disorders: Diagnosis defined by DSM-IV and clinical pictures	Psychosomatics	2001
	In vivo evaluation of doxorubicin carried with long circulating and remote loading	Int. J. Pharm.	2001
Xin K-Q, Ya	A novel recombinant Adeno-Associated virus vaccine induces a long-term humoral immune response to Human immunodeficiency virus	Human gene Therapy	2001
Y. Aso, S. Yo	Feasibility of using isothermal microcalorimetry to evaluate the physical stability of	Thermochimica	2001
Y. Aso, S. Yo	Explanation of the crystallization rate of amorphous nifedipine and phenobarbital from their molecular mobility as measured by 13C nuclear magnetic resonance relaxation time and the relaxation timed obtained from the heating rate dependence of the glass	J. Pharm.Sci.	2001
Y. Maitani, S	Physicochemical characteristics and transfection efficiency of DNA in cationic and neutral liposomes with soybean-derived sterylglucoside into HepG2 cells	J. Pharm. Sci. Technol. Jon	2001
Yamamoto N	Uptake of D-serine by synaptosomal P2 fraction isolated from rat brain	Synapse	2001
	Glycidol degrades scrapie mouse prion protein	J. Vet. Med. Sci.,	2001
	Enhancement of human cord blood CD34+ cell-derived NK cell cytotocxicity by dendritic cells	Journal of	2001
Yoneyama T	Neurovirulence of Sabin 1-Derived Polioviruses isolated from an immunodeficient patient with prolonged viral exceretion	Dev Biol Basel Karger	2001
Yoshizawa I,	Enhancement of mucosal Immune response against HIV-1 Gag by DNA immunization	Vaccine	2001
	Bone marrow transplantation in a child with Wiskott-Aldrich syndrome latently infected with acyclovir-resistant (ACV(r)) herpes simplex virus type 1: emergence of foscarnet-resistant virus originating from the ACV(r) virus	J Med Virol	2002
Akira Ichikav	Studies on the tumor promoting mechanism of hard and soft segment models of polyetherurethane: Tyr265 phosphorylation of connmexin43 is a key step in the GJIC	J. Biomedical	2002
·	A strategy for the suppression of tumorigenesis induced by biomaterials: Restoration of transformed phenotype of polyetherurethane-induced tumor cells by Cv43	Cytotechnology	2002
	eversion of transformed phenotype of polyetherurethane-induced tumor cells Cx43 transfection.	Animal Cell Technology	2002
Asahi Y, Yos	Protection against influenza virus infection in polymeric Ig receptor knockout mice immunized intranasally with adjuvant-combined vaccines.	J Immunol	2002
Asanuma M,	Methamphetamine-induced increase in striatal p53 DNA-binding activity is attenuated in Cu.Zn-superoxide dismutase transgenic mice.	Neurosci. Lett.	2002
Awata S, Ko	Changes in regional cerebral blood flow abnormalities in late-life depression following response to electroconvulsive therapy	Psychiatry Clin Ne	2002
<u>Chiba S</u> , Sai	Transplantation for Accidental Acute High-Dose Total Body Neutron- and g- Radiation Exposure	Bone Marrow Transplant	2002
Funada M, S	Evaluation of rewarding effect of toluene by the conditioned place preference	Brain Res Proto.	2002
		Human Immunology	2002
	Epileptiform burst discharges in hippocampal CA3 neurons of young but not mature Noda epileptic rats (NER).	Brain Research	2002
	Apoptosis-inducing neurotoxicity of dopamine and its metabolites via reactive quinone generation in neuroblastoma cells	Biochim. Biophys. /	2002
Hasegawa H	Persistent infection of influenza virus in irradiated mice and its prevention by intrapasal vaccination.	Vaccine	2002
He J, Yamad	A role of Fos expression in the CA3 region of the hippocampus in spatial memory formation in rats	Neuropsychopharm	2002
	The p53-activated gene, PAG608, requires a zinc finger domain for nuclear localization and oxidative stress-induced apoptosis.	J. Biol. Chem.	2002
Horiuchi, M.,	Biological and biochemical properties of sheep scrapie agents in Japan	J. Clin. Microbiol.	2002
Inoue K. Okil	Characterization of estrogenic compounds in medical polyvinylchloride tubing by gas chromatography - mass spectrometry and estrogen receptor binding assay	Clin. Chim. Acta	2002

著者名(3名		雑誌名	年
Jeong Ung (Tumor-Promoting Activity of 48 kDa Molecular Mass Hyaluronic Acid.	Materials Transactions	2002
	Increase of Gap Junctional Intercellular communication by High Molecular Weight Hyaluronic Acid Associated with FGE-2-and KGE-Production in Normal Human	Tissue Engineering	2002
	Increase in gap-junctional intercellular communications(GJIC) on normal human dermal fibroblasts(NHDF) on surfaces coated with high molecular weight hydronic	J. Biomedical Materials	2002
	Characterization of estrogenic compounds in medical polyvinylchloride tubing by gas chromatography – mass spectrometry and estrogen recentor hinding assay	Clin. Chim. Acta	2002
K. Nakamura	Enhancement of FITC-dextran absorption via nasal mucosa by nanoparticles based on b-sitosterol b-D-glucoside and its aglycon	STP Pharm. Sci.	2002
	lof HI -60 cells-A study of transferrin recentor-positive and negative cells obtained	Arch. Biochem.	2002
	Partially Fucose Branch-Remaining Sea Cucumber Glycosaminoglycans and Their Abilities to Enhance t-PA-mediated Plasminogen Activation	Connective Tissue	2002
Kariya Y, Sa	Enhancement of t-PA-Madiated Plasminogen Activation by Partially Defucosylated Glycosaminoglycans from the Sea Cucumber Stichonus japonicus	J. Biochem	2002
	The amino-terminal half of Sendai virus C protein is not responsible for either counteracting the antiviral action of interferons or down-regulating viral RNA synthesis.	J Virol	2002
Kato K, Yosl	Preparation of samples for gas chromatography/mass spectrometry analysis of ohthalate and adioate esters in plasma and beverages by steam dislillation and	AOAC Int	2002
Katsura M, I	Up-regulation of L-type voltage-dependent calcium channels after long term exposure to nicotine in cerebral cortical neurons.	J. Biol. Chem.	2002
Katsura M, N	D 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Mol. Brain Res.	2002
	Functional significance of nitric oxide in ionomycin-evoked [3H]GABA release from mouse cerebral cortical neurons	J. Neurochem.	2002
Kazuo Isama	Effect of γ -ray irradiated poly(L-lactide) on the differentiation of mouse osteoblast-	J. Biomater. Sci. Polymer Edn.	2002
Kikuchi,Y., K		Biol. Pharm. Bull.	2002
Kitaichi K, M	Altered pharmacokinetic properties of methamphetamine in rats having behavioral sensitization to methamphetamine	Eur J Pharmacol	2002
Kitaichi K, M		Biol Pharm Bull	2002
Li C, <u>Ando K</u>		Experimental	2002
Li C, Habu S	D 11 11 00 11 -	Hematology Exp Hematol	2002
Macara IG, E		Mol Biol Cell	2002
Matsui M, Fu	Recent progress in the research of the muscarinic acetylcholine receptor subtypes and related diseases.	J. Mental Health	2002
Matsui S, Ma	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Biol Chem	2002
Matsuoka H,		Seizure	2002
Matsushima	The mRNA expression of calcitonin receptor-like receptor/receptor activity modifying proteins in rat peritoneal mast cells.	Eur J Pharmacol	2002
Miyamoto Y,	Lower sensitivity to stress and altered monoaminergic neuronal function in mice lacking the NDMA receptor & 4 subunit	J. Neurosci.	2002
Mizoguchi H	A	Neuroscience.	2002
Mobarakeh 4		Neuropharmacolog	2002
Muhammad	Effects of biomaterials and nutrient factors on chondrogenesis of human	**	2002
Mukai S, Ishi	Existence of ionotropic glutamate receptor subtypes in cultured rat retinal ganglion	Technology Japanese Journal (2002
Nagail, Yan	cells obtained by the magnetic cell sorter method and inhibitory effects of 20— Cognition impairment in the genetic model of aging klotho gene mutant mice: a role of oxidative stress	FASEB J.	2002
Nakano Y, M	Cholesterol inclusion in liposomes affects induction of antigen-specific IgG and IgE		2002
Okada M, Se		Chemistry Jour.Rheum	2002
Oku N, Asai		Oncogene	2002

著者名(3名	タイトル	雑誌名	年
S. Yoshioka,	A comparison of the analysis of covariance (ANCOVA) and range-based approaches for assessing batch-to-batch variability of the stability of pharmaceutical products.	Chem. Pharm.	2002
S.Yoshioka,	Different molecular motions in Tyophilized protein formulations as determined by laboratory and rotating frame spin-lattice relaxation times	J. Pharm. Sci.	2002
	Genotypic and phenotypic characterization of the thymidine kinase of ACV-resistant HSV-1 derived from an acyclovir-sensitive hernes simplex virus type 1 strain	Antiviral Res.	2002
	The in vivo development of human T cells from CD34(+) cells in the murine thymic	Int Immunol	2002
	lparvovirus B19 DNA nucleic acid amplification techniques	vox Sang	2002
	Alternation of kappa opioid receptor protein following the administration of phenovolidine	J. Mental Health.	2002
	Metabolite alterations in basal ganglia associated with methamphetamine-related osvchiatric symptoms. A proton MRS study.	Neuropsychopharn	2002
	Roles of endogenous glutathionelevels on 6-hydroxydopamine-induced apoptotic neuronal cell death in human neuroblastoma SK-N-SH cells	Neuropharmacolog	2002
	Functional diversity among Notch1, Notch2 and Notch3 receptors.	Biophys Biochem Res Commun	2002
	Integrity of intracellular domain of Notch ligand is indispensable for cleavage required for release of Notch2 intracellular domain.	EMBO J	2002
	Identification of tet(B), encoding high-level tetracycline resistance, in Neisseria meningitides	Antimicrob Agent Chemother	2002
	Isolation of a <i>Neisseria meningitidis</i> strain from healthy carier that is deficient in γ -glutamyl aminopeotidase activity.	J Clinc Microbiol	2002
	Transconjugation of incompatibility group Q-broad host range vector into Neisseria meningitifis and its availability as genetical tools.	Microbiology	2002
	Intranasal inoculation of a recombinant influenza virus containing the exogenous nucleotides in the NS segment results in immune response against the exogenous	Vaccine	2002
Takekida,K.,	Quantitative analysis of prion protein by immunoblotting	J. Health Sci.	2002
	Re-Evaluation of HCV Ab detection kits approved for marketing in Japan	Jpn.J.Infect.Dis.	2002
	Recombinant wild-type and Edmonston strains measles viruses bearing heterologous H proteins: role of H protein in cell fusion and host cell specificity.	J Virol	2002
Taki T, Oku	Inhibition of tumor metastasis by liposomes containing glyco-replica peptides	Methods in Molecular Biology	2002
	T cell-independent regulation of IgE antibody production induced by surface-linked linosomal antigen	J Immunol	2002
	DNA vaccine using invariant chain gene for delivery of CD4+ T cell epitope peptide derived from Japanese cedar pollen allergen inhibits allergen-specific lgF response	Eur. J. Immunol	2002
Tokumura A	Identification of human plasma lysophospholipase D, a lysophosphatidic acid- producing enzyme, as autotaxin, a multifunctional phosphodiesterase	J Biol Chem	2002
Toshie Tsuc	Studies on the biocompatibility of artificial organs and tissue engineered products:	Animal Cell Technology	2002
	Memory B cells without somatic hypermutation are generated from Bcl6-deficient B cells.	Immunity	2002
	Behavioral characterzation of mice lacking histamine H3 receptors.	Mol. Pharmacol.	2002
	Selective expansion of perforin-positive CD8+ T cells by immature dendritic cells infected with live Bacillus Calmette-Guérin mycobacteria.	J. Leuk. Biol	2002
Y. Aso, S. Ye	Effect of water on the molecular mobility of sucrose and PVP in a colyophilized formulation as measured by 13C-NMR relaxation time	Chem. Pharm.	2002
Yamaguchi B	Expression of Nocth ligand, Jagged1, Jagged2 and Delta1 in antigen-presenting cells in mice	Immunol Letter	2002
	Development of a particle agglutination assay system for detecting Japanese encephalitis, virus-specific human IgM, using hydroxyapatite-coated nylon beads	J Virol Meth	2002
Yamamoto A	Enhanced sensitisation of mice with diphtheria tetanus acellular pertussis vaccine to local swelling reaction to the booster immunisations	Vaccine	2002
Yoshida H	Prevalence of vaccine-derived polioviruses in the environment	J. General Virology	2002
	Latent infection of human herpesvirus 6 in astrocytoma cell line and alteration of	J Med Virol	2002
Zhao YL, Ca	Possible involvement of P-glycoprotein on the renal excretion of levofloxacin.	Clin Exp Pharmaco	[
	Shiga-like Toxin II derived from E. coli O157:H7 modifies renal handling of levofloxacin in rats.	Antimicrob Agents	2002
Zhao YL, Du	Platelet factor 4 fragment induces histamine release from rat peritoneal mast cells	Peptides.	2002
Zhao YL, Du	Shiga-like Toxin II modifies brain distribution of a P-glycoprotein substrate, doxorubicin, and P-glycoprotein expression in mice.	Brain Res	2002

著者名(3名		推誌名	年
Zhao YL, Dι	Effect of endotoxin on doxorubicin transport across blood-brain barrier and P- glucoprotein function in mice	Eur J Pharmacol	2002
Zhou Y, Spa	Effects of acute "binge" cocaine on preprodynorphin, preproenkephalin, proopiomelanocortin, and corticotropin-releasing hormone receptor mRNA levels in the striatum and hypothalamic-pituitary-adrenal axis of mu-opioid	Synapse	2002
Zhou YH, Ta	Antiviral activity of recombinant antibody Fab against the hypervariable region 1 of	Antiviral Res.	2002
Anggadiredja	Prostaglandin E2 attenuates SR 141716A-precipitated withdrawal In	Brain Res	2003
Asanuma M,	Dopamine- or L-DOPA-induced neurotoxicity: the role of dopamine quinone formation and tyrosinase in a model of Parkinson's disease.	Neurotox. Res.	2003
Asanuma M,		Neurosci. Lett.	2003
Chen Z, Li Z	Chemical kindling induced by pentylenetetrazol in histamine H1 receptor gene knockout mice (H1KO), histidine decarboxylase-deficient mice (HDC-/-) and mast cell-deficient W/Wv mice.	Brain Res	2003
Chiba S, Tal	Homeoprotein DLX-1 interacts with Smad4 and blocks a signaling pathway from activin A in hematopoietic cells	Proc Natl Acad	2003
Diaz-Corral	Rotenone induces disassembly of the Golgi apparatus in the rat dopaminergic neuroblastoma B65 cell line.	Sci USA Neurosci. Lett.	2003
	Teruhide Yamaguchi, Koichi Shudo, Kazuhide Inoue, and Tomoko Nishimaki-Mogami; In vitro farnesoid X receptor ligand sensor assay using surface plasmon resonance and based on ligand-induced coactivator association	J Steroid. Biochem. Molec. Biol	2003
Fujiyama K,	Differential regulation by stimulants of neocortical expression of mrt1, arc, and homer1a mRNA in the rats treated with repeated methamphetanine	Synapse	2003
Fukuda K, Y	Mesenchymal expression of FoxII, a winged helix transcriptional factor, regulates generation and maintenance of gut-associated lymphoid organs	Dev. Biol. 255	2003
Funaki Y, Ka	Evaluation of the binding characteristics of [5-11C-methoxy]donepezil in the rat brain for in vivo visualization of acetylcholinesterase.	J. Pharmacol. Sci.	2003
Gansuvd B,	Umbilical cord blood dendritic cells are a rich source of soluble HLA-DR: synergistic effect of exosomes and dendritic cells on auto logous or allogeneic T-Cell prolife	Human	2003
Gombojav A	Amino acid polymorphisms of PrP gene in Mongolian sheep	J. Vet. Med. Sci.	2003
Gombojav, A	Susceptibility of transgenic mice expressing chimeric sheep, bovine and human PrP	J. Vet. Med. Sci.	2003
Hagiwara Y.,	Protective mucosal immunity in aging is associated with functional CD4+ T cells in nasonharyngeal associated lymphoreticular tisse.	J.Immunol.	2003
Hall FS, Li X	Congenic C57BL/6 mu opiate receptor (MOR) knockout mice: baseline and opiate	Genes Brain	2003
Hall FS, Sor	Sex-Dependent Modulation of Ethanol consumption in vesicular monoamine transporter 2 (VMAT2) and department transporter (DAT) knockout mice.	Behav Neuropsychophar	2003
Haque ME, A	Apoptosis-inducing neurotoxicity of dopamine and its metabolites via reactive guinone generation n neuroblastoma cells	macology Biochim. Biophys	2003
Haque ME, A	Overexpression of Cu-Zn superoxide dismutase protects neuroblastoma cells against donamine cytotoxicity accompanied by increase in their glutathione level	Acta Neurosci. Res.	2003
Haradahira T	Effects of endogenous agonists, glycine and D-serine, on in vivo specific binding of	Synapse	2003
Hashimoto K	I11CIL -703.717 a PET radioligand for the glycine-binding site of NMDA receptors. Decreased serum levels of D-serine in patients with schizophrenia: evidence in	Arch Gen	2003
Hashimoto K	support of the N-methyl-D-aspartate receptor hypofunction hypothesis of Increased levels of serum basic fibroblast growth factor in schizophrenia.	Psychiatry Psychiatry Res.	2003
Hefco V, Yaı	Effects of nicotine on memory impairment induced by blockade of muscarinic,	Eur. J. Pharmacol.	2003
Hiramatsu H	nicotinic and donamine D2 recentors in rats. Complete reconstitution of human lymphocytes drom cord blood CD34+ cells using	Blood	2003
Holgate ST,	the NOD/SCID/gcnull mice model Consensus Group on New-Generation Antihistamines (CONGA): present status and	Clin Exp Allergy.	2003
Horiguchi T,	recommendations An MEG study of P300 activity during a color discrimination task.	Brain Dev	2003
Hozumi K, A	Active form of notch members can enforce T lymphopoiesis on lymphoid progenitors	J Immunol	2003
	in the monolaver culture specific for B cell development. F3/contactin acts as a functional ligand for Notch during oligodendrocyte maturation.	Cell	2003
inoue K, Hig	The validation of column-switching LC/MS as a high-throughput approach for direct		2003
	analysis of di(2-ethylhexyl) ohthalate released from PVC medical devices in Column-switching high-performance liquid chromatography - electrospray mass	Anal Anal. Bioanal.	2003
	spectrometry coupled with on-line of extraction for the determination of mono- and Suppressive effects of 2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD) on the high-	Chem Toxicological Sci	2003
	affinity antibody response in C57BI /6 mice		