著者名(3名		雑誌名	年
Ishii-Watabe	Detection of Replication-Competent Adenoviruses Spiked into Recombinant Adenovirus Vector Products by Infectivity-PCR Combined with Glass Beads-Based	Mol. Therapy	2003
Itokawa M, A	Association between a novel polumorphism in the promoter region of the neuronentide Y gene and schizophrenia in humans.	Neurosci Lett	2003
Itou R.,Ozak		Vaccine	2003
Iwata A, Sat		Biol. Pharm. Bull	2003
Iwata A, Sat	Antiviral activity of 2-amino-4,4a-dihydro-4a-7-dimethyl-3H-phenoxazine-3-one on	Tohoku J. Exp. Med	2003
Jun Yang, A	A novel function of connexin 32 : Marked enhancement of liver function in a hepatoma cell line.	Biochem. Biophys. Res. Commun.	2003
K. Inoue, M.	Column-switching high-performance liquid chromatography - electrospray mass spectrometry coupled with on-line of extraction for the determination of mono- and di-(2-ethylhexyl) phthalate in blood samples.	Anal. Bioanal. Chem.	2003
K. Inoue, T. I	The validation of column-switching LC/MS as a high-throughput approach for direct analysis of di(2-ethylhexyl) phthalate released from PVC medical devices in intravenous solution.	J. Pharm. Biomed. Anal.	2003
K. Kawano, I	Preparation and pharmacokinetics of pirarubicin loaded: dehydration-rehydration vesicles	Int. J. Pharm	2003
K. Nakamura	Regional instestinal absorption of FITC-dextran 4400 with nanoparticles based on b-sitosterol b-D-glucoside in rats	J. Pharm. Sci.	2003
K. Shimizu, F	Stability and antitumor effects of all-trans retinoic acid - loaded liposomes contained sterylglucoside mixture	Int. J. Pharm	2003
Kabbaj M, Te	Methamphetamine differentially regulates hippocampal glucocorticoid and mineralocorticoid receptor mRNAs in Fisher and Lewis rats	Mol Brain Res	2003
Kajii Y, Mura	A developmentally-regulated and psychostimulant-inducible novel rat gene mrt1 encoding PDZ-PX proteins isolated in the neocortex	Mol Psychiatry	2003
Kakishita M,	Direct evidence for increased hydroxyl radicals in angiotensin II-induced cardiac	J. Cardiovasc. Pharmacol	2003
Kanayasu-T		Pharmacol Biochem. Pharmaco	2003
Kanayasu-T	CD31 (PECAM-1)-bright cells derived from AC133-positive cells in human peripheral	Cell. Physiol	2003
Kanda Y <u>, Ch</u>	Allogeneic hematopoietic stem cell transplantation from family members other than HLA-identical siblings over the last decade (1991-2000)	Blood	2003
	Specific brain processing of facial expressions in people with alexithymia: an H215O- PET study	Brain	2003
	Low dose of alcohol have a selective effect on the cognition of happy facial expression.	Hum. Psychopharmacol	2003
Katakura Y,	Decreased tumorigenicity in Vivo When Transforming Growth Factor $oldsymbol{eta}$ Treatment Causes Cancer Cell Senescence	Biosci. Biotechnol. Biochem	2003
	Determination of three phthalate metabolites in human urine using on-line solid- phase extraction-liquid chromatography-tandem mass spectrometry	Chromatogr. B	2003
Kato K, Yam	High throughtput analysis of di-(2-ethylhexyl)phthalate metabolites in urine for exposure assessment	J. Liq. Chromatogr. Relat	2003
Kawakami C	Isolation of influenza A H1N2 viruses from an outbreak in Yokohama City during the 2001–2002 influenza season in Japan.	Jpn J Infect Dis	2003
Kazuo Isama	Enhancing effect of poly(L-lactide) on the differentiation of mouse osteoblast-like MC3T3-EL cells	Biomaterials	2003
Kim HC, Yan	Immunocytochemical evidence that amyloid $\beta$ (1-42) impairs endogenous antioxidant systems in vivo.	Neuroscience	2003
Kitaichi K, M	Altered pharmacokinetic properties of methamphetamine in rats having behavioral sensitization to methamphetamine.	Eur J Pharmacol	2003
Koizumi N, N	Reduction of natural adenovirus tropism to mice liver by fiber-shaft exchange in combination with both CAR- and v integrin-binding ablation	J.Virol	2003
Komine O,H≰	The Runx1 transcription factor inhibits the differentiation of naive CD4+ T cells into the Th2 lineage by repressing GATA3 expression	J Exp Med	2003
Kondo E, Wa		Int. Immunol	2003
Kumano K, (	Notch1 but Not Notch2 Is Essential for Generating Hematopoietic Stem Cells from Endothelial Cells	Immunity	2003
Kunisato A,_	HES-1 preserves purified hematopoietic stem cells ex vivo and accumulates side	Blood	2003
Kurbanov F,	Human Immunodeficiency Virus in Uzbekistan: Epidemiological and Genetic Analyses	AIDS Res and Hum Retroviruses	2003
Kuriyama K,		Neurosci Res	2003
Kurumaii A	Distribution of anxiogenic-induced c-Fos in the forebrain regions of developing rats.	J Neural Transm	2003

著者名(3名		雑誌名	年
	Delta1-Notch3 interactions bias the functional differentiation of activated CD4+ T cells.	Immunity	2003
	Neuronal mechanism of nociceptin-induced modulation of learning and memory: involvement of N-methyl-D-aspartate receptors	Mol. Psychiat.	2003
	Functional CD5+ B cells develop predominantly in the spleen of NOD/SCID/gamma-c (null) (NOG) mice transplanted either with human umbilical cord blood, bone marrow, or mobilized peripheral blood CD34+ cells.	Hematology	2003
	The mRNA expression of calcitonin receptor-like receptor/receptor activity modifying proteins in rat peritoneal mast cells	Eur J Pharmacol	2003
	Determining vulnerability to schizophrenia in methamphetamine psychosis using exploratory eye movements.	Psychiatry and Clinical	2003
	Vulnerability to schizophrenia in methamphetamine psychosis-using exploratory eye movements.	Psychiatry Clinical Neurosci	2003
	Dissociation of mammalian Polycomb-group proteins, Ring1B and Rae28/Ph1, from the chromatin correlates with configuration changes of the chromatin in mitotic and meiotic prophase.	Histochem Cell Biol.	2003
	Lack of the mu-opioid receptor-mediated G-protein activation in the mouse spinal cord Lacking exon 1 and exon 2 & 3 of MOR-1 gene.	J Pharmacol Sci	2003
	Phosphatidylinositol 3-kinase: a molecule mediating BDNF-dependent spatial memory formation.	Mol. Psychiat.	2003
	Involvement of BDNF receptor TrkB in spatial memory formation.	Learn. and Memory	2003
		Brain Res.	2003
	Imaging of central itch modulation in the human brain using positron emission tomography	Pain	2003
	L-Type high voltage-gated calcium channels cause increase in diazepam binding inhibitor mRNA expression after sustained exposure to ethanol in mouse, cerebral	Brain Res. Mol. Brain Res	2003
	Longitudinal changes in quantitative EEG and event-related potentials in healthy	Dokkyo Journal of Medical Sciences	2003
N. Takahash	Effects on M5076-hepatic metastasis of retinoic acid and N-(4-hydroxyphenyl) retinamide, fenretinide entrapped in SG-liposomes	Biol Pharm Bull.	2003
Nagai T, Noo		Neuro Report,	2003
	Cognition impairment in the genetic model of aging klotho gene mutant mice: a role of oxidative stress.	FASEB J.	2003
	Sleep spindles in human prefrontal cortex: an electrocorticographic study.	Neurosci Res	2003
Nakazato M,	Decreased levels of factor in female patients with eating disorders.	Biol Psychiatry.	2003
		Psychiatry and Clinical	2003
Niimi S, Osl	Specific expression of annexin III in rat-small-hepatocytes.		2003
Obayashi S,		Psychiatry Clin Neurosci	2003
Obayashi S,	5	Eur Arch Psychiatry Clin	2003
	resonance hyperintensity	Biol Psychiatry	2003
Ogawa M, SI -	D-Cycloserine for the treatment of ataxia in spinocerebellar degeneration.	J Neurological Sci	2003
Okamoto H,	Dynamic changes in AP-1 transcription factor DNA binding activity in AP-1 transcription factor DNA binding activity amitriotyline and brain-derived neurotrophic	Neuropharmacolog	2003
	Experimental Transmission of Abnormal Prion Protein (PrPsc) in the Small Intestinal Epithelial Cells of Neonatal Mice	Vet Pathol.	2003
Okamura N,	Protective effect of the antipsychotic drug zotepine on dizocilpine-induced neuropathological changes in rat retrosplenial cortex	Eur J Pharmacol.	2003
Okamura N,		Brain Res.	2003
Osamu Shire	Concise Large Scale Synthesis of Psilocin and Psilocybin, Principal Hallucinogenic  Constituents of "Magic Mushroom"	J. Nat. Prod.	2003
Oshizawa T,	Possible Involvement of Optimally Phosphorylated L-plastin in Activation of Superoxide Generating NADPH Oxidase	J. Biochem	2003
	Liquid chromatographic-atmospheric pressure chemical ionization mass spectrometric	J.Chromatogr.	2003
Ruri Kikura-	analysis of opiates and metabolitos in yet using affective in the state of the stat		i
Ruri Kikura- Ryusuke Nal	analysis of opiates and metabolites in rat urine after inhalation of opium		2003

S. Yoshioka, Noticular mobility of lyophilized polykinylpyrnöidnen) and methylcelluclose as datermined by the laboratory and rotations frame spin-lattice relaxation times of I-H S. Yoshioka, Prefection of igas transition temperature of freeze-or-died formulations by molecular mobility of lyophilized polykinylpyrnöidnen as in the prefection of igas transition temperature of freeze-or-died formulations by molecular humanics, simulation.  Sakurad S. Intrasea Devalonment intrasea of the spin-lating and	著者名(3名	タイトル	雑誌名	年
Syoshioka, Molecular mobility of lyophilized polyfuriypyrrolidone) and methyloelluclose as determined but hat laboratoru and rotations frama spin-althiar palayation times of HB Bull. Syoshioka, Prediction of glass transition temperature of freeze-dried formulations by molecular dynamics simulation. Saito T. Chill Notoh2 Is Preferentially Expressed in Mature B Cells and Indispensable for Marginal Zonarias simulation. Salvurad S. Intrathecial histamine induces spinally mediated behavioral responses through Pharma. Res. 200: Mol. Ther. Salvurad S. Intrathecial histamine induces spinally mediated behavioral responses through Pharmacol. 200: Salvurad S. Intrathecial histamine induces spinally mediated Magnetic Beads for Marginal Zonarian Salvurad S. Salvurad F. Moharacterization of in vitro and in vivo gene transfer properties of adenovirus Mol. Ther., 200: Salvurad F. Moharacterization of in vitro and in vivo gene transfer properties of adenovirus Mol. Ther., 200: Salvurad F. Moharacterization of in vitro and in vivo gene transfer properties of adenovirus Mol. Ther., 200: Salvurad F. Moharacterization of in vitro and in vivo gene transfer properties of adenovirus Mol. Ther., 200: Mol. Ther., 200: Mol. Ther., 200: Salvurad F. Moharacterization of in vitro and in vivo gene transfer properties of adenovirus Mol. Ther., 200: Mol. Ther.		lby Kohlrausch-Williams-Watts stretched exponential function	Pharm. Res.	2003
S. Yosinoka,   Prediction of glass transition temperature of freeze-dried formulations by molecular dynamics, simulations and programs are continuously as a company of the continuous and the continuous a	S.Yoshioka,	Molecular mobility of lyophilized poly(vinylpyrrolidone) and methylcelluclose as determined by the laboratory and rotations frame spin-lattice relevation times of 1H	- · · · · · · · · · · · · · · · · · ·	2003
Annual R. Inicases Davalonment   Pharmacol.   2005   Annual Residence   Pharmacol.   2005   Introduction. MKI recentors   2005   Annual Residence		Prediction of glass transition temperature of freeze-dried formulations by molecular dynamics simulation		2003
Sakura F. M. Characterization of in vitro and in vivo gene transfer properties of adenovirus scandyna. 35 sector.   Mol. Ther.   Satoh K, Iwa Virus Concentration Using Polyethyleneimine—conjugated Magnetic Beads for Innormal Condition of the Virus Concentration Using Polyethyleneimine—conjugated Magnetic Beads for Innormal Condition of the Virus Concentration Using Polyethyleneimine—conjugated Magnetic Beads for Innormal Condition of the Virus Concentration Using Polyethyleneimine—conjugated Magnetic Beads for Innormal Condition of the Virus Concentration Using Polyethyleneimine—conjugated Magnetic Beads for Innormal Condition of the Virus Concentration Using Condition Innormal Conditi		Zone B Lineage Development	Immunity	2003
Sakurai F, MCharacterization of in vitro and in vivo gene transfer properties of adenovirus sanchusa 35 vestardr Satoh K, Iwe Virus Concentration Using Polyethylaneimine-conjugated Magnetic Beads for Incorporation of Sensitivity in Nucleic Acid Amulfification Tests Sokine Y, Mf Association of deparime transporter loss in the orbitofrontal and dorsolateral merinatal contrices with methambetamine-related soxehistric symmotoms Shimizu E, H Alterations of serum levels of brain-derived neurotrophic factor (BDNF) in depressed saltents with or without antidenressants. Shimizu E, H Two clusters of serum midkine levels in drug-naive patients with schizophrenia. Neurosci Lett. 2003 Shimizu E, H Serum brain-derived neurotrophic factor (BDNF) levels in schizophrenia are indiatineusishable from controls. Tachibana H VH3 gene usage in neutralizing human antibodies specific for the Entamoeba histolytica Gal/GalNAL electin heavy subunit. Taizo Sumid Effect of multi-purpose solutions (MPS)for hydrogel contact lenses on gap-junctional intercellular communication (CIIIC) in rabbit corneal keractovits. Takkurah HA nepidemiological study on Japananese autism conseerning routine childhood intercellular communication (CIIIC) in rabbit corneal keractovits. Takkurah HA nepidemiological study on Japananese autism conseerning routine childhood intercellular communication (CIIIC) in rabbit corneal keractovits. Takkurah HA phylogenetic Relationship of Psychoactive Fungi Based on the rRNA Gene for a Larze Subunit and Their Identification Usine the TanMan Assay Tamura Y, KlAnalysis of sequential immunoglobulin E-binding epitope of Japanese cedar pollen allezem (Civ. 12) in human, monkeys and mine. Tashiroh I, High social desirability and prefrontal cortical activity in cancer patients: a preliminary study. Toycoka K, A decrease in interleukin-1 receptor antagonist expression in the prefrontal cortex property of the property of the property of the doppmine transporter gene is achizophrenic natients.  Tran MH, Ya Tyrosine nitration of a synap		Itachykinin NK1 receptors.		2003
Sekine Y, Masociation of dopamine transporter loss in the orbitofrontal and dorsolateral netfontal cortices with methamohatamine related baschiatric symptoms.  Shimizu E, H Aterations of serum levels of brain-derived neurotrophic factor (BDNF) in depressed natients, with or without antidenressants.  Shimizu E, H Serum brain-derived neurotrophic factor (BDNF) in depressed side of serum levels of brain-derived neurotrophic factor (BDNF) in depressed natients, with or without antidenressants.  Shimizu E, H Serum brain-derived neurotrophic factor (BDNF) levels in schizophrenia.  Neurosci Lett. 2003.  Shimizu E, H Serum brain-derived neurotrophic factor (BDNF) levels in schizophrenia are indistincuishable from controls.  Tachibana H VH3 gene usage in neutralizing human antibodies specific for the Entamoeba Internellular communication (GullO) in rabbit corneal keratorovtes.  Takahashi H Select of multi-purpose solutions (MPS) for hydrogel contact lenses on gap-junctional internellular communication (GullO) in rabbit corneal keratorovtes.  Takahashi H An apidemiological study on Japnanese autism conseerning routine childhood internellular communication (GullO) in rabbit corneal keratorovtes.  Takahashi H Selection multi-propose solutions (MPS) for hydrogel contact lenses on gap-junctional internellular communication (GullO) in rabbit corneal keratorovtes.  Takahashi Significant Linkage to Chromosome 22q for Exploratory Eye Movement Dysfunction in Schizophrenia.  Schizophrenia.  Takuro Man Priylogenetto Relationship of Psychoactive Fungi Based on the rRNA Gene for a Chem. Pharm. 2003 and Priylogenetto Relationship of Psychoactive Fungi Based on the rRNA Gene for a Chem. Pharm. 2003 and Priylogenetto Relationship of Psychoactive Fungi Based on the rRNA Gene for a Chem. Pharm. 2003 articles in Chem. 2004 and Priylogenetto Relationship of Psychoactive Fungi Based on the rRNA Gene for a Chem. Pharm. 2003 articles of selection in the prefrontal cortex a preliminary study.  Takuro M, High social desirability and prefrontal		serotyne 35 vector		2003
An epidemiological study on Japranese autism conseering routine childhood pis. Am J Med Genet 2003. Significant Linkage to Chromosome 22q for Exploratory Eye Movement Dysfunction in Phylogenetic Relationship of Psychoactive Fungi Based on the rRNA Gene for a Litera Sulrivan Mari Study. Analysis of sequential immunoglobulin E-binding epitope of Japanese cedar pollen allersen (J. 1) in human monkevs and microtrobid activity in cancer patients: a preliminary study. Toyooka K, A decrease in interleukin-1 receptor antagonist expression in the prefrontal cortex on NL receptor and martines and martines as a strong risk factor for runopage and interleukin-1 conditions. 2003 a strong risk factor for runopage and interleukin-1 conditions and conditions and reference on the reference o		Improvement of Sensitivity in Nucleic Acid Amplification Tests	Virol, Methods	2003
Shimizu E, HAlterations of serum levels of brain-derived neurotrophic factor (BDNF) in depressed Biol Psychiatry. 2003 atteinate with no without antidepressants. Shimizu E, H Two clusters of serum midkine levels in drug-naive patients with schizophrenia. Neurosci Lett. 2003 https://dx.doi.org/10.1009/j.com/1		prefrontal cortices with methamphetamine-related psychiatric symptoms	Am J Psychiatry.	2003
Shimizu E, H Serum brain-derived neurotrophic factor (BDNF) levels in schizophrenia are indistinguishable from controls.  Tachibana H Vf13 gene usage in neutralizing human antibodies specific for the Entamoeba histobrica Cal/CaiNAo lectin heave subunit.  Taizo Sumid Effect of multi-purpose solutions (MPS) for hydrogel contact lenses on gap-junctional interxellular communication (GJICI) in rabibit canneal keratocytes.  Takahashi H An epidemiological study on Japanese autism conseering routine childhood materials.  Takahashi S Significant Linkage to Chromosome 22q for Exploratory Eye Movement Dysfunction in Am J Med Genet. 2003.  Takuro Maru Phylogenetic Relationship of Psychoactive Fungi Based on the rRNA Gene for a Chem. Pharm.  Tamura Y, K Analysis of sequential immunoglobulin E-binding epitope of Japanese cedar pollen allerzen (Cry I 2) in human. mankevs and mice.  Tashiro M, J High social desirability and prefrontal cortical activity in cancer patients: a preliminary Med Sci Monit.  Toyooka K, A decrease in interleukin-1 receptor antagonist expression in the prefrontal cortex of schizophrenic patients.  Tran MH, Ya Tyrosine nitration of a synaptic protein synaptophysin contributes to amyloid- \( \beta \) Mol.Psychiat 2003 antide-induned cholinerzic dysfunction.  Uchida T Stx-liposome conjugates as candidate vaccines.  Usuki S, Karf Enhancement of Neurite Outgrowth-promoting Activity by Heparin Derivatives in Sadium Chl. prate-treated Evolant Cultures of Rat Central Neurons  Sadium Chl. prate-treated Evolant Cultures of Rat Central Neurons  Watanabe I, Pharmacokjenic promotes Brucella Infection into macrophages  Usuki S, Karf Enhancement of Neurite Outgrowth-promoting Activity by Heparin Derivatives in Sadium Chl. prate-treated Evolant Cultures of Rat Central Neurons  Sadium Chl. prate-treated Evolant Cultures of Rat Central Neurons  Delivat		Alterations of serum levels of brain-derived neurotrophic factor (BDNF) in depressed patients with or without antidepressants.	Biol Psychiatry.	2003
Tachibana HVR3 gene usage in neutralizing human antibodies specific for the Entamoeba histohytica. Gal/Gal/Nac lectin heavy subunit Taizo Sumid Effect of multi-purpose solutions (MPS) for hydrogel contact lenses on gap-junctional intervallular communication (GJIC) in rabbit corneal keratocytes.  Takahashi HA periodiogical study on Japananese autism conseering routine childhood minumunization history.  Takahashi S Significant Linkage to Chromosome 22q for Exploratory Eye Movement Dysfunction in Schizonhrania.  Takura Maru Phylogenetic Relationship of Psychoactive Fungi Based on the rRNA Gene for a Larras Subunit and Their identification Using the TanMan Assav.  Tamura Y, K Analysis of sequential immunoglobulin E-binding epitope of Japanese cedar pollen alleram (Crv. i 2) in human montews and mice.  Tashiro M, J decrease in interleukin-1 receptor antagonist expression in the prefrontal cortex study.  Toyooka K, A decrease in interleukin-1 receptor antagonist expression in the prefrontal cortex of schizonhranic natients.  Tran MH, Ya Tyrosine nitration of a synaptic protein synaptophysin contributes to amyloid-β antide-induced cholinersic dysfunction.  Uchida T Surface-linked liposomal antigen induces IgE-selective unresponsiveness in a T-cell independent fashion.  Uchida T Steriposome conjugates as candidate vaccines.  Uchida T Steriposome conjugates as		<u> </u>	Neurosci Lett	2003
histohytica Gal/Gal/Nac lectin heavy subunit   Taizo Sumid Effect of multi-purpose solutions (MPS) for hydrogel contact lenses on gap-junctional interxellular communication (GJIC) in rabbit normal keratocytes.   Materials   Jpn J Infect   2003   Materials   Jpn J Infect   Jpn J Infect   Schizonhrenia   Materials   Jpn J Infect   Jpn J Infect   Schizonhrenia   Materials   Jpn J Infect   Jpn J		lindistinguishable from controls	Neurosci Lett.	2003
interxellular communication (GJIC) in rabbit corneal keratocytes.  Takahashi H An epidemiological study on Japnanese autism conseerning routine childhood Jis Jon Jinfect Dis Immunization history  Takahashi S Significant Linkage to Chromosome 22q for Exploratory Eye Movement Dysfunction in Am J Med Genet Schizonhrenia.  Takuro Marı Phylogenetic Relationship of Psychoactive Fungi Based on the rRNA Gene for a Large Subunit; and Their Identification Using the TanMan Assay Hull  Tamura Y, K Analysis of sequential immunoglobulin E-binding epitope of Japanese cedar pollen allergen (Crv. 12) in human monkeys and mice.  Tashiro M. J High social desirability and prefrontal cortical activity in cancer patients: a preliminary Med Sci Monit.  Toyooka K, A decrease in interleukin-1 receptor antagonist expression in the prefrontal cortex of schizonhrenic natients.  Tran MH, Ya Tyrosine nitration of a synaptic protein synaptophysin contributes to amyloid-β Mol.Psychiat  Toyoloka T, Strain-divided cholinergic dysfunction.  Uchida T Strain-divided cholinergic dysfunction.  Surface-linked liposomal antigen induces IgE-selective unresponsiveness in a T-cell independent fashion.  Uchida T Stx-liposome conjugates as candidate vaccines.  Urida The effects of alpha GalCer-induced TCR V alpha24 V beta 11(+) natural killer T cells Oruge of Today 2003.  Useda Y, Hag The effects of alpha GalCer-induced TCR V alpha24 V beta 11(+) natural killer T cells Oruge of Today 2003.  Usewam J, M. Application of ultrafiltration method to measurement of catecholamines in plasma of human and codents by high-nerformance liquid chromatography  Ujike H, Har Nine- or fewer repeat alleles in VNTR polymorphism of the dopamine transporter gene is a strong risk factor for prolonage diethomorphism of the dopamine transporter gene is a strong risk factor for prolonage diethomorphism of the dopamine transporter gene is a strong risk factor for prolonage diethomorphism of the dopamine transporter gene is a strong risk factor for prolonage diethomorphism of the do		histolytica Gal/GalNAc lectin heavy subunit	Infect Immun	2003
Takahashi H An epidemiological study on Japnanese autism conseerning routine childhood immunization history.  Takahashi S Significant Linkage to Chromosome 22q for Exploratory Eye Movement Dysfunction in Schizonhrenia.  Takuro Mar Phylogenetic Relationship of Psychoactive Fungi Based on the rRNA Gene for a Large Subunit and Their Identification Using the Tandhan Assav  Tamura Y, K Analysis of sequential immunoglobulin E-binding epitope of Japanese cedar pollen allergen (Grv i 2) in human monkeys and mice.  Tashiro M, High social desirability and prefrontal cortical activity in cancer patients: a preliminary study.  Toyooka K, A decrease in interleukin-1 receptor antagonist expression in the prefrontal cortex of achizonhrenia patients.  Tran MH, Ya Tyrosine nitration of a synaptic protein synaptophysin contributes to amyloid-β mentide-induced cholinergic dysfunction.  Uchida T Surface-inided liposomal antigen induces IgE-selective unresponsiveness in a T-cell independent fashion.  Uchida T the effects of alpha GalCer-induced TCR V alpha24 V beta 11(+) natural killer T cells on NK cell cytotoxicity in umbilical cord blood.  Ueyama J, H Application of ultrafiltration method to measurement of catecholamines in plasma of human and rodents by hish-nerformance liquid chromatography.  Usiki S, Kar Enhancement of Neurite Outgrowth-promoting Activity by Heparin Derivatives in Sndium Chl. orate-treated Explant Cultures of Rat Central Neurons.  W. Junping, Pharmacokinetics and antitumor effects of vincristine carried by microemulsions commosed of PEG-lipid cleic acid vixtamin E and cholesterol  Watarai, M., Celludar prion protein promotes Brucella Infection into macrophages  Xu AJ, Cher Effect of 3[1-(phenylmethyl)-4-piperidinyl]-1-(2,3,4,5,-tetrahydro-1H-1-benzazepin-human pour pour pour pour pour pour pour pour		interxellular communication (GJIC) in rabbit corneal keratocytes	ľ	2003
Schizonhrenia Takuro Mari Phylogeneretic Relationship of Psychoactive Fungi Based on the rRNA Gene for a Large Subunit and Their Identification Using the TanMan Assay  Tamura Y, K Analysis of sequential immunoglobulin E-binding epitope of Japanese cedar pollen allerzen (Crv / 2) in human, monkeys and mice  Tashiro M, J High social desirability and prefrontal cortical activity in cancer patients: a preliminary study.  Toyooka K, A decrease in interleukin-1 receptor antagonist expression in the prefrontal cortex of schizonhrenic, patients.  Tran MH, Ya Tyrosine nitration of a synaptic protein synaptophysin contributes to amyloid-β nentide-induced cholinersic dysfunction.  Uchida T Stx-liposome conjugates as candidate vaccines.  Uchida T Stx-liposome conjugates as candidate vaccines.  Ueyama J, Hag The effects of alpha GalCer-induced TCR V alpha24 V beta 11(+) natural killer T cells on NK cell cytotoxicity in umbilical cord blood.  Ueyama J, Hap Interest of the dopamine transporter gene Ujike H, Har Nine-or fewer repeat alleles in VNTR polymorphism of the dopamine transporter gene Usuki S, Kar Enhancement of Neurite Outgrowth-promoting Activity by Heparin Derivatives in Sodium Chl. orate-treated Explant Cultures of Rat Central Neurons.  W. Junping.  Watanabe I, Protection against influenza virus infection by intranasal administration of C3d-fused Watanabe I, Protection against influenza virus infection by intranasal administration of C3d-fused Neurosci. Lett.  2003 2003 2004 2005 2006 2007 2007 2008 2009 2009 2009 2009 2009 2009 2009	Takahashi H	An epidemiological study on Japnanese autism conseerning routine childhood immunization history	Jpn J Infect	2003
Large Subunit and Their Identification Lisins the Tanthan Assay   Rull   Clin. Exp. All y erg   2003   Tamura Y, K Analysis of sequential immunoglobulin E-binding epitope of Japanese cedar pollen   Clin. Exp. All y erg   2003   Clin. Exp. Exp. All y erg   2003   Clin. Exp. Exp. All y erg   2003   Clin. Exp. Exp. Exp. Exp. Exp. Exp. Exp. Exp		Schizophrenia	Am J Med Genet	2003
Tashiro M. High social desirability and prefrontal cortical activity in cancer patients: a preliminary Med Sci Monit. 2003 study.  Toyooka K. VA decrease in interleukin–1 receptor antagonist expression in the prefrontal cortex of schizophrenic patients.  Tran MH, Ya Tyrosine nitration of a synaptic protein synaptophysin contributes to amyloid–β mentide-induced cholinergic dysfunction.  Uchida T Strace-linked liposomal antigen induces IgE-selective unresponsiveness in a T-cell independent fashion.  Uchida T Stx-liposome conjugates as candidate vaccines.  Uchida T Stx-liposome conjugates as candidate vaccines.  Uchida T The effects of alpha GalCer-induced TCR V alpha24 V beta 11(+) natural killer T cells on NK cell cytotoxicity in umbilical cord blood.  Ueyama J, Kapplication of ultrafiltration method to measurement of catecholamines in plasma of human and rodents by high-performance liquid chromatography.  Ujike H, Harr Nine-or fewer repeat alleles in VNTR polymorphism of the dopamine transporter gene is a strong risk factor for prolonged methamphetamine psychosis.  Usuki S, Kar Enhancement of Neurite Outgrowth-promoting Activity by Heparin Derivatives in Sodium Chl. orate-treated Explant Cultures of Rat Central Neurons.  W. Junping. Pharmacokinetics and antitumor effects of vincristine carried by microemulsions composed of PEG-lipid, cleic acid, vitamin E and cholesterol.  Watanabe I., Protection against influenza virus infection by intranasal administration of C3d-fused hemagalatinin.  Watanabe I., Protection against influenza virus infection by intranasal administration of C3d-fused hemagalatinin.  Watarai, M., Cellular prion protein promotes Brucella Infection into macrophages  Xu AJ, Cher Effect of 3[1-(phenylmethyl)-4-piperidinyl]-1-(2,3,4,5,-tetrahydro-1H-1-benzazepin-Neurosci. Lett. 8-yl)-1-propanone fumarate, a novel acetylcholinesterase inhibitor, on spatial cognitive impairment induced by chronic cerebral hypoperfusion in rats.		Large Subunit and Their Identification Using the TagMan Assay	•	2003
Study   Toyooka K,   A decrease in interleukin-1 receptor antagonist expression in the prefrontal cortex of schizophrenic patients   2003		allergen (Cry i 2) in human, monkeys and mice	_	2003
of schizophrenic patients Tran MH, Ya Tyrosine nitration of a synaptic protein synaptophysin contributes to amyloid-β mentide-induced cholinergic dysfunction Uchida T Surface-linked liposomal antigen induces IgE-selective unresponsiveness in a T-cell independent fashion. Uchida T Stx-liposome conjugates as candidate vaccines. Uchida T The effects of alpha GalCer-induced TCR V alpha24 V beta 11(+) natural killer T cells on NK cell cytotoxicity in umbilical cord blood. Ueyama J, K Application of ultrafiltration method to measurement of catecholamines in plasma of human and rodents by high-performance liquid chromatography. Ujike H, Hari Nine- or fewer repeat alleles in VNTR polymorphism of the dopamine transporter gene is a strong risk factor for prolonged methamphetamine psychosis. Usuki S, Kar Enhancement of Neurite Outgrowth-promoting Activity by Heparin Derivatives in Sodium Chl. orate-treated Explant Cultures of Rat Central Neurons W. Junping, Pharmacokinetics and antitumor effects of vincristine carried by microemulsions composed of PEC-lipid pleic acid vitamin E and cholesterol Watanabe I., Protection against influenza virus infection by intranasal administration of C3d-fused hemagriatinin protein promotes Brucella Infection into macrophages  Xu AJ, Cher Effect of 3[1-(phenylmethyl)-4-piperidinyl]-1-(2,3,4,5,-tetrahydro-1H-1-benzazepin-8-yl)-1-propanone fumarate, a novel acetylcholinesterase inhibitor, on spatial cognitive impairment induced by chronic cerebral hypoperfusion in rats.		study.	Med Sci Monit.	2003
Dentide induced cholinergic dysfunction   Surface-linked liposomal antigen induces IgE-selective unresponsiveness in a T-cell independent fashion.   Current Drug Targets		of schizophrenic patients.	Neurosci Res.	2003
Uchida T Stx-liposome conjugates as candidate vaccines.  Ueda Y, Hag The effects of alpha GalCer-induced TCR V alpha24 V beta 11(+) natural killer T cells on NK cell cytotoxicity in umbilical cord blood.  Ueyama J, K Application of ultrafiltration method to measurement of catecholamines in plasma of human and rodents by high-performance liquid chromatography.  Ujike H, Har Nine-or fewer repeat alleles in VNTR polymorphism of the dopamine transporter gene is a strong risk factor for prolonged methamohetamine psychosis.  Usuki S, Kar Enhancement of Neurite Outgrowth-promoting Activity by Heparin Derivatives in Sodium Chl. orate-treated Explant Cultures of Rat Central Neurons.  W. Junping, Pharmacokinetics and antitumor effects of vincristine carried by microemulsions composed of PEG-lipid pleic acid, vitamin E and cholesterol  Watanabe I., Protection against influenza virus infection by intranasal administration of C3d-fused hemagefatinin  Watarai, M., Cellular prion protein promotes Brucella Infection into macrophages  Xu AJ, Cher Effect of 3[1-(phenylmethyl)-4-piperidinyl]-1-(2,3,4,5, tetrahydro-1H-1-benzazepin-8-yl)-1-propanone fumarate, a novel acetylcholinesterase inhibitor, on spatial cognitive impairment induced by chronic cerebral hypoperfusion in rats.  Y. Makino, S Profiling of Ecstasy Tablets seized in Japan  Microgram journal 2003		pentide_induced cholinergic dysfunction	Mol.Psychiat	2003
Ueda Y. Hag The effects of alpha GalCer—induced TCR V alpha24 V beta 11(+) natural killer T cells on NK cell cytotoxicity in umbilical cord blood  Ueyama J. K Application of ultrafiltration method to measurement of catecholamines in plasma of human and rodents by high-performance liquid chromatography  Ujike H, Har Nine-or fewer repeat alleles in VNTR polymorphism of the dopamine transporter gene is a strong risk factor for prolonged methamphetamine psychosis.  Usuki S, Kar Enhancement of Neurite Outgrowth-promoting Activity by Heparin Derivatives in Sodium Chl. orate-treated Explant Cultures of Rat Central Neurons.  W. Junping, Pharmacokinetics and antitumor effects of vincristine carried by microemulsions composed of PEG-lipid. plaic acid. vitamin E and cholesterol  Watanabe I., Protection against influenza virus infection by intranasal administration of C3d-fused hemagglatinin  Watarai, M., Cellular prion protein promotes Brucella Infection into macrophages  Xu AJ, Cher Effect of 3[1-(phenylmethyl)-4-piperidinyl]-1-(2,3,4,5,-tetrahydro-1H-1-benzazepin-8-yl)-1-propanone fumarate, a novel acetylcholinesterase inhibitor, on spatial cognitive impairment induced by chronic cerebral hypoperfusion in rats.  Y. Makino, S Profiling of Ecstasy Tablets seized in Japan  Microgram journal 2003		independent fashion.	_	2003
Ueyama J, K Application of ultrafiltration method to measurement of catecholamines in plasma of human and rodents by high-performance liquid chromatography.  Ujike H, Har Nine-or fewer repeat alleles in VNTR polymorphism of the dopamine transporter gene is a strong risk factor for prolonged methamohetamine psychosis.  Usuki S, Kar Enhancement of Neurite Outgrowth-promoting Activity by Heparin Derivatives in Sodium Chl. orate-treated Explant Cultures of Rat Central Neurons.  W. Junping, Pharmacokinetics and antitumor effects of vincristine carried by microemulsions composed of PEG-lipid, pleic acid, vitamin E and cholesterol  Watanabe I., Protection against influenza virus infection by intranasal administration of C3d-fused hemagelatinin  Watarai, M., Cellular prion protein promotes Brucella Infection into macrophages  Xu AJ, Cher Effect of 3[1-(phenylmethyl)-4-piperidinyl]-1-(2,3,4,5,-tetrahydro-1H-1-benzazepin-8-yi)-1-propanone fumarate, a novel acetylcholinesterase inhibitor, on spatial cognitive impairment induced by chronic cerebral hypoperfusion in rats.  Y. Makino, S Profiling of Ecstasy Tablets seized in Japan  Immunology and J Chromatogr B 2003  J Chromatogr B 2003  J Chromatogr B 2003  J Biochem 2003  Lat. J. Pharm 2003  Vaccine 2003  Vaccine 2003  Vaccine 2003			_	2003
Ueyama J, KApplication of ultrafiltration method to measurement of catecholamines in plasma of human and rodents by high-nerformance liquid chromatography.  Ujike H, Har Nine-or fewer repeat alleles in VNTR polymorphism of the dopamine transporter gene is a strong risk factor for prolonged methamphetamine psychosis.  Usuki S, Kar Enhancement of Neurite Outgrowth-promoting Activity by Heparin Derivatives in Sodium Chl. orate-treated Explant Cultures of Rat Gentral Neurons.  W. Junping, Pharmacokinetics and antitumor effects of vincence carried by microemulsions composed of PEG-lipid. plaic acid. vitamin E and cholesterol.  Watanabe I., Protection against influenza virus infection by intranasal administration of C3d-fused hemagelatinin.  Watarai, M., Cellular prion protein promotes Brucella Infection into macrophages  Xu AJ, Cher Effect of 3[1-(phenylmethyl)-4-piperidinyl]-1-(2,3,4,5,-tetrahydro-1H-1-benzazepin-8-yl)-1-propanone fumarate, a novel acetylcholinesterase inhibitor, on spatial cognitive impairment induced by chronic cerebral hypoperfusion in rats.  Y. Makino, S Profiling of Ecstasy Tablets seized in Japan  Microgram journal 2003		on NK_cell cytotoxicity in umbilical cord blood		2003
Usuki S, Kar Enhancement of Neurite Outgrowth-promoting Activity by Heparin Derivatives in Sodium Chl. orate-treated Explant Cultures of Rat Central Neurons.  W. Junping, Pharmacokinetics and antitumor effects of vincristine carried by microemulsions composed of PEG-lipid, pleic acid, vitamin E and cholesterol  Watanabe I., Protection against influenza virus infection by intranasal administration of C3d-fused hemagelatinin  Watarai, M., Cellular prion protein promotes Brucella Infection into macrophages  Xu AJ, Cher Effect of 3[1-(phenylmethyl)-4-piperidinyl]-1-(2,3,4,5,-tetrahydro-1H-1-benzazepin-8-yl)-1-propanone fumarate, a novel acetylcholinesterase inhibitor, on spatial cognitive impairment induced by chronic cerebral hypoperfusion in rats.  Y. Makino, S Profiling of Ecstasy Tablets seized in Japan  Watarai, N., Colling of Ecstasy Tablets seized in Japan  Watarai, N., Colling of Ecstasy Tablets seized in Japan  Watarai, N., Colling of Ecstasy Tablets seized in Japan  Watarai, N., Colling of Ecstasy Tablets seized in Japan  Watarai, N., Colling of Ecstasy Tablets seized in Japan  Watarai, N., Colling of Ecstasy Tablets seized in Japan  Watarai, N., Colling of Ecstasy Tablets seized in Japan  Watarai, N., Colling of Ecstasy Tablets seized in Japan  Watarai, N., Colling of Ecstasy Tablets seized in Japan		human and rodents by high-performance liquid chromatography		2003
Usuki S, Kar Enhancement of Neurite Outgrowth-promoting Activity by Heparin Derivatives in Sodium Chl. orate-treated Explant Cultures of Rat Central Neurons.  W. Junping, Pharmacokinetics and antitumor effects of vincristine carried by microemulsions composed of PEG-lipid, pleic acid, vitamin E and cholesterol  Watanabe I., Protection against influenza virus infection by intranasal administration of C3d-fused hemagriatinin  Watarai, M., Cellular prion protein promotes Brucella Infection into macrophages  Xu AJ, Cher Effect of 3[1-(phenylmethyl)-4-piperidinyl]-1-(2,3,4,5,-tetrahydro-1H-1-benzazepin-8-yl)-1-propanone fumarate, a novel acetylcholinesterase inhibitor, on spatial cognitive impairment induced by chronic cerebral hypoperfusion in rats.  Y. Makino, S Profiling of Ecstasy Tablets seized in Japan  Microgram journal 2003	Ujike H, Har	Nine-or fewer repeat alleles in VNTR polymorphism of the dopamine transporter gene		2003
W. Junping, Pharmacokinetics and antitumor effects of vincristine carried by microemulsions Int. J. Pharm 2003 composed of PEG-lipid, oleic acid, vitamin E and cholesterol  Watanabe I., Protection against influenza virus infection by intranasal administration of C3d-fused hemagalatinin  Watarai, M., Cellular prion protein promotes Brucella Infection into macrophages  Xu AJ, Cher Effect of 3[1-(phenylmethyl)-4-piperidinyl]-1-(2,3,4,5,-tetrahydro-1H-1-benzazepin-8-yl)-1-propanone fumarate, a novel acetylcholinesterase inhibitor, on spatial cognitive impairment induced by chronic cerebral hypoperfusion in rats.  Y. Makino, S Profiling of Ecstasy Tablets seized in Japan  Microgram journal 2003	Usuki S, Kar	Enhancement of Neurite Outgrowth-promoting Activity by Heparin Derivatives in Sodium Chl. orate-treated Explant Cultures of Rat Central Neurons	J. Biochem	2003
Watanabe I., Protection against influenza virus infection by intranasal administration of C3d-fused hemagalatinin  Watarai, M., Cellular prion protein promotes Brucella Infection into macrophages  Xu AJ, Cher Effect of 3[1-(phenylmethyl)-4-piperidinyl]-1-(2,3,4,5,-tetrahydro-1H-1-benzazepin-8-yl)-1-propanone fumarate, a novel acetylcholinesterase inhibitor,on spatial cognitive impairment induced by chronic cerebral hypoperfusion in rats.  Y. Makino, S Profiling of Ecstasy Tablets seized in Japan  WALL: O Refile 6 in American Service (100 protein promotes Brucella Infection into macrophages  J. Exp. Med. 2003  Neurosci. Lett. 2003  Microgram journal 2003	W. Junping,	Pharmacokinetics and antitumor effects of vincristine carried by microemulsions composed of PEG-lipid, pleic acid, vitamin E and cholesterol	Int. J. Pharm	2003
Xu AJ, Cher Effect of 3[1-(phenylmethyl)-4-piperidinyl]-1-(2,3,4,5,-tetrahydro-1H-1-benzazepin- Neurosci. Lett. 2003 8-yi)-1-propanone fumarate, a novel acetylcholinesterase inhibitor,on spatial cognitive impairment induced by chronic cerebral hypoperfusion in rats.  Y. Makino, S Profiling of Ecstasy Tablets seized in Japan Microgram journal 2003	Watanabe I.,	Protection against influenza virus infection by intranasal administration of C3d-fused hemagglatinin	Vaccine	2003
8-yl)-1-propanone fumarate, a novel acetylcholinesterase inhibitor,on spatial cognitive impairment induced by chronic cerebral hypoperfusion in rats.  Y. Makino, S Profiling of Ecstasy Tablets seized in Japan  Microgram journal 2003			J. Exp. Med.	2003
Y. Makino, S Profiling of Ecstasy Tablets seized in Japan  Microgram journal 2003		8-yl)-1-propanone fumarate, a novel acetylcholinesterase inhibitor,on spatial	Neurosci. Lett.	2003
Y Making S Profiling of illegal amphetamine—type ctimulant tablata in Jacon	Y. Makino, S		Microgram journal	2003
J.Health Sci.   2003	Y.Makino, S.	Profiling of illegal amphetamine-type stimulant tablets in Japan	J.Health Sci.	2003
Yahata T, Ar A highly sensitive strategy for SCID-repopulating cell assay by direct injection of primitive human hematopoietic cells into NOD/SCID mice bone marrow.	Yahata T <u>, A</u> ı	A highly sensitive strategy for SCID-repopulating cell assay by direct injection of	Blood	2003
V <sub>2</sub> LID (-0.3 A -1) At 1 (-1)	Yan HD, Ishil	Activation by N-acetyl-L-aspartate of acutely dissociated hippocampal neurons in	Epilepsia.	2003

著者名(3名		雑誌名	年
	Roles of histamine receptors in pain perception: a study using receptors gene knockout mice.	Nippon Yakurigaku Zasshi	2003
	Carbohydrate-dependent signaling from the phosphatidylglucoside-based microdomain induces granulocytic differentiation of HI 60 cells	Proc Natl Acad Sci U.S.A	2003
	Direct visualization of transplanted hematopoletic cell reconstitution in intact mouse lorgans indicated the presence of a niche	Exp Hematol	2003
Yoshizawa I	Studies on the generation and maintenance of mucosal Cytotoxic T Lymphocytes against human immunodeficiency virus type-1 Gag in mice	Aids Res. Hum. Retr	2003
	Overexpression of V-1 prevents NO-induced cell death: involvement of enhanced tetrahydrobiopterin (BH4) biosynthesis	Neurosci Res	2003
	Caspase-independent cell death by low concentrations of nitric oxide (NO) in PC12 cells: involvement of the inhibition of cytochrome c oxidase and the production of reactive oxygen species (ROS) in mitochondria.	J Neurosci Res	2003
	Effects of endogenous histamine on seizure development of pentylenetetrazole- induced kindling in rats	Pharmacology.	2003
Amal Kaddo	High-performance liquid chromatography with fluorescence detection for the simultaneous determination of 3,4-methylenedioxymethamphetamine, methamphetamine and their metabolites in human hair using DIB-Cl as a label	Biomedical Chromatography	2004
Asakura E, I	Azithromycin reverses anticancer drug resistance and modifies hepatobiliary excretion of doxorubicin in rats.	Eur J Pharmacol	2004
Atsuko Mats	Gene expression changes in Balb/3T3 transformants induced by poy(L-lactic acid) or polyurethane film.	J. Biomed. Mater. Res	2004
Egashira N,	Anandamide inhibits the DOI-induced head-twitch response in mice	Psychopharmacol	2004
Fujisaki M, F	Role of the amygdalo-hippocampal transition area in the fear expression: evaluation by behavior and immediate early sene expression.	Neuroscience.	2004
	Mu Opioid receptor knockout mice display reduced cocaine conditioned place	Brain Res	2004
	Possible role of D-serine in the pathophysiology of Alzheimer's disease.	Prog Neuropsychophar	2004
	Stem cell plasticity in hematopoietic system	Int J Hematol	2004
	AML-1 is required for megakaryocytic maturation and lymphocytic differentiation, but not for maintenance of hematopoietic stem cells in adult hematopoiesis.	Nat Med	2004
	Association between brain-derived neurotrophic factor 196 G/A polymorphism and personality traits in healthy subjects	Am J Med Genet.	2004
	Change of the cellular funcion by connexin gene transfection in a hepatoma cell line.	Animal cell technology	2004
	Antigenic characterization of an abnormal isoform of prion protein using a new diverse panel of monoclonal antibodies	Virology	2004
	III from Escherichia coli 0157:H7	Biochem Pharmacol	2004
	Recombinant measles AIK-C strain expressing current wild-type hemagglutinin protein		2004
	Stem cell leukemia protein directs hematopoietic stem cell fate	Blood	2004
	A novel function of N-cadherin and Connexin43: marked enhancement of alkaline phosphatase activity in rat calvarial osteoblast exposed to sulfated hyaluronan.	Res. Commun.	2004
	Behavioural adaptations to addictive drugs in mice lacking the NMDA receptor £ 1	Eur J. Neurosci.	2004
	II(11)Cldoxepin	Nucl Med Biol.	2004
	IgE antibody response against tetanus toxoid in mice immunized with tetanus vaccine:  Comparison among domestic foreign and candidate liposomal vaccine		2004
	Role of TNF- $\alpha$ in methamphetamine-induced drug dependence and neurotoxicity.	J Neurosci.	2004
_		Pedoatr Ont.	2004
	by Carbon and Nitrogen Stable Isotope Ratio Analysis	Anal. Chem.	2004
	Endotoxin content in Haemophilus influenzae type b vaccine:		2004
	contractility, hypertrophic cardio- myopathy, and increased nitric oxide synthase activity without changes in nitric oxide synthase transcription.	Human Mol. Gen	2004
Okamura N,	Adenosine A1 Receptor Agonists Block the Neuropathological Changes in Rat Retrosplenial Cortex after Administration of the NMDA Recentor Agragonist	Neuropsychophar macology	2004
Okamura N,	Styrylbenzoxazole derivatives for in vivo imaging of amyloid plaques in the brain.		2004

著者名(3名	タイトル	雑誌名	年
	Zonisamide-induced depression and mania in patients with epilepsy.	J Clin Psychopharmacol	2004
	Determination of di(2-ethylhexyl)phthalate and mono(2-ethylhexyl)phthalate in human serum using liquid chromatography-tandem mass spectrometry.	J. Chromatogr. B	2004
	Possible Involvement of the Drug Transporters P Glycoprotein and Multidrug  Resistance::Associated Protein Mro2 in Disposition of Azithromycin	Antimicrob.	2004
	Do olfactory reference syndrome and jiko-shu-kyofu (a subtype of taijin-kyofu) share a common entity?	Acta Psychiatr Scand	2004
	Bacterial expression of a human monoclonal antibody-alkaline phosphatase conjugate specific for Entamoeba histolytica	Clin Diagn Lab Immunol	2004
	A sensitive colorimetric assay for polyamines in erythrocytes using oat seedling polyamine oxidase	Clinica Chimica Acta	2004
	Phylogenetic Relationship of Psychoactive Fungi Based on the rRNA Gene for a Large Subunit and Their Identification Using the TagMan Assay (II)	Forensic Sci. Int	2004
	Evidence of GATA-3-dependent Th2 commitment during the in vivo immune response	Int Immunol	2004
	seropositive or negative healthy subjects or stem cell transplant recipients	Experimental Hematology	2004
	Molecular mobility-based prediction of the crystallization rate of amorphous nifedipine and phenobarbital in PVP solid dispersions	J. Pharm. Sci.	2004
	Risk assessment of di(2-ethylhexyl)phthalate released from PVC blood circuits during hemodialysis and pump-exygenation therapy	Int.J. Pharm.	2004
	Convenient screening of g-hydroxybutyric acid by conversion to the fluorescent with 3-bromomethyl-6.7-dimethoxy-1-methyl-1.2-dihydroginoxaline-2-one (Br-DMFQ)		2004
	Transgenic tobacco cells producing the human monoclonal antibody to hepatitis B	J Med Virol	2004
	Evaluation of the immuno-protective effects of the new-type of bags using ELISA- and FACS-analysis	Animal cell	accept
	Evaluation of the cornea cells affected by multi-purpose solutions for contact-lens.	Animal cell technology	accept ed
	Different expression on Gap junctional protein connexin43 in two strains of mice after one-month Implantation of Poly-L-I actic acid.	Animal cell technology	accept
·	Liposomes with differential lipid components exert differential adjuvanticity in antigen-liposome conjugates via differential recognition by macrophages.	Bioconjugate Chemistry	in oress
Tsuchiya T,	Biocompatible biomaterials for the human chondrocyte differentiation estimated by RT-PCR method	Animal cell technology	in oress
	A useful marker for evaluating the safety and efficacy of tissue engineered products.	ASTM	in press
lkezawa N, T	Molecular cloning and characterization of CYP719, a methylenedioxy bridge-forming enzyme that belongs to a novel P450 family, from cultured Coptis japonicacells	J Biol Chem	

## 化学物質

and an	タイトル	雑誌名	年
	Prostate carcinomas developing in transgenic rats with SV40 T antigen expression under probasin promoter control are strictly androgen dependent	Cancer Research	200
	Negative correlation between plasma thyroid hormone levels and chlorinated hydrocarbon levels accumulated in seal from the coast of Hokkaido Japan	Environ Toxicol	200
	Adverse effects on development of the reproductive system in male offspring of rats	Reprod Toxicol	200
Ema M a	Effects of monobutyl phthalate on reproductive function in pregnant and pseudopregnant rats	Reprod Toxicol	200
Ema M a	effects of progesterone on suppression of uterine decidualization and implantation failure induced b triphenyltin chloride in rats	Cong Anom	200
	Rat two-generation reproductive toxicity study of bisphenol A	Reprod Toxicol	200
Fujimoto	Effects of endocrine disruptors on the pituitary gland	J Toxicol Pathol	200
Fujita S,	P450 in wild animals as biomarker of environmental impact.	Biomarkers	200
	Exposure of neonatal female rats to p-tert-octylphenol disrupts afternoon surges of luteinizing hormone, follicle-stimulating hormone and prolactin secretion, and interferes with sexual receptive behavior in adulthood,	Biol Reprod	2001
Hirabaya	VCP/p97 in abnormal protein aggregates, cytoplasmic vacuoles, and cell death, obenotypes relevant to neurodegeneration	Cell Death Differ	200
	Simple solid-phase lipid extraction of dioxins from maternal breast milk.	Organohalogen Compound	200
	Hypothalamic control of thymic function	Cell Mol Biol (Noisy-le-grand)	2001
	Environmental Agents, Endocrine Disrupting Chemicals and Rat Thyroid	J Toxicol Pathol	2001
	Developmental effects of estrogenic agents on mice, fish, and frogs: a mini-review	Horm Behav	2001
Ikeda T,	Synergistic effects of high-dose soybean intake with iodine deficiency, but not sulfadimethoxine or phenobarbital on rat thyroid proliferation.	Jpn J Cancer Res	2001
	Expression profiles of receptor activator of nuclear factor kappaB ligand, receptor activator of nuclear factor kappaB, and osteoprotegerin messenger RNA in aged and ovariectomized rat bones	J Bone Miner Res	2001
	Lack of chemopreventive effects of lycopene and curcumin on experimental rat	Carcinogenesis	2001
	human development	Mol Cell Endocrinol	2001
	of 17 beta-hydroxysteroid dehydrogenase	J Clin Endocrinol Metab	2001
Kanno J	The OECD program to validate the rat uterotrophic bioassay to screen compounds for in vivo estrogenic responses; phase 1	Environ Health Perspect	2001
	Aryl hydrocarbon receptor (AhR)-mediated induction of xanthine oxidase/xanthine	Biochem. Biophys. Res. Commun	2001
Kimura `	Initial process of polyglutamine aggregate formation in vivo	Genes Cells	2001
Kitamur	Dioxin levels in human bile, blood and liver: effect of age.	Organohalogen Compound	2001
	Efficiency of focused microwave-assisted extaction of PCDDs/PCDFs from human liver samples.	Organohalogen Compound	2001
	Reproductive effects of early neonatal exposure to genistein in Wistar rats	Congenital Anomalies	2001
	Y-chromosome compound haplotypes with the microsatellite markers DXYS265, DXYS266, and DXYS241	J Hum Genet	2001
Maeda H	Tumor growth inhibition by arsenic trioxide (As2O3) in the orthotopic metastasis model of androgen-independent prostate cancer	Cancer Res	2001
Manabu	Aryl Hydrocarbon Receptor-Mediated Suppression of Expression of the Low-	Biochemical and	2001
Maruyan	Suppression by estrogen receptor beta of AP-1 mediated transactivation through	Biophysical J Steroid Biochem	2001
	Uptake of the dopaminergic neurotoxin, norsalsolonol, into PC12 cells via dopamine	Mol Biol Archives of	2001
		toxicology	2001
Maruyan	Norsalsolinol uptake into secretory vesicles via vesicular monoamine transporter and	J Vet Med Sci.	2001
Maruyan Maruyan	Norsalsolinol uptake into secretory vesicles via vesicular monoamine transporter and its secretion by membrane depolarization or purinoceptor stimulation in PC12 cells Inhibitory effects of endogenous dopaminergic neurotoxin, norsalsolinol on dopamine	J Vet Med Sci. Neurochem Int.	
Maruyan Maruyan Matsuda	Norsalsolinol uptake into secretory vesicles via vesicular monoamine transporter and its secretion by membrane depolarization or purinoceptor stimulation in PC12 cells		2001 2001 2001

## 化学物質

著者名(	タイトル	雑誌名	年
Mezaki `	N-terminal activation function is dominant in ligand-dependent transactivation of medaka estrogen receptor alpha in human cells	Biochem Biophys Res Commun	2001
Minh T-	Specific accumulation and elimination kinetics of tris(4-chlorophenyl)methane, in humans from Japan	Env Health Perspect	2001
	Beef tallow, but not perilla or com oil, promotion of rat prostate and intestinal carcinogenesis by 3.2'-dimethyl-4-aminobiohenyl	Jpn, J. Cancer Res.	2001
	Reproductive effects of nonylphenol in rats after gavage administration : a two-generation study	Reprod Toxicol	2001
	Reroductive effect in male and female rats from neonatal exposure to p-octylphenol	Reprod Toxicol	2001
•	Reproductive effects in male and female rats of neonatal exposure to genistein	Reprod Toxicol	2001
	Effect of diethylstilbestrol on cell proliferation and expression of epidermal growth factor in the developing female rat reproductive tract	J Endocrinol	2001
	A repeated 28-day toxicity study of methyltestosterone in rats, based on the 'Enhanced OECD Test Guideline 407' for screening the endocrine-disrupting	Arch Toxicol.	2001
Sano T,	17 beta-Hydroxysteroid dehydrogenase type 2 expression and enzyme activity in the human gastrointestinal tract	Clin Sci (Lond)	2001
Sasagaw	A nuclear receptor screening method using a steroid receptor coactivator-1 fragment in a yeast two-hybrid system	Anal Biochem	2001
Sato, M.	Th1 cytokine-conditioned bone marrow-derived dendritic cells can bypass the requirement for Th functions during the generation of CD8+ CTI	J. Immunol.	2001
	Neonatal exposure to genistein reduces expression of estrogen receptor alpha and androgen receptor in testes of adult mice	Endocr J	2001
Son HY,	Lack of effect of soy isoflavone on thyroid hyperplasia in rats receiving an iodine- deficient diet	Jpn J Cancer Res	2001
	5alpha-reductases in human breast carcinoma: possible modulator of in situ	J Clin Endocrinol Metab	2001
Suzuki T	EBAG9/RCAS1 in human breast carcinoma: a possible factor in endocrine-immune interactions	Br J Cancer	2001
Takagi H	Modifying Effects of Endocrine Disrupting Chemicals on N-bis (2-hydroxypropyl)  Nitrosamine and Sulfadimethoxine-Induced Thyroid Carcinogenesis in Rats	J Toxicol Pathol	2001
Takaoka	A critical role for mouse CXC chemokine(s) in pulmonary neutrophilia during Th	J. Immunol.	2001
Takeyan	Expression and cellular localization of estrogen receptors alpha and beta in the human fetus	J Clin Endocrinol Metab	2001
Teraoka	Ca(2+) signaling in porcine duodenal glands by muscarinic receptor activation.	Am J Physiol Gastrointest Liver	2001
	Expression of Prolactin Gene in Spontaneous Mammary Tumors in Aging Fischer 344 Rats	Endocrine J	2001
	Expression of chromogranin / secretogranin mRNA in spontaneous mammary tumors in aging Fischer-344 rats	Pathology Internat	2001
	Evalution of HER2 Status:For the Treatment of Metastatic Breast Cancers by Humanized Anti- HER2 Monoclonal Antibody (Trastuzumab) (Pathological Committee for Optimal Use of Trastuzumab),	Breast Cancer	2001
Watanab	A subfamily of RNA binding DEAD-box proteins acts as an estrogen receptor alpha coactivator through the N-terminal activation domain (AF-1) with and RNA	ENBO J	2001
	Baseline data of reproductive system in the JPHC study	J Epidemiol	2001
	Health Effects of chronic exposure to polychlorinated dibenzo-p-dioxins, dibenzofurans and coplanar PCB in Japan	Organohalogen Compounds	2001
	Study design and organization of the JPHC study.	J Epidemiol	2001
	Selective coactivation of estrogen-dependent transcription by CITED1 CBP/p300- binding protein	Genes Dev	2001
Yamamo	The antioxidant effect of DL-alpha-lipoic acid on copper-induced acute hepatitis in	Free Radic Res.	2001
Yamamo	In vivo evidence for accelerated generation of hydroxyl radicals in liver of Long-Evans Cinnamon (I FC) rats with acute hepatitis	Free Radic Biol Med	2001
	Geographic characteristics and mortality profiles in the JPHC Study.	J Epidemiol	2001
Yamamo	Isolation of neuronal cells with high processing activity for the Machado-Joseph disease protein	Cell Death Differ	2001
Yamamo	The tamoxifen-responsive estrogen receptor alpha mutant D351Y shows reduced	J Biol Chem	2001
Yin H, F	tamoxifen-dependent interaction with corepressor complexes Strain difference in regulation of pituitary tumor transforming gene (PTTG) in	Jpn J Cancer Res	2001
Yoon BI	estrogen-induced pituitary tumorigenesis in rats.  Transgene expression of thioredoxin (TRX/ADF) protects against 2,3,7,8-	Arch Environ	2001
<u>-</u>	tetrachlorodibenzo-n-dioxin (TCDD)-induced hematotoxicity	Contam Toxicol	