Lines Pangal	タイトル	雑誌名	年
	Mechanism of action of benzene toxicity: cell cycle suppression in hemopoietic progenitor cells (CFU-GM)	Exp Hematol	200
 _	Hemopoietic cell kinetics after intraperitoneal single injection of 2,3,7,8- tetrachlorodibenzo-p-dioxin (TCDD) in mice	Chemosphere	200
	Effects of endocrine disrupting chemicals with estrogenic activity on the female reproductive system in rats	J Toxicol Pathol	200
	Effects of neonatal exposure to a high-dose p-tert-octylphenol on the male reproductive tract in rats	Toxicol Letters	200
Adachi	Toxicogenomic effects of neonatal exposure to diethylstilbestrol on mouse testicular gene expression in the long term; a study using cDNA microarray analysis	Mol Reprod Dev	200
Aozasa	Variation in blood dioxin level, characteristics of isomer composition, and isomer changes in residents near an incinerator facility	Organohalogen Compounds	2002
	Effects of genetic background on prostate and taste bud carcinogenesis due to SV40 T antigen expression under probasin gene promoter control	Carcinogenesis	2002
	Dioxin inhibition of estrogen-induced mouse uterine epithelial mitogenesis involves changes in cyclin and transforming growth factor-beta expression	Toxicol Sci	2002
	Hepatic microsomal cytochrome p450s and chlorinated hydrocarbons in largha and ribbon seals from Hokkaido, Japan: differential response of seal species to Ah receptor agonist exposure.	Environ Toxicol Chem.	2002
ļ	An Integrated database of Chemosensitivity to 55 Anticancer Drugs and Gene Expression Profiles of 39 Human Cancer Cell Lines	Cancer Research	2002
Ewis AA	Two Y-chromosome- specific polymorphisms 12f2 and DFFRY in the Japanese population and their relations to other Y- polymorphisms	J Med Invest	2002
	The kinetics of dioxin congeners in human body	Organohalogen Compounds	2002
	Microscopic velocimetry with a scaled-up model for evaluating a flow field over cultured endothelial cells	J Biomech Eng	2002
	Lack of a dose-response relationship for carcinogenicity in the rat liver with low doses of 2-amino-3.8-dimethylimidazo[4.5-flouinoxaline or N-nitrosodiethylamine	Jpn J Cancer Res	2002
	Stabilization of androgen receptor protein is induced by agonist, not by antagonists	Biochem Biophys Res Commun	2002
	The Transcriptional Activation Function of the HIF-like Factor Requires Phosphorylation at a Conserved Threonine	J .Biological Chemistry	2002
	WT1 and DAX-1 inhibit aromatase P450 expression in human endometrial and endometriotic stromal cells	J Clin Endocrinol Metab	2002
	Inhibitory effects of 17-b-estradiol and 4-n-octylphenol on 7,12- dimethylbenz[a]anthracene-induced mammary tumor development in human c-Ha-ras proto-oncogene transgenic rats	Carcinogenesis	2002
	Species difference in tissue retention of PCB metabolites after in vivo exposure of 2.4.5.2'.5'-penta- and 2.3.4.2'.3'.6'-hexachlorobiphenvis	Organohalogen Compound	2002
	Identification of ter94, Drosophila VCP, as a modulator of polyglutamine-induced neurodegeneration	Cell Death Differ	2002
	Serial transplantation of p53-deficient hemopoietic progenitor cells to assess their infinite growth potential	Exp Biol Med (Maywood)	2002
	Effect of 2,3,4,8-tetrachlorodibenzo-p-dioxin (tcdd) on b cell differentiation in mouse pre-b-colonization model regulated by artificially introduced human II -3 receptors.	Organohalogen Compounds	2002
Honma S	Low dose effect of in utero exposure to bisphenol A and diethylstilbestrol on female mouse reproduction	Reprod Toxicol	2002
Hori T, 1	Application of accelerated solvent extraction (ASE) and solvent cut large volume (SCLV) injection system for determination of dioxins in foods.	Organohalogen Compounds	2002
	High-level expression of zinc transporter-2 in the rat lateral and dorsal prostate	J Androl	2002
	Endocrine disruptoers and sexual differentiation	Clin Pediatr Endocrinol	2002
	Endocrine disruptor issues in Japan	Congenit Anom Kvoto	2002
	Developmental toxicity of estrogenic chemicals on rodents and other species	Congenit Anom Kvoto	2002
	Characterization of the LxxLL motif in the aryl hydrocarbon receptor. Effects on subcellular localization and transcriptional activity.	J. Biochem.	2002
	5-Fluorouracil-induced intestinal toxicity: what determines the severity of damage to murine intestinal cryot epithelia?	Toxicology Letters	2002
	Progesterone production and actions in the human central nervous system and neurogenic tumors	J Clin Endocrinol Metab	2002
	Metabolism of polychlorinated dibenzo-p-dioxins (PCDDs) by human cytochrome P450-dependent monooxygenase systems.	J. Agric. Food Chem.	2002
Ishijima	Motor apparatus in human spermatozoa that lack central pair microtubules	Mol Reprod Develop	2002
Kanno J	Phytoestrogen-low diet for endocrine disruptor studies	J Agric Food Chem	2002

	タイトル	雑誌名	年
	Activation of the aryl hydrocarbon receptor by methyl yellow and related congeners: structure-activity relationships in halogenated derivatives	Biol. Pharm. Bull.	200
Kato Y	The contribution of 2,3,5-trichlorophenyl methyl sulfone, a metabolite of 1,2,4-trichlorobenzene, to the delta-aminolevulinic acid synthetase induction by 1,2,4-trichlorobenzene in rat liver	Chemosphere	200
	Induction of hepatic microsomal UDP-glucuronosyltransferase by methyl- sulfonyl metabolites of 2.2' 4', 5-tetrabromobiohenyl in rats	Organohalogen Compound	200
	Metabolite of 2,2',4',5-tetrabromobiphenyl, 3-methylsulphonyl-2,2',4',5- tetrabromobiphenyl, a potent inducer of CYP2B1/2 in rat	Xenobiotica	200
	Relation between the increase in hepatic UDP-glucuronosyltransferase and the decrease in serum thyroxine level in Kanechlor-500-treated rats	Organohalogen Compound	200
	Relation between the increase in hepatic UDP-GT and the decrease in serum thyroxine level in Kanechlor–500–treated rats	J Toxicol Sci	200
	Assessment of quentitative dual-parameter flow cytometric analysis for the	J Toxicol Sci	200
	Estrogen-independent expression of neuropsin, a serine protease in the vagina of mice exposed neonatally to diethylstilbestrol	Mol Cell Endocrinol	200
Katsuda	Uterine adenocarcinoma in N-ethyl-N'-nitro-N-nitrosoguanidine -treated rats with high-dose exposure to p-tert-octylohenol during adulthood	Jpn J Cancer Res	200
Kimura '	Circumvention of chaperone requirement for aggregate formation of a short polyglutamine tract by the co-expression of a long polyglutamine tract	J Biol Chem	200
Kimura	Retinoid receptors in the developing human lung	Clin Sci (Lond)	200
Kitagaw	Ligand selective potentiation of rat mineralocorticoid receptor activation function-1 (AF-1) by a CBP-containing HAT complex	Mol. Cell. Biol	200:
Kitamur	Thyroid hormonal activity of the flame retardants tetrabromobisphenol A and tetrachlorobisphenol A	Biochem Biophys Res Commun	2002
Kobayas	Functional ATPase activity of p97/valosin-containing protein (VCP) is required for the quality control of endoplasmic reticulum in neuronally differentiated mammalian	J Biol Chem	200
Koga N,	Metabolism of 2,3',4,4',5-pentachlo- robiphenyl (CB118) by guinea pig liver microsomes	Organohalogen Compound	200
Lee HS,	Employment of the human estrogen receptor beta ligand-binding domain and co- activator SRC1 nuclear receptor-binding domain for the construction of a yeast two- hybrid detection system for endocrine disrupters	J Biochem (Tokyo)	200:
	Transcriptional regulation of the mouse steroid 5alpha-reductase type II gene by	Nucleic Acids Res	2002
	Systemic distribution of steroid sulfatase and estrogen sulfotransferase in human adult and fetal tissues	J Clin Endocrinol Metab	2002
	Regulatory Roles of AhR	Environmental Sciences	2002
Miyagaw	Characterization of diethylstilbestrol-induced hypospadias in female mice	Anat Rec	200
Miyata H	<u>lanalogues using Japanese black pine needle as an indicator</u>	Organohalogen Compounds	2002
Miyata I	A new destruction technique for dioxin analogues in landfills and fly ash concerning waste combustion by DCR-dehalogenated method	Organohalogen Compounds	2002
Nagao T	Low-dose bisphenol A dose not affect reproductive organs in estrogen sensitive C57BL /6N mice exposed at the sexually mature, juvenile, or embryonic stage	Reprod Toxicol	2002
Nagao T	Maternal and developmental toxicity in mice by aminophenyl- norharman, formed from norharman and aniline	Human Experim	2002
Nagayan	Effects of organochlorine compounds such as pesticides, PCBs and dioxins on thyroid hormone system in Japanese mothers	Organohalogen Compounds	2002
Nagayan	Frequency of sister chromatid exchanges in Japansese infants lactatonally exposed to organochlorine pesticides and dioxins	Organohalogen Compounds	2002
Nagayan	Sexual difference in effects of dioxins on immune response system in Japanese infants	Organohalogen Compounds	2002
Nagayan	Effects of organochlorine compounds such as pesticides, PCBs and dioxins on immune response system in Japanese mothers	Organohalogen Compounds	2002
Nakao T	Terrestruction of DODD (DE DDDD /DE 1 to 1 t	Organohalogen Compounds	2002
Nawata,	Molecular mechanisms underlying the action of environmental endocrine-disrupting	Environmental	2002
Nishitoh	ASK1 is essential for endoplasmic reticulum stress-induced neuronal cell death triggered by expanded polyglutamine repeats	Sciences Genes Dev	2002
Ogura H	Neurotoxic Damage of Granule Cells in the Dentate Gyrus and the Cerebellum and	J.	2002
Ohta S,	Contamination levels of PBDEs, TBBPA, PCDDs/DFs, PBDDs/DFs and PXDDs/DFs in the environment of Japan	Neurophathology Organohalogen	2002
Okada A		Compounds Mol Cell	2002

著者名(タイトル	雑誌名	年
	Changes in ontogenetic expression of estrogen receptor alpha and not of estrogen receptor beta in the female rat reproductive tract	J Mol Endocrinol	200
Okazaki	A repeated 28-day toxicity study of methyltestosterone in rats, based on the Enhanced OECD Test Guideline 407' for screening the endocrine-discussing	Arch Toxicol.	200
Ouchi K	Assay for disphenol A in human urine using HPLC with multi-channel coulometric lelectrochemical detection	J Chromatograph B	200
	Biodegradation of polychlorinated dibenzo-p-dioxins (PCDDs) by recombinant yeast expressing rat CYP1A subfamily.	Arch. Biochem. Biophys	200
	Accumulation patterns of polychlorinated biphenyl congeners and organochlorine pesticides in Steller's sea eagles and white-tailed sea eagles threatened species in	Environ Toxicol	200
	Lack of promoting effect due to oral administration of dimethylarsinic acid on rat lung carcinogenesis initiated with N-bis(2-hydroxypropyl)nitrosamine	Cancer Lett	2002
Shimam	Comparison of antiandrogenic activities of vinclozolin and D,L-camphorquinone in androgen recentor gene transcription assay in vitro and mouse in utero exposure	Toxicology	2002
	Overexpression of the arylhydrocarbon receptor (AhR) accelrates the cell proleferation of A549 cells	J. Biochem.	2002
	Ah-receptor-mediated induction of drug-metabolizing enzymes by indirubin and indigo.	Organohalogen Compounds	2002
Sukata ⁻	Detailed low-dose study of 1,1-bis(p-chlorophenyl)-2,2,2- trichloroethane carcinogenesis suggests the possibility of a hormetic effect	Int J Cancer	2002
Suzuki A	Developmental effects of perinatal exposure to bisphenol-A and diethylstilbestrol on reproductive organs in female mice	Reprod Toxicol	2002
Suzuki T	Progesterone metabolism in human leukemic monoblast U937 cells	Endocr J	2002
Takagi H	Improvement of a two-stage carcinogenesis model to detect modifying effects of endocrine disrupting chemicals on thyroid carcinogenesis in rats	Cancer Letter	2002
Takeyan	Androgen-dependent neurodegeneration by polyglutamine-expanded human androgen receptor in Drosophila	Neuron	2002
Tamura	Up-regulation of cyclooxygenase-2 expression and prostaglandin synthesis in endometrial stromal cells by malignant endometrial epithelial cells. A paracrine effect mediated by prostaglandin E2 and nuclear factor-kappa B	J Biol Chem	2002
	Functional Analysis of Zinc Finger Proteins That Bind to the Silencer Element in the Glutathione Transferase P Gene	Biol. Pharm, Bull	2002
Tilley RE	Isolation of two cytochrome P450 cDNAs, CYP1A1 and CYP1A2, from harp seal (Phoca groenlandica) and grey seal (Halichogrus gryous)	Comp Biochem Physiol C Toxicol	2002
Tobiishi	Comparison of solvent cut large volume (SCLV) injection system with conventional technique in dioxins analysis by HRGC-HRMS	Organohalogen Compounds	2002
	New protocol for dioxins analysis of human blood	Organohalogen Compounds	2002
	Aryl Hydrocarbon Hydroxylase Represents CYP1B1, and not CYP1A1, in Human Freshly Isolated White Cells: Trimodal Distribution of Japanese Population According to Induction of CYP1B1 mRNA by Environmental Dioxins	Cancer Epidemiol Biomarkers Prev.	2002
	Bisphenol-A administration during pregrancy results in fetal exposure in mice and monkeys	JHealth Sci	2002
	Pathological Evaluation of HER2 Oveerexpression:For the Treatment of Metastatic Breast Cancers by Humanized Anti-HER2 Monoclon(Antibody(Trastuzumb)	Acta Histochem Cytochem	2002
Utsuyan	Age/sex dependent and non-monotonous dose-response effect of diethylstilbestrol on the immune functions in mice	Toxicol Lett	2002
Wang F,	HIF-1 α-prolyl hydroxylase: molecular target of nitric oxide in the hypoxic signal transduction pathway	Biochemical and Biophysical	2002
Watanab	Genome-wide analysis of changes in early gene expression induced by oestrogen	Genes Cells	2002
rratariab	Health effects of low dose exposure of polychlorinated dibenzo-p-dionxins, dibenzofurans and coplanar PCB among Japanese residents	Organohalogen Compounds	2002
Yamada	Bisphenol A concentrations at early second trimester in maternal serum and amniotic	Reprod Toxicol	2002
	Changes of serum alpha2u-globulin in the subacute oral toxicity study of ethynl estradiol and bisphenol A based on the draft protocol for the 'Enhanced OECD Test Guideline No.407'	Toxicology	2002
		Mol Cell	2002
	II- I OOAAT/	J Clin Endocrinol Metab	2002
Yasui M,	An Arming Yeast with the Ability to Entrap Fluorescent 17b-Estradiol on the Cell Surface	Appl. Microbiol. Biotechnol	2002
Yoon B-	Aryl Hydrocarbon Receptor Mediates Benzene-Induced Hematotoxicity	Toxicological Sciences	2002

	タイトル	雑誌名	年
	Induction of different types of uterine adenocarcinomas in Donryu rats due to neonatal exposure to high-dose p-t-octylphenol for different periods	Carcinogenesis	2002
Yoshida	Lack of effects of oxolinic acid on spermatogenesis in young adult and aged Wistar	Food and Chemical	2002
	Neonatal exposure to p-tert-octylphenol causes abnormal expression of estrogen receptor (Land subsequent alteration of cell proliferating activity in the developing	Toxicol Path	2002
Yoshino	Field Survey on Indoor Air Quality and Occupants' Health Conditions in Sick House	Indoor Air Quality and	2002
Adachi T	ADAM7 (a disintegrin and metalloprotease 7) mRNA is suppressed in mouse epididymis by neonatal exposure to Diethylstilbestrol	Mol Reprod Dev	2003
Asano, K	Regulation of estrogen receptor α and β expression by testosterone in the rat	Endocrine J.	2003
	17 beta-hydroxysteroid dehydrogenase type XI localizes to human steroidogenic cells	Endocrinology	2003
Chamoto	Critical Role of Th1/Tc1 Circuit for the Generation of Tumor-specific CTL during Tumor Eradication in vivo by Th1-cell Therapy	Cancer Science	2003
Cho, Y.M	Age-dependent histopathological findings in the prostate of probasin/SV40 T antigen transgenic rats: Lack of influence of carcinogen or testosterone treatment	Cancer Sci	2003
Eguchi K	Validity Test for a Yeast Two-Hybrid Assay to Screen for Estrogenic Activity, and Its Application to Insecticides and Disinfectants for Veterinary Use	Bull. Environ.	2003
Franco (Mitogen-activated protein kinase pathway is involved in androgen-independent PSA gene expression in LNCaP cells	Prostate	2003
Fujimoto	Effects of environmental estrogenic compounds on growth of a transplanted estrogen responsive pituitary tumor cell line in rats	Food Chem	2003
Fujimotd	Estrogenic activity of an environmental pollutant, 2-nitrofluorene, after metabolic activation by rat liver microsomes	Biochem Biophys Res Commun	2003
Fukushir	Appropriate models and an understanding of carcinogenic mechanisms-requirements for hazard risk assessment	Asian Pac J Cancer Prev	2003
Fukushir	Lack of initiation activity in rat liver of low doses of 2-amino-3,8-dimethylimidazo[4.5-f]quinoxaline	Cancer Prev Cancer Lett	2003
Haraguc	Identification and tissue distribution of catechol metabolites of polychlorinated biphenyls in rodents dosed with Kanechlor 500	Organohalogen	2003
Hirabaya	Evaluation of nonthreshold leukemogenic response to methyl nitrosourea in p53- deficient C3H/He mice	Compound Toxicol Appl	2003
Hirai T	Concentration of polybrominated diphenyl ethers (PBDE) in human sample in Japanese	Pharmacol Organohalogen Compounds	2003
Hokaiwa	Lack of effect human c-Ha-ras prostate carcinogenesis in probasin/SV40 T antigen transgenic rats	Cancer Sci	2003
Hoshino	Organochlorine compound accumulation in Steller sea lion Eumetopias jubatus migrating along the coast of Hokkaido in northern Japan	Jpn J Toxicol.	2003
Ichihara		J Toxicol Sci	2003
Iguchi T	Developmental effects of hormonally acitive agents on animals: from daphnia to humans	Environ. Sci.	2003
lida T H	Follow-up survey of dioxins and related chemicals in the blood of Yusho patients in 2001	Organohalogen Compounds	2003
Inoue T	Hormonally active agents and plausible relationships to adverse effects on human health	Pure Appl Chem	2003
Inoue T,	Health hazards of endocrine-disrupting chemicals on humans as examined from the standpoint of their mechanism of action	Japan Med Assoc	2003
Ishibash	Sex steroid hormone receptors in human thymoma	J Clin Endocrinol	2003
	p54nrb acts as a transcriptional coactivator for activation function 1 of the human	Metab Biochem Biophys	2003
Ishizuka	Perinatal exposure to low doses of 2,3,7,8-tetrachlorodibenzo-p-dioxin alters sex- dependent expression of hepatic CYP2C11	Res Commun J Biochem Mol	2003
Ito N, Ta	A medium-term rat liver bioassay for rapid in vivo detection of carcinogenic potential of chemicals.	Toxicol Cancer Sci	2003
K. Inoue	Size-exclusion flow extraction of bisphenol A in human urine for liquid chromatography mass spectrometry	J. Chromatogr. B	2003
Kamei Y	PPARgamma coactivator 1beta/ERR ligand 1 is an ERR protein ligand, whose	Proc Natl Acad	2003
Kanayan	expression induces a high-energy expenditure and antagonizes obesity Basis of a High-Throughput Method for Nuclear Receptor Ligands	Sci U.S.A J. Biochem	2003
	The OECD program to validate the rat uterotrophic bioassay. Phase 2: coded single-	Environ Health	2003
	dose studies	Perspect	

タイトル	雑誌名	年
pentachlorobiphenyl or 2,2',3',4',5,6-hexachlorobiphenyl-induced alteration of serum thyroid hormone level	J Toxicol Sci	200
linduced alterations of serum thyroid hormone level	Organohalogen Compound	200
Species difference among mice, hamsters, rats and guinea pigs in 2,2',4',5,5'- pentachlorobiphenyl and 2,2',3',4',5,6-hexachlorobiphenyl-induced alterations of serum thyoroid hormone level	Organohalogen Compound	200
in rats and mice	Toxicol Sci	200
linduced afteration of serum thyroid hormone level	J Toxicol Sci	200
Expression of a novel C-type lectin in the mouse vagina	Endocrinology	200
11 and 2 in thyroid disorders; possible in situ estrogen synthesis and actions	Mod Pathol	2003
Role of LXXLL-motif and activation function 2 domain in subcellular localization of Dax-1.	Mol. Endocrinol.	2003
Estrogenic Activities of UV Stabilizers Used in Food Contact Plastics and	J. Health Sci	2003
Molecular mechanism of nuclear translocation of an orphan nuclear receptor SXR.	Mol. Pharmacol.	2003
Suppressive function of androgen receptor in bone resorption	Proc Natl Acad	2003
Heterodimers of bHLH-PAS protein fragments derived from AhR, AhRR and Arnt prepared by co-expression in <i>Escherichia coli</i> : chareacterization of theirDNA binding activity and preparation of a DNA complex	J. Biochem	2003
Short period exposure to di-(2-ethylhexyl) phthalate regulates testosterone	Arch Toxicol.	2003
Polyglutamine diseases and molecular chaperones	IUBMB Life	2003
Detection of Tyroid Hormone Receptor-Binding Activities of Chemicals Using a Yeast	J. Health Sci	2003
Promoter targeting of a nuclear receptor with an ATP-dependent chromatin	Cell,	2003
Estrogenic activity of styrene oligomers after metabolic activation by rat liver	Environ Health	2003
Metabolic activation of proestrogenic diphenyl and related compounds by rat liver	J Health Sci	2003
Antiandrogenic activity of the organophosphorus pesticide fenthion and related	En. Health Persp.	2003
Molecular analyses of Machado-Joseph disease	Cytogenet	2003
Metabolism of 2,3,3',4,4'-pentachlorobiphenyl in hamsters	Fukuoka Acta	2003
Risk management options for endocrine disruptors in national and international	Pure Appl Chem	2003
Identification of Th1- and Th2-specific Genes by Microarray Analysis.	Biomedical Res.	2003
Impact of dietary exposure to methoxychlor, genistein, or diisononyl phthalate during	Toxicology	2003
A statistical method for judging synergism: Application to an endocrine disruptor	Environmetrics	2003
Successful elimination of memory-type CD8+ T cell subsets by the administration of	Cellular Immunol	2003
Endocrine Disruptors Induce Cytochrome P450 by Affecting Transcriptional	Toxcol. Appl.	2003
Methoxychlor Induces CYP2C11 to Convert Itself into Hormonally Active Metabolites	J. Health Sci	2003
Distinct response to dioxin in an arylhydrocarbon receptor (AHR)-humanized mouse	Proc. Natl. Acad.	2003
·		
Detection of lung cancer causing substances in the atomosphere-detection of the	Sci. Organohalogen Compounds	2003
Detection of lung cancer causing substances in the atomosphere-detection of the environmental pollutants in tissues of the dog.	Sci. Organohalogen Compounds Neurosci Lett	2003 2003
Detection of lung cancer causing substances in the atomosphere-detection of the environmental pollutants in tissues of the dog. Vacuole-creating protein in neurodegenerative diseases in humans	Organohalogen Compounds	
	thyroid hormone level Species difference among mice, hamsters, rats and guinea pigs in Kanechlor–500– Induced alterations of serum thyroid hormone level Species difference among mice, hamsters, rats and guinea pigs in 2,2',4',5,5'– pentachlorobipnenyl and 2,2',3',4',5,6'–hexachlorobiphenyl-induced alterations of serum thyroid hormone level Effects of polychlorinated biphenyls, Kanechlor–500, on serum thyroid hormone levels in rats and mice Species difference among mice, hamsers, rats, and guinea pigs in Kanechlor–500– induced alteration of serum thyroid hormone levels in rats and mice Species difference among mice, hamsers, rats, and guinea pigs in Kanechlor–500– induced alteration of serum thyroid hormone level Expression of a novel C-type lectin in the mouse vegina Estrogen receptors (alpha and beta) and 17beta-hydroxysteroid dehydrogenase type 1 and 2 in thyroid disorders: nossible in situ estrogen, synthesis, and actions. Role of LXXLL-motif and activation function 2 domain in subcellular localization of Day-1 Estrogenic Activities of UV Stabilizers Used in Food Contact Plastics and Banzonhannen Derivatives Tested hy the Yeast T wo-Hybrid Assay Molecular mechanism of nuclear translocation of an orphan nuclear receptor SXR. Suppressive function of androgen receptor in bone resorption Heterodimers of bHLH-PAS protein fragments derived from AhR, AhRR and Amt prepared by co-expression in Escherichia coli: chareacterization of theirDNA binding activity and preparation of a DNA complex Short period exposure to di-(2-ethylhexyl) phthalate regulates testosterone metabolism in testis of nenuhertal rats Polyglutamine diseases and molecular chaperones Detection of Tyroid Hormone Receptor-Binding Activities of Chemicals Using a Yeast Two-Hybrid Assay. Promoter targeting of a nuclear receptor with an ATP-dependent chromatin remodelling camblex related to Williams, syndrome Estrogenic activity of styrene oligomers after metabolic activation by rat liver microsames. Metabolic activation of proestrogenic diphenyl	pentachlorobiphenyl or 2,2',3',4',5,6'-hexachlorobiphenyl-induced alteration of serum thyroid hormone level Species difference among mice, hamsters, rats and guinea pigs in Kanechlor-500— Commound Species difference among mice, hamsters, rats and guinea pigs in 2,2',4',5,5'- Commound Organohalogen pentachlorobiphenyl and 2,2',3',4',5,6'-hexachlorobiphenyl-induced alterations of serum thyroid pommone level Effects of polychlorinated biphenyls, Kanechlor-500, on serum thyroid hormone levels in rats and mice. Effects of polychlorinated biphenyls, Kanechlor-500, on serum thyroid hormone levels in rats and mice. Species difference among mice, hamsers, rats, and guinea pigs in Kanechlor-500— Joxicol Sci in rats and mice. Species difference among mice, hamsers, rats, and guinea pigs in Kanechlor-500— Joxicol Sci in rats and mice. Expression of a novel C-type lectin in the mouse vagina Estrogen receptors (alpha and beta) and 17beta-hydroxysteroid dehydrogenase type Land 2 in thyroid disorders; nossible in situ astrosen synthesis and actions. Role of LXXLL-motif and activation function 2 domain in subcellular localization of Davr-I. Setrogenic Activities of UV Stabilizers Used in Food Contact Plastics and Ranzonhanone Derivativas. Tested by the Yeast T.woHydrid Assav Molecular mechanism of nuclear translocation of an orphan nuclear receptor SXR. Mol. Pharmacol. Suppressive function of androgen receptor in bone resorption Suppressive function of androgen receptor in bone resorption Froc Natl Acad Sai U. S. A. Heterodimers of bHLH-PAS protein fragments derived from AhR, AhRR and Armt prepared by co-expression in Escherichia coli: chareacterization of theirDNA binding activity and preparation of a DNA complex Short period exposure to di-(2-ethyllexyl) phthalate regulates testosterone metabolism in testis of oranuhartal rats. Polyglutamine diseases and molecular chaperones UBMB Life Detection of Tyroid Hormone Receptor-Binding Activities of Chemicals Using a Yeast Luxa-Hybrid Assav Promoter targeting of

	雑誌名	年
	Am J Pathol	2003
Imouse	Biochem. Biophys.	2003
expression in mice.	FEBS Letter	2003
lreceptor.	Nature	2003
Ideveloping cycling and pre-implantation rats	J Mol Endocrinol	2003
A random effects nonlinear regression model for analysis of environmental contamination data	Environmetrics	2003
Itheir halogenated derivatives	Biol. Pharm. Bull.	2003
carpio) associated with the discharge of dioxin contaminated effluent to the Hikiji	Chemosphere.	2003
Chemopreventive potential of volatile oil from black cumin (Nigella sativa L.) seeds	Nutr Cancer	2003
Estrogenic activity of stilbene derivatives	J Health Sci	2003
the classification of Th subsets	Int Immunol	2003
Glutathione S-transferase M1 and T1 polymorphisms and the risk of recurrent	Mol Hum Reprod	2003
A polymorphism in the CYP17 gene relates to the risk of recurrent pregnancy loss.	Mol Hum Reprod	2003
Multiple mechanisms are involved in apoptotic cell death in the mouse uterus and vagina after ovariectomy	Reprod Toxicol	2003
Late onset of obesity in male androgen receptor-deficient (AR KO) mice	Biochem Biophys	2003
Immunolocalization of nuclear transcription factors, DAX-1 and COUP-TF II, in the normal human ovary: correlation with advenal 4 hinding protein/steroidogenic factor-1	J Clin Endocrinol	2003
A novel tumorvaccine cell therapy using bone marrow-derived dendritic cell type 1	Int. Immunol	2003
Enhancement of lung carcinogenesis by nonylphenol and genistein in a F344 rat	Cancer Lett	2003
between primary and asynchronous metastatic/recurrent sites: HFR2 gane	Internat J	2003
Functional expression of TrkC gene encoding a high affinity receptor for NT-3 in antigen—specific T helper—type 2(Th2) cells	Immunol. letters	2003
Intergrated human ecological risk assessment: a case study of tributyltin and triphenyltin compounds	J Human and	2003
Liver tumorigenicity of trimethylarsine oxide in male Fischer 344 rats-association with oxidative DNA datage and enhanced cell proliferation	Carcinogenesis	2003
No difference in natural-killer-T cell population, but Th2/Tc2 predominance in	Am J Reprod	2003
Expression of allograft inflammatory factor-1 in mouse uterus and poly (I:C)-induced fetal resorction	Am J Reprod	2003
Metabolic pathways of dioxins by CYP1A1: Species difference between rat and human	Arch. Biochem.	2003
Generation of 2,3,7,8-TCDD-metabolizing enzyme by modifying rat CYP1A1 through site-directed mutagenesis	Biochem. Biophys.	2003
Effects of reduction of the number of primordial follicles on follicular development to		2003
Synergistic interaction between excess caffeine and deficient jodine on the promotion	Cancer Sci	2003
Lack of modifying effects of atrazine and/or tamoxifen on thyroid carcinogenesis in	1	2003
Prolonged effects of β -estradiol 3-benzoate on thyroid tumorigenesis in	Cancer Letter	2003
Metabolism of indirubin and indigo, endogenous aryl hydrocarbon receptor ligand	Organohalogen	2003
Renal fibrosis induced by in utero and lactational exposure to 2,3,7,8-	Compounds Organohalogen Compounds	2003
Terrachiorodinonzo-n-diovin in rhoese		
Types of integration in risk assessment and management, and why they are needed	J Human and Ecological Risk	2003
	Aryl hydrocarbon receptor-mediated suppression of GH receptor and janus kinase 2 expression in mice. Modulation of oestrogen receptor signaling by association with the activated dioxin recentor. Expression of estrogen, progesterone and androgen receptors in the oviduot of developing cycling and ore-implantation rats. A random effects nonlinear regression model for analysis of environmental contamination data. Activation of the human Ah receptor by aza-polycyclic aromatic hydrocarbons and thair halpsenated derivatives. Cytochrome p450 induction and gonadal status alteration in common carp (Cyprinus carpio) associated with the discharge of dioxin contaminated effluent to the Hikiji River, Kanagawa Prefecture, Japan. Chemopreventive potential of volatile oil from black cumin (Nigella setiva L.) seeds azainst rat colon carcinosenesis. Estrogenic activity of stilbene derivatives Differential regulation of VLA-2 expression on Th1 and Th2 cells: a novel marker for the classification of Th subsets Glutathione S-transferase M1 and T1 polymorphisms and the risk of recurrent pregnancy loss. A polymorphism in the CYP17 gene relates to the risk of recurrent pregnancy loss. Multiple mechanisms are involved in apoptotic cell death in the mouse uterus and vazina after ovariactomy. Late onset of obesity in male androgen receptor-deficient (AR KO) mice Immunolocalization of nuclear transcription factors, DAX-1 and COUP-TF II, in the normal human ovary correlation with adrenal 4 hinding rortein/steroidozenic factor-1 A novel tumorvaccine cell therapy using bone marrow-derived dendritic cell type 1 and antizen-specific Thelper-type 1 cells. Enhancement of lung carcinogenesis by nonylphenol and genistein in a F344 rat multifurzan carcinogenesis model. Heterogeneous gene alterations in primary breast cancer contribute to discordance hatween nrimary and asynchronous metastatic/recurrent sites: HER2 zene Functional expression of TrikC gene encoding a high affinity receptor for NT-3 in antizen-specific T helper-type 2 ce	Steroid sulfatase and estrogen sulfotransferase in the atherosclerotic human aorta Am J Pathol Gene expression of detoxifying enzymes in AhR and Nrf2 compound null mutant Mouse. Aryl hydrocarbon receptor—mediated suppression of GH receptor and janus kinase 2 Expression in mice. Modulation of osstrogen receptor signaling by association with the activated dioxin recentor. Expression of osstrogen receptor signaling by association with the activated dioxin recentor. Expression of osstrogen receptor signaling by association with the activated dioxin recentor. Expression of osstrogen receptor signaling by association with the activated dioxin recentor. J Mol Endocrinol developing under the control of the con

著者名(雑誌名	年
	Types of Integration in Risk Assessment and Management , and Why They Are Needed	J. Human and Ecological Risk	200
Suter G	Framework for the Integration of Health and Ecological Risk Assessment	J. Human and Ecological Risk	200
	Prenatal and neonatal exposure to bisphenol-A enhances the central dopamine D1 receptor-mediated action in mice: Enhancement of the methamphetamine-induced abuse state	Neuro-science	200:
Suzuki T	Effects of steroid hormones on vascular functions	Microsc Res Tech	2003
Suzuki T	Estrogen sulfotransferase and steroid sulfatase in human breast carcinoma	Cancer Res	2003
Takahas	Feedback loops comprising D111, D113, Mesp2, and differential involvement of Psen1 are essential for rostrocaudal patterning of somites	Development	2003
Takao Y	High sensitivity analysis of indirubin by silylation using GC/MS.	J. Health Sci.	2003
	Estrogenicity of metabolites of benzophenone derivatives examined by a yeast two- hybrid assay	J Health Sci.	2003
Tanaka	Targeted disruption of oncostatin M receptor results in altered hematopoiesis	Blood	2003
Toide K,	Aryl hydrocarbon hudroxylase represents CYP1B1, and not CYP1A1, in human freshly isolated white cells: trimodal distribution of Japanese population according to induction of CYP1B1 mRNA by environmental dioxins	Cancer Epidemiol. Biomarkers Prev	2003
	An efficient methods to prepare T cell receptor genetransduced cytotoxic T	Cancer Science	2003
Uchida I	Proprotein convertases regulate activity of prostate epithelial cell differentiation markers and are modulated in human prostate cancer cells	J Cell Biochem	2003
Umemur	Immunohistochemical Evaluation of Hormone Receptor for Routine Practice of Breast Cancer:Highly Sensitive Procedurs Significantly Contribute to the Correlation with Biochemical Assays	Applied Immunohistochemi stry & Molecular	2003
Usuki Y,	The new approach to measure the toxicity of dioxins in waste gas using the ecoassy dioxin elisa kit and the dioana filter.	Organohalogen Compounds	2003
	The measurement of toxicity of dioxins in human blood using the Ah-immunoassay.	Organohalogen Compounds	2003
	The correlation between the response to progestogen treatment and the expression of progesterone receptor B and 17beta-hydroxysteroid dehydrogenase type 2 in human endometrial carcinoma	Clin Endocrinot (Oxf)	2003
	Glia maturation factor produced by thymic epithelial cells plays a role in T cell differentiation in the thymic microenvironment	Int Immunol	2003
Watanab	An improved technique for repeated gavage administration to rat neonates	Cong. Anom	2003
	Evaluation of endocrine disruptors based on gene expression using amicroarray	Environ. Sci.	2003
	Similarities and differences in uterine gene expression patterns caused by treatment with physiological and non-physiological estrogens	J Mol Endocrinol	2003
Watanab	Analysis of temporal changes in the expression of estrogen-regulated genes in the	J Mol Endocrinol	2003
	Health effects of chronic exposure to polychlorinated dibenzo-p-dioxins, dibenzofurans and coplanar PCB around municipal waste incinerators	Organohalogen Compounds	2003
Vei Μ, V	Carcinogenicity of dimethylarsinic acid and relevant mechanisms	In: Arsenic Exposure and	2003
Yamada	Prevalence of diverse anti-phospholipid antibodies in women with recurrent abortion.	Fertil Steril	2003
Yamada	Decreased serum levels of macrophage migration inhibition factor in miscarriages with normal chromosome karyotype.	Hum Reprod	2003
ramada	Anti-cardiolipin B2-glycoprotein I antibody: Is a high titer related to pregnancy	Semin Thromb Hemost	2003
Yamada I	Intravenous immunoglobulin treatment in women with recurrentabortions: Increased cytokine levels and reduced Th1/Th2 lymphocyte ratio in peripheral blood	Am J Reprod	2003
′amada	Preconceptional natural-killer-cell activity and percentage as predictors of	Immunol Am J Reprod	2003
/amasal		Immunol Environ Health	2003
/asuda 1	Effect of in utero lactational exposure to 2,3,7,8-tetrachlorodibezo-p-dioxin on tooth	Perspect Organohalogen	2003
i asuua II			
roon BI,	Mechanisms of benzene-induced hematotoxicity and leukemogenicity: cDNA microarray analyses using mouse bone marrow tissue	Compounds Environ Health Perspect	2003