

再生医療

著者名(タイトル)	雑誌名	年
Shang W Effect of high dietary fat on insulin secretion in genetically diabetic Goto-Kakizaki rats	Pancreas	2002
Takeuchi Cultivation of AGM-derived hematopoietic stem cells in the fetal liver microenvironment amplifies long-term repopulating activity and enhances homing to	Blood	2002
Tamura In vitro differentiation of stem cells in the aorta-gonad-mesonephros region of mouse embryo and adult bone marrow	Exp. Hematol.	2002
Tamura Developmental expression pattern of oncostatin M receptor b in mice	Mech Dev.	2002
Taniguchi C-reactive protein and insulin resistance in non-obese Japanese type 2 diabetic patients	Metabolism	2002
Y. Mimura Differential expression of two distinct vesicular glutamate transporters in the rat retina	Neuroreport	2002
Y. Sakai Enhanced in vitro maturation of fetal mouse liver cells with oncostatin M, nicotinamide and dimethylsulfoxide	Cell Transplant.	2002
Anzai H Impaired differentiation of fetal hepatocytes in homozygous jumonji mice	Mech. Dev	2003
Araki E Endoplasmic reticulum stress and diabetes mellitus	Intern. Med.	2003
Azuma N Mutation of PAX6 gene detected in patients with congenital optic nerve anomalies.	European Society of Ophthalmology	2003
Azuma N Mutations of the PAX6 gene detected in patients with a variety of optic nerve malformations	Am J Hum Genet	2003
Fujimoto Type-1 diabetes mellitus with insufficient serum immunoreactive insulin elevation after subcutaneous NPH-insulin injection	Diabetes Res Clin Pract	2003
Hamamoto Beneficial effect of pretreatment of islets with fibronectin on glucose tolerance after islet transplantation	Horm Metab Res	2003
Hanada Enhanced in vitro maturation of subcultivated fetal human hepatocytes in three dimensional culture using poly-L-lactic acid scaffolds in the presence of oncostatin M	Int J Artif Organs	2003
J. Lin, H Expression profile of mRNAs from human pancreatic islet tumors.	J. Mol. Endocrinol	2003
Kamata Long-term normalization in the central nervous system, ocular manifestations, and skeletal deformities by a single systemic adenovirus injection into neonatal mice with	Gene Ther	2003
Kishimoto Different Properties of SEK1 and MKK7 in Dual Phosphorylation of Stress-induced Activated Protein Kinase SAPK/JNK in Embryonic Stem Cells	J Biol Chem	2003
M. Hayashi Secretory granule-mediated co-secretion of L-glutamate and glucagon triggers glutamatergic signal transmission in islets of Langerhans	J. Biol. Chem	2003
N.Tanim Isolation of hepatoblasts based on the expression of Dlk/Pref-1.	J.Cell Sci	2003
Ohtake Phenotype of cytochrome P4501B1 gene (CYP1B1) mutations in Japanese patients with primary congenital glaucoma	Br J Ophthalmol	2003
Oya M, Effects of an aldose reductase inhibitor on gastroenteropathy in streptozotocin-diabetic rats	Diabetes Res Clin Pract	2003
Pamir N Glucose-dependent insulino-tropic polypeptide receptor null mice (GIPR-/-) exhibit compensatory changes in the enteroinsular axis	Am J Physiol	2003
Q. Zhu T130I mutation in HNF-4 gene is a loss-of-function mutation in hepatocytes and is associated with late-onset Type II diabetes mellitus in Japanese subjects	Diabetologia	2003
Siozawa Histological study of the hypertrophic placentas and open eyelid observed in cloned fetuses	J Reprod. Dev	2003
Sugawara The role of the TSC-22 (-396) A/G variant in the development of diabetic nephropathy	Diabetes Res Clin Pract	2003
T. Tanaka Genomewide linkage and linkage disequilibrium analyses pinpoint the ossification of the posterior longitudinal ligament of the spine to COL6A1 locus on chromosome 21	Am. J. Hum. Genet	2003
Tanaka Targeted disruption of Oncostatin M receptor results in altered hematopoiesis	Blood	2003
Taniguchi Porphyromonas gingivalis infection is associated with carotid atherosclerosis in non-obese Japanese type 2 diabetic patients	Metabolism	2003
Taniguchi High prevalence of autoantibodies against carbonic anhydrase II and lactoferrin in type 1 diabetes: concept of autoimmune exocrinopathy and endocrinopathy of the	Pancreas	2003
Y. Horikoshi Genetic variations in CAPN10 are not a major factor in the occurrence of type 2 diabetes in Japanese	J. Clin. Endocrinol. Metab	2003
Inada A Overexpression of inducible cyclic AMP early repressor inhibits transactivation of genes and cell proliferation in pancreatic β cells	Mol Cell Biol	2004
J. Jinlar Cultivation and induction of fetal liver cells in poly-L-lactic acid scaffolds	Mat. Sci. Eng. C	2004
Nakamura Hepatocyte proliferation and tissue remodeling is impaired after liver injury in oncostatin M receptor knockout mice	Hepatology	2004
Rump A Binding of ovarian cancer antigen CA125/MUC16 to mesothelin mediates cell adhesion	J. Biol. Chem	2004
Suzuki H Factors responsible for development from normal glucose tolerance to isolated postchallenge hyperglycemia	Diabetes Care	2004

再生医療

著者名(タイトル)		雑誌名	年
Tanaka	Purification, Molecular Cloning, and Expression of a Novel Growth Promotive Factor for Retinal Pigment Epithelial Cells, RFP-1/TFP I-2.	Invest Ophthal Vis Sci	2004
Y. Shima	Inhibitory effect of small heterodimer partner hepatocyte nuclear factor-4 mediates bile acid-induced repression of human angiotensinogen gene.	J. Biol. Chem	2004
Hansotia	Double incretin receptor knockout (DIRKO) mice reveal an essential role for the enteroinsular axis in transducing the glucoregulatory action of DPP-IV inhibitors.	Diabetes	
J-H. Kim	Orphan nuclear receptor SHP, a novel corepressor for a basic Helix-Loop-Helix (bHLH) transcription factor BETA2/NeuroD.	Mol. Endocrinol	
Kataoka	Differentially expressed Maf family transcription factors, c-Maf and MafA, activate glucagon and insulin gene expression in pancreatic islet α - and β -cells.	J Mol Endocrinol	
M. Enya	Depressive state and paresthesia dramatically improved by intravenous MgSO4 in Giterman's syndrome.	Intern. Med.	
N. Shihai	Identification of a de novo case of hepatocyte nuclear factor-1 α deficiency with highly varied phenotypes.	Diabetologia	
Nishina	[review] Activation Mechanism and Physiological Roles of Stress-Activated Protein Kinase/c-Jun NH2-Terminal Kinase in Mammalian Cells	J Biol Regul Homeost Agents	
Obazawa	Comparable Analysis of Porcine Optineurin and Meshwork Cells and Astrocytes from Optic Nerve Head.	Invest Ophthal Vis Sci	
Suzuki	IGT with fasting hyperglycemia is more strongly associated with microalbuminuria than IGT without hyperglycemia.	Diabetes Res Clin Pract	
Umeda	Molecular Cloning of ELOVL4 Gene and exclusion as a candidate gene for early onset macular degeneration in Cynomolgus Monkey (Macaca fascicularis).	Exp. Anim.	

萌芽

著者名(3名)	タイトル	雑誌名	年
Fujiwara H.	Relaxation Behavior of Laser-Polarized ^{129}Xe Gas: Size Dependency and Wall Effect of the T1 Relaxation time in Glass and Gelatin Bulbs.	Journal of Magnetic	2001
Issei Mori, T.	The CdTe detector module and its imaging performance	Ann Nucl Med	2001
Kashikura K.	Temporal characteristics of event-related BOLD response and visual-evoked potentials from checkerboard stimulation of human V1: A comparison between different control features.	Magn Reson Med	2001
Kashikura K.	Hyperoxia modified activation-induced blood oxygenation level-dependent response of human visual cortex (V1): an event-related functional magnetic resonance imaging	Neurosci Lett	2001
Satoru Ohno	Selection of optimal projection angles in three dimensional myocardial SPECT.	Conference Record of JFFF	2001
Ikeda Y, Tak	A family-based study of hyperinsulinemia and hypertriglyceridemia in heterozygous lipoprotein lipase deficiency	Clin. Chim. Acta	2002
Iwasa H, Kur	Twenty single-nucleotide polymorphisms in four genes encoding cardiac ion channels.	J Hum Genet	2002
K. Ogawa, N	Proposing a new myocardial SPECT system	IEEE Nuclear Science	2002
Kaneda H, O	Heme oxygenase-1 gene promoter polymorphism is associated with coronary artery disease in Japanese patients with coronary risk factors.	Arterioscler Thromb Vasc	2002
Sata M, Saiu	Hematopoietic stem cells differentiate into vascular cells that participate in the pathogenesis of atherosclerosis	Nat Med.	2002
Shindo T, Im	Kruppel-like zinc-finger transcription factor KLF5/BTEB2 is a target for angiotensin II signaling and an essential regulator of cardiovascular remodeling	Nature Medicine	2002
Yamashita K	Electrochemical hybridization assay of a heterozygous deficiency of lipoprotein lipase gene with ferrocenylanththalene diimide	Bioconjugate Chem	2002
Fukutomi J.	Analysis of the effect of foreign gases in the production of hyperpolarized ^{129}Xe gas on a simple system working under atmospheric pressure	J Magn Reson	2003
Fukutomi J.	Analysis of the Effect of Foreign Gases in the Production of hyperpolarized ^{129}Xe Gas on a Simple System working under Atmospheric Pressure.	J Magn Reson	2003
Harada T, Im	A common Ile823Met variant of ATP-binding cassette transporter A1 gene (ABCA1) alters high density lipoprotein cholesterol level in Japanese population	Atherosclerosis	2003
Hayashi T, W	A theoretical model of oxygen delivery and metabolism for physiological interpretation of quantitative CBF and CMRO ₂	J Cereb Blood Flow Metab	2003
Inoue H, J.-Y	Development of Virtual Histology and Virtual Biopsy Using Laser-scanning Confocal Microscopy	Scand J Gastroenterol	2003
Koshikawa N	Constitutive upregulation of hypoxia-inducible factor-1a mRNA occurring in highly metastatic lung carcinoma cells leads to vascular endothelial growth factor overexpression upon hypoxic exposure.	Oncogene	2003
Miyamoto S.	Positive and negative regulation of the cardiovascular transcription factor KLF5 by p300 and the oncogenic regulator SET through interaction and acetylation on the DNA binding domain.	Mol Cell Biol	2003
Nojima T, Ya	Direct detection of single nucleotide polymorphism (SNP) with genomic DNA by the ferrocenylanththalene diimide-based electrochemical hybridization assay (FND-EHA)	Anal. Sci.	2003
Nojiri T, Mo	Genetic Variations of Matrix Metalloproteinase-1 and -3 Promoter Regions and their Associations with Susceptibility to Myocardial Infarction in Japanese	Int J Cardiol	2003
Norihiro Kot	Evaluation of data acquisition scheme in a new myocardial SPECT system	IEEE Nuclear Science	2003
Saito K, Kim	The study of Xe adsorption behavior in meso-size pores of carbon black materials using laser-polarized ^{129}Xe NMR spectroscopy	Magn Reson Imaging	2003
Sakashita M	Virtual Histology of Colorectal Lesions Using Laser-Scanning Confocal Microscopy	Endoscopy	2003
Tachibana M	Expression of Apolipoprotein A1 in Colonic Adenocarcinoma.	Anticancer Research	2003
Wakai A, Ke	Magnetic resonance spectra of hyperpolarized ^{129}Xe in human blood and living rat chest	MRMS	2003
Enmi J, Hay	Measurement of Cerebral blood flow with dynamic susceptibility contrast MRI and comparison with O-15 Positron Emission Tomography. (in Quantitation in Biomedical Imaging with PET and MRI; eds by iida H, Hayashi T, Watabe H and Shah NJ)	Elsevier Science (Amsterdam)	2004
Enmi J, Hay	Measurement of cerebral blood flow with dynamic susceptibility contrast MRI and comparison with ^{15}O Positron Emission Tomography.	Magn Reson Med	2004
Fujiwara H,	Hyperpolarized ^{129}Xe as a Novel Probe Agent of Lung Functions in MRI and MRS. Experimental Results with Mice at 9.4T. (in Quantitation in Biomedical Imaging with PET and MRI; eds by iida H, Hayashi T, Watabe H and Shah NJ)	Elsevier Science (Amsterdam)	2004
Kawata Y, K	Practical Application of NMR spectra of ^{129}Xe dissolved in Red Blood Cell. (in Quantitation in Biomedical Imaging with PET and MRI; eds by iida H, Hayashi T	Elsevier Science (Amsterdam)	2004
Kusakai G, S	ARK5 expression in colorectal cancer and its implications for tumor progression.	Am J Pathol.	2004

萌芽

著者名(3名)	タイトル	雑誌名	年
Narasaki M,	MRS of Hyperpolarized ^{129}Xe in the Chest of Mouse. Effect of Contrast Agents on the MRS. (in Quantitation in Biomedical Imaging with PET and MRI: eds by iida H	Elsevier Science (Amsterdam)	2004
Norihiko Kot	The performance of data acquisition scheme in a new myocardial SPECT system	Medical Imaging Technology	2004
Sato H, Enm	Dynamic Spectroscopy of Hyperpolarized Xe-129 in Rat Lung. (in Quantitation in Biomedical Imaging with PET and MRI: eds by iida H, Hayashi T, Watabe H and Shah	Elsevier Science (Amsterdam)	2004

トランス

著者名(3名)	タイトル	雑誌名	年
Misaki Y, Ez	Gene-transferred oligoclonal T cells predominantly persist in peripheral blood from an adenosine deaminase-deficient patient during gene therapy.	Molecular Therapy	2001
Egashira K	Clinical importance of endothelial function in arteriosclerosis and ischemic heart disease.	Jpn Circ J	2002
Egashira K,	Importance of Monocyte Chemoattractant Protein-1 Pathway in Neointimal Hyperplasia After Peri-arterial Injury in Mice and Monkeys.	Circulation Research	2002
Ikeda Y, Yon	Anti-monocyte Chemoattractant Protein-1 Gene Therapy Attenuates Pulmonary Hypertension in Rats.	Am J Physiol-Heart C	2002
Inoue S, Ega	Anti-Monocyte Chemoattractant Protein-1 Gene Therapy Limits Progression and Destabilization of Established Atherosclerosis in Apolipoprotein F-Knockout Mice.	Circulation	2002
Kitamoto S,	Gene Therapy Targeting Monocyte Chemoattractant Protein-1 for Vascular Disease.	J Atherosclerosis and Thrombosis	2002
Mori E, Kom	Essential Role of Monocyte Chemoattractant Protein-1 in the Development of Restenotic Changes (Neointimal Hyperplasia and Constrictive Remodeling) After Balloon Angioplasty in Hypercholesterolemic Rabbits.	Circulation	2002
Otsu M, Her	Flow cytometry analysis of adenosine deaminase(ADA)expression;A simple and reliable tool for the assessment of ADA-deficient patients before and after gene therapy	Human Gene Ther	2002
Usui M, Ega	Anti-Monocyte Chemoattractant Protein-1 Gene Therapy Inhibits Restenotic Changes (Neointimal Hyperplasia) After Balloon Injury in Rats and Monkeys.	FASEB J	2002
Zhao QW, Eg	Vascular Endothelial Growth Factor is Necessary in the Development of Arteriosclerosis by Recruiting/Activating Monocytes in a Rat Model of Long-Term Inhibition of Nitric Oxide Synthesis.	Circulation	2002
Egashira K	Molecular Mechanisms Mediating Inflammation in Vascular disease —special Reference to Monocyte Chemoattractant Protein-1—	Hypertension	2003
Furuichi K, Vi	Gene therapy expressing amino-terminal truncated monocyte chemoattractant protein-1 prevents renal ischemia-reperfusion injury.	J Am Soc Nephrol	2003
Hayashidani	Anti-monocyte chemoattractant protein-1 gene therapy attenuates left ventricular remodeling and failure after experimental myocardial infarction.	Circulation	2003
Kajihara N, Ni	Transfection with a Dominant-Negative Inhibitor of Monocyte Chemoattractant Protein-1 Gene Improves Cardiac Function after 6 hours of Cold Preservation.	Circulation	2003
Kitamoto S,	Anti-monocyte chemoattractant protein-1 gene therapy for cardiovascular diseases.	Expert Review of Cardiovascular	2003
Kitamoto S,	Stress and Vascular Responses: Anti-inflammatory Therapeutic Strategy against Atherosclerosis and Restenosis after Coronary Intervention	J Pharm Sci	2003
Platten M, Ki	Monocyte chemoattractant protein-1 increases microglial infiltration and aggressiveness of gliomas.	Annal Neurol	2003
Shimizu H, Eg	Anti-monocyte chemoattractant protein-1 gene therapy attenuates renal injury induced by protein-overload proteinuria.	J Am Soc Nephrol	2003
Tsutsumi C,	The critical role of ocular-infiltrating macrophages in the development of choroidal neovascularization.	J Leukoc Biol	2003
Hiasa K, Ega	Bone marrow mononuclear cell therapy limits myocardial infarct size through vascular endothelial growth factor	Basic Research in Cardiology	2004
Hiasa K, Ishi	Gene Transfer of Stromal Cell-Derived Factor-1 α Enhances Ischemic Vasculogenesis and Angiogenesis via VEGF/eNOS-Related Pathway Next-Generation Chemokine Therapy for Therapeutic Neovascularization.	Circulation	2004
Inoshima I, Ki	Anti-monocyte chemoattractant protein-1 gene therapy attenuates pulmonary fibrosis in mice.	Am J Physiol Lung Cell Mol	2004
Ishibashi M,	Critical role of Monocyte Chemoattractant Protein-1 Receptor CCR2 on Monocytes in Hypertension-induced Vascular Inflammation and Remodeling.	Circulation Research	2004
Kitamoto S,	Endothelial Dysfunction and Coronary Atherosclerosis.	Durr Drug Targets Cardiovasc	2004
Ni W, Kitam	Monocyte Chemoattractant Protein-1 is an essential inflammatory mediator in angiotensin II-induced progression of established atherosclerosis in	Arterioscl Throm Vas Biol	2004
Ohtani K, Eg	Inhibition of neointimal hyperplasia after balloon injury by cis-element decoy' of early growth response gene-1 in hypercholesterolemic rabbits.	Gene Ther.	2004
Ohtani K, Us	Anti-Monocyte Chemoattractant Protein-1 Gene Therapy Reduces Experimental In-Stent Restenosis in Hypercholesterolemic Rabbits and Monkeys.	Gene Therapy	2004
Wada T, Fur	Gene therapy via blockade of MCP-1 for renal fibrosis.	J Am Soc Nephrol	2004

労健

著者名(タイトル)	雑誌名	年
A.Iwakura Pericardial fluid from patients with ischemic heart disease induces myocardial cell apoptosis via an oxidant stress-sensitive p38 mitogen-activated protein kinase.	J Mol Cell Cardiol	2001
Akishita Angiotensin converting enzyme inhibitor restrains inflammation-induced vascular injury in mice.	J Hypertens	2001
Asanuma Neuroprotective effects of non-steroidal anti-inflammatory drugs by direct scavenging of nitric oxide radicals.	J. Neurochem.	2001
B. E. To Salsolinol is a putative endogenous neuro-intermediate lobe prolactin releasing factor.	J. Neuroendocrinol	2001
B.Yoshida Serum lipoprotein cholesterols in male collegiate rowers	Advances in Exercise and	2001
Banno Y Involvement of phospholipase D in sphingosine 1-phosphate-induced activation of phosphatidylinositol 3-kinase and Akt in Chinese hamster ovary cells overexpressing PI3K.	J Biol Chem	2001
C. Nakada Effect of acetate on glycogen replenishment in liver and skeletal muscles after exhaustive swimming in rats.	Scand J Med Sci Sports	2001
C. Takahashi Non selective ET receptor antagonist initiated soon after the onset of myocardial infarction may deteriorate 24-hour survival.	J Cardiovasc Pharmacol	2001
Ciechanowski Mechanisms of ubiquitin-mediated limited processing of the NF- κ B1 precursor protein p105.	Biochimie	2001
D. Masuda Enhanced external counterpulsation improved myocardial perfusion and coronary flow reserve in patients with chronic stable angina. -Evaluation by ^{13}N -ammonia positron emission tomography-	European Heart J	2001
Flaherty Use of alternative therapies in older outpatients in the United States and Japan: Prevalence reporting patterns and perceived effectiveness.	Journal of Gerontology	2001
Fu Q, Iwai Effects of lower body positive pressure on muscle sympathetic nerve activity response to head-up tilt.	American Journal of Physiology	2001
Fu Y, Kaneko A common mutation of low-density lipoprotein receptor gene is associated with essential hypertension among Japanese.	J Hum Hypertens	2001
Haque M Relationship between locomotor activity and monoamines following single and double transient forebrain ischemia in gerbils.	Neurochem. Res.	2001
Hashimoto Y Hashimoto K, Nakagawa Y, Morikawa H, Niki M, Egashira Y, Hirata I, Katsu K, and Akao	Carcinogenesis,	2001
HASHIMOTO Apolipoprotein E epsilon 4 and the pattern of regional brain atrophy in Alzheimer's disease.	Neurology	2001
Hata S. Vascular smooth muscle maintains the levels of Bcl-2 in endothelial cells.	Atherosclerosis	2001
Hata, S. Vascular smooth muscle maintains the levels of Bcl-2 in endothelial cells	Atherosclerosis	2001
Heiji Arai Early Onset Alzheimer Type Dementia More Rapidly Deteriorates than Late Onset Type: A Follow-up Study on MMSE Scores in Japanese Patients	PSYCOGERIATRICS	2001
Hirata Y Measurement of plasma brain natriuretic peptide level as a guide for cardiac overload.	Cardiovasc Res	2001
Hironaka Memory related acetylcholine release from the rat prefrontal cortex and hippocampus: A microdialysis study.	Brain Res.	2001
HIRONAKA Neuronal substrates for semantic memory : a positron emission tomography study in Alzheimer's disease.	Dement Geriatr Cogn Disord	2001
Hitoshi S In Vivo Mapping of Brain Cholinergic Function in Parkinson's Disease and Progressive Supranuclear Palsy	Advances in Neurology	2001
Ikeda M Increased prevalence of vascular dementia in Japan : A community based epidemiological study.	Neurology	2001
IMAMURA Occipital glucose metabolism in dementia with Lewy bodies with and without Parkinsonism : a positron emission tomography	Dement Geriatr Cogn Disord	2001
Ishikawa T+31C polymorphism of angiotensinogen gene and essential hypertension.	Hypertension	2001
Ishizuka Circulating natural killer cell activity and cytokine production in Alzheimer's disease.	Alzheimer's Reports	2001
Itoh N, A Large scale multi-center study of cerebrospinal fluid tau protein phosphorylated at serine 199 for the postmortem diagnosis of Alzheimer disease.	Annals of Neurology	2001
J.Wu, M. Cooperative effects of exercise training and genistein administration on bone mass in ovariectomized mice.	Journal of Bone and Mineral	2001
K. Kataoka Myocardial lipid metabolism in compensated and advanced stages of heart failure. - Evaluation by canine pacing model with BMIPP	J Nucl Med	2001
K. Oh-h Pernoxynitrite induces gadd34, 45 and 153 via p38 MAPK in human neuroblastoma SH-SY5Y cells.	Free Rad. Biol. Med.	2001
K. Yamamoto Functional imaging of muscle oxygenation using a 200-channel CW-NIRS system.	Proc SPIE	2001
Kamada Crucial amino acid residues of mouse CD1d for glycolipid ligand presentation to Va14 NKT cells.	Int. Immunol.	2001
Kamiya Static handgrip exercise modifies arterial baroreflex control of vascular sympathetic outflow in humans.	American Journal of Physiology	2001

労健

著者名(タイトル)		雑誌名	年
kamura [18F]FDG-PET study in dementia with Lewy bodies and Alzheimer's disease.		Prog Neuropsychopharmacol	2001
Kanazawa Electrophysiological correlates of personality influences in visceral perception.		JAMA	2001
Kawabe A novel protein interacts with the Werner's syndrome gene product physically and functionally.		J. Biol. Chem.	2001
Kawai Y Oncogenic osteomalacia secondary to nasal tumor with decreased urinary excretion of cAMP		Journal of Bone and Mineral	2001
Kawakami Monocyte chemoattractant protein-1-dependent increase of Va14 NKT cells in lungs and their roles in Th1 response and host defense in cryptococcal infection		J. Immunol.	2001
Kawakami K Activation of Va14 ⁺ natural killer T cells by α-galactosylceramide results in development of Th1 response and local host resistance in mice infected with Cryptococcus neoformans		Infect Immun.	2001
Kawakami NEJD8 recruits E2-ubiquitin to SCF E3 ligase.		EMBO J.	2001
KAZUJI H Phobia after bilateral thalamic hemorrhage		Cerebrovasc Dis	2001
Kimura M Regulation of Th2 cell differentiation by mel-18, a mammalian polycomb group gene.		Immunity	2001
Kondo F Progressive cortical atrophy after forebrain ischemia in diabetic rats.		Neurosci. Res.	2001
LaVaute Targeted deletion of iron regulatory protein 2 causes iron overload and neurodegenerative disease in mice		Nature Genet.	2001
M. Fukuhara Effects of lifestyle factors on ultrasonographically determined bone health in Japanese women		Public Health	2001
M. Kohzaki Renal-protective effects of chronic exercise and antihypertensive therapy in hypertensive rats with renal failure		Hypertension	2001
M. Naoi Future neuroprotection in Parkinson's disease.		Parkinsonism and Related Disorders	2001
M. Xu, Y Mechanism of activation of branched-chain α-keto acid dehydrogenase complex by exercise		Biochemical and Biophysical	2001
Maruyama Cerebrospinal fluid amyloid (1–42) levels in the mild cognitive impairment stage of Alzheimer's disease.		Exp Neurol	2001
Masatake Change of the Department Name for a Psychiatrics Out-patient Clinic in a University Hospital		Japanese Journal of General	2001
MATSUSHITA No association between DLST gene and Alzheimer's disease or Wernicke-Korsakoff Syndrome		Neurobiol Aging	2001
Michikari Interrelations of vasoconstrictor sympathetic outflow to skin and core temperature during unilateral sole heating in humans.		AUTONOMIC NEUROSCIENCE	2001
Mino Y Risk factors for decubitus ulcers in bedridden elderly subjects. –Importance of turning over in bed and serum albumin level		Geriatrics and Gerontology	2001
Miyai I Patients with capsular infarct and Wallerian degeneration demonstrate persistent regional premotor cortex activation on functional MRI		J Stroke Cerebrovascular	2001
Miyai I Cortical Mapping of Gait in Humans: A Near-Infrared Spectroscopic Topography Study		NeuroImage	2001
MT. LaRosa Baroreflex sensitivity and heart rate variability in the identification of patients at risk for life-threatening arrhythmias		Circulation	2001
Murata Cell type-specific localization of sphingosine kinase 1a in human tissues.		J Histochem Cytochem	2001
N. Kimura The effects of different intensities on oxygen availability during isometric handgrip exercise under arterial occlusion		J Phys Fit Nutr Immunol	2001
Nakagawa Characterization of new epidemic strains of influenza B virus by using neutralizing monoclonal antibodies		J. Med. Virol.	2001
Nakagawa Antigenic variants with amino acid deletions clarify a neutralizing epitope specific for influenza B virus Victoria group strains		J. Gen. Virol	2001
Nakai D Mouse Homologue of coq7/clk-1, Longevity Gene in <i>Caenorhabditis elegans</i> , Is Essential for Coenzyme Q Synthesis Maintenance of Mitochondrial Integrity and NAKAMURA		Biochem Biophys Res Commun	2001
Dietary restriction of choline reduces hippocampal acetylcholine release in rats : in vivo microdialysis study		Brain Research Bulletin	2001
Nakamura Neural substrates for recognition of familiar voices. A PET study.		Neuropsychologia	2001
Nakamura Calcitonin receptor gene polymorphism in Japanese women: correlation with body composition		Calcif Tissue Int	2001
Nakamura Loss of calcitonin binding in rat is not related to calcitonin receptor gene abnormality.		Biochem Biophys Res Commun	2001
Nunomura Oxidative damage is the earliest event in Alzheimer disease		Journal of Neuropathology	2001
Ohnishi T Changes in brain morphology in Alzheimer disease and normal aging is Alzheimer disease an exaggerated aging process?		Am J Neuroradiol	2001
Okuda T The Von Hippel-Lindau (VHL) Tumor Suppressor Protein mediates Ubiquitination of Activated Atypical Protein Kinase C		J. Biol. Chem.	2001