

-
- ³⁰⁵ Maki DG, Stoltz SS, Wheeler S et al: A prospective, randomized trial of gauze and two polyurethane dressings for site care of pulmonary artery catheters: implications for catheter management. Crit Care Med 1994;22:1729-1737.
- ³⁰⁶ Hoffmann KK, Weber DJ, Samsa GP et al: Transparent polyurethane film as an intravenous catheter dressing. A meta-analysis of the infection risks. JAMA 1992;267:2072-2076.
- ³⁰⁷ Gillies D, O'Riordan E, Carr D, et al: Central venous catheter dressings: a systematic review. J Adv Nurs 2003;44:623-632.
- ³⁰⁸ Palidar PJ, Siminowitz DA, Oreskovich MR: Use of Op site as an occlusive dressing for total parenteral nutrition catheters. JPEN 1982;6:150-151.
- ³⁰⁹ Jarrard MM, Olson CM, Freeman JB: Daily dressing change effects on skin flora beneath subclavian catheter dressings during total parenteral nutrition. JPEN 1980;4:391-392.
- ³¹⁰ Gantz NM, Presswood GM, Goldberg R, et al: Effects of dressing type and change interval on intravenous therapy complication rates. Diagn Microbiol Infect Dis 1984;2:325-332.
- ³¹¹ Powell C, Regan C, Fabri PJ et al: Evaluation of Opsite catheter dressings for parenteral nutrition: A prospective, randomized study. JPEN 1982;6:43-46.
- ³¹² Nehme AE, Trigger JA: Catheter dressings in central venous parenteral nutrition: A prospective randomized comparative study. Nutr Support Serv 1984;4:42-50.
- ³¹³ Laura R, Degl'Innocenti M, Mocali M et al: Comparison of two different time interval protocols for central venous catheter dressing in bone marrow transplant patients: results of a randomized, multicenter study. Haematologica 2000;85:275-279.
- ³¹⁴ Engervall P, Ringertz S, Hagman E et al: Change of central venous catheter dressings twice a week is superior to once a week in patients with haematological malignancies. J Hosp Infect 1995;29:275-286.
- ³¹⁵ Brandt B, DePalma J, Irwin M, et al: Comparison of central venous catheter dressings in bone marrow transplant recipients. Oncol Nurs Forum 1996;23:829-836.
- ³¹⁶ Young GP, Alexeyeff M, Russell DM et al: Catheter sepsis during parenteral nutrition: the safety of long-term Opsite dressings. JPEN 1988;12:365-370.
- ³¹⁷ Rasero L, Degl'Innocenti M, Mocali M, et al: Comparison of two different protocols on change of medication in central venous catheterization in patients with bone marrow transplantation: results of a randomized multicenter study. Assist Inferm Ric 2000;19:112-119.
- ³¹⁸ Benhamou E, Fessard E, Com-Nougue C, et al: Less frequent catheter dressing changes decrease local cutaneous toxicity of high-dose chemotherapy in children, without increasing the rate of catheter-related infections: results of a randomized trial. Bone Marrow Transplant 2002;29:653-658.
- ³¹⁹ Sitges-Serra A, Linares J, Garau J: Catheter sepsis: the clue is the hub. Surgery 1985;97:355-357.
- ³²⁰ Sitges-Serra A, Hernandez R, Maestro S et al: Prevention of catheter sepsis: the hub. Nutrition 1997;13(4 suppl):30s-35s.
- ³²¹ Inoue Y, Nezu R, Matsuda H, et al: Experimental Study of Hub Contamination : Effect of a New Connection Device : The I System. JPEN 1992;16:178-180.
- ³²² Mahieu LM, De Dooy JJ, Lenaerts AE, et al: Catheter manipulations and the risk of catheter-associated bloodstream infection in neonatal intensive care unit patients. J Hosp Infect 2001;48:20-26.
- ³²³ Stotter AT, Ward H, Waterfield AH, et al: Junctional caqre: the key to prevention of catheter sepsis in intravenous feeding. JPEN 1987;11:159-162.
- ³²⁴ Casey AL, Worthington T, Lambert PA, et al: A randomized, prospective clinical trial to assess the potential infection risk associated with the PosiFlow needleless connector. J Hosp Infect 2003;54:288-293.
- ³²⁵ Yebenes JC, Vidaur L, Serra-Prat M, et al: Prevention of catheter-related bloodstream infection in critically ill patients using a disinfectable, needle-free connector: a randomized