

Table 7 Detailed Clinical Observations - Summary (Week -1)

Items	Sex: Test Substance: Dose (mg/kg): Number of Animals:	Male				Female			
		1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC
		0	10	60	300	0	10	60	300
		12	12	12	12	17	12	12	17
Hand-held observations	(Criteria)								
Lacrimation	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
Salivation	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
Piloerection	N	12	12	12	12	17	12	12	17
	P	0	0	0	0	0	0	0	0
Pupil size	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
Open field observations									
Rearing	Mean	5.8	5.1	3.0	3.7	8.7	10.1	5.0	4.2
	S. D.	4.5	3.7	2.4	4.0	3.8	4.7	3.2	3.9
Arousal	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	12	12	12	12	17	12	12	17
	4	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0
Urination	N	10	11	12	12	11	6	12	17
	P	2	1	0	0	6	6	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week -1)

Items	Sex:	Male				Female				
		Test Substance:	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	
		Dose (mg/kg):	0	10	60	300	0	10	60	300
		Number of Animals:	12	12	12	12	17	12	12	17
Open field observations	(Criteria)									
Defecation	N	7	5	6	10	16	11	11	17	
	P	5	7	6	2	1	1	1	0	
Posture, body position	N	12	12	12	12	17	12	12	17	
	1	0	0	0	0	0	0	0	0	
	2	0	0	0	0	0	0	0	0	
	3	0	0	0	0	0	0	0	0	
	4	0	0	0	0	0	0	0	0	
	5	0	0	0	0	0	0	0	0	
Breathing	N	12	12	12	12	17	12	12	17	
	1	0	0	0	0	0	0	0	0	
	2	0	0	0	0	0	0	0	0	
	3	0	0	0	0	0	0	0	0	
	4	0	0	0	0	0	0	0	0	
	5	0	0	0	0	0	0	0	0	
Co-ordination movement	N	12	12	12	12	17	12	12	17	
	P	0	0	0	0	0	0	0	0	
Gait	N	12	12	12	12	17	12	12	17	
	1	0	0	0	0	0	0	0	0	
	2	0	0	0	0	0	0	0	0	
	3	0	0	0	0	0	0	0	0	
	4	0	0	0	0	0	0	0	0	
	5	0	0	0	0	0	0	0	0	
	6	0	0	0	0	0	0	0	0	
	7	0	0	0	0	0	0	0	0	
Tremor	N	12	12	12	12	17	12	12	17	
	1	0	0	0	0	0	0	0	0	
	2	0	0	0	0	0	0	0	0	

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week -1)

Items	Sex: Test Substance: Dose (mg/kg): Number of Animals:	Male				Female			
		1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC
		0	10	60	300	0	10	60	300
		12	12	12	12	17	12	12	17
Open field observations	(Criteria)								
Clonic convulsion	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
Tonic convulsion	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0
Stereotypy	N	12	12	12	12	17	12	12	17
	P	0	0	0	0	0	0	0	0
Bizarre behaviour	N	12	12	12	12	17	12	12	17
	P	0	0	0	0	0	0	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 1)

Items	Sex: Test Substance: Dose (mg/kg): Number of Animals:	Male				Female			
		1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC
		0	10	60	300	0	10	60	300
		12	12	12	12	17	12	12	17
Home cage observations	(Criteria)								
Tremor	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
Clonic convulsion	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
Tonic convulsion	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0
Breathing	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0
Hand-held observations									
Reactivity on removal	1	0	0	0	0	0	0	0	0
from the cage	2	12	12	12	12	17	12	12	17
	3	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 1)

Items	Sex: Test Substance: Dose (mg/kg): Number of Animals:	Male				Female			
		1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC
		0	10	60	300	0	10	60	300
		12	12	12	12	17	12	12	17
Hand-held observations	(Criteria)								
Reactivity to handling	1	0	0	0	0	0	0	0	0
	2	12	12	12	12	17	12	12	17
	3	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0
Aggression	N	12	12	12	12	17	12	12	17
	P	0	0	0	0	0	0	0	0
Trauma	N	12	12	12	12	17	12	12	17
	P	0	0	0	0	0	0	0	0
Color of skin	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
Soiled fur	N	12	12	12	12	17	12	12	17
	P	0	0	0	0	0	0	0	0
Exophthalmos	N	12	12	12	12	17	12	12	17
	P	0	0	0	0	0	0	0	0
Palpebral closure	1	12	12	12	12	17	12	12	17
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0
Color of conjunctiva	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
Secretion	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 1)

Items	Sex: Test Substance: Dose (mg/kg): Number of Animals:	Male				Female			
		1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC
		0	10	60	300	0	10	60	300
		12	12	12	12	17	12	12	17
Hand-held observations	(Criteria)								
Lacrimation	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
Salivation	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
Piloerection	N	12	12	12	12	17	12	12	17
	P	0	0	0	0	0	0	0	0
Pupil size	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
Open field observations									
Rearing	Mean	8.3	2.8	3.3	2.5	8.7	10.1	5.0	4.2
	S. D.	6.3	2.5	3.1	2.9	3.8	4.7	3.2	3.9
Arousal	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	12	12	12	12	17	12	12	17
	4	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0
Urination	N	11	10	10	9	17	12	12	16
	P	1	2	2	3	0	0	0	1

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 1)

Items	Sex: Test Substance: Dose (mg/kg): Number of Animals:	Male				Female			
		1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC
		0	10	60	300	0	10	60	300
		12	12	12	12	17	12	12	17
Open field observations	(Criteria)								
Defecation	N	7	7	4	7	17	12	12	17
	P	5	5	8	5	0	0	0	0
Posture, body position	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0
Breathing	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0
Co-ordination movement	N	12	12	12	12	17	12	12	17
	P	0	0	0	0	0	0	0	0
Gait	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0
	7	0	0	0	0	0	0	0	0
Tremor	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 1)

Items	Sex: Test Substance: Dose (mg/kg): Number of Animals:	Male				Female			
		1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC
		0	10	60	300	0	10	60	300
		12	12	12	12	17	12	12	17
Open field observations	(Criteria)								
Clonic convulsion	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
Tonic convulsion	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0
Stereotypy	N	12	12	12	12	17	12	12	17
	P	0	0	0	0	0	0	0	0
Bizarre behaviour	N	12	12	12	12	17	12	12	17
	P	0	0	0	0	0	0	0	0

See Annex 12.7 for details of criteria.



Table 7 Detailed Clinical Observations - Summary (Week 2)

Items	Sex:	Male				Female				
		1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	
	Test Substance:	0	10	60	300	0	10	60	300	
	Dose (mg/kg):	0	10	60	300	0	10	60	300	
	Number of Animals:	12	12	12	12	17	12	12	17	
Home cage observations		(Criteria)								
Tremor	N	12	12	12	12	17	12	12	17	
	1	0	0	0	0	0	0	0	0	
	2	0	0	0	0	0	0	0	0	
Clonic convulsion	N	12	12	12	12	17	12	12	17	
	1	0	0	0	0	0	0	0	0	
	2	0	0	0	0	0	0	0	0	
Tonic convulsion	N	12	12	12	12	17	12	12	17	
	1	0	0	0	0	0	0	0	0	
	2	0	0	0	0	0	0	0	0	
	3	0	0	0	0	0	0	0	0	
	4	0	0	0	0	0	0	0	0	
	5	0	0	0	0	0	0	0	0	
Breathing	N	12	12	12	12	17	12	12	17	
	1	0	0	0	0	0	0	0	0	
	2	0	0	0	0	0	0	0	0	
	3	0	0	0	0	0	0	0	0	
	4	0	0	0	0	0	0	0	0	
	5	0	0	0	0	0	0	0	0	
Hand-held observations										
Reactivity on removal from the cage	1	0	0	0	0	0	0	0	0	
	2	12	12	12	12	17	12	12	17	
	3	0	0	0	0	0	0	0	0	
	4	0	0	0	0	0	0	0	0	
	5	0	0	0	0	0	0	0	0	
	6	0	0	0	0	0	0	0	0	

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 2)

Items	Sex: Test Substance: Dose (mg/kg): Number of Animals:	Male				Female			
		1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC
		0	10	60	300	0	10	60	300
		12	12	12	12	17	12	12	17
Hand-held observations	(Criteria)								
Reactivity to handling	1	0	0	0	0	0	0	0	0
	2	12	12	12	12	17	12	12	17
	3	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0
Aggression	N	12	12	12	12	17	12	12	17
	P	0	0	0	0	0	0	0	0
Trauma	N	12	12	12	12	17	12	12	17
	P	0	0	0	0	0	0	0	0
Color of skin	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
Soiled fur	N	12	12	12	12	17	12	12	17
	P	0	0	0	0	0	0	0	0
Exophthalmos	N	12	12	12	12	17	12	12	17
	P	0	0	0	0	0	0	0	0
Palpebral closure	1	12	12	12	12	17	12	12	17
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0
Color of conjunctiva	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
Secretion	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 2)

Items	Sex: Test Substance: Dose (mg/kg): Number of Animals:	Male				Female			
		1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC
		0	10	60	300	0	10	60	300
		12	12	12	12	17	12	12	17
Hand-held observations	(Criteria)								
Lacrimation	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
Salivation	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
Piloerection	N	12	12	12	12	17	12	12	17
	P	0	0	0	0	0	0	0	0
Pupil size	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
Open field observations									
Rearing	Mean	4.3	2.2	3.3	2.2	7.6	9.3	7.6	6.7
	S. D.	5.8	1.8	2.9	2.6	5.6	5.5	5.7	5.1
Arousal	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	12	12	12	12	17	12	12	17
	4	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0
Urination	N	8	8	12	12	16	9	11	15
	P	4	4	0	0	1	3	1	2

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 2)

Items	Sex: Test Substance: Dose (mg/kg): Number of Animals:	Male				Female			
		1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC
		0	10	60	300	0	10	60	300
		12	12	12	12	17	12	12	17
Open field observations	(Criteria)								
Defecation	N	8	9	8	12	16	11	11	17
	P	4	3	4	0	1	1	1	0
Posture, body position	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0
Breathing	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0
Co-ordination movement	N	12	12	12	12	17	12	12	17
	P	0	0	0	0	0	0	0	0
Gait	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0
	7	0	0	0	0	0	0	0	0
Tremor	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 2)

Items	Sex:	Male				Female			
		1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC
	Test Substance:								
	Dose (mg/kg):	0	10	60	300	0	10	60	300
	Number of Animals:	12	12	12	12	17	12	12	17
Open field observations	(Criteria)								
Clonic convulsion	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
Tonic convulsion	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0
Stereotypy	N	12	12	12	12	17	12	12	17
	P	0	0	0	0	0	0	0	0
Bizarre behaviour	N	12	12	12	12	17	12	12	17
	P	0	0	0	0	0	0	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 3)

Items	Sex: Test Substance: Dose (mg/kg): Number of Animals:	Male				Female			
		1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC
		0	10	60	300	0	10	60	300
		12	12	12	12	17	12	12	17
Home cage observations	(Criteria)								
Tremor	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
Clonic convulsion	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
Tonic convulsion	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0
Breathing	N	12	12	12	11	17	12	12	17
	1	0	0	0	1	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0
Hand-held observations									
Reactivity on removal	1	0	0	0	0	0	0	0	0
from the cage	2	12	12	12	12	17	12	12	17
	3	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 3)

Items	Sex: Test Substance: Dose (mg/kg): Number of Animals:	Male				Female			
		1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC
		0	10	60	300	0	10	60	300
		12	12	12	12	17	12	12	17
Hand-held observations	(Criteria)								
Reactivity to handling	1	0	0	0	0	0	0	0	0
	2	12	12	12	12	17	12	12	17
	3	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0
Aggression	N	12	12	12	12	17	12	12	17
	P	0	0	0	0	0	0	0	0
Trauma	N	12	12	12	12	17	12	12	17
	P	0	0	0	0	0	0	0	0
Color of skin	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
Soiled fur	N	12	12	12	12	17	12	12	17
	P	0	0	0	0	0	0	0	0
Exophthalmos	N	12	12	12	12	17	12	12	17
	P	0	0	0	0	0	0	0	0
Palpebral closure	1	12	12	12	12	17	12	12	17
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0
Color of conjunctiva	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
Secretion	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 3)

Items	Sex: Test Substance: Dose (mg/kg): Number of Animals:	Male				Female			
		1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC
		0	10	60	300	0	10	60	300
		12	12	12	12	17	12	12	17
Hand-held observations (Criteria)									
Lacrimation	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
Salivation	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
Piloerection	N	12	12	12	12	17	12	12	17
	P	0	0	0	0	0	0	0	0
Pupil size	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
Open field observations									
Rearing	Mean	5.6	4.3	4.3	2.4	5.5	4.4	6.2	6.1
	S. D.	5.9	2.4	3.7	2.9	4.6	3.7	5.1	5.3
Arousal	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	12	12	12	12	17	12	12	17
	4	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0
Urination	N	8	11	6	9	14	11	12	16
	P	4	1	6	3	3	1	0	1

See Annex 12.7 for details of criteria.



Table 7 Detailed Clinical Observations - Summary (Week 3)

Items	Sex: Test Substance: Dose (mg/kg): Number of Animals:	Male				Female			
		1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC
		0	10	60	300	0	10	60	300
		12	12	12	12	17	12	12	17
Open field observations	(Criteria)								
Defecation	N	9	10	7	11	14	12	12	16
	P	3	2	5	1	3	0	0	1
Posture, body position	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0
Breathing	N	12	12	12	11	17	12	12	17
	1	0	0	0	1	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0
Co-ordination movement	N	12	12	12	12	17	12	12	17
	P	0	0	0	0	0	0	0	0
Gait	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0
	7	0	0	0	0	0	0	0	0
Tremor	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 3)

Items	Sex:	Male				Female			
		1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC
	Test Substance:	0	10	60	300	0	10	60	300
	Dose (mg/kg):	0	10	60	300	0	10	60	300
	Number of Animals:	12	12	12	12	17	12	12	17
Open field observations	(Criteria)								
Clonic convulsion	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
Tonic convulsion	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0
Stereotypy	N	12	12	12	12	17	12	12	17
	P	0	0	0	0	0	0	0	0
Bizarre behaviour	N	12	12	12	12	17	12	12	17
	P	0	0	0	0	0	0	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 4)

Items	Sex: Test Substance: Dose (mg/kg): Number of Animals:	Male				Female			
		1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC
		0	10	60	300	0	10	60	300
		12	12	12	11	17	12	12	17
Home cage observations	(Criteria)								
Tremor	N	12	12	12	11	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
Clonic convulsion	N	12	12	12	11	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
Tonic convulsion	N	12	12	12	11	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0
Breathing	N	12	12	12	11	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0
Hand-held observations									
Reactivity on removal	1	0	0	0	0	0	0	0	0
from the cage	2	12	12	12	11	17	12	12	17
	3	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 4)

Items	Sex: Test Substance: Dose (mg/kg): Number of Animals:	Male				Female			
		1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC
		0	10	60	300	0	10	60	300
		12	12	12	11	17	12	12	17
Hand-held observations	(Criteria)								
Reactivity to handling	1	0	0	0	0	0	0	0	0
	2	12	12	12	11	17	12	12	17
	3	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0
Aggression	N	12	12	12	11	17	12	12	17
	P	0	0	0	0	0	0	0	0
Trauma	N	12	12	12	11	17	12	12	17
	P	0	0	0	0	0	0	0	0
Color of skin	N	12	12	12	11	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
Soiled fur	N	12	12	12	11	17	12	12	17
	P	0	0	0	0	0	0	0	0
Exophthalmos	N	12	12	12	11	17	12	12	17
	P	0	0	0	0	0	0	0	0
Palpebral closure	1	12	12	12	11	17	12	12	17
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0
Color of conjunctiva	N	12	12	12	11	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
Secretion	N	12	12	12	11	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 4)

Items	Sex: Test Substance: Dose (mg/kg): Number of Animals:	Male				Female			
		1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC
		0	10	60	300	0	10	60	300
		12	12	12	11	17	12	12	17
Hand-held observations	(Criteria)								
Lacrimation	N	12	12	12	11	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
Salivation	N	12	12	12	11	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
Piloerection	N	12	12	12	11	17	12	12	17
	P	0	0	0	0	0	0	0	0
Pupil size	N	12	12	12	11	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
Open field observations									
Rearing	Mean	6.8	3.0	3.0	0.2	6.1	6.7	5.9	5.9
	S. D.	5.4	2.6	2.3	0.4	4.0	4.0	4.1	4.1
Arousal	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	12	12	12	11	17	12	12	17
	4	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0
Urination	N	10	12	12	11	16	10	9	16
	P	2	0	0	0	1	2	3	1

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 4)

Items	Sex: Test Substance: Dose (mg/kg): Number of Animals:	Male				Female			
		1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC
		0	10	60	300	0	10	60	300
		12	12	12	11	17	12	12	17
Open field observations	(Criteria)								
Defecation	N	10	11	12	11	17	11	12	16
	P	2	1	0	0	0	1	0	1
Posture, body position	N	12	12	12	11	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0
Breathing	N	12	12	12	11	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0
Co-ordination movement	N	12	12	12	11	17	12	12	17
	P	0	0	0	0	0	0	0	0
Gait	N	12	12	12	11	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0
	7	0	0	0	0	0	0	0	0
Tremor	N	12	12	12	11	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 4)

Items	Sex:	Male				Female			
		1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC
	Test Substance:								
	Dose (mg/kg):	0	10	60	300	0	10	60	300
	Number of Animals:	12	12	12	11	17	12	12	17
Open field observations	(Criteria)								
Clonic convulsion	N	12	12	12	11	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
Tonic convulsion	N	12	12	12	11	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	
Stereotypy	N	12	12	12	11	17	12	12	17
	P	0	0	0	0	0	0	0	0
Bizarre behaviour	N	12	12	12	11	17	12	12	17
	P	0	0	0	0	0	0	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 5)

Items	Sex:	Male				Female				
		1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	
	Test Substance:	0	10	60	300	0	10	60	300	
	Dose (mg/kg):	0	10	60	300	0	10	60	300	
	Number of Animals:	12	12	12	11	17	12	12	17	
Home cage observations		(Criteria)								
Tremor	N	12	12	12	11	17	12	12	17	
	1	0	0	0	0	0	0	0	0	
	2	0	0	0	0	0	0	0	0	
Clonic convulsion	N	12	12	12	11	17	12	12	17	
	1	0	0	0	0	0	0	0	0	
	2	0	0	0	0	0	0	0	0	
Tonic convulsion	N	12	12	12	11	17	12	12	17	
	1	0	0	0	0	0	0	0	0	
	2	0	0	0	0	0	0	0	0	
	3	0	0	0	0	0	0	0	0	
	4	0	0	0	0	0	0	0	0	
	5	0	0	0	0	0	0	0	0	
Breathing	N	12	12	12	11	17	12	12	16	
	1	0	0	0	0	0	0	0	1	
	2	0	0	0	0	0	0	0	0	
	3	0	0	0	0	0	0	0	0	
	4	0	0	0	0	0	0	0	0	
	5	0	0	0	0	0	0	0	0	
Hand-held observations										
Reactivity on removal from the cage	1	0	0	0	0	0	0	0	0	
	2	12	12	12	11	17	12	12	17	
	3	0	0	0	0	0	0	0	0	
	4	0	0	0	0	0	0	0	0	
	5	0	0	0	0	0	0	0	0	
	6	0	0	0	0	0	0	0	0	

See Annex 12.7 for details of criteria.



Table 7 Detailed Clinical Observations - Summary (Week 5)

Items	Sex: Test Substance: Dose (mg/kg): Number of Animals:	Male				Female			
		1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC
		0	10	60	300	0	10	60	300
		12	12	12	11	17	12	12	17
Hand-held observations	(Criteria)								
Reactivity to handling	1	0	0	0	0	0	0	0	0
	2	12	12	12	11	17	12	12	17
	3	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0
Aggression	N	12	12	12	11	17	12	12	17
	P	0	0	0	0	0	0	0	0
Trauma	N	12	12	12	11	17	12	12	17
	P	0	0	0	0	0	0	0	0
Color of skin	N	12	12	12	11	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
Soiled fur	N	12	12	12	11	17	12	12	17
	P	0	0	0	0	0	0	0	0
Exophthalmos	N	12	12	12	11	17	12	12	17
	P	0	0	0	0	0	0	0	0
Palpebral closure	1	12	12	12	11	17	12	12	17
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0
Color of conjunctiva	N	12	12	12	11	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
Secretion	N	12	12	12	11	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 5)

Items	Sex: Test Substance: Dose (mg/kg): Number of Animals:	Male				Female			
		1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC
		0	10	60	300	0	10	60	300
		12	12	12	11	17	12	12	17
Hand-held observations	(Criteria)								
Lacrimation	N	12	12	12	11	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
Salivation	N	12	12	12	11	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
Piloerection	N	12	12	12	11	17	12	12	17
	P	0	0	0	0	0	0	0	0
Pupil size	N	12	12	12	11	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
Open field observations									
Rearing	Mean	7.0	5.8	5.3	4.2	4.3	3.1	5.8	7.6
	S. D.	6.0	3.1	4.2	2.9	2.6	2.1	4.8	7.3
Arousal	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	1
	3	12	12	12	11	17	12	12	16
	4	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0
Urination	N	10	10	9	11	17	12	11	15
	P	2	2	3	0	0	0	1	2

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 5)

Items	Sex:	Male				Female			
		1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC
	Test Substance:	0	10	60	300	0	10	60	300
	Dose (mg/kg):	0	10	60	300	0	10	60	300
	Number of Animals:	12	12	12	11	17	12	12	17
Open field observations	(Criteria)								
Defecation	N	10	12	10	8	17	12	11	16
	P	2	0	2	3	0	0	1	1
Posture, body position	N	12	12	12	11	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0
Breathing	N	12	12	12	11	17	12	12	16
	1	0	0	0	0	0	0	0	1
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0
Co-ordination movement	N	12	12	12	11	17	12	12	17
	P	0	0	0	0	0	0	0	0
Gait	N	12	12	12	11	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0
	7	0	0	0	0	0	0	0	0
Tremor	N	12	12	12	11	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 5)

Items	Sex:	Male				Female			
		1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC	1, 3-BAC
	Test Substance:								
	Dose (mg/kg):	0	10	60	300	0	10	60	300
	Number of Animals:	12	12	12	11	17	12	12	17
Open field observations	(Criteria)								
Clonic convulsion	N	12	12	12	11	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
Tonic convulsion	N	12	12	12	11	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0
Stereotypy	N	12	12	12	11	17	12	12	17
	P	0	0	0	0	0	0	0	0
Bizarre behaviour	N	12	12	12	11	17	12	12	17
	P	0	0	0	0	0	0	0	0

See Annex 12.7 for details of criteria.