

100020 甲状腺の悪性腫瘍

使用薬剤数 33

レジメ数 52


症例数 185

施設数 121


症例数	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
症例数	67	44	29	24	19	16	15	12	10	7	6	4	3	2	2	2	2	2	2	2	1	1	1	1	1	1	1	1	1	1
%	36.2%	23.8%	15.7%	13.0%	10.3%	8.6%	8.1%	6.5%	5.4%	3.8%	3.2%	2.2%	1.6%	1.1%	1.1%	1.1%	1.1%	1.1%	1.1%	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	
使用レジメ数	12	7	8	7	4	8	7	5	1	1	3	2	3	1	2	2	1	2	1	2	1	1	1	1	1	1	1	1	1	
%	23.1%	13.5%	15.4%	13.5%	7.7%	15.4%	13.5%	9.6%	1.9%	1.9%	5.8%	3.8%	5.8%	1.9%	1.9%	3.8%	1.9%	3.8%	1.9%	3.8%	1.9%	1.9%	1.9%	1.9%	1.9%	1.9%	1.9%	1.9%	1.9%	
施設数	35	27	18	14	12	15	13	13	11	10	7	5	4	1	2	2	2	2	2	2	2	2	1	1	1	1	1	1	1	
%	28.9%	22.3%	14.9%	11.6%	9.9%	12.4%	10.7%	10.7%	8.3%	8.3%	5.8%	4.1%	3.3%	0.8%	0.8%	1.7%	1.7%	1.7%	1.7%	1.7%	0.8%	0.8%	0.8%	0.8%	0.8%	0.8%	0.8%	0.8%	0.8%	

順位	症例数	割合	累積	施設数	割合	在院日数平均	レジメ
1	23	12.4%	12.4%	12	9.8%	67.1	エトボシド(2)+シスプラチン(1)
2	14	7.6%	20.0%	8	6.6%	25.1	エトボシド(2)+シスプラチン(1)+腫瘍ドキシリピン(5)
3	12	6.5%	26.5%	11	9.1%	34.2	チカフル・ケルセリン配合(9)
4	10	5.4%	31.9%	10	8.3%	11.3	アサストロール(11)
5	10	5.4%	37.3%	10	8.3%	25.1	OK-432(10)
6	8	4.3%	41.6%	6	5.0%	68.3	カルボプラチン(4)+バウリタキセル(8)
7	8	4.3%	45.9%	2	1.7%	56.5	シスプラチン(1)+腫瘍ドキシリピン(5)
8	8	4.3%	50.3%	8	6.6%	45.1	トセタキセル水和物(3)
9	7	3.8%	54.1%	5	4.1%	24.7	シスプラチン(1)+フルオロウラシル(6)
10	7	3.8%	57.8%	7	5.8%	25.3	チカフル・ケルセリン・オキサリカルボニン配合(7)
11	6	3.2%	61.1%	2	1.7%	12.3	カルボプラチン(4)+トセタキセル水和物(3)
12	5	2.7%	63.8%	3	2.5%	34.2	シスプラチン(1)+トセタキセル水和物(3)
13	4	2.2%	65.9%	4	3.3%	56.5	フルオロウラシル(6)
14	4	2.2%	68.1%	4	3.3%	9.8	ケエン酸タキソフェン(12)
15	4	2.2%	70.3%	1	0.8%	18.3	チカフル・ケルセリン・オキサリカルボニン配合(7)+トセタキセル水和物(3)
16	4	2.2%	72.4%	3	2.5%	15.8	腫瘍ドキシリピン(13)
17	4	2.2%	74.6%	4	3.3%	12.0	バウリタキセル(8)
18	3	1.6%	76.2%	1	0.8%	2.0	カルボプラチン(4)+腫瘍ドキシリピン(16)
19	3	1.6%	77.8%	1	0.8%	19.0	カルボプラチン(4)+腫瘍ドキシリピン(15)
20	3	1.6%	79.5%	2	1.7%	42.3	シスプラチン(1)+トセタキセル水和物(3)+フルオロウラシル(6)
21	2	1.1%	80.5%	2	1.7%	2.5	ネタプラチン(14)
22	2	1.1%	81.6%	2	1.7%	47.0	タシロニド(19)
23	2	1.1%	82.7%	2	1.7%	33.5	エトボシド(2)
24	2	1.1%	83.8%	2	1.7%	7.5	ケエン酸タキソフェン(12)+腫瘍ドキシリピン(13)
25	2	1.1%	84.9%	2	1.7%	36.5	エトボシド(2)+カルボプラチン(4)
26	2	1.1%	85.9%	2	1.7%	22.0	シスプラチン(1)
27	1	0.5%	86.5%	1	0.8%	40.0	腫瘍ドキシリピン(5)
28	1	0.5%	87.0%	1	0.8%	9.0	ケエン酸タキソフェン(12)+フルオロウラシル(6)
29	1	0.5%	87.6%	1	0.8%	10.0	ピカルタミド(17)
30	1	0.5%	88.1%	1	0.8%	10.0	インターフェロン-β(3)
残	22	11.9%	100.0%	-	-	-	-


DPC6: 100020, 順位: 1



DPC6: 100020, 順位: 2



DPC6: 100020, 順位: 3



100030 内分泌腺および関連組織の腫瘍

使用薬剤数 17

レジメ数 18


症例数 100

施設数 51


	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
症例数	78	46	33	28	15	12	9	6	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
%	76.0%	46.0%	33.0%	28.0%	15.0%	12.0%	9.0%	6.0%	5.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	
使用レジメ数	8	5	4	5	4	4	2	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
%	44.4%	27.8%	22.2%	27.8%	22.2%	22.2%	11.1%	5.6%	27.8%	5.6%	5.6%	5.6%	5.6%	5.6%	5.6%	5.6%	5.6%	5.6%	5.6%	5.6%	5.6%	5.6%	5.6%	5.6%	5.6%	5.6%	5.6%	5.6%	5.6%	
施設数	42	27	17	17	4	4	1	4	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
%	82.4%	52.9%	33.3%	33.3%	7.8%	7.8%	2.0%	7.8%	9.8%	2.0%	2.0%	2.0%	2.0%	2.0%	2.0%	2.0%	2.0%	2.0%	2.0%	2.0%	2.0%	2.0%	2.0%	2.0%	2.0%	2.0%	2.0%	2.0%	2.0%	2.0%

順位	症例数	割合	累積	施設数	割合	在院日数平均	レジメ
1	30	30.0%	30.0%	22	43.1%	35.4	エトキシド(1)+カルボプラチン(2)
2	13	13.0%	43.0%	5	9.8%	16.0	イボスファミド(4)+エトキシド(1)+カルボプラチン(2)
3	12	12.0%	55.0%	9	17.6%	57.9	イボスファミド(4)+エトキシド(1)+シスプラチン(3)
4	11	11.0%	66.0%	7	13.7%	34.5	エトキシド(1)+シスプラチン(3)
5	9	9.0%	75.0%	1	2.0%	28.7	エトキシド(1)+シクロホスファミド(6)+シスプラチン(3)+ストレキサード(5)
6	6	6.0%	81.0%	4	7.8%	11.7	塩酸レボネイシン(8)
7	5	5.0%	86.0%	1	2.0%	2.0	パクリタキセル(7)
8	4	4.0%	90.0%	1	2.0%	2.0	パクリタキセル(7)+ストレキサード(6)
9	1	1.0%	91.0%	1	2.0%	2.0	シクロホスファミド(6)+イボスファミド(4)+カルボプラチン(5)+塩酸ピクリリスチン(9)
10	1	1.0%	92.0%	1	2.0%	54.0	ラニムスチン(12)+塩酸プロカルバジン(16)+塩酸ピクリリスチン(9)
11	1	1.0%	93.0%	1	2.0%	32.0	ストレキサード(5)
12	1	1.0%	94.0%	1	2.0%	137.0	イボスファミド(4)+エトキシド(1)+カルボプラチン(2)+シクロホスファミド(6)+シスプラチン(3)+塩酸ピクリリスチン(9)
13	1	1.0%	95.0%	1	2.0%	42.0	塩酸ピクリリスチン(13)+塩酸ピクリリスチン(9)
14	1	1.0%	96.0%	1	2.0%	232.0	シクロホスファミド(6)+イボスファミド(4)+カルボプラチン(14)+塩酸ピクリリスチン(14)+塩酸ピクリリスチン(9)
15	1	1.0%	97.0%	1	2.0%	13.0	塩酸ゲムスタビン(7)
16	1	1.0%	98.0%	1	2.0%	70.0	イボスファミド(4)+エトキシド(1)+カルボプラチン(2)+塩酸ピクリリスチン(11)
17	1	1.0%	99.0%	1	2.0%	29.0	イボスファミド(4)
18	1	1.0%	100.0%	1	2.0%	67.0	エトキシド(1)+カルボプラチン(2)+ストレキサード(5)
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
残	0	0.0%	0.0%	-	-		


DPC6: 100030, 順位: 1



DPC6: 100030, 順位: 2



DPC6: 100030, 順位: 3



100180 副腎皮質機能亢進症、非機能性副腎皮質腫瘍

使用薬剤数 43

レシオ数 113


症例数 354

施設数 163


症例数	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
症例数	99	96	86	59	57	47	43	28	24	20	18	17	13	10	8	7	6	6	4	4	3	3	3	3	3	3	3	3	3	
%	28.0%	27.1%	24.3%	16.7%	16.1%	13.3%	12.1%	7.9%	6.8%	5.6%	5.1%	4.8%	3.7%	2.8%	2.3%	2.0%	1.7%	1.7%	1.1%	1.1%	0.8%	0.8%	0.8%	0.8%	0.8%	0.8%	0.8%	0.8%	0.8%	
使用レシオ数	33	33	23	18	13	26	11	9	9	9	7	3	6	4	1	4	2	2	4	2	2	1	3	1	1	1	1	1	1	
%	28.7%	28.7%	20.0%	15.7%	11.3%	22.6%	19.1%	9.6%	7.8%	7.8%	6.1%	6.1%	2.6%	2.6%	3.5%	3.5%	1.7%	1.7%	3.5%	1.7%	1.7%	0.9%	2.6%	0.9%	0.9%	0.9%	0.9%	0.9%	0.9%	
施設数	42	52	36	26	30	30	31	21	16	16	12	14	13	12	5	7	8	5	4	4	4	2	3	3	3	3	3	3	3	
%	27.5%	34.0%	23.5%	17.0%	19.6%	19.6%	20.3%	13.7%	10.5%	10.5%	13.7%	7.8%	9.2%	8.8%	7.8%	3.3%	4.6%	5.2%	3.3%	2.6%	2.0%	2.6%	2.6%	1.3%	2.0%	2.0%	2.0%	2.0%	2.0%	

順位	症例数	割合	累積	施設数	割合	在院日数平均	レシオ
1	30	8.5%	8.5%	13	8.5%	46.4	シクロホスタファミド(1)+シスタプラチン(2)+塩化ビラルビシン(4)+硫酸ビクリリスチン(3)
2	29	8.2%	16.7%	21	13.7%	37.1	ミトタン(5)
3	28	7.9%	24.6%	10	6.5%	17.1	塩化イリリチン(8)
4	11	3.1%	27.7%	3	2.0%	7.0	シクロホスタファミド(1)+タカリ(16)+硫酸ビクリリスチン(3)
5	10	2.8%	30.5%	5	3.3%	35.6	シクロホスタファミド(1)+塩化ビラルビシン(4)+硫酸ビクリリスチン(3)
6	10	2.8%	33.3%	10	6.5%	20.0	塩化エリルビシン(11)
7	9	2.5%	35.9%	4	2.6%	14.0	バクリタキセル(9)
8	9	2.5%	38.4%	4	2.6%	45.9	シクロホスタファミド(1)+硫酸ビクリリスチン(3)
9	8	2.3%	40.7%	5	3.3%	16.5	カルボプラチン(7)+塩化ゲムシタピン(5)
10	7	2.0%	42.7%	4	2.6%	25.0	エトキシド(6)+シスタプラチン(2)+塩化ドキシリルビシン(10)
11	7	2.0%	44.6%	7	4.6%	19.6	チカゾール(17)
12	7	2.0%	46.6%	4	2.6%	20.9	エトキシド(6)+シスタプラチン(2)+ミトタン(5)+塩化ドキシリルビシン(10)
13	7	2.0%	48.6%	3	2.0%	5.7	シスタプラチン(2)+チカゾール(17)+キヌシラシロ(1)+チラシカリウム配合(14)
14	6	1.7%	50.3%	5	3.3%	8.8	シスタプラチン(2)
15	6	1.7%	52.0%	4	2.6%	16.3	イホスファミド(2)+エトキシド(6)+カルボプラチン(7)
16	6	1.7%	53.7%	3	2.0%	4.5	オキサリプラチン(2)+チラシカリウム配合(13)
17	6	1.7%	55.4%	6	3.9%	28.7	カルボプラチン(7)+バクリタキセル(9)
18	5	1.4%	56.8%	2	1.3%	55.0	エトキシド(6)+シスタプラチン(2)+ミトタン(5)+塩化エリルビシン(11)
19	5	1.4%	58.2%	3	2.0%	18.0	イホスファミド(2)+エトキシド(6)
20	5	1.4%	59.6%	5	3.3%	20.0	チカゾール(17)+キヌシラシロ(1)+チラシカリウム配合(14)
21	5	1.4%	61.0%	2	1.3%	2.4	塩化ビラルビシン(19)
22	4	1.1%	62.1%	2	1.3%	9.8	マイマイシンC(18)
23	4	1.1%	63.3%	1	0.7%	7.3	シクロホスタファミド(1)+塩化/キチン(20)
24	4	1.1%	64.4%	2	1.3%	48.0	カルボプラチン(7)+シクロホスタファミド(1)+塩化ビラルビシン(4)+硫酸ビクリリスチン(3)
25	3	0.8%	65.3%	3	2.0%	26.0	アズトレゾール(30)
26	3	0.8%	66.1%	1	0.7%	25.7	イホスファミド(2)+チカゾール(17)+シスタプラチン(2)+バクリタキセル(9)+ミトタン(5)
27	3	0.8%	66.9%	3	2.0%	4.7	チエン酸タモキシフェン(23)
28	3	0.8%	67.8%	1	0.7%	21.7	カルボプラチン(7)+バクリタキセル(9)+ミトタン(5)
29	3	0.8%	68.6%	3	2.0%	18.7	シスタプラチン(2)+塩化イリリチン(8)
30	3	0.8%	69.5%	2	1.3%	25.3	エトキシド(6)+カルボプラチン(7)
残	108	30.5%	100.0%	-	-	-	-


DPC6: 100180, 順位: 1



DPC6: 100180, 順位: 2



DPC6: 100180, 順位: 3



11001x 腎腫瘍

使用薬剤数 59

レジメ数 160


症例数 2191

施設数 607


症例数	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
1348	649	145	107	91	54	44	42	40	33	31	30	26	25	24	18	17	14	14	13	13	12	10	8	7	5	5	5	5	5	
61.5%	29.6%	6.6%	4.9%	4.2%	2.5%	2.0%	1.9%	1.8%	1.5%	1.4%	1.2%	1.1%	1.1%	1.1%	0.8%	0.8%	0.6%	0.6%	0.6%	0.5%	0.4%	0.3%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	
39	29	17	15	18	7	16	12	10	16	15	14	3	8	16	10	5	12	7	8	9	8	7	5	4	6	3	3	3	3	
24.4%	18.1%	10.6%	9.4%	11.3%	4.4%	10.0%	7.5%	10.0%	6.3%	8.8%	1.9%	5.0%	10.0%	6.3%	3.1%	7.5%	4.4%	5.0%	5.6%	4.4%	3.1%	2.5%	3.8%	1.9%	1.9%	1.9%	1.9%	1.9%	1.9%	
496	251	77	73	25	20	21	39	37	23	13	11	2	23	22	11	14	7	13	6	12	12	7	6	7	5	5	5	5	5	
22.6%	11.4%	3.5%	3.3%	1.1%	0.9%	0.9%	17.8%	16.9%	10.5%	5.9%	0.5%	1.0%	10.5%	10.0%	5.0%	6.4%	6.0%	6.0%	6.0%	6.0%	6.0%	6.0%	6.0%	6.0%	6.0%	6.0%	6.0%	6.0%	6.0%	

順位	症例数	割合	累積	施設数	割合	在院日数平均	レジメ
1	1021	46.6%	46.6%	445	73.3%	25.4	インターフェロン (1)
2	368	16.8%	63.4%	170	28.0%	29.2	セルモロイキン(2)
3	171	7.8%	71.2%	91	15.0%	37.2	インターフェロン (1)+セルモロイキン(2)
4	72	3.3%	74.5%	52	8.6%	27.0	インターフェロン -2b(4)
5	48	2.2%	76.7%	20	3.3%	30.8	インターフェロン (1)+セルモロイキン(2)+チカフェール+ワラシル配合(3)
6	45	2.1%	78.7%	17	2.8%	24.7	アチ/マイシンD(6)+腫瘍ピンクリン(5)
7	35	1.6%	80.3%	26	4.3%	24.9	チカフェール+ワラシル配合(3)
8	25	1.1%	81.5%	20	3.3%	31.0	インターフェロン (1)+チカフェール+ワラシル配合(3)
9	20	0.9%	82.4%	16	2.6%	32.3	セルモロイキン(2)+チカフェール+ワラシル配合(3)
10	17	0.8%	83.2%	16	2.6%	13.5	ヒカルミド(9)
11	17	0.8%	83.9%	17	2.8%	17.9	腫瘍コロルマジン(14)
12	16	0.7%	84.7%	7	1.2%	24.8	インターフェロン -1a(17)
13	16	0.7%	85.4%	16	2.6%	35.7	OK-432(8)
14	15	0.7%	86.1%	1	0.2%	17.9	チカフェール(3)+腫瘍ピグマスタビン(7)
15	15	0.7%	86.8%	4	0.7%	3.6	腫瘍ピンクリン(5)
16	14	0.6%	87.4%	1	0.2%	25.8	インターフェロン (1)+カバスタビン(13)
17	12	0.5%	88.0%	12	2.0%	50.3	インターフェロン (1)+インターフェロン -2b(4)
18	12	0.5%	88.5%	12	2.0%	21.9	ヒカルミド(9)+腫瘍ピグマスタビン(16)
19	9	0.4%	88.9%	9	1.5%	38.8	OK-432(8)+インターフェロン (1)
20	8	0.4%	89.3%	4	0.7%	16.9	シクロホスファミド(11)+腫瘍ピグマスタビン(10)+腫瘍ピンクリン(2)
21	6	0.3%	89.5%	6	1.0%	35.3	シスプラチン(15)+ドレキサメトドレキサメト(20)+腫瘍ピグマスタビン(10)+腫瘍ピンクリン(2)
22	6	0.3%	89.8%	4	0.7%	36.5	インターフェロン -2b(4)+セルモロイキン(2)
23	6	0.3%	90.1%	3	0.5%	14.3	エトキシド(2)+シクロホスファミド(11)
24	5	0.2%	90.3%	5	0.8%	31.8	チカフェール+チカフェール+ワラシル配合(27)
25	5	0.2%	90.6%	2	0.3%	22.4	トセキセルホスファミド(25)+腫瘍ピグマスタビン(7)
26	5	0.2%	90.8%	3	0.5%	20.4	イボスファミド(9)+エトキシド(2)
27	5	0.2%	91.0%	5	0.8%	22.8	腫瘍ピグマスタビン(24)
28	4	0.2%	91.2%	4	0.7%	21.3	ヒカルミド(9)+腫瘍ピグマスタビン(22)
29	4	0.2%	91.4%	2	0.3%	31.8	イボスファミド(9)+エトキシド(2)+チカフェール(18)
30	4	0.2%	91.6%	4	0.7%	58.3	OK-432(8)+セルモロイキン(2)
残	183	8.4%	100.0%	-	-	-	-


DPC6: 11001x, 順位: 1



DPC6: 11001x, 順位: 2



DPC6: 11001x, 順位: 3



110050 後腹膜疾患

使用薬剤数 52

レジメ数 263


症例数 3744

施設数 825


	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
症例数	1300	945	721	671	668	613	465	266	137	100	96	64	59	36	32	30	29	29	25	19	18	18	9	9	8	8	7	7	7	
%	34.7%	25.2%	19.3%	17.8%	17.8%	16.4%	12.4%	7.1%	3.7%	2.7%	2.6%	1.7%	1.6%	0.9%	0.8%	0.8%	0.8%	0.8%	0.7%	0.5%	0.5%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	
使用レジメ数	52	56	43	14	64	50	35	38	16	33	25	16	11	20	13	17	13	8	8	8	15	11	7	6	4	6	7	5	4	
%	19.8%	21.3%	16.3%	5.3%	31.9%	19.0%	13.3%	14.4%	6.1%	12.5%	9.5%	6.8%	4.2%	7.6%	4.9%	6.5%	4.9%	3.0%	3.0%	3.0%	5.7%	4.2%	2.7%	2.3%	1.5%	2.3%	1.9%	1.5%		
施設数	351	387	259	216	318	356	182	169	100	63	77	28	48	27	24	28	20	14	19	10	15	12	18	9	7	5	7	6	3	
%	42.5%	46.9%	31.4%	26.2%	38.5%	43.2%	22.1%	20.5%	12.1%	7.6%	9.3%	3.4%	5.8%	3.3%	2.9%	3.4%	2.4%	1.7%	2.3%	1.2%	1.8%	2.2%	1.1%	1.1%	0.8%	0.6%	0.8%	0.7%	0.4%	

順位	症例数	割合	累積	施設数	割合	在院日数平均
1	647	17.3%	17.3%	206	25.0%	9.8
2	448	12.0%	29.2%	124	15.0%	8.3
3	372	9.9%	39.2%	222	26.9%	27.7
4	330	8.8%	48.0%	118	14.3%	19.2
5	198	5.3%	53.3%	109	13.2%	13.8
6	189	5.0%	58.3%	162	19.6%	34.8
7	121	3.2%	61.6%	82	9.8%	21.3
8	105	2.8%	64.4%	66	8.0%	28.5
9	94	2.5%	66.9%	53	6.4%	19.6
10	77	2.1%	68.9%	66	8.0%	42.4
11	75	2.0%	70.9%	50	6.1%	17.3
12	74	2.0%	72.9%	62	7.5%	29.1
13	61	1.6%	74.5%	49	5.8%	28.1
14	61	1.6%	76.2%	49	5.9%	28.8
15	52	1.4%	77.6%	35	4.2%	25.8
16	43	1.1%	78.7%	23	2.8%	17.8
17	43	1.1%	79.8%	16	1.9%	14.6
18	35	0.9%	80.8%	30	3.6%	37.0
19	34	0.9%	81.7%	19	2.3%	24.5
20	28	0.7%	82.5%	25	3.0%	28.3
21	27	0.7%	83.2%	21	2.5%	19.8
22	21	0.6%	83.7%	20	2.4%	49.1
23	18	0.5%	84.2%	9	1.1%	19.9
24	18	0.5%	84.7%	18	2.2%	32.4
25	17	0.5%	85.1%	9	1.1%	20.4
26	17	0.5%	85.6%	14	1.7%	30.9
27	16	0.4%	86.0%	15	1.8%	44.3
28	15	0.4%	86.4%	10	1.2%	23.7
29	13	0.3%	86.8%	2	0.2%	9.4
30	12	0.3%	87.1%	5	0.6%	14.8
残	483	12.9%	100.0%	-	-	-


DPC6: 110050, 順位: 1



DPC6: 110050, 順位: 2



DPC6: 110050, 順位: 3



110060 腎盂・尿管の悪性腫瘍

使用薬剤数 44

症例数 225


症例数 2467

施設数 585


	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
症例数	1370	1078	897	722	635	326	300	294	200	192	91	81	58	48	46	42	39	36	35	23	21	19	18	13	11	8	7	6	5	4
%	55.5%	43.7%	36.4%	29.3%	25.7%	13.2%	12.2%	11.9%	8.1%	7.8%	3.3%	2.4%	1.9%	1.7%	1.6%	1.5%	1.4%	0.9%	0.9%	0.8%	0.7%	0.5%	0.4%	0.3%	0.3%	0.2%	0.2%	0.2%	0.2%	0.2%
使用薬剤数	101	84	57	62	44	25	46	37	30	31	21	14	7	11	11	5	11	8	9	13	10	8	4	5	2	1	2	1	2	4
%	44.9%	37.3%	25.3%	27.6%	19.6%	11.1%	20.4%	16.4%	13.3%	13.8%	9.3%	6.2%	3.1%	4.9%	4.9%	2.2%	4.9%	3.6%	4.0%	5.8%	4.4%	3.6%	1.8%	2.2%	0.9%	0.4%	0.9%	1.8%	4.8%	
施設数	432	376	314	216	240	95	111	117	103	128	46	38	39	33	18	24	30	18	32	21	10	17	8	11	7	6	1	2	4	
%	73.8%	64.3%	53.7%	36.8%	41.0%	16.2%	19.0%	20.0%	17.6%	22.1%	7.9%	6.5%	6.7%	5.8%	3.1%	4.1%	5.1%	3.1%	5.5%	3.6%	1.7%	2.9%	1.4%	1.9%	1.2%	1.0%	0.2%	0.3%	0.7%	

順位	症例数	割合	累積	施設数	割合	在院日数平均
1	500	20.3%	20.3%	197	33.7%	39.5
2	233	9.4%	29.7%	93	15.9%	26.5
3	127	5.1%	34.8%	83	15.9%	27.8
4	121	4.9%	39.8%	36	6.2%	17.4
5	111	4.5%	44.3%	41	7.0%	45.9
6	106	4.3%	48.6%	43	7.4%	37.9
7	97	3.9%	52.5%	43	7.4%	41.9
8	84	3.4%	55.9%	39	6.7%	38.6
9	60	2.4%	58.3%	20	3.4%	35.6
10	57	2.3%	60.6%	20	3.4%	20.9
11	50	2.0%	62.7%	35	6.0%	21.2
12	47	1.9%	64.6%	25	4.3%	21.4
13	42	1.7%	66.3%	18	3.1%	6.6
14	42	1.7%	68.0%	27	4.8%	19.0
15	37	1.5%	69.5%	29	5.0%	21.9
16	36	1.5%	70.9%	22	3.8%	33.3
17	35	1.4%	72.4%	27	4.8%	24.8
18	24	1.0%	73.3%	6	1.0%	6.0
19	23	0.9%	74.3%	10	1.7%	19.0
20	19	0.8%	75.0%	13	2.2%	35.8
21	17	0.7%	75.8%	11	1.9%	34.9
22	17	0.7%	76.4%	13	2.2%	20.6
23	17	0.7%	77.1%	15	2.6%	17.2
24	17	0.7%	77.8%	10	1.7%	51.6
25	16	0.6%	78.5%	10	1.7%	43.9
26	15	0.6%	79.1%	6	1.0%	30.1
27	14	0.6%	79.7%	14	2.4%	23.1
28	14	0.6%	80.2%	12	2.1%	72.9
29	14	0.6%	80.8%	5	0.9%	31.8
30	14	0.6%	81.4%	8	1.4%	36.5
残	460	18.6%	100.0%	-	-	-


DPC6: 110060, 順位: 1



DPC6: 110060, 順位: 2



DPC6: 110060, 順位: 3



110070 膀胱腫瘍

使用薬剤数 60

レジメ数 444


症例数 11241

施設数 904


	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
症例数	4086	2797	1739	1712	1309	1303	927	647	644	627	455	423	375	257	226	182	153	116	108	95	92	86	64	58	52	49	46	37	14	13
%	36.3%	24.9%	15.5%	15.2%	11.6%	11.6%	8.2%	5.8%	5.7%	5.6%	4.0%	3.8%	3.3%	2.3%	2.0%	1.6%	1.4%	1.0%	0.8%	0.8%	0.8%	0.6%	0.5%	0.5%	0.4%	0.3%	0.1%	0.1%	0.1%	
使用レジメ数	100	170	125	84	71	73	76	70	35	24	17	43	63	45	30	19	24	19	28	26	14	8	15	17	9	8	5	5	5	
%	22.5%	38.3%	28.2%	18.9%	16.0%	16.4%	17.1%	15.8%	7.9%	5.4%	3.8%	9.7%	14.2%	10.1%	7.9%	2.9%	10.1%	6.8%	4.3%	5.4%	4.3%	6.3%	3.2%	1.8%	3.4%	3.8%	2.0%	1.8%	1.1%	
施設数	476	592	490	279	347	392	246	281	148	194	180	112	127	186	105	26	59	95	81	47	14	39	53	28	32	30	16	25	9	4
%	52.7%	65.5%	54.2%	30.8%	38.4%	43.4%	27.2%	31.1%	16.4%	21.5%	17.7%	12.4%	14.0%	20.6%	11.6%	2.9%	6.5%	10.5%	9.0%	5.2%	1.5%	4.3%	5.9%	3.1%	3.5%	3.3%	1.8%	2.8%	1.0%	0.4%

順位	症例数	割合	累積	施設数	割合	在院日数平均	レジメ
1	3303	29.4%	29.4%	406	44.8%	10.0	腫瘍ピラルピシ(1)
2	1111	9.9%	39.3%	162	17.9%	11.0	腫瘍エヒルピシ(4)
3	783	7.0%	46.2%	264	29.2%	45.3	シスチラチン(2)+トトレキサート(3)+腫瘍トキソルピシ(6)+腫瘍ピララスチン(6)
4	551	4.9%	51.1%	176	19.5%	12.3	乾癩BCGコンノード(10)
5	450	4.0%	55.1%	107	11.8%	9.7	マイトシン(9)
6	411	3.7%	58.8%	146	16.2%	15.2	乾癩BCG日本株(11)
7	396	3.5%	62.3%	212	23.5%	25.8	チカアール・ウラル配合(8)
8	347	3.1%	65.4%	119	13.2%	32.4	シスチラチン(2)+腫瘍ゲムシタピン(7)
9	245	2.2%	67.6%	87	9.6%	32.1	シスチラチン(2)
10	162	1.4%	69.0%	62	6.9%	30.2	シスチラチン(2)+腫瘍ピラルピシ(1)
11	158	1.4%	70.4%	31	3.4%	15.3	腫瘍トキソルピシ(5)
12	146	1.3%	71.7%	49	5.4%	42.2	シスチラチン(2)+トトレキサート(3)+腫瘍ピラルピシ(1)+腫瘍ピララスチン(6)
13	144	1.3%	73.0%	55	6.1%	40.8	シスチラチン(2)+トトレキサート(3)+腫瘍エヒルピシ(4)
14	139	1.2%	74.2%	50	5.5%	21.0	シスチラチン(2)+腫瘍トキソルピシ(5)
15	131	1.2%	75.4%	74	8.2%	25.8	トキシロリシ(15)
16	123	1.1%	76.5%	44	4.9%	22.1	バクリタセル(12)+腫瘍ゲムシタピン(7)
17	115	1.0%	77.5%	33	3.7%	10.5	腫瘍ゲムシタピン(7)
18	110	1.0%	78.6%	102	11.3%	13.9	ピカルタミド(14)
19	95	0.8%	79.5%	44	4.8%	45.4	シスチラチン(2)+トトレキサート(3)+腫瘍エヒルピシ(4)+腫瘍ピララスチン(6)
20	95	0.8%	80.4%	36	4.0%	30.6	カルボラチン(13)+腫瘍ゲムシタピン(7)
21	91	0.8%	81.2%	38	4.2%	36.8	シスチラチン(2)+腫瘍エヒルピシ(4)
22	86	0.8%	82.0%	20	2.2%	14.8	シスチラチン(2)+トトレキサート(3)
23	76	0.7%	82.6%	22	2.4%	25.9	カルボラチン(13)+バクリタセル(12)
24	76	0.7%	83.3%	58	6.4%	14.3	腫瘍ゲムシタピン(19)
25	59	0.5%	83.8%	20	2.2%	4.6	トトレキサート(3)+腫瘍ピララスチン(6)
26	59	0.5%	84.3%	17	1.9%	42.0	シスチラチン(2)+バクリタセル(12)+腫瘍ゲムシタピン(7)
27	59	0.5%	84.9%	5	0.6%	13.0	シスチラチン(16)+腫瘍ピラルピシ(1)
28	58	0.5%	85.4%	36	4.0%	15.7	チカアール・ウラル配合(8)+腫瘍ピラルピシ(1)
29	55	0.5%	85.9%	9	1.0%	5.8	バクリタセル(12)
30	52	0.5%	86.3%	18	2.0%	10.9	シスチラチン(16)+マイトシン(9)
残	1536	13.7%	100.0%	-	-	-	-


DPC6: 110070, 順位: 1



DPC6: 110070, 順位: 2



DPC6: 110070, 順位: 3



110080 前立腺の悪性腫瘍

使用薬剤数 43

症例数 379

レジメ数 843


施設数 975

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
症例数	3262	2186	2053	1707	1258	830	506	388	364	235	199	180	147	98	44	42	38	31	24	24	21	20	14	12	11	10	10	8	6	
%	38.8%	26.0%	24.4%	20.3%	15.0%	9.9%	6.0%	4.6%	4.3%	2.8%	2.4%	2.1%	1.7%	1.2%	0.5%	0.5%	0.4%	0.3%	0.3%	0.2%	0.2%	0.2%	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%		
使用レジメ数	94	113	99	116	71	35	54	48	67	38	72	28	37	15	20	21	13	7	13	7	13	10	14	9	5	4	5	5	3	
%	24.8%	29.8%	26.1%	30.6%	18.7%	9.2%	14.2%	12.7%	17.7%	10.0%	19.0%	7.4%	9.8%	4.0%	5.3%	5.5%	3.4%	1.8%	3.4%	2.6%	3.7%	2.4%	1.3%	1.1%	1.3%	2.1%	1.3%	0.8%		
施設数	810	688	294	465	490	281	272	82	213	124	94	69	44	40	24	14	20	14	5	14	10	11	12	7	3	9	6	5	3	
%	83.1%	70.6%	30.2%	47.7%	50.3%	28.8%	27.9%	8.4%	21.8%	12.7%	9.6%	7.1%	4.5%	4.1%	2.5%	1.4%	2.1%	1.4%	0.5%	1.4%	1.0%	1.1%	0.7%	0.3%	0.9%	0.6%	0.5%	0.3%	0.2%	


順位	症例数	割合	累積	施設数	割合	在院日数平均
1	1421	16.9%	16.9%	585	61.0%	14.7
2	793	9.4%	26.3%	403	41.3%	27.2
3	791	9.4%	35.7%	158	16.2%	7.8
4	621	7.4%	43.1%	120	12.3%	10.3
5	582	6.9%	50.0%	332	34.1%	25.8
6	494	5.9%	55.9%	265	27.2%	24.6
7	367	4.4%	60.3%	234	24.0%	21.6
8	311	3.7%	63.9%	204	20.9%	24.3
9	267	3.2%	67.1%	179	18.4%	13.2
10	199	2.4%	69.5%	127	13.0%	24.7
11	138	1.6%	71.1%	105	10.8%	19.7
12	136	1.6%	72.7%	31	3.2%	21.8
13	129	1.5%	74.3%	65	6.7%	28.2
14	95	1.1%	75.4%	66	6.8%	26.1
15	88	1.0%	76.5%	75	7.7%	33.6
16	87	1.0%	77.5%	60	6.2%	23.3
17	73	0.9%	78.4%	46	4.7%	24.8
18	69	0.8%	79.2%	50	5.1%	24.3
19	68	0.8%	80.0%	56	5.7%	32.6
20	61	0.7%	80.7%	44	4.5%	32.4
21	60	0.7%	81.4%	39	4.0%	24.8
22	58	0.7%	82.1%	20	2.1%	15.8
23	56	0.7%	82.8%	44	4.5%	22.5
24	52	0.6%	83.4%	43	4.4%	20.6
25	48	0.6%	84.0%	34	3.5%	25.6
26	44	0.5%	84.5%	30	3.1%	22.4
27	42	0.5%	85.0%	28	2.9%	15.5
28	42	0.5%	85.5%	15	1.5%	9.5
29	36	0.4%	85.9%	26	2.7%	36.7
30	36	0.4%	86.3%	34	3.5%	33.7
残	1149	13.7%	100.0%	-	-	-

レジメ名


DPC6: 110080, 順位: 1



DPC6: 110080, 順位: 2




DPC6: 110080, 順位: 3



110100 精巢腫瘍		症例数	64	症例数	609	症例数	240															
使用薬剤数		32	レジン数	64	薬剤数	609	薬剤数	240														
症例数	502	452	315	120	76	44	22	16	15	13	12	10	9	8	7	6	5	4	3	2	1	
%	82.4%	74.2%	51.7%	19.7%	12.5%	3.6%	2.5%	2.5%	2.1%	1.6%	1.3%	1.0%	0.7%	0.5%	0.3%	0.3%	0.3%	0.3%	0.3%	0.2%	0.2%	0.2%
使用レジンの数	25	19	10	21	14	10	9	7	3	2	3	5	3	2	1	3	1	2	1	2	1	1
%	39.1%	29.7%	15.6%	32.8%	21.9%	15.6%	14.1%	10.9%	4.7%	3.1%	14.1%	7.8%	4.7%	3.1%	1.6%	4.7%	3.1%	1.6%	3.1%	1.6%	1.6%	1.6%
施設数	223	215	175	45	29	19	17	6	7	10	9	5	5	3	2	3	2	2	2	2	2	1
%	92.9%	89.6%	72.9%	18.8%	12.1%	7.9%	7.1%	2.5%	2.9%	4.2%	3.8%	2.1%	2.1%	1.3%	0.4%	1.3%	0.8%	0.8%	0.8%	0.8%	0.4%	0.4%

順位	症例数	割合	累積	施設数	割合	在院日数平均	レジン
1	304	49.9%	49.9%	169	70.4%	58.4	エトボシド(2)+スチラスチン(1)+腫瘍プレオマイシン(8)
2	78	12.8%	62.7%	47	19.6%	39.7	エトボシド(2)+スチラスチン(1)
3	37	6.1%	68.8%	16	6.7%	33.1	イボスファミド(4)+エトボシド(2)+スチラスチン(1)
4	30	4.9%	73.7%	11	4.6%	28.3	イボスファミド(4)+スチラスチン(1)+バクリタキセル(5)
5	21	3.4%	77.2%	9	3.8%	36.6	イボスファミド(4)+ネダグラチン(6)+バクリタキセル(5)
6	13	2.1%	79.3%	7	2.9%	62.1	エトボシド(2)+スチラスチン(1)+腫瘍ベロマイシン(10)
7	10	1.6%	81.0%	8	3.3%	15.4	カルボプラチン(7)
8	9	1.5%	82.4%	6	2.5%	47.2	イボスファミド(4)+スチラスチン(1)+腫瘍ビンブラチン(12)
9	8	1.3%	83.7%	5	2.1%	19.9	ネダグラチン(6)+腫瘍イリリチカン(9)
10	6	1.0%	84.7%	1	0.4%	3.0	スチラスチン(1)+バクリタキセル(5)
11	6	1.0%	85.7%	1	0.4%	4.3	フルオロウラシル(13)+腫瘍イリリチカン(9)
12	6	1.0%	86.7%	1	0.4%	3.0	チカフェール・モスマルト・オチラシルカリウム配合(16)+ドセタキセル水和物(8)
13	5	0.8%	87.5%	3	1.3%	29.8	イボスファミド(4)+ドセタキセル水和物(8)+ネダグラチン(6)
14	5	0.8%	88.3%	3	1.3%	10.8	スチラスチン(1)+バクリタキセル(5)
15	4	0.7%	89.0%	3	1.3%	46.8	ネダグラチン(6)+バクリタキセル(5)+腫瘍ゲムシタピン(11)
16	3	0.5%	89.5%	3	1.3%	41.3	カルボプラチン(7)+バクリタキセル(5)
17	3	0.5%	90.0%	1	0.4%	49.0	アタチ/マイシンD(17)+シクロホスファミド(19)+腫瘍ビンクリスチン(14)
18	3	0.5%	90.5%	2	0.8%	40.7	シクロホスファミド(15)+タカリシン(19)+腫瘍ドキシルビシ(18)+腫瘍ビンクリスチン(14)
19	3	0.5%	91.0%	3	1.3%	34.0	エトボシド(2)
20	2	0.3%	91.3%	2	0.8%	28.5	トキソリルジソン(25)
21	2	0.3%	91.6%	1	0.4%	97.5	イボスファミド(4)+エトボシド(2)+スチラスチン(1)+腫瘍ベロマイシン(10)
22	2	0.3%	92.0%	1	0.4%	2.0	バクリタキセル(5)
23	2	0.3%	92.3%	2	0.8%	9.5	チカフェール・ウラシル配合(23)
24	2	0.3%	92.6%	2	0.8%	36.0	オキサリプラチン(21)+腫瘍ゲムシタピン(11)
25	2	0.3%	92.9%	1	0.4%	2.0	カルボプラチン(7)+腫瘍ゲムシタピン(11)
26	2	0.3%	93.3%	1	0.4%	37.5	バクリタキセル(5)+腫瘍ゲムシタピン(11)
27	2	0.3%	93.6%	1	0.4%	6.0	アタチ/マイシンD(17)+腫瘍ビンクリスチン(14)
28	2	0.3%	93.9%	2	0.8%	75.5	エトボシド(2)+カルボプラチン(7)+スチラスチン(1)+腫瘍プレオマイシン(3)
29	2	0.3%	94.3%	2	0.8%	149.5	イボスファミド(4)+エトボシド(2)+スチラスチン(1)+バクリタキセル(5)+腫瘍プレオマイシン(3)
30	1	0.2%	94.4%	1	0.4%	9.0	タシリ殿イマチニブ(28)
残	34	5.6%	100.0%	-	-	-	-



120010 卵巣・子宮附属器の悪性腫瘍

使用薬剤数 47

レシオ数 310


症例数 27584

施設数 742


	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
症例数	18073	16641	4401	4029	3940	821	818	792	658	528	363	352	278	247	187	129	110	58	42	39	30	25	18	17	15	13	12	11	10	
%	65.5%	60.3%	16.0%	14.3%	13.6%	3.0%	2.9%	2.8%	2.4%	1.9%	1.3%	1.3%	1.0%	0.9%	0.7%	0.5%	0.4%	0.2%	0.2%	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	
使用レシオ数	120	97	63	52	106	45	29	27	39	33	23	30	11	20	24	18	33	3	10	8	9	5	7	4	9	5	2	3	2	
%	38.7%	31.3%	20.3%	16.8%	34.2%	14.5%	9.4%	8.7%	12.6%	10.6%	7.4%	9.7%	3.5%	6.5%	10.6%	10.6%	7.7%	5.8%	10.6%	3.2%	2.6%	2.9%	1.6%	2.3%	1.3%	2.9%	1.6%	1.0%	0.6%	
施設数	687	659	444	426	446	159	106	132	122	174	65	71	103	53	66	36	89	30	38	17	13	9	11	5	8	15	8	2	4	
%	92.6%	88.8%	59.8%	57.4%	60.1%	21.3%	14.3%	17.8%	16.4%	23.5%	8.8%	9.6%	13.9%	7.1%	8.9%	4.9%	12.0%	4.0%	5.1%	2.3%	1.8%	1.2%	1.5%	0.7%	1.1%	2.0%	1.1%	0.3%	0.5%	0.4%

順位	症例数	割合	累積	施設数	割合	在院日数平均	レシオ
1	14555	52.8%	52.8%	640	86.3%	10.8	カルボプラチン(1)+パクリタキセル(2)
2	2361	8.6%	61.3%	345	46.5%	10.6	カルボプラチン(1)+ドセタキセル水和物(4)
3	1521	5.5%	66.8%	238	32.1%	12.4	シスプラチン(5)+塩酸イリリチカン(3)
4	1202	4.4%	71.2%	229	30.9%	6.2	パクリタキセル(2)
5	1183	4.3%	75.5%	215	29.0%	6.0	塩酸イリリチカン(3)
6	568	2.1%	77.5%	95	12.8%	9.2	マイタミジン(9)+塩酸イリリチカン(3)
7	445	1.6%	79.2%	82	11.1%	12.1	ドセタキセル水和物(4)+塩酸イリリチカン(3)
8	402	1.5%	80.6%	120	16.2%	7.0	ドセタキセル水和物(4)
9	390	1.4%	82.0%	78	10.5%	6.1	塩酸ゲムシタビン(8)
10	385	1.4%	83.4%	62	8.4%	10.2	シスプラチン(5)+ドセタキセル水和物(4)
11	305	1.1%	84.5%	42	5.7%	11.2	ネダプラチン(6)+塩酸イリリチカン(3)
12	300	1.1%	85.6%	128	17.3%	12.9	カルボプラチン(1)
13	298	1.1%	86.7%	100	13.5%	14.6	シスプラチン(5)
14	271	1.0%	87.7%	71	9.6%	10.9	シスプラチン(5)+シスプラチン(5)+塩酸ゲムシタビン(8)
15	224	0.8%	88.5%	94	12.7%	23.9	エトポシド(10)+シスプラチン(5)+塩酸ゲムシタビン(8)
16	203	0.7%	89.2%	54	7.3%	10.3	ドセタキセル水和物(4)+塩酸ゲムシタビン(8)
17	160	0.6%	89.8%	28	3.8%	8.5	ネダプラチン(7)
18	150	0.5%	90.4%	32	4.3%	14.3	シクロホスファミド(6)+シスプラチン(5)+塩酸ピラルピシン(12)
19	138	0.5%	90.8%	33	4.4%	13.9	シクロホスファミド(6)+シスプラチン(5)+塩酸エトピシジン(11)
20	133	0.5%	91.3%	34	4.6%	9.9	シクロホスファミド(6)+シスプラチン(5)
21	131	0.5%	91.8%	28	3.8%	6.1	ネダプラチン(7)+パクリタキセル(2)
22	127	0.5%	92.3%	32	4.3%	14.7	カルボプラチン(1)+塩酸イリリチカン(3)
23	118	0.4%	92.7%	28	3.8%	9.0	カルボプラチン(1)+シクロホスファミド(6)
24	115	0.4%	93.1%	16	2.2%	13.8	イホゾファミド(14)+シスプラチン(5)+塩酸エトピシジン(7)
25	98	0.4%	93.5%	28	3.8%	9.9	ドセタキセル水和物(4)+ネダプラチン(7)
26	83	0.3%	93.8%	47	6.3%	57.6	カルボプラチン(1)+シスプラチン(5)+パクリタキセル(2)
27	77	0.3%	94.0%	24	3.2%	9.7	エトポシド(10)+シスプラチン(5)
28	75	0.3%	94.3%	18	2.4%	11.7	シクロホスファミド(6)+シスプラチン(5)+塩酸ドキソリチン(15)
29	55	0.2%	94.5%	28	3.8%	15.3	オキサリプラチン(18)+フルオロウラシル(15)
30	55	0.2%	94.7%	16	2.2%	13.1	シスプラチン(5)+塩酸ゲムシタビン(8)
残	1457	5.3%	100.0%	-	-	-	-


DPC6: 120010, 順位: 1



DPC6: 120010, 順位: 2



DPC6: 120010, 順位: 3



120020 子宮頸・体部の悪性腫瘍

使用薬剤数 51

症例数 397


処方数 20754

施設数 640


	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
症例数	11671	10782	4983	2566	2061	1539	849	841	816	669	617	593	542	477	309	282	272	221	216	171	68	50	46	28	27	27	26	17	13	11
%	56.1%	51.9%	24.0%	12.3%	9.9%	7.4%	4.1%	4.0%	3.9%	3.2%	2.6%	2.3%	1.5%	1.3%	1.1%	1.0%	0.8%	0.8%	0.5%	0.2%	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	
使用処方数	115	86	145	53	61	53	37	41	60	43	40	41	23	31	30	18	32	21	17	15	14	10	14	1	9	5	4	1		
%	29.0%	21.7%	36.5%	13.4%	15.4%	14.4%	13.4%	9.3%	10.3%	15.1%	10.8%	10.1%	5.8%	7.8%	7.6%	4.5%	8.1%	5.3%	4.3%	3.8%	2.5%	3.5%	0.3%	2.3%	1.3%	1.0%	0.3%			
施設数	595	572	402	327	271	199	138	133	120	140	102	101	119	93	110	58	57	40	97	38	24	34	29	23	26	7	9	12	8	3
%	93.0%	89.4%	62.8%	51.1%	42.3%	30.9%	21.6%	20.8%	18.8%	21.9%	15.9%	15.8%	18.6%	14.5%	17.2%	9.1%	8.9%	6.3%	15.2%	5.8%	3.6%	4.5%	3.6%	4.1%	1.1%	1.4%	1.8%	1.3%	0.5%	

順位	症例数	割合	累積	施設数	割合	在院日数平均
1	8656	43.1%	43.1%	554	86.6%	11.4
2	1642	7.9%	51.0%	249	38.9%	10.6
3	971	4.7%	55.6%	223	34.8%	38.0
4	619	3.0%	58.6%	128	20.0%	15.8
5	552	2.7%	61.3%	125	19.5%	7.2
6	536	2.6%	63.9%	117	18.3%	6.0
7	492	2.4%	66.2%	84	13.1%	14.0
8	488	2.3%	68.6%	97	15.2%	25.3
9	470	2.3%	70.8%	68	10.6%	13.4
10	457	2.2%	73.0%	76	11.9%	11.6
11	370	1.8%	74.8%	48	7.5%	22.2
12	260	1.3%	76.1%	47	7.3%	14.3
13	237	1.1%	77.2%	72	11.3%	12.7
14	211	1.0%	78.2%	32	5.0%	12.5
15	209	1.0%	79.2%	28	4.4%	12.5
16	169	0.8%	80.0%	49	7.7%	5.3
17	165	0.8%	80.8%	47	7.3%	14.6
18	156	0.8%	81.6%	33	5.2%	15.3
19	146	0.7%	82.3%	62	9.7%	9.1
20	116	0.6%	82.8%	19	3.0%	13.9
21	109	0.5%	83.4%	56	8.8%	22.1
22	106	0.5%	83.9%	63	9.8%	11.8
23	106	0.5%	84.4%	35	5.5%	18.2
24	105	0.5%	84.9%	36	5.6%	15.4
25	104	0.5%	85.4%	15	2.3%	9.3
26	103	0.5%	85.9%	24	3.8%	42.2
27	90	0.4%	86.3%	12	1.9%	7.8
28	88	0.4%	86.7%	32	5.0%	51.7
29	88	0.4%	87.2%	12	1.9%	16.1
30	87	0.4%	87.6%	20	3.1%	9.5
残	2584	12.4%	100.0%	-	-	-


DPC6: 120020, 順位: 1



DPC6: 120020, 順位: 2



DPC6: 120020, 順位: 3



120030 外陰の悪性腫瘍

使用薬剤数 30

レジメ数 53


症例数 171

施設数 73


	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
症例数	43	34	33	33	26	18	18	16	13	11	11	11	9	7	7	5	5	4	3	3	2	2	2	1	1	1	1	1	1	
%	25.1%	19.9%	19.3%	19.3%	15.2%	10.5%	10.5%	9.4%	7.6%	6.4%	6.4%	6.4%	5.3%	4.1%	2.9%	2.9%	2.3%	1.8%	1.8%	1.2%	1.2%	1.2%	0.6%	0.6%	0.6%	0.6%	0.6%	0.6%	0.6%	
使用レジメ数	17	3	5	5	8	4	5	6	8	5	3	3	5	3	2	4	2	3	2	1	1	1	1	1	1	1	1	1	1	
%	32.1%	5.7%	9.4%	9.4%	15.1%	7.5%	9.4%	11.3%	15.1%	9.4%	5.7%	5.7%	9.4%	5.7%	3.8%	7.5%	3.8%	5.7%	3.8%	1.9%	1.9%	1.9%	1.9%	1.9%	1.9%	1.9%	1.9%	1.9%	1.9%	
施設数	28	6	12	13	18	11	13	7	10	6	10	8	5	3	5	4	4	2	3	1	1	2	1	1	1	1	1	1	1	
%	38.4%	8.2%	16.4%	17.8%	24.7%	15.1%	17.8%	9.6%	13.7%	8.2%	13.7%	11.0%	6.8%	4.1%	6.8%	5.5%	5.5%	2.7%	4.1%	1.4%	1.4%	2.7%	1.4%	1.4%	1.4%	1.4%	1.4%	1.4%	1.4%	

順位	症例数	割合	累積	施設数	割合	在院日数平均	レジメ
1	31	18.1%	18.1%	4	5.5%	8.7	トセタセル水化物(2)
2	29	17.0%	35.1%	9	12.3%	17.7	カルボプラチン(9)+パロリタキセル(4)
3	15	8.8%	43.9%	11	15.1%	48.3	シスプラチン(1)+パロリタキセル(6)
4	7	4.1%	48.0%	6	8.2%	30.6	インターフェロン (6)+タカリバシ(7)+腫瘍ペニシリン(12)
5	6	3.5%	51.5%	3	4.1%	10.8	インターフェロン (6)+タカリバシ(7)
6	6	3.5%	55.0%	3	4.1%	3.5	ネダプラチン(9)
7	4	2.3%	57.3%	2	2.7%	5.3	腫瘍イリチカン(10)
8	4	2.3%	59.6%	3	4.1%	8.5	インターフェロン (6)
9	4	2.3%	62.0%	2	2.7%	5.3	マトマイシン(8)+腫瘍イリチカン(10)
10	4	2.3%	64.3%	1	1.4%	11.8	エトポシド(13)+シスプラチン(1)+マトマイシン(8)
11	3	1.8%	66.1%	3	4.1%	15.3	カエン酸タモキシフェン(16)+シスプラチン(1)+タカリバシ(7)+腫瘍ニムスチン(11)
12	3	1.8%	67.8%	3	4.1%	73.7	シスプラチン(1)
13	3	1.8%	69.6%	3	4.1%	34.3	チカフル・ウラシル配合(17)
14	3	1.8%	71.3%	3	4.1%	41.0	パロリタキセル(6)
15	3	1.8%	73.1%	1	1.4%	16.3	シスプラチン(1)+腫瘍ニムスチン(14)
16	2	1.2%	74.3%	2	2.7%	79.0	トキソリル(23)
17	2	1.2%	75.4%	1	1.4%	17.5	フルオロウラシル(5)+マトマイシン(8)
18	2	1.2%	76.6%	1	1.4%	6.5	シスプラチン(1)+パロリタキセル(6)+マトマイシン(8)+腫瘍ニムスチン(14)
19	2	1.2%	77.8%	1	1.4%	9.0	エトポシド(13)+シスプラチン(1)+腫瘍ニムスチン(15)
20	2	1.2%	78.9%	1	1.4%	2.5	チカフル・キタラシ・オキサリプラチン(19)+トセタセル水化物(2)
21	2	1.2%	80.1%	1	1.4%	12.5	シスプラチン(1)+マトマイシン(8)+腫瘍ニムスチン(15)+腫瘍ペニシリン(12)
22	2	1.2%	81.3%	1	1.4%	46.0	チカフル・ウラシル配合(17)+マトマイシン(8)+腫瘍ニムスチン(14)+腫瘍ペニシリン(12)
23	2	1.2%	82.5%	1	1.4%	10.0	腫瘍ニムスチン(16)+シスプラチン(1)+タカリバシ(7)+腫瘍ニムスチン(11)
24	1	0.6%	83.0%	1	1.4%	60.0	インターフェロン (25)
25	1	0.6%	83.6%	1	1.4%	24.0	インターフェロン (25)
26	1	0.6%	84.2%	1	1.4%	12.0	イホスファミド(18)+ネダプラチン(9)+腫瘍ペニシリン(12)
27	1	0.6%	84.8%	1	1.4%	69.0	イホスファミド(18)+シスプラチン(1)+パロリタキセル(6)
28	1	0.6%	85.4%	1	1.4%	133.0	シスプラチン(1)+ネダプラチン(9)
29	1	0.6%	86.0%	1	1.4%	42.0	イホスファミド(18)+カルボプラチン(3)+ネダプラチン(9)+パロリタキセル(4)+腫瘍ニムスチン(15)
30	1	0.6%	86.5%	1	1.4%	17.0	ネダプラチン(9)+腫瘍イリチカン(10)
残	23	13.5%	100.0%	-	-	-	-


DPC6: 120030, 順位: 1



DPC6: 120030, 順位: 2



DPC6: 120030, 順位: 3




120040 癌の悪性腫瘍

使用薬剤数 24 レジメ数 41 症例数 209 施設数 74

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
症例数	93	89	54	33	23	22	19	19	14	11	8	7	7	6	5	5	4	2	2	2	2	2	1	1	1	1	1	1	1	
%	44.5%	42.6%	25.8%	15.8%	11.0%	10.5%	9.1%	9.1%	6.7%	5.3%	3.8%	3.3%	3.3%	2.9%	2.4%	2.4%	1.9%	1.0%	1.0%	1.0%	1.0%	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	
使用レジメ数	10	9	16	8	5	3	4	2	5	1	3	4	2	3	2	2	4	1	2	2	2	2	1	1	1	1	1	1	1	
%	24.4%	22.0%	39.0%	19.5%	12.2%	12.2%	7.3%	9.8%	4.9%	12.2%	2.4%	7.3%	9.8%	4.9%	4.9%	9.8%	2.4%	4.9%	4.9%	4.9%	4.9%	2.4%	2.4%	2.4%	2.4%	2.4%	2.4%	2.4%	2.4%	
施設数	34	30	32	12	8	10	7	9	7	6	3	4	5	4	4	2	5	1	2	2	2	1	1	1	1	1	1	1	1	
%	45.9%	40.5%	43.2%	16.2%	10.8%	13.5%	9.5%	12.2%	9.5%	8.1%	4.1%	5.4%	6.8%	5.4%	2.7%	6.8%	1.4%	2.7%	2.7%	2.7%	1.4%	1.4%	1.4%	1.4%	1.4%	1.4%	1.4%	1.4%	1.4%	

順位	症例数	割合	累積	施設数	割合	在院日数平均	レジメ
1	71	34.0%	34.0%	23	31.1%	10.0	カルボプラチン(2)+パクリタキセル(1)
2	15	7.2%	41.1%	13	17.6%	46.8	シスプラチン(3)
3	12	5.7%	46.9%	5	6.8%	8.3	インターフェロン (9)+ゲカルバ(シ)ン(5)+塩酸ニモスチン(7)+塩酸ペンタキサチン(8)
4	12	5.7%	52.6%	5	6.8%	11.7	シスプラチン(3)+塩酸イリリチカン(4)
5	10	4.8%	57.4%	3	4.1%	12.0	ネダプラチン(6)
6	10	4.8%	62.2%	6	8.1%	6.9	パクリタキセル(1)
7	8	3.8%	66.0%	3	4.1%	3.5	カルボプラチン(2)+セタキセル水和物(1)
8	7	3.3%	69.4%	3	4.1%	19.4	ネダプラチン(6)+塩酸イリリチカン(4)
9	6	2.9%	72.2%	5	6.8%	5.5	塩酸イリリチカン(4)
10	5	2.4%	74.6%	3	4.1%	27.8	エネロン(2)+シスプラチン(3)+ゲカルバ(シ)ン(3)+塩酸ニモスチン(7)
11	4	1.9%	76.6%	1	1.4%	10.8	シクロホスファミド(16)+シスプラチン(3)+塩酸エリルピシチン(18)
12	4	1.9%	78.5%	1	1.4%	11.5	マイトマイシン(10)+塩酸イリリチカン(4)
13	4	1.9%	80.4%	1	1.4%	5.0	エトポシド(2)+カルボプラチン(2)
14	4	1.9%	82.3%	2	2.7%	11.3	シスプラチン(3)+マイトマイシン(10)+塩酸ペンタキサチン(13)+塩酸ペンタキサチン(8)
15	3	1.4%	83.7%	2	2.7%	5.3	ネダプラチン(6)+パクリタキセル(1)
16	3	1.4%	85.2%	2	2.7%	23.0	イホスファミド(15)+シスプラチン(3)+パクリタキセル(1)
17	3	1.4%	86.6%	1	1.4%	7.0	ゲカルバ(シ)ン(5)
18	2	1.0%	87.6%	2	2.7%	45.5	エトポシド(12)
19	2	1.0%	88.5%	2	2.7%	48.5	シスプラチン(3)+シクロホスファミド(17)
20	2	1.0%	89.5%	2	2.7%	46.0	インターフェロン (9)
21	2	1.0%	90.4%	1	1.4%	12.5	ゲカルバ(シ)ン(5)+塩酸ニモスチン(7)+塩酸ペンタキサチン(8)
22	1	0.5%	90.9%	1	1.4%	75.0	カルボプラチン(2)+シスプラチン(3)+パクリタキセル(1)+塩酸イリリチカン(4)
23	1	0.5%	91.4%	1	1.4%	52.0	カルボプラチン(2)+ゲカルバ(シ)ン(5)+塩酸ニモスチン(7)+パクリタキセル(1)+塩酸イリリチカン(4)
24	1	0.5%	91.9%	1	1.4%	10.0	シクロホスファミド(2)+シスプラチン(3)+ゲカルバ(シ)ン(5)+塩酸イリリチカン(4)
25	1	0.5%	92.3%	1	1.4%	18.0	アゲチノマイシンD(2)+シクロホスファミド(16)
26	1	0.5%	92.8%	1	1.4%	77.0	OK-432(24)+カルボプラチン(2)+シスプラチン(3)+パクリタキセル(1)+塩酸ニモスチン(7)+塩酸ペンタキサチン(8)+パクリタキセル(1)
27	1	0.5%	93.3%	1	1.4%	93.0	シクロホスファミド(2)+シスプラチン(3)+パクリタキセル(1)
28	1	0.5%	93.8%	1	1.4%	35.0	シスプラチン(3)+マイトマイシン(10)+塩酸ニモスチン(7)+塩酸ペンタキサチン(8)+パクリタキセル(1)
29	1	0.5%	94.3%	1	1.4%	60.0	シスプラチン(3)+パクリタキセル(1)
30	1	0.5%	94.7%	1	1.4%	51.0	シクロホスファミド(17)
残	11	5.3%	100.0%	-	-	-	-



120050 胎盤の悪性腫瘍、胎状奇胎

使用薬剤数 13

レジメ数 20


症例数 52

施設数 146


	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
症例数	398	247	224	54	39	22	11	6	6	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
%	76.4%	47.4%	43.0%	10.4%	7.5%	4.2%	2.1%	1.2%	1.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%
使用レジメ数	7	8	12	4	3	6	4	1	4	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
%	35.0%	40.0%	60.0%	15.0%	30.0%	20.0%	20.0%	5.0%	10.0%	5.0%	5.0%	5.0%	5.0%	5.0%	5.0%	5.0%	5.0%	5.0%	5.0%	5.0%	5.0%	5.0%	5.0%	5.0%	5.0%	5.0%	5.0%	5.0%	5.0%	5.0%
施設数	128	65	63	22	17	9	7	4	3	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
%	87.7%	44.5%	43.2%	15.1%	11.6%	6.2%	4.8%	2.7%	2.1%	2.7%	0.7%	0.7%	0.7%	0.7%	0.7%	0.7%	0.7%	0.7%	0.7%	0.7%	0.7%	0.7%	0.7%	0.7%	0.7%	0.7%	0.7%	0.7%	0.7%	0.7%

順位	症例数	割合	累積	施設数	割合	在院日数平均	レジメ
1	195	37.4%	37.4%	91	62.3%	11.2	メトトレキサート(1)
2	94	18.0%	55.5%	29	19.9%	10.6	アクチ/マイシンド(2)+エトボシド(3)+メトトレキサート(1)
3	54	10.4%	65.8%	16	11.0%	9.4	アクチ/マイシンド(2)+メトトレキサート(1)
4	47	9.0%	74.8%	13	8.9%	7.9	エトボシド(3)
5	36	6.9%	81.8%	15	10.3%	31.4	アクチ/マイシンド(2)+エトボシド(3)+シクロホスファミド(4)+メトトレキサート(1)+腫瘍ピンクラチン(6)
6	23	4.4%	86.2%	6	4.1%	6.4	アクチ/マイシンド(2)
7	21	4.0%	90.2%	6	4.1%	6.6	アクチ/マイシンド(2)+エトボシド(3)
8	15	2.9%	93.1%	5	3.4%	14.6	アクチ/マイシンド(2)+シクロホスファミド(4)+メトトレキサート(1)
9	11	2.1%	95.2%	5	3.4%	5.4	エトボシド(3)+シクロホスファミド(4)
10	6	1.2%	96.4%	4	2.7%	5.0	カルボプラチン(7)+アクリケセル(8)
11	5	1.0%	97.3%	3	2.1%	29.2	エトボシド(3)+シクロホスファミド(4)+腫瘍ピンクラチン(6)+エトボシド(3)
12	3	0.6%	97.9%	1	0.7%	17.0	アクチ/マイシンド(2)+エトボシド(3)+シクロホスファミド(4)+メトトレキサート(1)
13	3	0.6%	98.5%	1	0.7%	8.7	イホスファミド(9)+エトボシド(3)+カルボプラチン(7)
14	2	0.4%	98.8%	2	1.4%	3.0	シクロホスファミド(4)+腫瘍ピンクラチン(6)
15	1	0.2%	99.0%	1	0.7%	9.0	イホスファミド(9)+カルボプラチン(7)+腫瘍ピンクラチン(6)
16	1	0.2%	99.2%	1	0.7%	3.0	シクロホスファミド(4)+腫瘍ピンクラチン(6)
17	1	0.2%	99.4%	1	0.7%	40.0	イホスファミド(9)+エトボシド(3)+シクロホスファミド(4)
18	1	0.2%	99.6%	1	0.7%	133.0	アクチ/マイシンド(2)+エトボシド(3)+シクロホスファミド(4)+メトトレキサート(1)+腫瘍ピンクラチン(6)
19	1	0.2%	99.8%	1	0.7%	90.0	エトボシド(3)+カルボプラチン(7)
20	1	0.2%	100.0%	1	0.7%	153.0	イホスファミド(9)+エトボシド(3)+シクロホスファミド(4)+腫瘍ピンクラチン(6)+エトボシド(3)
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
残	0	0.0%	0.0%	-	-		


DPC6: 120050, 順位: 1



DPC6: 120050, 順位: 2



DPC6: 120050, 順位: 3



130010 急性白血病

使用薬剤数 63

レジスタ数 1059

症例数 7939


施設数 517

症例数	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
症例数	5912	2450	1461	1350	1349	1253	1233	1231	1209	1188	745	545	399	399	377	324	319	292	270	206	108	98	88	50	41	23	20	20	17	
%	74.5%	30.9%	18.4%	17.0%	17.0%	15.8%	15.5%	15.2%	15.0%	9.4%	6.8%	5.0%	5.0%	4.1%	4.0%	3.7%	3.4%	2.6%	1.4%	0.7%	0.5%	0.3%	0.3%	0.3%	0.3%	0.3%	0.3%	0.2%	0.2%	
使用レジスタ数	724	413	307	216	304	277	230	378	257	188	140	161	111	85	82	125	84	97	74	78	58	53	20	53	31	26	20	13	5	10
%	69.4%	39.0%	29.0%	20.4%	28.7%	26.2%	21.7%	35.7%	24.3%	17.8%	13.2%	15.2%	10.5%	8.0%	7.7%	11.8%	7.9%	9.2%	7.0%	7.4%	5.5%	1.9%	5.0%	2.9%	2.5%	1.9%	1.2%	0.5%	0.9%	
施設数	468	336	332	345	352	344	344	332	291	335	189	142	186	188	124	163	171	83	131	140	62	46	57	52	34	35	18	13	11	13
%	90.5%	65.0%	64.2%	66.7%	68.1%	66.5%	47.2%	64.2%	56.3%	64.8%	36.6%	27.5%	36.0%	36.4%	24.0%	31.5%	33.1%	16.1%	25.3%	27.1%	12.0%	8.9%	11.0%	10.1%	6.6%	6.8%	3.5%	2.5%	2.1%	2.5%


順位	症例数	割合	累積	施設数	割合	在院日数平均
1	699	8.8%	8.8%	241	46.6%	46.7
2	525	6.6%	15.4%	193	37.3%	39.0
3	476	6.0%	21.4%	205	39.7%	55.1
4	304	3.8%	25.2%	129	25.0%	43.9
5	272	3.4%	28.7%	132	25.5%	38.3
6	270	3.4%	32.1%	111	21.5%	15.1
7	137	1.7%	33.8%	31	6.0%	16.7
8	124	1.6%	35.4%	75	14.5%	28.0
9	109	1.4%	36.7%	44	8.5%	14.2
10	96	1.2%	37.9%	60	11.6%	33.1
11	90	1.1%	39.1%	21	4.1%	8.6
12	80	1.0%	40.1%	47	9.1%	107.4
13	79	1.0%	41.1%	45	8.7%	47.6
14	78	1.0%	42.1%	37	7.2%	11.8
15	77	1.0%	43.0%	49	9.5%	68.7
16	76	1.0%	44.0%	55	10.6%	41.1
17	75	0.9%	44.9%	29	5.6%	5.6
18	75	0.9%	45.9%	48	9.3%	37.9
19	71	0.9%	46.8%	53	10.3%	80.9
20	58	0.7%	47.5%	54	10.4%	28.1
21	57	0.7%	48.2%	47	9.1%	44.2
22	57	0.7%	48.9%	44	8.5%	42.3
23	56	0.7%	49.6%	36	7.0%	27.6
24	55	0.7%	50.3%	38	7.4%	38.6
25	53	0.7%	51.0%	36	7.0%	30.0
26	52	0.7%	51.7%	46	8.7%	28.7
27	52	0.7%	52.3%	26	5.0%	9.9
28	50	0.6%	52.8%	32	6.2%	37.1
29	48	0.6%	53.6%	34	6.6%	20.6
30	48	0.6%	54.2%	40	7.7%	25.7
残	3639	45.8%	100.0%	-	-	-

レジスタ


DPC6: 130010, 順位: 1



DPC6: 130010, 順位: 2




DPC6: 130010, 順位: 3



130020 ホジキン病		症例数 35		レジメ数 110		症例数 100		施設数 285																			
症例数	844	830	773	150	132	119	100	59	46	37	29	26	20	18	11	10	9	5	4	3	3	2	2	2	1	1	1
%	79.5%	78.2%	72.8%	14.1%	12.4%	11.2%	9.4%	5.6%	4.3%	3.5%	2.7%	2.5%	1.7%	1.0%	0.9%	0.8%	0.5%	0.4%	0.3%	0.3%	0.3%	0.3%	0.2%	0.2%	0.1%	0.1%	0.1%
使用レジメ数	50	33	36	28	53	50	38	24	13	11	15	10	10	8	5	10	5	2	2	2	2	2	2	2	1	1	1
%	43.1%	28.4%	31.0%	24.1%	45.7%	43.1%	32.8%	20.7%	11.2%	9.5%	12.9%	8.6%	8.6%	4.3%	1.7%	2.6%	2.6%	1.7%	1.7%	1.7%	1.7%	1.7%	0.9%	0.9%	0.9%	0.9%	0.9%
施設数	257	249	253	244	94	77	78	60	38	21	20	23	16	15	12	4	10	6	1	2	2	2	2	2	1	1	1
%	87.1%	84.4%	85.8%	82.7%	31.3%	26.4%	20.3%	12.9%	7.1%	6.8%	7.8%	5.4%	5.1%	4.1%	1.4%	3.4%	2.0%	0.3%	0.7%	0.7%	1.0%	0.7%	0.7%	0.7%	0.3%	0.3%	0.3%

順位	症例数	割合	累積	施設数	割合	在院日数平均	レジメ
1	683	84.4%	84.4%	222	75.3%	22.3	ダカルバシジン(2)+塩酸トキソリン(1)+塩酸プロモマイシン(4)+硫酸ペンブラスチン(3)
2	66	6.2%	70.6%	34	11.5%	18.2	ダカルバシジン(2)+塩酸トキソリン(1)+硫酸ペンブラスチン(3)
3	46	4.3%	74.9%	28	9.5%	36.8	シクロホスファミド(6)+塩酸プロカルバシジン(9)+硫酸ペンブラスチン(7)
4	30	2.8%	77.8%	10	3.4%	17.4	ダカルバシジン(2)+塩酸ピラルピド(10)+塩酸プロモマイシン(4)+硫酸ペンブラスチン(3)
5	17	1.6%	79.4%	11	3.7%	58.5	エトポシド(6)+シクロホスファミド(6)+塩酸トキソリン(1)+塩酸プロカルバシジン(4)+硫酸ペンブラスチン(7)
6	15	1.4%	80.8%	8	2.7%	26.4	イボシド(6)+シクロホスファミド(6)+塩酸トキソリン(1)+塩酸プロカルバシジン(4)+硫酸ペンブラスチン(7)
7	11	1.0%	81.8%	8	2.7%	36.7	エトポシド(6)+シクロホスファミド(6)+塩酸トキソリン(1)+硫酸ペンブラスチン(14)
8	10	0.9%	82.8%	5	1.7%	23.8	エトポシド(6)+シクロホスファミド(6)+シタラビン(9)
9	8	0.8%	83.5%	6	2.0%	53.8	エトポシド(6)+シクロホスファミド(6)+シタラビン(9)
10	7	0.7%	84.2%	4	1.4%	29.0	エトポシド(6)+シクロホスファミド(6)+シタラビン(9)
11	7	0.7%	84.8%	7	2.4%	36.1	シクロホスファミド(6)
12	6	0.6%	85.4%	6	2.0%	41.2	エトポシド(6)
13	6	0.6%	86.0%	5	1.7%	10.2	ダカルバシジン(2)+塩酸トキソリン(1)+塩酸プロモマイシン(4)
14	6	0.6%	86.5%	6	2.0%	65.2	シクロホスファミド(9)+ダカルバシジン(2)+塩酸トキソリン(1)+塩酸プロモマイシン(4)+塩酸プロカルバシジン(8)+硫酸ペンブラスチン(7)+硫酸ペンブラスチン(3)
15	6	0.6%	87.1%	2	0.7%	8.5	シタラビン(12)+塩酸ゲムシタビン(16)
16	4	0.4%	87.5%	2	0.7%	15.8	エトポシド(6)+シクロホスファミド(6)+塩酸トキソリン(1)+塩酸ペンブラスチン(7)
17	4	0.4%	87.8%	4	1.4%	137.3	エトポシド(6)+シクロホスファミド(6)+塩酸トキソリン(2)+塩酸トキソリン(1)+塩酸プロカルバシジン(4)+塩酸プロモマイシン(9)+硫酸ペンブラスチン(8)+硫酸ペンブラスチン(3)
18	3	0.3%	88.1%	1	0.3%	23.0	ダカルバシジン(2)+塩酸トキソリン(1)+塩酸プロモマイシン(4)+酢酸リネロチン(20)
19	3	0.3%	88.4%	1	0.3%	16.3	エトポシド(6)+シクロホスファミド(6)+塩酸トキソリン(1)+硫酸ペンブラスチン(7)
20	3	0.3%	88.7%	2	0.7%	36.0	エトポシド(6)+シクロホスファミド(6)+塩酸トキソリン(1)+塩酸プロカルバシジン(8)+硫酸ペンブラスチン(7)
21	3	0.3%	89.0%	3	1.0%	51.0	シタラビン(12)+シタラビン(9)+塩酸トキソリン(1)
22	3	0.3%	89.3%	3	1.0%	35.0	シクロホスファミド(6)+硫酸ペンブラスチン(7)
23	3	0.3%	89.5%	2	0.7%	90.7	塩酸トキソリン(1)+硫酸ペンブラスチン(3)
24	3	0.3%	89.8%	3	1.0%	18.0	ダカルバシジン(2)+塩酸ピラルピド(10)+硫酸ペンブラスチン(3)
25	2	0.2%	90.0%	2	0.7%	126.5	シクロホスファミド(6)+ダカルバシジン(2)+塩酸トキソリン(1)+塩酸プロモマイシン(4)+硫酸ペンブラスチン(7)+硫酸ペンブラスチン(3)
26	2	0.2%	90.2%	1	0.3%	3.0	ダカルバシジン(2)+塩酸トキソリン(1)+酢酸リネロチン(9)+硫酸ペンブラスチン(3)
27	2	0.2%	90.4%	2	0.7%	134.0	イボシド(6)+エトポシド(6)+シクロホスファミド(6)+シタラビン(9)
28	2	0.2%	90.6%	1	0.3%	38.0	イボシド(6)+シクロホスファミド(6)+塩酸トキソリン(1)+シタラビン(6)+シタラビン(24)
29	2	0.2%	90.8%	1	0.3%	34.5	エトポシド(6)+シクロホスファミド(6)+塩酸プロモマイシン(4)+塩酸プロカルバシジン(8)+硫酸ペンブラスチン(18)
30	2	0.2%	91.0%	1	0.3%	57.0	エトポシド(6)+シクロホスファミド(6)+硫酸ペンブラスチン(11)+硫酸ペンブラスチン(2)
残	96	9.0%	100.0%	-	-	-	-




130030 非ホジキンリンパ腫

使用薬剤数 68 レジメ数 1163 症例数 2143 施設数 780

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
症例数	15080	14894	12871	9417	4113	3756	2530	2179	1229	980	934	853	634	608	488	238	228	166	145	132	121	115	112	104	90	73	49	43	41	
%	71.3%	70.4%	60.9%	44.5%	19.5%	17.8%	12.0%	10.3%	5.8%	4.6%	3.0%	2.2%	1.1%	1.1%	0.8%	0.7%	0.6%	0.5%	0.5%	0.4%	0.3%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	
使用レジメ数	525	663	492	330	216	636	442	358	242	168	168	228	95	157	67	93	84	67	78	64	40	63	16	49	21	34	8	20	27	29
%	44.9%	56.8%	42.1%	28.3%	18.5%	54.5%	37.8%	30.7%	20.7%	14.4%	14.4%	19.5%	8.1%	13.4%	5.7%	8.0%	7.2%	5.7%	5.5%	3.4%	5.4%	1.4%	4.2%	1.8%	2.9%	0.7%	1.7%	2.3%	2.5%	
施設数	672	713	706	638	435	511	398	393	298	157	243	238	224	202	148	87	110	79	79	66	70	25	67	59	43	40	38	33	34	
%	86.2%	91.4%	90.5%	81.8%	55.8%	65.5%	51.0%	50.4%	38.2%	20.1%	31.2%	30.5%	28.7%	25.9%	19.0%	11.2%	14.1%	11.7%	10.1%	10.1%	8.5%	9.0%	3.2%	8.6%	7.6%	5.5%	5.1%	4.8%	4.2%	

順位	症例数	割合	累積	施設数	割合	在院日数平均	レジメ
1	6133	29.0%	29.0%	548	70.3%	26.9	シクロホスタミド+リツキシマブ(1)+塩酸トキソリピシン(4)+硫酸ペンタリスチン(3)
2	2264	10.7%	39.7%	329	42.2%	32.8	シクロホスタミド+リツキシマブ(1)+塩酸トキソリピシン(6)+硫酸ペンタリスチン(3)
3	1649	7.8%	47.5%	374	47.9%	12.6	リツキシマブ(1)
4	1171	5.5%	53.1%	388	45.9%	30.2	シクロホスタミド+塩酸トキソリピシン(4)+硫酸ペンタリスチン(3)
5	604	2.9%	55.9%	213	27.3%	30.2	シクロホスタミド+塩酸トキソリピシン(5)+硫酸ペンタリスチン(3)
6	396	1.9%	57.8%	52	6.7%	27.4	シクロホスタミド+リツキシマブ(1)+塩酸トキソリピシン(6)+硫酸ペンタリスチン(10)
7	370	1.7%	59.5%	165	21.2%	40.3	メトトレキサート(8)
8	356	1.7%	61.2%	141	18.1%	23.2	シクロホスタミド+リツキシマブ(1)+硫酸ペンタリスチン(3)
9	329	1.6%	62.8%	92	11.8%	15.5	シクロホスタミド+リツキシマブ(1)+塩酸トキソリピシン(4)
10	280	1.3%	64.1%	112	14.4%	33.0	イホスタミド(1)+トキソリピシン(6)+カルボプラチン(9)
11	246	1.2%	65.3%	124	15.9%	34.9	シタラビン(7)+メトトレキサート(8)
12	237	1.1%	66.4%	157	20.1%	32.5	イホスタミド(6)
13	232	1.1%	67.5%	82	10.5%	37.1	イホスタミド(11)+エトキシロホスタミド+リツキシマブ(1)
14	231	1.1%	68.6%	116	14.9%	48.0	シクロホスタミド+シタラビン(7)+トキソリピシン(1)+塩酸トキソリピシン(4)+硫酸ペンタリスチン(3)
15	211	1.0%	69.6%	87	11.2%	42.5	エトキシロホスタミド+シタラビン(7)+リツキシマブ(1)
16	160	0.8%	70.3%	75	9.6%	25.4	リツキシマブ(1)+リツキシマブ(13)
17	156	0.7%	71.1%	67	8.6%	40.0	エトキシロホスタミド+シタラビン(14)+シタラビン(7)+リツキシマブ(1)
18	152	0.7%	71.8%	79	10.1%	52.9	エトキシロホスタミド+シタラビン(14)+シタラビン(7)+リツキシマブ(1)+硫酸ペンタリスチン(3)
19	152	0.7%	72.5%	58	7.4%	25.3	クラリピン(15)+リツキシマブ(1)
20	148	0.7%	73.2%	69	8.8%	35.3	エトキシロホスタミド+シタラビン(14)+シタラビン(7)
21	144	0.7%	73.9%	38	4.9%	21.5	クラリピン(15)+リツキシマブ(1)+塩酸トキソリピシン(4)+硫酸ペンタリスチン(3)
22	143	0.7%	74.6%	67	8.6%	40.2	エトキシロホスタミド+シタラビン(15)+リツキシマブ(1)+塩酸トキソリピシン(4)+硫酸ペンタリスチン(3)
23	126	0.6%	75.2%	70	9.0%	27.5	エトキシロホスタミド(1)
24	119	0.6%	75.7%	43	5.5%	21.3	リツキシマブ(1)+シタラビン(13)+塩酸トキソリピシン(4)+硫酸ペンタリスチン(3)
25	103	0.5%	76.2%	49	6.3%	25.0	シクロホスタミド+リツキシマブ(1)+塩酸トキソリピシン(6)
26	105	0.5%	76.7%	71	9.1%	23.6	シクロホスタミド+リツキシマブ(1)+塩酸トキソリピシン(13)
27	99	0.5%	77.2%	59	7.6%	29.8	シクロホスタミド+塩酸トキソリピシン(3)
28	95	0.4%	77.6%	52	6.7%	38.5	エトキシロホスタミド+シタラビン(7)+シタラビン(7)+リツキシマブ(1)
29	95	0.4%	78.1%	19	2.4%	29.4	エトキシロホスタミド+シタラビン(7)+シタラビン(7)+リツキシマブ(1)
30	93	0.4%	78.5%	54	6.9%	47.0	シクロホスタミド+メトトレキサート(8)+リツキシマブ(1)+塩酸トキソリピシン(4)+硫酸ペンタリスチン(3)
残	4542	21.5%	100.0%	-	-	-	-



130040 多発性骨髄腫、免疫系悪性新生物

使用薬剤数 43

レジン数 142


症例数 3053

施設数 524


症例数	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
症例数	1619	1435	1260	495	414	109	85	66	60	34	25	24	23	17	15	8	7	6	4	4	3	3	3	3	3	3	3	2	2	2
%	52.9%	46.9%	41.2%	16.2%	13.5%	3.6%	2.8%	2.2%	2.0%	1.1%	0.8%	0.8%	0.8%	0.6%	0.5%	0.3%	0.2%	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%
使用レジン数	62	52	45	55	31	28	20	11	15	9	6	18	12	4	3	6	2	6	2	4	3	3	2	1	2	2	2	1	2	
%	43.7%	36.6%	31.7%	38.7%	21.8%	19.7%	14.1%	7.7%	10.6%	6.3%	4.2%	12.7%	8.5%	2.8%	2.1%	4.2%	4.2%	1.4%	2.8%	2.1%	2.1%	2.1%	1.4%	0.7%	1.4%	1.4%	0.7%	1.4%	0.7%	
施設数	380	467	349	218	139	66	44	24	28	13	21	13	19	13	6	6	2	6	2	4	2	3	2	2	3	2	2	2	2	
%	68.6%	84.3%	63.0%	39.4%	25.1%	11.9%	7.9%	4.3%	5.1%	2.3%	3.8%	2.3%	3.4%	1.1%	1.1%	1.1%	0.4%	0.7%	0.4%	0.4%	0.5%	0.4%	0.4%	0.5%	0.4%	0.4%	0.4%	0.4%	0.4%	

順位	症例数	割合	累積	施設数	割合	在院日数平均	レジン
1	975	31.9%	31.9%	284	53.1%	37.3	塩酸トキソリルピシ(3)+硫酸ペンクリリスチン(1)
2	274	28.6%	60.5%	399	72.0%	40.4	メルフアラシ(2)
3	844	8.0%	68.4%	82	14.8%	35.9	メルフアラシ(2)+ラニムスチン(6)+硫酸ペンクリリスチン(1)
4	193	6.3%	74.8%	116	20.9%	32.4	シクロホスファミド(4)
5	84	2.7%	77.5%	54	9.7%	67.1	シクロホスファミド(4)+塩酸トキソリルピシ(3)+硫酸ペンクリリスチン(1)
6	74	2.4%	79.9%	64	11.6%	89.3	メルフアラシ(2)+塩酸トキソリルピシ(3)+硫酸ペンクリリスチン(1)
7	46	1.5%	81.4%	27	4.8%	34.2	メルフアラシ(2)+ラニムスチン(6)+硫酸ペンクリリスチン(7)
8	40	1.3%	82.7%	12	2.2%	36.2	塩酸ピラルピシ(9)+硫酸ペンクリリスチン(1)
9	39	1.3%	84.0%	27	4.9%	29.9	エトポシド(6)
10	27	0.9%	84.9%	6	1.1%	29.1	メルフアラシ(2)+硫酸ペンクリリスチン(1)
11	27	0.9%	85.8%	23	4.2%	41.9	塩酸トキソリルピシ(3)
12	23	0.8%	86.5%	10	1.8%	55.2	シクロホスファミド(4)+メルフアラシ(2)+ラニムスチン(6)
13	21	0.7%	87.2%	11	2.0%	58.5	シクロホスファミド(4)+メルフアラシ(2)+ラニムスチン(6)+硫酸ペンクリリスチン(1)
14	21	0.7%	87.9%	9	1.6%	17.3	リツキシマブ(9)
15	18	0.6%	88.5%	16	2.9%	50.8	シクロホスファミド(4)+メルフアラシ(2)
16	17	0.6%	89.0%	5	0.9%	14.6	リン酸フルダリン(10)
17	16	0.5%	89.6%	8	1.4%	27.3	エトポシド(6)+シクロホスファミド(4)+メルフアラシ(2)+ラニムスチン(6)
18	15	0.5%	90.1%	8	1.4%	35.9	メルフアラシ(2)+ラニムスチン(6)
19	12	0.4%	90.5%	5	0.9%	30.4	エトポシド(6)+シクロホスファミド(4)
20	11	0.4%	90.8%	7	1.3%	47.0	シクロホスファミド(4)+メルフアラシ(2)+塩酸ペンクリリスチン(1)
21	11	0.4%	91.2%	5	0.9%	22.4	シクロホスファミド(4)+塩酸ピラルピシ(9)+硫酸ペンクリリスチン(1)
22	11	0.4%	91.5%	11	2.0%	132.6	シクロホスファミド(4)+メルフアラシ(2)+塩酸トキソリルピシ(3)+硫酸ペンクリリスチン(1)
23	11	0.4%	91.9%	6	1.1%	25.5	ラニムスチン(6)+硫酸ペンクリリスチン(1)
24	9	0.3%	92.2%	9	1.6%	30.1	インターフェロン(11)
25	9	0.3%	92.5%	8	1.4%	69.8	エトポシド(6)+塩酸トキソリルピシ(3)+硫酸ペンクリリスチン(1)
26	9	0.3%	92.8%	5	0.9%	59.1	シクロホスファミド(4)+リツキシマブ(9)+塩酸トキソリルピシ(3)+硫酸ペンクリリスチン(1)
27	8	0.3%	93.0%	4	0.7%	39.4	シクロホスファミド(4)+硫酸ペンクリリスチン(1)
28	8	0.3%	93.3%	3	0.5%	74.8	インターフェロン(11)+メルフアラシ(2)+ラニムスチン(6)+硫酸ペンクリリスチン(1)
29	7	0.2%	93.5%	3	0.5%	36.9	塩酸トキソリルピシ(3)+硫酸ペンクリリスチン(7)
30	7	0.2%	93.8%	2	0.4%	9.9	クラドリン(18)+リツキシマブ(9)
残	191	6.2%	100.0%	-	-	-	-


DPC6: 130040, 順位: 1



DPC6: 130040, 順位: 2



DPC6: 130040, 順位: 3



130050 慢性白血病、骨髄増殖性疾患

使用薬剤数 56


レシオ数 391

症例数 2225

施設数 479

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
症例数	814	739	653	583	520	355	355	306	288	268	258	221	220	99	77	64	56	37	29	27	25	23	20	19	18	18	14	14	13	
%	36.6%	33.2%	29.3%	26.2%	23.4%	16.0%	16.0%	13.8%	12.9%	12.0%	11.6%	9.9%	9.9%	4.4%	3.5%	2.9%	2.5%	1.7%	1.3%	1.2%	1.1%	1.0%	0.9%	0.9%	0.8%	0.8%	0.6%	0.6%	0.6%	
使用レシオ数	184	164	197	57	113	88	91	77	30	122	104	61	26	53	51	35	13	27	19	7	12	18	9	8	12	13	11	9	11	
%	47.1%	41.9%	50.4%	14.6%	28.9%	22.5%	23.3%	19.7%	7.7%	31.2%	26.6%	15.6%	13.6%	13.0%	9.0%	3.3%	6.9%	4.9%	1.8%	3.1%	4.6%	2.3%	2.0%	3.1%	3.3%	2.8%	2.3%	2.8%		
施設数	259	242	204	289	195	138	134	144	192	159	138	83	121	35	54	43	33	19	25	25	17	20	16	15	18	13	15	11	14	
%	54.1%	50.5%	42.6%	60.3%	40.7%	28.8%	28.0%	30.1%	40.1%	33.2%	28.8%	17.3%	25.3%	7.3%	11.3%	9.0%	6.9%	4.0%	5.2%	5.2%	3.5%	4.2%	3.3%	3.1%	3.8%	2.7%	3.1%	2.3%	1.7%	

順位	症例数	割合	累積	施設数	割合	在院日数平均
1	410	18.4%	18.4%	235	49.1%	231
2	184	8.3%	26.7%	135	28.2%	240
3	140	6.3%	33.0%	83	17.3%	228
4	133	6.0%	39.0%	64	13.4%	34.5
5	103	4.6%	43.6%	64	13.4%	55.4
6	98	4.4%	48.0%	49	10.2%	29.6
7	53	2.4%	50.4%	45	9.4%	30.2
8	49	2.2%	52.6%	38	7.9%	30.8
9	35	1.6%	54.2%	16	3.3%	19.2
10	29	1.3%	55.5%	21	4.4%	84.1
11	25	1.1%	56.6%	19	4.0%	88.7
12	25	1.1%	57.7%	21	4.4%	67.2
13	24	1.1%	58.8%	14	2.9%	34.2
14	23	1.0%	59.8%	18	3.8%	31.7
15	22	1.0%	60.8%	13	2.7%	31.5
16	20	0.9%	61.7%	18	3.8%	38.6
17	18	0.8%	62.5%	14	2.9%	69.3
18	18	0.8%	63.3%	7	1.5%	28.3
19	18	0.8%	64.1%	15	3.1%	24.7
20	17	0.8%	64.9%	13	2.7%	22.2
21	15	0.7%	65.6%	8	1.7%	26.5
22	15	0.7%	66.2%	14	2.9%	41.7
23	15	0.7%	66.9%	13	2.7%	38.7
24	14	0.6%	67.6%	9	1.9%	18.6
25	14	0.6%	68.2%	8	1.7%	41.1
26	12	0.5%	68.7%	10	2.1%	32.5
27	11	0.5%	69.2%	5	1.0%	8.2
28	10	0.4%	69.7%	8	1.7%	54.0
29	9	0.4%	70.1%	8	1.7%	22.2
30	9	0.4%	70.5%	9	1.9%	32.4
残	657	29.5%	100.0%	-	-	-



130060 骨髄異形成症候群

使用薬剤数 34


レジメ数 115

症例数 463

施設数 213

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
症例数	273	174	65	43	43	39	38	29	28	26	23	20	17	16	16	16	15	9	8	7	6	5	4	4	2	2	2	2	1	
%	58.6%	37.3%	13.9%	9.2%	9.2%	8.4%	8.2%	6.2%	6.0%	5.6%	4.3%	3.6%	3.4%	3.4%	3.4%	3.2%	1.9%	1.7%	1.5%	1.3%	1.1%	1.1%	0.9%	0.9%	0.4%	0.4%	0.4%	0.2%	0.2%	
使用レジメ数	66	27	19	30	17	17	23	16	21	16	8	12	3	10	14	9	2	4	5	4	1	5	2	1	1	1	2	2	1	
%	57.4%	23.5%	16.5%	26.1%	14.8%	14.8%	20.0%	13.9%	18.3%	0.9%	13.9%	7.0%	2.8%	8.7%	12.2%	7.8%	1.7%	3.5%	4.3%	3.5%	0.9%	4.3%	1.7%	0.9%	0.9%	1.7%	1.7%	0.9%		
施設数	148	96	47	38	35	27	21	25	3	17	17	14	12	13	12	15	8	6	7	4	5	4	2	2	2	2	2	2	1	
%	69.5%	45.1%	22.1%	17.8%	16.4%	16.4%	12.7%	9.9%	11.7%	1.4%	8.0%	6.6%	5.8%	6.1%	5.6%	7.0%	3.8%	2.8%	3.3%	1.9%	2.3%	1.9%	0.9%	0.9%	0.9%	0.9%	0.9%	0.9%	0.5%	

順位	症例数	割合	累積	施設数	割合	在院日数平均
1	127	27.3%	27.3%	70	32.8%	51.5
2	41	8.8%	36.1%	32	15.0%	30.3
3	27	5.8%	41.8%	22	10.3%	55.2
4	26	5.6%	47.4%	3	1.4%	3.4
5	18	3.9%	51.3%	17	8.0%	28.3
6	14	3.0%	54.3%	13	6.1%	68.1
7	11	2.4%	56.7%	9	4.2%	37.5
8	8	1.7%	58.4%	8	3.8%	89.8
9	8	1.7%	60.1%	7	3.3%	22.6
10	8	1.7%	61.8%	7	3.3%	30.1
11	8	1.7%	63.5%	3	1.4%	33.6
12	6	1.3%	64.8%	5	2.3%	38.5
13	5	1.1%	65.9%	5	2.3%	89.0
14	5	1.1%	67.0%	4	1.9%	55.6
15	5	1.1%	68.0%	5	2.3%	26.8
16	5	1.1%	69.1%	3	1.4%	59.2
17	4	0.9%	70.0%	4	1.9%	109.5
18	4	0.9%	70.8%	2	0.9%	15.5
19	4	0.9%	71.7%	4	1.9%	71.0
20	4	0.9%	72.5%	4	1.9%	87.0
21	4	0.9%	73.4%	4	1.9%	96.3
22	4	0.9%	74.2%	4	1.9%	57.8
23	4	0.9%	75.1%	2	0.9%	35.0
24	3	0.6%	75.8%	1	0.5%	33.3
25	3	0.6%	76.4%	3	1.4%	41.0
26	3	0.6%	77.0%	2	0.9%	22.0
27	3	0.6%	77.7%	3	1.4%	87.7
28	2	0.4%	78.1%	2	0.9%	13.5
29	2	0.4%	78.5%	1	0.5%	73.0
30	2	0.4%	79.0%	2	0.9%	28.0
残	98	21.0%	100.0%	-	-	-



160010 その他の悪性腫瘍

使用薬剤数 68




レジメ数 267

症例数 2032

施設数 538

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
症例数	545	456	368	362	302	204	192	187	142	128	96	56	44	42	41	40	40	37	36	36	34	32	30	24	21	20	16	16	16	
%	26.8%	22.4%	18.1%	17.8%	14.9%	10.0%	9.4%	9.2%	7.0%	6.3%	4.7%	2.8%	2.2%	2.1%	2.0%	2.0%	2.0%	1.8%	1.8%	1.8%	1.7%	1.6%	1.5%	1.2%	1.0%	1.0%	0.8%	0.8%	0.8%	
使用レジメ数	70	36	36	33	30	26	3	32	21	20	35	16	19	12	15	12	22	8	16	15	12	11	13	8	9	8	6	6	12	
%	26.2%	13.5%	13.5%	12.4%	11.2%	9.7%	1.1%	12.0%	7.9%	7.5%	13.1%	6.0%	7.1%	4.5%	5.6%	4.5%	8.2%	3.0%	6.0%	5.6%	4.1%	4.9%	3.0%	3.4%	3.0%	3.4%	2.2%	4.5%		
施設数	217	172	146	147	107	127	67	99	78	68	50	35	44	40	29	22	35	25	31	21	19	27	28	21	18	18	12	9	15	
%	40.3%	32.0%	27.1%	27.3%	19.9%	23.6%	12.5%	18.4%	14.5%	12.6%	6.5%	8.2%	7.4%	5.4%	4.1%	6.5%	4.6%	5.8%	3.8%	3.5%	3.5%	5.0%	3.9%	3.3%	3.3%	2.2%	1.7%	2.8%		

順位	症例数	割合	累積	施設数	割合	在院日数平均	レジメ数
1	223	11.0%	11.0%	88	16.4%	18.0	カルボプラチン(9)+パクリタキセル(4)
2	190	9.4%	20.3%	66	12.3%	6.9	オキサリプラチン(7)+パクリタキセル(2)
3	95	4.7%	25.0%	33	6.1%	4.9	フルオロウラシル(2)+腫瘍イリチン(5)
4	80	3.9%	28.9%	34	6.3%	11.4	シスプラチン(1)+腫瘍イリチン(6)
5	75	3.7%	32.6%	68	12.6%	36.3	チタニウム・ギマシリン・オキサリタキセル配合(6)
6	71	3.5%	36.1%	38	7.1%	12.6	パクリタキセル(4)
7	66	3.2%	39.4%	43	8.0%	17.3	シスプラチン(1)
8	64	3.1%	42.5%	27	5.0%	16.3	シスプラチン(1)+チタニウム・ギマシリン・オキサリタキセル配合(6)
9	61	3.0%	45.5%	40	7.4%	31.9	シスプラチン(1)+フルオロウラシル(2)
10	60	3.0%	48.5%	22	4.1%	12.1	腫瘍イリチン(5)
11	57	2.8%	51.3%	31	5.8%	18.6	腫瘍ゲムタピン(9)
12	42	2.1%	53.3%	15	2.8%	13.9	カルボプラチン(3)+ドセタキセル水和物(8)
13	40	2.0%	55.3%	32	5.9%	30.4	ドセタキセル水和物(8)
14	34	1.7%	57.0%	18	3.3%	18.2	シスプラチン(1)+腫瘍ゲムタピン(9)
15	32	1.6%	58.6%	19	3.5%	43.2	シスプラチン(1)+腫瘍ゲムタピン(9)
16	31	1.5%	60.1%	29	5.4%	34.1	チタニウム・ウラシル配合(14)
17	28	1.4%	61.5%	25	4.6%	29.0	OK-432(13)
18	26	1.3%	62.7%	16	3.0%	38.7	エトポシド(10)+シスプラチン(1)
19	25	1.2%	64.0%	16	3.0%	24.8	エトポシド(10)+カルボプラチン(3)
20	23	1.1%	65.1%	11	2.0%	8.6	シクロホスファミド(1)+フルオロウラシル(2)+腫瘍ゲムタピン(12)
21	19	0.9%	66.0%	13	2.4%	28.9	シスプラチン(1)+ドセタキセル水和物(9)+フルオロウラシル(2)
22	19	0.9%	67.0%	14	2.6%	10.5	フルオロウラシル(2)
23	18	0.9%	67.9%	10	1.9%	40.8	イホスファミド(16)+シスプラチン(1)
24	17	0.8%	68.7%	12	2.2%	21.4	シスプラチン(1)+ドセタキセル水和物(8)
25	17	0.8%	69.5%	15	2.8%	30.9	アタストロール(23)
26	15	0.7%	70.3%	14	2.6%	34.0	カルボプラチン(3)+腫瘍ゲムタピン(9)
27	15	0.7%	71.0%	3	0.6%	5.9	ドセタキセル水和物(8)+腫瘍イリチン(5)
28	14	0.7%	71.7%	11	2.0%	16.1	腫瘍ゲムタピン(22)
29	14	0.7%	72.4%	8	1.5%	10.7	チタニウム・ギマシリン・オキサリタキセル配合(6)+腫瘍イリチン(5)
30	13	0.6%	73.0%	8	1.5%	16.8	シスプラチン(1)+パクリタキセル(4)
残	548	27.0%	100.0%	-	-	-	-



疾患別手術別件数在院日数

疾患 コード	疾患名	件数 /日 数	手術 診断群分類番号(9,10 桁)	平成15年度 DPC対象病院		平成16年度 DPC対象病院		平成18年度 DPC対象病院		平成18年度 DPC準備病院		平成19年度 DPC準備病院	
				件数	割合								
010010	脳腫瘍	件数	99	2,714	53.5%	448	62.4%	2,679	66.2%	3,135	68.4%	3,831	69.1%
			97	306	6.0%	42	5.8%	188	4.6%	197	4.3%	270	4.9%
			97(輸血以外の再掲)	153	3.0%	30	4.2%	134	3.3%	131	2.9%	199	3.6%
			01	1,998	39.4%	225	31.3%	1,153	28.5%	1,196	26.1%	1,406	25.4%
			02	55	1.1%	3	0.4%	26	0.6%	53	1.2%	37	0.7%
		日数	99	14.86		17.75		14.45		13.81		16.75	
			97	41.00		44.00		45.15		41.89		44.54	
			97(輸血以外の再掲)	38.29		38.07		47.38		43.85		46.73	
			01	34.61		34.34		31.68		33.93		35.83	
			02	51.20		26.67		50.96		30.23		45.41	
010020	くも膜下出血、破裂脳動脈瘤	件数	99	282	24.4%	132	29.9%	616	28.8%	645	29.0%	898	29.9%
			97	24	2.1%	9	2.0%	44	2.1%	68	3.1%	82	2.7%
			97(輸血以外の再掲)	16	1.4%	8	1.8%	34	1.6%	56	2.5%	68	2.3%
			01	534	46.2%	247	55.9%	1,185	55.5%	1,186	53.4%	1,598	53.1%
			02	178	15.4%	32	7.2%	163	7.6%	184	8.3%	243	8.1%
		日数	99	10.98		14.79		13.21		12.40		12.99	
			97	34.58		70.56		36.75		44.49		49.01	
			97(輸血以外の再掲)	29.31		60.00		33.44		48.02		51.22	
			01	44.56		44.06		44.36		47.82		47.81	
			02	43.76		44.34		47.16		45.52		44.84	
010030	未破裂脳動脈瘤	件数	99	1,431	55.8%	281	52.6%	1,314	52.0%	1,349	57.3%	2,132	58.7%
			97	15	0.6%	5	0.9%	23	0.9%	28	1.2%	41	1.1%
			97(輸血以外の再掲)	14	0.5%	5	0.9%	22	0.9%	26	1.1%	39	1.1%
			01	610	23.8%	198	37.1%	923	36.5%	752	31.9%	1,068	29.4%
			02	4	0.2%					1	0.0%	7	0.2%
		日数	99	3.73		4.11		3.68		3.73		3.75	
			97	29.53		36.60		17.70		33.89		29.00	
			97(輸血以外の再掲)	31.14		36.60		18.00		34.92		29.72	
			01	20.34		21.28		18.06		23.46		22.68	
			02	44.75						25.00		77.00	
010040	非外傷性頭蓋内血腫(非外傷性硬膜下血腫以外)	件数	99	1,912	70.3%	1,032	78.4%	4,782	77.8%	4,993	78.5%	6,836	76.9%
			97	301	11.1%	98	7.4%	501	8.2%	529	8.3%	722	8.1%
			97(輸血以外の再掲)	280	10.3%	88	6.7%	458	7.5%	469	7.4%	647	7.3%
			01	405	14.9%	146	11.1%	705	11.5%	652	10.3%	1,097	12.3%
			02	100	3.7%	41	3.1%	155	2.5%	186	2.9%	239	2.7%
		日数	99	16.99		23.96		21.57		22.14		23.64	
			97	32.74		56.50		47.56		50.99		51.58	
			97(輸血以外の再掲)	31.67		54.78		48.62		52.04		52.62	
			01	38.03		43.84		43.11		46.53		48.02	
			02	44.46		37.85		45.47		51.50		51.04	
010050	非外傷性硬膜下血腫	件数	99	49	5.7%	31	9.3%	120	7.5%	198	8.6%	348	11.1%
			97	3	0.4%	1	0.3%	14	0.9%	25	1.1%	46	1.5%
			97(輸血以外の再掲)	1	0.1%	1	0.3%	11	0.7%	17	0.7%	34	1.1%
			01	21	2.5%	2	0.6%	40	2.5%	86	3.7%	100	3.2%
			02	780	91.4%	301	89.9%	1,435	89.2%	1,999	86.6%	2,632	84.2%
		日数	99	12.51		21.97		12.76		15.58		15.83	
			97	34.67		80.00		30.21		37.28		24.63	
			97(輸血以外の再掲)	74.00		80.00		18.82		47.06		27.91	
			01	25.95		17.50		26.65		23.85		23.39	
			02	12.31		12.85		12.53		14.09		13.84	
010060	脳梗塞	件数	99	7,272	82.0%	5,827	89.9%	23,002	88.7%	25,447	89.2%	38,696	89.8%
			97	642	7.2%	437	6.7%	1,801	6.9%	2,097	7.4%	2,908	6.7%
			97(輸血以外の再掲)	580	6.5%	394	6.1%	1,636	6.3%	1,914	6.7%	2,620	6.1%
			01	521	5.9%	148	2.3%	740	2.9%	628	2.2%	851	2.0%
			02	433	4.9%	73	1.1%	383	1.5%	346	1.2%	648	1.5%
		日数	99	17.31		16.97		17.65		18.83		19.23	
			97	39.20		48.70		48.31		49.59		50.34	
			97(輸血以外の再掲)	37.71		49.10		48.78		49.99		50.56	
			01	28.47		32.43		28.26		32.51		34.31	
			02	18.11		22.23		20.46		23.35		21.92	
010070	脳血管障害(その他)	件数	99	188	83.9%	71	73.2%	339	77.6%	333	77.6%	697	81.0%
			97	36	16.1%	26	26.8%	98	22.4%	96	22.4%	164	19.0%
			97(輸血以外の再掲)	36	16.1%	25	25.8%	97	22.2%	94	21.9%	160	18.6%
		日数	99	18.96		15.48		17.86		13.15		16.64	
			97	27.25		14.77		24.94		25.03		30.18	
010080	脳脊髄の感染を伴う炎症	件数	99	1,052	83.4%	535	93.5%	2,168	90.4%	2,335	91.4%	3,093	91.1%
			97	209	16.6%	37	6.5%	230	9.6%	221	8.6%	301	8.9%
			97(輸血以外の再掲)	184	14.6%	32	5.6%	206	8.6%	205	8.0%	280	8.2%
		日数	99	20.92		15.26		13.22		13.48		12.96	
			97	51.36		49.51		51.21		49.55		49.93	
010120	特発性(単)ニューロパチー	件数	99	207	45.1%	31	58.5%	110	46.6%	145	50.9%	221	60.4%
			97	120	26.1%	12	22.6%	32	13.6%	62	21.8%	46	12.6%
			97(輸血以外の再掲)	120	26.1%	12	22.6%	32	13.6%	61	21.4%	46	12.6%
		日数	01	132	28.8%	10	18.9%	94	39.8%	78	27.4%	99	27.0%
			99	8.69		11.87		8.59		10.28		10.01	
010130	重症筋無力症、その他の神経筋障害	件数	99	367	75.5%	26	81.3%	177	76.6%	154	78.6%	163	83.2%
			97	37	7.6%	2	6.3%	20	8.7%	10	5.1%	10	5.1%
			97(輸血以外の再掲)	35	7.2%	2	6.3%	18	7.8%	10	5.1%	10	5.1%
		日数	99	14.60		13.75		8.97		12.67		15.17	
			01	18.33		11.40		17.66		19.94		17.28	

疾患別手術別件数在院日数

疾患 コード	疾患名	件数 /日 数	手術 診断群分類番号(9,10 桁)	平成15年度 DPC対象病院		平成16年度 DPC対象病院		平成18年度 DPC対象病院		平成18年度 DPC準備病院		平成19年度 DPC準備病院	
		日数	01	82	16.9%	4	12.5%	34	14.7%	32	16.3%	23	11.7%
			99	27.62		21.42		27.60		28.93		20.25	
			97	63.19		50.00		43.90		55.80		74.30	
			97(輸血以外の再掲)	59.91		50.00		44.94		55.80		74.30	
010160	パーキンソン病	件数	01	56.94		42.25		35.76		66.31		43.30	
			99	1,115	80.0%	295	84.0%	1,147	85.6%	1,224	86.1%	1,705	85.3%
			97	278	20.0%	56	16.0%	193	14.4%	197	13.9%	293	14.7%
			97(輸血以外の再掲)	270	19.4%	54	15.4%	182	13.6%	187	13.2%	276	13.8%
		日数	99	23.46		21.22		21.99		24.19		23.81	
			97	36.13		35.00		45.36		44.94		49.97	
			97(輸血以外の再掲)	35.55		35.63		45.62		44.99		50.67	
			99	818	92.3%	95	77.2%	392	85.4%	444	79.9%	489	80.6%
010170	基底核等の変性疾患	件数	97	68	7.7%	28	22.8%	67	14.6%	112	20.1%	118	19.4%
			97(輸血以外の再掲)	67	7.6%	25	20.3%	65	14.2%	109	19.6%	114	18.8%
			99	21.27		18.76		19.27		19.61		21.81	
			97	39.51		45.25		46.40		47.20		45.36	
010180	不随意運動	件数	99	99	73.9%	24	96.0%	74	96.1%	95	95.0%	123	99.2%
			97	35	26.1%	1	4.0%	3	3.9%	5	5.0%	1	0.8%
			97(輸血以外の再掲)	35	26.1%	1	4.0%	3	3.9%	5	5.0%		
			99	12.03		11.75		8.23		12.19		8.37	
010200	水頭症	件数	97	19.43		23.00		37.00		53.80		17.00	
			97(輸血以外の再掲)	19.43		23.00		37.00		53.80			
			99	322	44.4%	67	44.7%	373	45.3%	378	44.3%	477	41.0%
			97	26	3.6%	5	3.3%	35	4.3%	38	4.4%	51	4.4%
010230	てんかん	件数	97(輸血以外の再掲)	25	3.4%	5	3.3%	35	4.3%	37	4.3%	50	4.3%
			01	377	52.0%	78	52.0%	415	50.4%	438	51.3%	635	54.6%
			99	13.65		13.49		10.49		12.08		10.85	
			97	28.81		25.60		20.31		25.00		20.37	
010310	脳の障害(その他)	件数	97(輸血以外の再掲)	29.16		25.60		20.31		22.78		20.42	
			01	27.28		29.21		29.15		35.15		34.03	
			99	2,483	94.6%	1,073	98.3%	4,219	97.3%	5,052	97.8%	6,956	97.9%
			97	141	5.4%	19	1.7%	118	2.7%	114	2.2%	151	2.1%
020010	眼瞼・結膜の悪性腫瘍	件数	97(輸血以外の再掲)	133	5.1%	18	1.6%	107	2.5%	98	1.9%	134	1.9%
			99	11.28		9.27		8.63		8.77		9.29	
			97	29.84		40.95		38.81		41.38		45.15	
			97(輸血以外の再掲)	30.11		42.67		37.69		42.90		42.52	
020020	眼窩の悪性腫瘍	件数	99	423	66.0%	152	82.6%	503	69.7%	581	77.8%	939	78.1%
			97	218	34.0%	32	17.4%	219	30.3%	166	22.2%	263	21.9%
			97(輸血以外の再掲)	209	32.6%	31	16.8%	211	29.2%	154	20.6%	251	20.9%
			99	12.28		11.41		14.49		13.29		14.91	
020030	ぶどう膜の悪性黒色腫	件数	97	30.49		47.25		49.33		49.88		49.43	
			97(輸血以外の再掲)	30.67		48.65		49.83		50.52		50.14	
			99	12	9.2%			1	2.0%	3	3.6%	5	6.0%
			97	119	90.8%	25	100.0%	48	98.0%	81	96.4%	78	94.0%
020040	網膜芽細胞腫	件数	97(輸血以外の再掲)	119	90.8%	25	100.0%	48	98.0%	81	96.4%	78	94.0%
			99	27.00				55.00		18.33		13.00	
			97	11.10		8.48		10.04		11.86		9.53	
			97(輸血以外の再掲)	11.10		8.48		10.04		11.86		9.53	
020050	眼の悪性腫瘍	件数	99	10	29.4%	2	40.0%	4	44.4%	1	9.1%	1	16.7%
			97	24	70.6%	3	60.0%	5	55.6%	10	90.9%	5	83.3%
			97(輸血以外の再掲)	21	61.8%	3	60.0%	4	44.4%	10	90.9%	5	83.3%
			99	36.50		7.50		20.25		16.00		45.00	
020060	網膜芽細胞腫	件数	97	26.42		27.00		32.00		13.80		19.80	
			97(輸血以外の再掲)	22.90		27.00		17.25		13.80		19.80	
			99	20	51.3%			3	50.0%	2	40.0%	10	90.9%
			97	19	48.7%			3	50.0%	3	60.0%	1	9.1%
020070	結膜・角膜腫瘍	件数	97(輸血以外の再掲)	19	48.7%			3	50.0%	3	60.0%	1	9.1%
			99	18.80				24.33		5.50		6.00	
			97	11.84				9.33		20.67		9.00	
			97(輸血以外の再掲)	11.84				9.33		20.67		9.00	
020080	眼窩腫瘍	件数	99	67	35.8%	2	66.7%	15	71.4%			15	71.4%
			97	120	64.2%	1	33.3%	6	28.6%			6	28.6%
			97(輸血以外の再掲)	114	61.0%	1	33.3%	6	28.6%			6	28.6%
			99	12.73		2.00		4.47				5.47	
020090	眼の良性腫瘍	件数	97	11.31		6.00		5.83				33.17	
			97(輸血以外の再掲)	10.64		6.00		5.83				33.17	
			99										
			97	1	100.0%	1	100.0%						
020100	眼の良性腫瘍	件数	97(輸血以外の再掲)	1	100.0%	1	100.0%						
			99										
			97	9.00		12.00							
			97(輸血以外の再掲)	9.00		12.00							
020110	眼の悪性腫瘍	件数	99	3	10.0%					9	17.0%	7	15.6%
			97	27	90.0%	3	100.0%	24	100.0%	44	83.0%	38	84.4%
			97(輸血以外の再掲)	27	90.0%	3	100.0%	24	100.0%	44	83.0%	38	84.4%
			99	3.00						3.44		2.57	
020120	眼の悪性腫瘍	件数	97	5.33		2.00		4.33		5.18		3.63	
			97(輸血以外の再掲)	5.33		2.00		4.33		5.18		3.63	
			99	2	3.7%					2	9.5%	1	3.7%
			97	52	96.3%	3	100.0%	6	100.0%	19	90.5%	26	96.3%
020130	眼の悪性腫瘍	件数	97(輸血以外の再掲)	52	96.3%	3	100.0%	6	100.0%	19	90.5%	26	96.3%
			99	2.50						3.50		2.00	
			97	5.48		2.33		5.67		5.26		3.81	
			97(輸血以外の再掲)	5.48		2.33		5.67		5.26		3.81	
020140	眼窩腫瘍	件数	99	4	5.4%	1	16.7%	7	20.0%			1	7.7%
			97	70	94.6%	5	83.3%	28	80.0%	20	100.0%	12	92.3%

疾患別手術別件数在院日数

疾患コード	疾患名	件数/日数	手術 診断群分類番号(9,10 桁)		平成15年度 DPC対象病院		平成16年度 DPC対象病院		平成18年度 DPC対象病院		平成18年度 DPC準備病院		平成19年度 DPC準備病院	
			97(輸血以外の再掲)											
		日数	97(輸血以外の再掲)	70	94.6%	5	83.3%	28	80.0%	20	100.0%	12	92.3%	
			99	11.75		2.00		5.43				7.00		
			97	10.57		15.80		9.82		14.60		7.75		
020090	虹彩・毛様体・脈絡膜・網膜腫瘍	件数	97(輸血以外の再掲)	10.57		15.80		9.82		14.60		7.75		
			99											
			97	3	100.0%			2	100.0%	3	100.0%			
		日数	97(輸血以外の再掲)	3	100.0%			2	100.0%	3	100.0%			
			99											
			97	10.00				9.50		11.33				
020100	涙嚢腫瘍	件数	97(輸血以外の再掲)	10.00				9.50		11.33				
			99									5	83.3%	
			97	8	100.0%				4	100.0%	1	16.7%		
		日数	97(輸血以外の再掲)	8	100.0%					4	100.0%	1	16.7%	
			99									3.40		
			97	8.38					17.25		23.00			
		日数	97(輸血以外の再掲)	8.38						17.25		23.00		
			99											
			97	104	0.6%	20	0.3%	158	0.7%	271	0.9%	227	0.6%	
020110	白内障、水晶体の疾患	件数	97	16,935	99.4%	6,179	99.7%	22,785	99.3%	31,125	99.1%	39,194	99.4%	
			97(輸血以外の再掲)	16,935	99.4%	6,179	99.7%	22,785	99.3%	31,124	99.1%	39,194	99.4%	
			99	3.15		2.90		3.00		4.43		3.81		
		日数	97	6.29		5.25		5.49		5.65		5.81		
			97(輸血以外の再掲)	6.29		5.25		5.49		5.64		5.81		
			99											
020120	急性前部ぶどう膜炎	件数	99	106	68.8%	13	92.9%	41	77.4%	34	79.1%	44	80.0%	
			97	48	31.2%	1	7.1%	12	22.6%	9	20.9%	11	20.0%	
			97(輸血以外の再掲)	48	31.2%	1	7.1%	12	22.6%	9	20.9%	11	20.0%	
		日数	99	15.82		14.23		14.59		11.79		13.23		
			97	23.23		9.00		20.08		13.22		14.45		
			97(輸血以外の再掲)	23.23		9.00		20.08		13.22		14.45		
020130	原田病	件数	99	154	98.7%	17	100.0%	58	100.0%	66	100.0%	80	98.8%	
			97	2	1.3%							1	1.2%	
			97(輸血以外の再掲)	2	1.3%							1	1.2%	
		日数	99	19.50		18.76		18.22		16.53		20.34		
			97	24.50								12.00		
			97(輸血以外の再掲)	24.50								12.00		
020140	網脈絡膜炎・網膜炎・急性網膜壊死	件数	99	7	70.0%			4	100.0%	2	100.0%	3	75.0%	
			97	3	30.0%							1	25.0%	
			97(輸血以外の再掲)	3	30.0%							1	25.0%	
		日数	99	16.43				10.00		28.00		14.00		
			97	29.67								5.00		
			97(輸血以外の再掲)	29.67								5.00		
020150	斜視(外傷性・癒着性を除く。)	件数	99	95	5.0%	27	17.1%	69	15.9%	80	14.2%	132	11.5%	
			97	1,814	95.0%	131	82.9%	366	84.1%	483	85.8%	1,012	88.5%	
			97(輸血以外の再掲)	1,814	95.0%	131	82.9%	366	84.1%	483	85.8%	1,012	88.5%	
		日数	99	13.57		11.44		12.71		14.76		15.86		
			97	3.98		3.70		3.58		3.51		4.26		
			97(輸血以外の再掲)	3.98		3.70		3.58		3.51		4.26		
020160	網膜剝離	件数	99	40	0.9%	4	0.8%	9	0.6%	21	1.0%	16	0.8%	
			97	4,588	99.1%	482	99.2%	1,526	99.4%	1,999	99.0%	1,927	99.2%	
			97(輸血以外の再掲)	4,588	99.1%	482	99.2%	1,526	99.4%	1,999	99.0%	1,927	99.2%	
		日数	99	5.88		6.75		7.00		11.76		8.75		
			97	14.29		13.43		15.93		15.49		14.18		
			97(輸血以外の再掲)	14.29		13.43		15.93		15.49		14.18		
020180	糖尿病性増殖性網膜症	件数	99	47	1.6%	3	1.0%	15	1.3%	16	1.2%	30	2.7%	
			97	2,876	98.4%	294	99.0%	1,163	98.7%	1,355	98.8%	1,072	97.3%	
			97(輸血以外の再掲)	2,876	98.4%	294	99.0%	1,163	98.7%	1,355	98.8%	1,072	97.3%	
		日数	99	6.40		2.00		3.73		12.19		11.90		
			97	16.32		12.95		16.63		15.58		15.17		
			97(輸血以外の再掲)	16.32		12.95		16.63		15.58		15.17		
020190	未熟児網膜症	件数	99	4	9.5%			3	60.0%	5	55.6%	9	19.6%	
			97	38	90.5%	2	100.0%	2	40.0%	4	44.4%	37	80.4%	
			97(輸血以外の再掲)	38	90.5%	2	100.0%	2	40.0%	4	44.4%	37	80.4%	
		日数	99	14.50				7.33		16.80		17.00		
			97	21.00		3.00		6.00		8.25		24.05		
			97(輸血以外の再掲)	21.00		3.00		6.00		8.25		24.05		
020200	黄斑、後極変性	件数	99	110	1.8%	5	1.4%	17	1.3%	10	0.6%	36	1.8%	
			97	5,859	98.2%	353	98.6%	1,331	98.7%	1,799	99.4%	1,977	98.2%	
			97(輸血以外の再掲)	5,859	98.2%	353	98.6%	1,331	98.7%	1,799	99.4%	1,977	98.2%	
		日数	99	3.20		3.60		2.53		8.20		4.36		
			97	7.92		7.90		9.36		9.53		8.47		
			97(輸血以外の再掲)	7.92		7.90		9.36		9.53		8.47		
020210	網膜血管閉塞症	件数	99	235	8.9%	30	26.5%	135	15.2%	148	16.1%	174	16.9%	
			97	878	33.4%	42	37.2%	230	25.9%	433	47.0%	468	45.5%	
			97(輸血以外の再掲)	878	33.4%	42	37.2%	230	25.9%	433	47.0%	468	45.5%	
		日数	01	1,516	57.7%	41	36.3%	524	58.9%	341	37.0%	387	37.6%	
			99	8.82		7.53		8.19		8.84		7.54		
			97	10.26		10.05		12.02		11.43		9.69		
		日数	97(輸血以外の再掲)	10.26		10.05		12.02		11.43		9.69		
			01	16.19		15.78		17.18		19.24		15.56		
			99	522	13.3%	67	21.0%	85	8.0%	119	9.7%	225	18.0%	
020220	緑内障	件数	97	3,399	86.7%	252	79.0%	982	92.0%	1,112	90.3%	1,024	82.0%	
			97(輸血以外の再掲)	3,399	86.7%	252	79.0%	982	92.0%	1,112	90.3%	1,024	82.0%	
			99	4.37		2.43		2.99		4.05		3.44		
		日数	97	14.68		12.36		11.78		12.83		12.61		
			97(輸血以外の再掲)	14.68		12.36		11.78		12.83		12.61		
			99											
020230	眼瞼下垂	件数	99	18	2.4%	2	1.8%	7	1.4%	4	0.7%	6	0.9%	
			97	743	97.6%	108	98.2%	484	98.6%	596	99.3%	683	99.1%	
			97(輸血以外の再掲)	743	97.6%	108	98.2%	484	98.6%	596	99.3%	683	99.1%	

疾患別手術別件数在院日数

疾患 コード	疾患名	件数 /日 数	手術 診断群分類番号(9,10 桁)	平成15年度	平成16年度	平成18年度	平成18年度	平成19年度					
				DPC対象病院	DPC対象病院	DPC対象病院	DPC準備病院	DPC準備病院					
		日数	99	5.94	8.50	5.86	7.50	6.00					
			97	5.73	4.02	4.62	5.31	5.28					
			97(輸血以外の再掲)	5.73	4.02	4.62	5.31	5.28					
020240	硝子体疾患	件数	99	49	5	13	16	23	3.0%				
			97	1,459	96.8%	116	95.9%	482	97.4%	711	97.8%	753	97.0%
			97(輸血以外の再掲)	1,459	96.8%	116	95.9%	482	97.4%	711	97.8%	753	97.0%
		日数	99	5.45	7.60	6.38	5.56	10.09					
			97	12.73	10.90	12.27	12.05	10.94					
			97(輸血以外の再掲)	12.73	10.90	12.27	12.05	10.94					
020250	結膜の障害	件数	99	11	3.4%	2	3.6%	10	4.8%	10	3.2%		
			97	315	96.6%	54	96.4%	137	93.2%	236	95.2%	302	96.8%
			97(輸血以外の再掲)	315	96.6%	54	96.4%	137	93.2%	236	95.2%	302	96.8%
		日数	99	19.00	2.00	4.30	5.33	12.50					
			97	6.20	2.91	3.66	3.59	3.98					
			97(輸血以外の再掲)	6.20	2.91	3.66	3.59	3.98					
020270	強膜の障害	件数	99	19	67.9%		4	100.0%	6	66.7%	3	75.0%	
			97	9	32.1%	1	100.0%		3	33.3%	1	25.0%	
			97(輸血以外の再掲)	9	32.1%	1	100.0%		3	33.3%	1	25.0%	
		日数	99	18.74		26.75	15.50	21.67					
			97	21.00	5.00		8.33	42.00					
			97(輸血以外の再掲)	21.00	5.00		8.33	42.00					
020280	角膜の障害	件数	99	491	39.0%	48	69.6%	138	60.8%	224	48.7%	258	49.3%
			97	767	61.0%	21	30.4%	89	39.2%	236	51.3%	265	50.7%
			97(輸血以外の再掲)	767	61.0%	21	30.4%	89	39.2%	236	51.3%	265	50.7%
		日数	99	15.25	16.33	12.99	14.22	13.48					
			97	16.66	10.05	13.16	15.16	12.17					
			97(輸血以外の再掲)	16.66	10.05	13.16	15.16	12.17					
020290	涙器の疾患	件数	99	23	8.6%	4	10.8%	20	10.1%	21	18.8%	42	10.9%
			97	243	91.4%	33	89.2%	179	89.9%	91	81.3%	345	89.1%
			97(輸血以外の再掲)	243	91.4%	33	89.2%	179	89.9%	91	81.3%	345	89.1%
		日数	99	7.39	7.50	7.95	8.05	7.24					
			97	7.45	5.55	7.87	8.02	5.86					
			97(輸血以外の再掲)	7.45	5.55	7.87	8.02	5.86					
020320	眼瞼、涙器、眼窩の疾患	件数	99	42	8.7%	24	17.6%	50	15.1%	60	12.4%	75	14.3%
			97	441	91.3%	112	82.4%	281	84.9%	423	87.6%	450	85.7%
			97(輸血以外の再掲)	441	91.3%	112	82.4%	281	84.9%	423	87.6%	450	85.7%
		日数	99	10.36	14.38	6.46	7.78	7.23					
			97	4.99	3.51	4.32	3.91	4.12					
			97(輸血以外の再掲)	4.99	3.51	4.32	3.91	4.12					
020340	虹彩毛様体炎、虹彩・毛様体の障害	件数	99	54	49.5%	6	42.9%	17	51.5%	24	50.0%	20	47.6%
			97	55	50.5%	8	57.1%	16	48.5%	24	50.0%	22	52.4%
			97(輸血以外の再掲)	55	50.5%	8	57.1%	16	48.5%	24	50.0%	22	52.4%
		日数	99	10.70	11.17	11.35	7.92	8.55					
			97	12.62	8.88	10.81	9.83	12.73					
			97(輸血以外の再掲)	12.62	8.88	10.81	9.83	12.73					
020350	脈絡膜の疾患	件数	99	50	9.1%	1	5.3%	5	4.7%	17	6.5%	24	10.9%
			97	497	90.9%	18	94.7%	101	95.3%	243	93.5%	197	89.1%
			97(輸血以外の再掲)	497	90.9%	18	94.7%	101	95.3%	243	93.5%	197	89.1%
		日数	99	8.88	21.00	16.20	4.59	6.33					
			97	9.85	10.06	10.52	9.08	9.28					
			97(輸血以外の再掲)	9.85	10.06	10.52	9.08	9.28					
020360	眼球の障害	件数	99	88	30.1%	11	42.3%	44	45.4%	29	35.4%	46	47.4%
			97	204	69.9%	15	57.7%	53	54.6%	53	64.6%	51	52.6%
			97(輸血以外の再掲)	203	69.5%	15	57.7%	53	54.6%	53	64.6%	51	52.6%
		日数	99	14.82	15.82	13.84	10.38	14.13					
			97	16.75	16.73	13.77	19.08	16.02					
			97(輸血以外の再掲)	16.51	16.73	13.77	19.08	16.02					
020370	視神経の疾患	件数	99	306	94.7%	38	95.0%	153	95.6%	189	95.9%	181	91.4%
			97	17	5.3%	2	5.0%	7	4.4%	8	4.1%	17	8.6%
			97(輸血以外の再掲)	17	5.3%	2	5.0%	7	4.4%	8	4.1%	17	8.6%
		日数	99	15.44	11.63	11.24	13.31	13.07					
			97	16.59	20.00	8.00	15.88	20.82					
			97(輸血以外の再掲)	16.59	20.00	8.00	15.88	20.82					
020380	眼球運動障害	件数	99	9	33.3%	1	50.0%	9	90.0%	14	93.3%	15	68.2%
			97	18	66.7%	1	50.0%	1	10.0%	1	6.7%	7	31.8%
			97(輸血以外の再掲)	18	66.7%	1	50.0%	1	10.0%	1	6.7%	7	31.8%
		日数	99	10.78	10.00	14.56	7.07	6.47					
			97	4.83	4.00	13.00	4.00	4.86					
			97(輸血以外の再掲)	4.83	4.00	13.00	4.00	4.86					
020400	眼、付属器の障害	件数	99	29	82.9%	6	66.7%	7	70.0%	5	16.7%	9	60.0%
			97	6	17.1%	3	33.3%	3	30.0%	25	83.3%	6	40.0%
			97(輸血以外の再掲)	6	17.1%	3	33.3%	3	30.0%	25	83.3%	6	40.0%
		日数	99	18.97	6.67	20.71	10.60	11.22					
			97	14.00	7.33	2.00	7.48	9.33					
			97(輸血以外の再掲)	14.00	7.33	2.00	7.48	9.33					
03001x	頭頸部悪性腫瘍	件数	99	2,820	41.3%	409	47.1%	1,414	42.2%	1,862	41.5%	1,976	44.2%
			97	1,423	20.8%	160	18.4%	655	19.5%	984	21.9%	906	20.3%
			97(輸血以外の再掲)	1,272	18.6%	147	16.9%	612	18.2%	897	20.0%	818	18.3%
		日数	01	1,977	28.9%	227	26.1%	929	27.7%	1,150	25.6%	1,156	25.9%
			02	616	9.0%	73	8.4%	356	10.6%	491	10.9%	428	9.6%
			99	34.71	27.66	28.91	30.57	28.51					
			97	42.90	34.09	34.29	34.82	38.96					
			97(輸血以外の再掲)	42.78	33.90	33.80	33.26	38.51					
			01	39.92	25.06	24.81	27.62	32.58					
			02	31.20	18.27	17.47	22.53	24.05					
			99	69	5.2%	6	2.7%	40	3.8%	52	5.0%	71	6.6%
			97	1,254	94.8%	220	97.3%	1,005	96.2%	994	95.0%	1,008	93.4%

疾患別手術別件数在院日数

疾患 コード	疾患名	件数 /日 数	手術 診断群分類番号(9,10 桁)		平成15年度 DPC対象病院		平成16年度 DPC対象病院		平成18年度 DPC対象病院		平成18年度 DPC準備病院		平成19年度 DPC準備病院	
			97	(輸血以外の再掲)										
030160	大唾液腺の良性腫瘍	日数	97	(輸血以外の再掲)	1,254	94.8%	220	97.3%	1,005	96.2%	992	94.8%	1,007	93.3%
			99		10.42		7.00		9.47		11.15		12.30	
			97		10.38		7.40		8.09		8.51		9.15	
		件数	97	(輸血以外の再掲)	10.38		7.40		8.09		8.44		9.12	
			99		4	0.8%			1	0.2%	5	1.0%	2	0.4%
			97		496	99.2%	153	100.0%	507	99.8%	509	99.0%	514	99.6%
日数	97	(輸血以外の再掲)	496	99.2%	153	100.0%	507	99.8%	509	99.0%	514	99.6%		
	99		8.00				4.00		12.80		11.50			
	97		11.10		9.42		9.59		10.42		10.49			
030180	口内炎、口腔疾患	件数	99		33	57.9%	26	86.7%	79	63.2%	111	64.9%	139	76.8%
			97		24	42.1%	4	13.3%	46	36.8%	60	35.1%	42	23.2%
			97	(輸血以外の再掲)	24	42.1%	4	13.3%	46	36.8%	57	33.3%	42	23.2%
		日数	99		7.45		6.85		7.33		9.64		8.73	
			97		7.92		7.00		7.26		7.93		7.57	
			97	(輸血以外の再掲)	7.92		7.00		7.26		7.86		7.57	
030190	唾液腺炎、唾液腺膿瘍	件数	99		63	74.1%	41	74.5%	132	81.5%	166	78.3%	187	75.7%
			97		22	25.9%	14	25.5%	30	18.5%	46	21.7%	60	24.3%
			97	(輸血以外の再掲)	22	25.9%	12	21.8%	30	18.5%	45	21.2%	60	24.3%
		日数	99		9.52		7.54		8.62		7.80		8.64	
			97		10.55		20.93		12.50		11.74		11.95	
			97	(輸血以外の再掲)	10.55		18.08		12.50		11.73		11.95	
030200	腺内唾石	件数	99		2	1.6%	9	15.8%	6	2.6%	10	4.6%	10	3.7%
			97		122	98.4%	48	84.2%	224	97.4%	207	95.4%	257	96.3%
			97	(輸血以外の再掲)	122	98.4%	48	84.2%	224	97.4%	207	95.4%	257	96.3%
		日数	99		11.50		5.67		12.00		7.40		6.00	
			97		9.27		7.35		8.26		8.22		8.63	
			97	(輸血以外の再掲)	9.27		7.35		8.26		8.22		8.63	
030220	ガマ腫	件数	99		10	19.6%	2	10.0%	6	15.4%	3	9.1%	8	13.6%
			97		41	80.4%	18	90.0%	33	84.6%	30	90.9%	51	86.4%
			97	(輸血以外の再掲)	41	80.4%	18	90.0%	33	84.6%	30	90.9%	51	86.4%
		日数	99		2.90		2.50		4.00		3.33		3.63	
			97		8.54		6.72		6.52		6.60		7.45	
			97	(輸血以外の再掲)	8.54		6.72		6.52		6.60		7.45	
030230	扁桃、アデノイドの慢性疾患	件数	99		32	1.9%	14	1.5%	59	1.6%	97	2.6%	115	2.7%
			97		1,676	98.1%	892	98.5%	3,577	98.4%	3,610	97.4%	4,163	97.3%
			97	(輸血以外の再掲)	1,676	98.1%	892	98.5%	3,577	98.4%	3,610	97.4%	4,163	97.3%
		日数	99		5.66		3.29		4.93		5.29		5.13	
			97		9.87		8.86		9.00		9.17		8.98	
			97	(輸血以外の再掲)	9.87		8.86		9.00		9.17		8.98	
030240	扁桃周囲膿瘍	件数	99		364	55.4%	264	66.7%	1,033	69.3%	1,090	63.6%	1,307	67.7%
			97		293	44.6%	132	33.3%	457	30.7%	624	36.4%	625	32.3%
			97	(輸血以外の再掲)	293	44.6%	132	33.3%	457	30.7%	624	36.4%	625	32.3%
		日数	99		6.31		5.75		6.12		6.24		6.28	
			97		7.19		6.73		7.14		6.63		7.01	
			97	(輸血以外の再掲)	7.19		6.73		7.14		6.63		7.01	
030250	睡眠時無呼吸	件数	99		3,546	92.2%	1,170	95.5%	3,486	93.1%	5,423	95.1%	6,742	95.8%
			97		299	7.8%	55	4.5%	259	6.9%	278	4.9%	292	4.2%
			97	(輸血以外の再掲)	299	7.8%	55	4.5%	259	6.9%	278	4.9%	291	4.1%
		日数	99		2.33		2.16		2.22		2.32		2.34	
			97		9.63		8.51		9.32		9.34		9.50	
			97	(輸血以外の再掲)	9.63		8.51		9.32		9.34		9.52	
030280	声帯ポリープ、結節	件数	99		4	0.9%	1	0.5%	3	0.5%	18	2.3%	12	1.3%
			97		451	99.1%	189	99.5%	659	99.5%	754	97.7%	920	98.7%
			97	(輸血以外の再掲)	451	99.1%	189	99.5%	659	99.5%	754	97.7%	919	98.6%
		日数	99		2.75		8.00		5.67		4.61		4.33	
			97		7.12		6.21		7.00		7.09		7.47	
			97	(輸血以外の再掲)	7.12		6.21		7.00		7.09		7.47	
030290	声帯麻痺	件数	99		2	2.4%	1	20.0%	4	13.3%	5	13.9%	13	27.1%
			97		81	97.6%	4	80.0%	26	86.7%	31	86.1%	35	72.9%
			97	(輸血以外の再掲)	81	97.6%	4	80.0%	26	86.7%	31	86.1%	35	72.9%
		日数	99		7.00		11.00		4.50		33.20		18.54	
			97		16.33		14.25		14.08		13.35		21.74	
			97	(輸血以外の再掲)	16.33		14.25		14.08		13.35		21.74	
030300	声帯の疾患(その他)	件数	99		153	21.7%	61	32.4%	191	25.0%	223	29.9%	273	34.0%
			97		122	17.3%	28	14.9%	115	15.1%	126	16.9%	132	16.5%
			97	(輸血以外の再掲)	122	17.3%	28	14.9%	114	14.9%	126	16.9%	131	16.3%
		日数	01		429	60.9%	99	52.7%	458	59.9%	396	53.2%	397	49.5%
			99		6.25		5.44		6.90		7.41		6.38	
			97		12.81		10.00		11.43		10.14		9.65	
030320	鼻中隔湾曲症	件数	99		2	0.4%			1	0.2%	2	0.3%		
			97		461	99.6%	113	100.0%	482	99.8%	649	99.7%	620	100.0%
			97	(輸血以外の再掲)	461	99.6%	113	100.0%	482	99.8%	649	99.7%	620	100.0%
		日数	99		5.50				2.00		2.00			
			97		8.37		7.96		7.95		8.14		7.89	
			97	(輸血以外の再掲)	8.37		7.96		7.95		8.14		7.89	
030330	急性副鼻腔炎	件数	99		49	69.0%	38	90.5%	149	88.7%	174	84.5%	188	80.0%
			97		22	31.0%	4	9.5%	19	11.3%	32	15.5%	47	20.0%
			97	(輸血以外の再掲)	22	31.0%	4	9.5%	19	11.3%	32	15.5%	47	20.0%
		日数	99		7.92		6.68		6.86		6.48		8.26	
			97		12.27		6.50		11.68		12.69		11.19	
			97	(輸血以外の再掲)	12.27		6.50		11.68		12.69		11.19	
030340	血管運動性鼻炎、アレルギー性鼻炎<鼻アレルギー>	件数	99		10	6.6%	1	8.3%	2	1.7%	7	7.7%	12	12.0%
			97		141	93.4%	11	91.7%	115	98.3%	84	92.3%	88	88.0%
			97	(輸血以外の再掲)	141	93.4%	11	91.7%	115	98.3%	84	92.3%	88	88.0%

疾患別手術別件数在院日数

疾患 コード	疾患名	件数 /日 数	手術 診断群分類番号(9,10 桁)	平成15年度	平成16年度	平成18年度	平成18年度	平成19年度
				DPC対象病院	DPC対象病院	DPC対象病院	DPC準備病院	DPC準備病院
		日数	99	5.30	4.00	6.50	8.71	8.58
			97	7.96	6.55	7.14	7.83	7.07
			97(輸血以外の再掲)	7.96	6.55	7.14	7.83	7.07
030350	慢性副鼻腔炎	件数	99	54 2.3%	22 3.4%	51 1.8%	129 4.7%	106 3.3%
			97	2,273 97.7%	626 96.6%	2,793 98.2%	2,619 95.3%	3,094 96.7%
			97(輸血以外の再掲)	2,273 97.7%	626 96.6%	2,793 98.2%	2,619 95.3%	3,094 96.7%
		日数	99	7.31	6.41	6.78	7.91	7.63
			97	9.31	8.39	8.62	9.09	9.21
			97(輸血以外の再掲)	9.31	8.39	8.62	9.09	9.21
030360	副鼻腔嚢胞、鼻前庭嚢胞	件数	99	6 2.3%	57 100.0%	4 1.5%	6 2.3%	15 4.5%
			97	254 97.7%	57 100.0%	259 98.5%	250 97.7%	319 95.5%
			97(輸血以外の再掲)	254 97.7%	57 100.0%	259 98.5%	250 97.7%	319 95.5%
		日数	99	3.83		11.00	6.17	8.93
			97	9.98	8.72	8.39	8.71	9.31
			97(輸血以外の再掲)	9.98	8.72	8.39	8.71	9.31
030370	鼻ポリープ	件数	99		1 7.1%	4 4.7%	2 1.4%	1 0.6%
			97	45 100.0%	13 92.9%	82 95.3%	145 98.6%	157 99.4%
			97(輸血以外の再掲)	45 100.0%	13 92.9%	81 94.2%	145 98.6%	157 99.4%
		日数	99		6.00	8.25	4.50	4.00
			97	6.80	5.85	6.04	6.32	6.38
			97(輸血以外の再掲)	6.80	5.85	6.04	6.32	6.38
030380	鼻出血	件数	99	219 66.6%	64 70.3%	319 71.0%	327 70.9%	445 71.5%
			97	110 33.4%	27 29.7%	130 29.0%	134 29.1%	177 28.5%
			97(輸血以外の再掲)	93 28.3%	23 25.3%	123 27.4%	115 24.9%	154 24.8%
		日数	99	6.93	6.14	7.47	6.80	7.17
			97	9.71	7.33	9.68	8.44	8.08
			97(輸血以外の再掲)	9.56	7.52	9.70	8.26	7.56
030390	顔面神経障害	件数	99	459 53.9%	263 88.3%	1,117 86.2%	1,292 87.2%	1,377 83.8%
			97	226 26.5%	25 8.4%	149 11.5%	143 9.7%	233 14.2%
			97(輸血以外の再掲)	225 26.4%	25 8.4%	149 11.5%	143 9.7%	233 14.2%
		日数	01	167 19.6%	10 3.4%	30 2.3%	46 3.1%	33 2.0%
			99	12.20	10.61	10.90	11.34	12.53
			97	15.80	14.20	14.60	15.19	16.29
		97(輸血以外の再掲)	15.83	14.20	14.60	15.19	16.29	
			01	10.77	8.70	7.83	10.93	8.33
			99	1,037 96.1%	933 99.3%	4,478 99.6%	5,846 99.5%	9,336 99.5%
030400	前庭機能障害	件数	97	42 3.9%	7 0.7%	16 0.4%	29 0.5%	45 0.5%
			97(輸血以外の再掲)	42 3.9%	6 0.6%	16 0.4%	27 0.5%	45 0.5%
			99	6.37	6.03	6.24	6.71	6.81
		日数	97	11.76	8.14	13.50	15.17	15.69
			97(輸血以外の再掲)	11.76	8.67	13.50	13.96	15.69
			99	223 45.1%	29 96.7%	166 82.6%	298 84.7%	316 87.5%
030425	聴覚の障害(その他)	件数	97	271 54.9%	1 3.3%	35 17.4%	54 15.3%	45 12.5%
			97(輸血以外の再掲)	271 54.9%	1 3.3%	35 17.4%	54 15.3%	45 12.5%
			99	10.36	12.41	10.12	9.83	10.75
		日数	97	14.87	14.00	11.43	11.31	13.29
			97(輸血以外の再掲)	14.87	14.00	11.43	11.31	13.29
			99	8 2.9%	4 4.0%	15 3.7%	75 10.4%	84 9.0%
030430	滲出性中耳炎、耳管炎、耳管閉塞	件数	97	264 97.1%	97 96.0%	389 96.3%	649 89.6%	847 91.0%
			97(輸血以外の再掲)	264 97.1%	97 96.0%	389 96.3%	649 89.6%	847 91.0%
			99	3.00	3.25	4.53	5.76	6.00
		日数	97	4.55	3.35	3.73	4.57	4.29
			97(輸血以外の再掲)	4.55	3.35	3.73	4.57	4.29
			99	136 4.7%	92 23.2%	217 11.3%	369 18.8%	340 18.7%
030440	慢性化膿性中耳炎・中耳真珠腫	件数	97	124 4.2%	59 14.9%	166 8.7%	291 14.8%	195 10.7%
			97(輸血以外の再掲)	124 4.2%	59 14.9%	166 8.7%	291 14.8%	195 10.7%
			01	2,466 84.5%	217 54.8%	1,325 69.2%	1,156 58.8%	1,108 61.0%
		日数	02	194 6.6%	28 7.1%	208 10.9%	151 7.7%	173 9.5%
			99	8.43	6.30	6.71	7.22	7.11
			97	11.65	7.63	8.49	7.52	8.09
		97(輸血以外の再掲)	11.65	7.63	8.49	7.52	8.09	
			01	14.95	10.69	14.74	13.50	15.24
			02	5.72	5.57	6.55	6.21	5.71
030450	外耳の障害(その他)	件数	99	21 19.4%	20 60.6%	40 40.8%	53 43.4%	78 47.3%
			97	87 80.6%	13 39.4%	58 59.2%	69 56.6%	87 52.7%
			97(輸血以外の再掲)	87 80.6%	13 39.4%	58 59.2%	69 56.6%	87 52.7%
		日数	99	10.38	6.90	8.43	7.45	6.94
			97	12.14	6.69	7.81	5.77	8.60
			97(輸血以外の再掲)	12.14	6.69	7.81	5.77	8.60
030460	中耳・乳様突起の障害	件数	99	13 6.9%	20 44.4%	63 30.3%	125 36.3%	207 46.1%
			97	48 25.4%	16 35.6%	93 44.7%	161 46.8%	186 41.4%
			97(輸血以外の再掲)	48 25.4%	16 35.6%	93 44.7%	161 46.8%	186 41.4%
		日数	01	128 67.7%	9 20.0%	52 25.0%	58 16.9%	56 12.5%
			99	7.92	6.45	6.25	6.38	6.42
			97	10.19	5.50	6.22	7.22	6.34
		97(輸血以外の再掲)	10.19	5.50	6.22	7.22	6.34	
			01	13.80	11.33	12.96	13.84	13.80
			99	15 34.1%	2 66.7%	23 46.9%	36 50.7%	42 60.9%
030470	内耳の障害(その他)	件数	97	29 65.9%	1 33.3%	26 53.1%	35 49.3%	27 39.1%
			97(輸血以外の再掲)	29 65.9%	1 33.3%	26 53.1%	35 49.3%	27 39.1%
			99	9.73	6.00	12.70	7.97	7.76
		日数	97	14.24	7.00	12.27	16.83	14.15
			97(輸血以外の再掲)	14.24	7.00	12.27	16.83	14.15
			99	1 0.5%			1 1.8%	
030475	耳硬化症	件数	97	201 99.5%	6 100.0%	47 100.0%	56 98.2%	45 100.0%
			97(輸血以外の再掲)	201 99.5%	6 100.0%	47 100.0%	56 98.2%	45 100.0%
			99	2.00			2.00	

疾患別手術別件数在院日数

疾患 コード	疾患名	件数 /日 数	手術 診断群分類番号(9,10 桁)	平成15年度 DPC対象病院		平成16年度 DPC対象病院		平成18年度 DPC対象病院		平成18年度 DPC準備病院		平成19年度 DPC準備病院	
030490	上気道の疾患(その他)	件数	97	11.98		7.67		12.38		11.41		13.27	
			97(輸血以外の再掲)	11.98		7.67		12.38		11.41		13.27	
			99	7	70.0%	1	100.0%	5	55.6%	10	43.5%	12	60.0%
			97	3	30.0%			4	44.4%	13	56.5%	8	40.0%
			97(輸血以外の再掲)	3	30.0%			4	44.4%	13	56.5%	8	40.0%
030500	唾液腺の疾患(その他)	件数	99	8.86		6.00		5.20		6.50		5.92	
			97	46.00				7.50		9.92		9.63	
			97(輸血以外の再掲)	46.00				7.50		9.92		9.63	
			99	9	56.3%	2	50.0%	4	66.7%	1	10.0%	6	60.0%
			97	7	43.8%	2	50.0%	2	33.3%	9	90.0%	4	40.0%
040010	縦隔悪性腫瘍、縦隔・胸膜 の悪性腫瘍	件数	97(輸血以外の再掲)	7	43.8%	2	50.0%	2	33.3%	9	90.0%	4	40.0%
			99	15.56		12.00		6.50		5.00		27.33	
			97	21.71		3.00		5.50		14.78		15.25	
			97(輸血以外の再掲)	21.71		3.00		5.50		14.78		15.25	
			99	518	63.2%	79	62.7%	349	69.4%	359	70.5%	564	74.4%
040020	縦隔の良性腫瘍	件数	97	96	11.7%	19	15.1%	59	11.7%	70	13.8%	109	14.4%
			97(輸血以外の再掲)	66	8.0%	10	7.9%	46	9.1%	55	10.8%	66	8.7%
			01	206	25.1%	28	22.2%	95	18.9%	80	15.7%	85	11.2%
			99	20.72		17.16		23.06		19.03		19.97	
			97	38.66		44.00		29.98		34.21		33.12	
040030	呼吸器系の良性腫瘍	件数	97(輸血以外の再掲)	35.09		36.20		29.70		31.29		28.35	
			01	24.38		16.14		16.73		19.89		19.89	
			99	141	25.3%	12	19.7%	74	22.2%	95	27.5%	123	31.9%
			97	24	4.3%	1	1.6%	12	3.6%	54	15.7%	49	12.7%
			97(輸血以外の再掲)	22	3.9%	1	1.6%	11	3.3%	52	15.1%	45	11.7%
040040	肺の悪性腫瘍	件数	01	393	70.4%	48	78.7%	248	74.3%	196	56.8%	213	55.3%
			99	6.99		12.42		10.03		8.42		10.16	
			97	13.04		15.00		20.50		18.37		26.31	
			97(輸血以外の再掲)	13.86		15.00		19.55		17.17		24.98	
			01	14.71		11.06		10.63		14.43		13.80	
040050	胸壁腫瘍、胸膜腫瘍	件数	99	181	40.0%	48	50.0%	187	42.5%	381	66.3%	380	59.5%
			97	6	1.3%			3	0.7%	16	2.8%	21	3.3%
			97(輸血以外の再掲)	4	0.9%			3	0.7%	14	2.4%	21	3.3%
			01	265	58.6%	48	50.0%	250	56.8%	178	31.0%	238	37.2%
			99	4.90		7.29		4.06		4.60		5.95	
040060	急性扁桃炎、急性咽喉頭炎	件数	97	17.33				18.00		28.38		14.29	
			97(輸血以外の再掲)	18.00				18.00		25.00		14.29	
			01	13.18		11.77		12.28		14.99		14.20	
			99	15,798	73.8%	5,041	82.0%	20,782	80.7%	21,226	80.2%	28,547	81.2%
			97	1,436	6.7%	360	5.9%	1,503	5.8%	1,852	7.0%	2,339	6.7%
040080	肺炎、急性気管支炎、急性 細気管支炎	件数	97(輸血以外の再掲)	713	3.3%	172	2.8%	719	2.8%	943	3.6%	1,243	3.5%
			01	4,167	19.5%	744	12.1%	3,475	13.5%	3,403	12.9%	4,270	12.1%
			99	19.20		18.70		19.47		20.14		19.70	
			97	41.72		41.66		39.27		45.05		46.11	
			97(輸血以外の再掲)	38.34		37.74		37.97		45.16		44.08	
040120	慢性閉塞性肺疾患	件数	01	18.08		15.99		17.34		20.31		20.84	
			99	400	73.1%	173	88.3%	646	83.7%	829	87.6%	1,198	86.4%
			97	93	17.0%	20	10.2%	72	9.3%	101	10.7%	162	11.7%
			97(輸血以外の再掲)	63	11.5%	12	6.1%	54	7.0%	53	5.6%	107	7.7%
			01	54	9.9%	3	1.5%	54	7.0%	16	1.7%	26	1.9%
040130	呼吸不全(その他)	件数	99	18.60		21.59		21.89		20.14		21.64	
			97	29.80		34.40		25.01		34.00		36.67	
			97(輸血以外の再掲)	30.13		37.58		22.69		35.87		36.50	
			01	20.63		14.00		13.69		16.25		17.73	
			99	891	82.9%	820	94.8%	3,144	94.4%	4,254	93.7%	5,562	94.1%
040140	気道出血(その他)	件数	97	108	10.0%	24	2.8%	124	3.7%	213	4.7%	270	4.6%
			97(輸血以外の再掲)	108	10.0%	24	2.8%	124	3.7%	210	4.6%	267	4.5%
			01	76	7.1%	21	2.4%	62	1.9%	74	1.6%	78	1.3%
			99	6.85		5.24		5.57		5.66		5.72	
			97	16.24		9.42		9.44		10.96		11.80	
040150	肺・縦隔の感染、膿瘍形成	件数	97(輸血以外の再掲)	16.24		9.42		9.44		10.81		11.70	
			01	22.13		13.95		17.40		20.16		19.00	
			99	6,641	89.7%	9,794	92.7%	37,817	92.6%	50,269	93.3%	69,391	92.8%
			97	762	10.3%	772	7.3%	3,004	7.4%	3,591	6.7%	5,354	7.2%
			97(輸血以外の再掲)	500	6.8%	577	5.5%	2,368	5.8%	2,721	5.1%	3,942	5.3%
040150	肺・縦隔の感染、膿瘍形成	件数	99	13.80		12.88		12.88		13.75		14.93	
			97	43.37		44.02		47.53		48.60		51.35	
			97(輸血以外の再掲)	48.71		48.21		50.46		52.17		55.17	
			01	22.13		13.95		17.40		20.16		19.00	
			99	380	88.2%	350	94.3%	1,339	93.2%	1,921	93.0%	2,782	94.8%
040150	肺・縦隔の感染、膿瘍形成	件数	97	51	11.8%	21	5.7%	98	6.8%	144	7.0%	154	5.2%
			97(輸血以外の再掲)	46	10.7%	18	4.9%	90	6.3%	123	6.0%	130	4.4%
			99	18.60		17.77		18.11		19.70		19.60	
			97	27.00		26.81		29.16		46.30		51.69	
			97(輸血以外の再掲)	27.24		29.00		24.78		45.43		49.44	
040150	肺・縦隔の感染、膿瘍形成	件数	99	1,033	83.7%	469	82.7%	2,248	86.1%	2,219	89.9%	3,040	88.2%
			97	201	16.3%	98	17.3%	364	13.9%	250	10.1%	407	11.8%
			97(輸血以外の再掲)	154	12.5%	75	13.2%	288	11.0%	190	7.7%	312	9.1%
			99	16.63		18.26		18.34		20.53		20.51	
			97	45.79		48.94		52.73		53.22		57.49	
040150	肺・縦隔の感染、膿瘍形成	件数	97(輸血以外の再掲)	48.46		49.40		56.15		57.93		62.86	
			01	175	70.9%	83	76.1%	391	77.4%	309	84.2%	391	80.1%
			97	72	29.1%	26	23.9%	114	22.6%	58	15.8%	97	19.9%
			97(輸血以外の再掲)	64	25.9%	23	21.1%	101	20.0%	47	12.8%	73	15.0%
			99	11.98		9.98		8.97		8.59		8.98	
040150	肺・縦隔の感染、膿瘍形成	件数	97	14.64		18.77		12.60		18.41		17.08	
			97(輸血以外の再掲)	14.39		18.48		12.03		16.00		17.03	
			99	438	62.5%	269	80.3%	1,008	76.2%	1,051	78.7%	1,500	80.3%

疾患別手術別件数在院日数

疾患 コード	疾患名	件数 /日 数	手術 診断群分類番号(9,10 桁)		平成15年度 DPC対象病院		平成16年度 DPC対象病院		平成18年度 DPC対象病院		平成18年度 DPC準備病院		平成19年度 DPC準備病院	
			97											
		件数	97	263	37.5%	66	19.7%	314	23.8%	285	21.3%	368	19.7%	
			97(輸血以外の再掲)	232	33.1%	53	15.8%	265	20.0%	231	17.3%	303	16.2%	
			99	25.86		21.69		27.10		28.28		27.30		
			97	42.86		47.85		42.32		40.88		47.68		
040180	気管支狭窄など気管通過障害	件数	97(輸血以外の再掲)	43.56		48.70		41.49		39.85		47.98		
			99	50	50.5%	19	90.5%	61	70.1%	120	82.2%	141	75.8%	
			97	49	49.5%	2	9.5%	26	29.9%	26	17.8%	45	24.2%	
			97(輸血以外の再掲)	49	49.5%	2	9.5%	25	28.7%	24	16.4%	44	23.7%	
		日数	99	10.18		8.32		5.82		10.90		11.66		
			97	24.29		28.00		17.77		31.81		26.47		
			97(輸血以外の再掲)	24.29		28.00		16.44		31.63		25.73		
			97	24.29		28.00		17.77		31.81		26.47		
040190	胸水、胸膜の疾患(その他)	件数	99	318	85.9%	163	90.1%	693	88.2%	876	91.8%	1,182	91.6%	
			97	52	14.1%	18	9.9%	93	11.8%	78	8.2%	109	8.4%	
			97(輸血以外の再掲)	30	8.1%	9	5.0%	60	7.6%	46	4.8%	72	5.6%	
			99	17.57		16.39		18.67		18.62		19.80		
		日数	97	35.42		40.89		37.86		31.23		37.56		
			97(輸血以外の再掲)	34.20		31.33		38.80		29.83		35.76		
			97	689	47.3%	475	55.1%	2,125	57.1%	2,530	58.8%	3,617	63.1%	
			97	54	3.7%	28	3.2%	117	3.1%	104	2.4%	180	3.1%	
040200	気胸	件数	97(輸血以外の再掲)	48	3.3%	22	2.6%	111	3.0%	97	2.3%	175	3.1%	
			01	714	49.0%	359	41.6%	1,478	39.7%	1,669	38.8%	1,933	33.7%	
			99	11.95		10.35		10.05		10.74		10.98		
			97	24.41		22.61		17.65		23.13		20.83		
		日数	97(輸血以外の再掲)	24.85		21.09		16.07		22.91		20.71		
			01	11.95		11.96		11.15		12.43		13.15		
			99	87	80.6%	56	88.9%	238	91.5%	302	88.3%	428	89.4%	
			97	21	19.4%	7	11.1%	22	8.5%	40	11.7%	51	10.6%	
040210	気管支拡張症	件数	97(輸血以外の再掲)	20	18.5%	7	11.1%	22	8.5%	35	10.2%	48	10.0%	
			99	16.33		15.11		11.71		16.09		15.25		
			97	15.71		13.71		18.45		33.48		25.86		
			97(輸血以外の再掲)	15.60		13.71		18.45		24.54		25.02		
040220	横隔膜腫瘍・横隔膜疾患 (新生児を含む。)	件数	99	42	31.3%	9	40.9%	42	44.2%	76	59.8%	147	64.2%	
			97	92	68.7%	13	59.1%	53	55.8%	51	40.2%	82	35.8%	
			97(輸血以外の再掲)	91	67.9%	12	54.5%	51	53.7%	51	40.2%	79	34.5%	
			99	12.55		11.67		8.57		9.70		14.76		
		日数	97	26.41		38.92		23.55		24.98		32.55		
			97(輸血以外の再掲)	26.67		41.33		24.20		24.98		32.01		
			99	30	41.1%	5	50.0%	34	44.7%	70	59.8%	112	54.1%	
			97	43	58.9%	5	50.0%	42	55.3%	47	40.2%	95	45.9%	
040230	血胸、気胸、乳び胸	件数	97(輸血以外の再掲)	38	52.1%	1	10.0%	40	52.6%	41	35.0%	81	39.1%	
			99	11.53		12.20		11.38		12.59		15.46		
			97	14.88		14.60		11.45		16.19		15.67		
			97(輸血以外の再掲)	12.89		10.00		11.53		15.32		14.74		
040240	肺循環疾患	件数	99	199	41.5%	105	59.0%	495	60.1%	256	72.5%	340	70.2%	
			97	281	58.5%	73	41.0%	329	39.9%	97	27.5%	144	29.8%	
			97(輸血以外の再掲)	228	47.5%	50	28.1%	233	28.3%	66	18.7%	99	20.5%	
			99	21.77		22.04		19.98		19.91		18.59		
		日数	97	39.04		41.30		48.38		37.85		37.84		
			97(輸血以外の再掲)	39.47		45.74		54.24		38.11		41.65		
			99	448	90.9%	59	83.1%	149	88.2%	143	86.1%	163	91.1%	
			97	45	9.1%	12	16.9%	20	11.8%	23	13.9%	16	8.9%	
040260	原発性肺高血圧	件数	97(輸血以外の再掲)	28	5.7%	8	11.3%	9	5.3%	17	10.2%	12	6.7%	
			99	21.13		15.56		25.46		20.31		20.96		
			97	43.96		34.17		43.55		41.43		31.88		
			97(輸血以外の再掲)	41.54		33.75		45.00		37.76		35.75		
050020	心臓の良性腫瘍	件数	99	8	14.8%	7	38.9%	14	33.3%	11	23.9%	17	34.0%	
			97	4	7.4%	1	5.6%	3	7.1%	5	10.9%	9	18.0%	
			97(輸血以外の再掲)	4	7.4%	1	5.6%	3	7.1%	5	10.9%	8	16.0%	
			01	42	77.8%	10	55.6%	25	59.5%	30	65.2%	24	48.0%	
		日数	99	24.63		7.29		14.79		7.09		9.12		
			97	14.75		33.00		20.33		13.40		25.11		
			97(輸血以外の再掲)	14.75		33.00		20.33		13.40		27.00		
			01	29.05		27.30		23.48		25.57		34.75		
050030	急性心筋梗塞、再発性心筋梗塞	件数	99	465	16.2%	259	16.1%	1,143	17.0%	1,245	18.2%	1,845	20.3%	
			97	126	4.4%	48	3.0%	170	2.5%	171	2.5%	255	2.8%	
			97(輸血以外の再掲)	90	3.1%	35	2.2%	133	2.0%	117	1.7%	192	2.1%	
			01	3	0.1%			1	0.0%					
		日数	02	149	5.2%	48	3.0%	218	3.2%	154	2.2%	176	1.9%	
			03	2,129	74.1%	1,252	77.9%	5,191	77.2%	5,275	77.1%	6,832	75.0%	
			99	13.08		15.66		12.64		13.22		14.01		
			97	36.03		21.81		26.21		28.77		31.22		
		日数	97(輸血以外の再掲)	38.11		21.49		26.22		30.51		31.52		
			01	82.33		32.00		32.00						
			02	43.33		38.50		35.73		36.56		39.42		
			03	21.83		18.04		17.81		19.23		20.41		
050040	急性心筋梗塞の続発性合併症	件数	99	1	7.7%	1	33.3%	5	18.5%	17	38.6%	24	27.6%	
			97	12	92.3%	2	66.7%	22	81.5%	27	61.4%	63	72.4%	
			97(輸血以外の再掲)	11	84.6%	2	66.7%	22	81.5%	27	61.4%	63	72.4%	
			99	2.00		7.00		15.80		12.94		10.88		
		日数	97	28.25		37.00		33.55		36.93		18.71		
			97(輸血以外の再掲)	28.82		37.00		33.55		36.93		18.71		
			99	10,111	57.2%	6,118	61.1%	26,268	62.5%	28,887	64.3%	39,008	65.1%	
			97	374	2.1%	140	1.4%	447	1.1%	517	1.2%	556	0.9%	
050050	狭心症、慢性虚血性心疾患	件数	97(輸血以外の再掲)	277	1.6%	109	1.1%	347	0.8%	391	0.9%	398	0.7%	
			01	27	0.2%	3	0.0%	15	0.0%	6	0.0%	9	0.0%	
			02	1,543	8.7%	364	3.6%	1,615	3.8%	1,426	3.2%	1,701	2.8%	
			03	5,626	31.8%	3,384	33.8%	13,668	32.5%	14,093	31.4%	18,675	31.2%	

疾患別手術別件数在院日数

疾患 コード	疾患名	件数 /日 数	手術 診断群分類番号(9,10 桁)	平成15年度 DPC対象病院		平成16年度 DPC対象病院		平成18年度 DPC対象病院		平成18年度 DPC準備病院		平成19年度 DPC準備病院		
		日数	99	5.80		4.03		4.15		4.56		4.75		
			97	20.62		14.61		15.49		15.39		19.24		
			97(輸血以外の再掲)	19.81		13.28		15.03		14.20		18.69		
			01	58.07		57.67		31.27		40.50		32.67		
			02	34.54		36.49		29.82		35.09		36.35		
			03	10.17		6.92		7.12		8.63		9.25		
050060	心筋症	件数	99	299	72.6%	56	82.4%	288	84.7%	374	87.6%	481	89.9%	
			97	113	27.4%	12	17.6%	52	15.3%	53	12.4%	54	10.1%	
			97(輸血以外の再掲)	106	25.7%	12	17.6%	49	14.4%	52	12.2%	49	9.2%	
		日数	99	14.89		9.63		9.95		10.61		11.10		
			97	28.00		18.17		25.50		27.40		23.81		
			97(輸血以外の再掲)	28.75		18.17		24.98		27.83		24.16		
050065	拡張型心筋症	件数	99	489	74.9%	127	77.9%	546	83.9%	646	84.7%	954	88.9%	
			97	164	25.1%	36	22.1%	105	16.1%	117	15.3%	119	11.1%	
			97(輸血以外の再掲)	156	23.9%	32	19.6%	96	14.7%	102	13.4%	104	9.7%	
		日数	99	19.49		16.54		16.42		16.22		17.67		
			97	41.88		26.14		28.00		33.60		38.77		
			97(輸血以外の再掲)	41.56		27.88		27.52		33.68		38.73		
050070	頻脈性不整脈	件数	99	1,838	32.7%	705	56.5%	2,900	50.2%	3,782	60.2%	5,580	66.0%	
			97	814	14.5%	146	11.7%	640	11.1%	662	10.5%	721	8.5%	
			97(輸血以外の再掲)	797	14.2%	138	11.1%	614	10.6%	636	10.1%	699	8.3%	
			01	2,968	52.8%	397	31.8%	2,241	38.8%	1,835	29.2%	2,149	25.4%	
		日数	99	10.16		8.30		8.47		9.68		9.84		
			97	26.38		23.55		20.86		23.37		25.17		
050080	弁膜症	件数	99	967	37.3%	269	47.7%	1,191	48.5%	1,351	51.5%	1,884	55.2%	
			97	114	4.4%	15	2.7%	77	3.1%	113	4.3%	140	4.1%	
			97(輸血以外の再掲)	60	2.3%	8	1.4%	40	1.6%	80	3.0%	85	2.5%	
			01	106	4.1%	6	1.1%	68	2.8%	54	2.1%	80	2.3%	
			02	1,408	54.3%	274	48.6%	1,122	45.6%	1,106	42.1%	1,306	38.3%	
			01	34.88		33.48		31.34		36.46		37.60		
050085	連合弁膜症	件数	99	18	11.8%	13	21.7%	60	21.7%	54	27.8%	71	32.9%	
			97	1	0.7%	4	6.7%	2	0.7%	3	1.5%	6	2.8%	
			97(輸血以外の再掲)			3	5.0%	1	0.4%	3	1.5%	5	2.3%	
			01	133	87.5%	43	71.7%	215	77.6%	137	70.6%	139	64.4%	
			日数	99	10.44		15.23		9.57		9.50		12.38	
				97	25.00		27.50		71.00		33.00		91.00	
050090	心内膜炎	件数	99	148	50.7%	51	62.2%	238	68.0%	247	66.8%	339	77.4%	
			97	144	49.3%	31	37.8%	112	32.0%	123	33.2%	99	22.6%	
			97(輸血以外の再掲)	126	43.2%	24	29.3%	91	26.0%	100	27.0%	70	16.0%	
		日数	99	29.93		29.16		25.76		28.23		26.68		
			97	59.44		53.68		54.49		52.38		61.68		
			97(輸血以外の再掲)	61.39		59.25		54.51		56.51		64.97		
050100	心筋炎	件数	99	53	63.9%	21	72.4%	62	68.9%	72	67.3%	119	73.5%	
			97	30	36.1%	8	27.6%	28	31.1%	35	32.7%	43	26.5%	
			97(輸血以外の再掲)	25	30.1%	7	24.1%	27	30.0%	33	30.8%	42	25.9%	
		日数	99	17.92		12.19		13.74		13.29		14.43		
			97	32.00		32.00		21.75		32.29		33.53		
			97(輸血以外の再掲)	29.64		36.00		22.48		30.00		32.31		
050110	急性心膜炎	件数	99	43	87.8%	32	100.0%	109	92.4%	126	91.3%	163	92.1%	
			97	6	12.2%			9	7.6%	12	8.7%	14	7.9%	
			97(輸血以外の再掲)	4	8.2%			7	5.9%	10	7.2%	11	6.2%	
		日数	99	15.91		11.28		13.04		13.16		16.01		
			97	31.83				32.22		25.58		36.86		
			97(輸血以外の再掲)	24.50				39.00		19.30		37.18		
050120	収縮性心膜炎	件数	99	19	50.0%	4	40.0%	9	42.9%	15	50.0%	30	58.8%	
			97	19	50.0%	6	60.0%	12	57.1%	15	50.0%	21	41.2%	
			97(輸血以外の再掲)	18	47.4%	5	50.0%	12	57.1%	15	50.0%	19	37.3%	
		日数	99	13.68		22.25		15.33		14.60		14.93		
			97	47.53		29.33		32.25		46.33		45.81		
			97(輸血以外の再掲)	49.00		33.20		32.25		46.33		48.95		
050161	解離性大動脈瘤	件数	99	496	47.9%	191	71.8%	846	62.5%	789	66.3%	1,024	71.9%	
			97	71	6.9%	16	6.0%	80	5.9%	77	6.5%	96	6.7%	
			97(輸血以外の再掲)	44	4.3%	11	4.1%	52	3.8%	44	3.7%	57	4.0%	
			01	354	34.2%	56	21.1%	366	27.1%	288	24.2%	257	18.0%	
			02	55	5.3%			48	3.5%	22	1.8%	24	1.7%	
			03	6	0.6%	1	0.4%	8	0.6%	6	0.5%	3	0.2%	
			04	53	5.1%	2	0.8%	5	0.4%	8	0.7%	21	1.5%	
			日数	99	20.34		21.77		20.22		22.52		23.40	
				97	37.97		45.44		34.50		40.88		41.83	
				97(輸血以外の再掲)	41.48		47.45		35.54		43.77		46.54	
01	39.34			38.36		35.37		41.29		38.30				
050162	破裂性大動脈瘤	件数	99	29	10.9%	13	19.7%	76	23.5%	100	30.7%	164	37.6%	
			97	23	8.6%	12	18.2%	47	14.6%	39	12.0%	49	11.2%	
			97(輸血以外の再掲)	9	3.4%	2	3.0%	14	4.3%	10	3.1%	14	3.2%	
			01	28	10.5%	6	9.1%	49	15.2%	28	8.6%	23	5.3%	
			02	24	9.0%	5	7.6%	23	7.1%	18	5.5%	19	4.4%	

疾患別手術別件数在院日数

疾患 コード	疾患名	件数 /日 数	手術 診断群分類番号(9,10 桁)	平成15年度 DPC対象病院		平成16年度 DPC対象病院		平成18年度 DPC対象病院		平成18年度 DPC準備病院		平成19年度 DPC準備病院			
				件数	割合	件数	割合								
		日数	03	137	51.5%	29	43.9%	122	37.8%	135	41.4%	167	38.3%		
			04	25	9.4%	1	1.5%	6	1.9%	6	1.8%	14	3.2%		
		99	11.03		22.62		14.72		16.11		13.78				
		97	19.91		18.33		25.02		21.74		17.76				
		97(輸血以外の再掲)	14.11		8.50		42.36		35.90		21.50				
		01	46.75		48.67		38.92		40.18		48.57				
		02	35.50		51.60		29.87		37.11		43.79				
		03	28.77		33.48		31.61		34.58		29.51				
		04	28.40		43.00		14.33		19.83		25.50				
		050163	非破裂性大動脈瘤、腸骨動脈瘤	件数	99	899	27.2%	174	32.2%	678	28.8%	596	29.8%	831	31.7%
97	159				4.8%	24	4.4%	92	3.9%	114	5.7%	150	5.7%		
97(輸血以外の再掲)	127			3.8%	18	3.3%	71	3.0%	82	4.1%	118	4.5%			
01	397			12.0%	49	9.1%	302	12.8%	202	10.1%	263	10.0%			
02	129			3.9%	11	2.0%	127	5.4%	62	3.1%	94	3.6%			
03	1,111			33.7%	250	46.2%	1,080	45.8%	924	46.2%	1,127	43.0%			
04	606			18.4%	33	6.1%	79	3.4%	103	5.1%	156	6.0%			
日数	99			9.66		8.30		8.10		9.11		10.76			
	97			16.32		24.63		21.82		24.89		26.80			
97(輸血以外の再掲)	15.63				24.72		23.24		26.57		27.69				
01	40.51		38.71		30.45		41.91		44.08						
02	43.75		26.18		30.32		36.84		39.43						
03	27.09		24.05		22.95		27.51		26.99						
04	18.45		16.79		19.01		20.97		16.99						
050170	閉塞性動脈疾患	件数	99	992	33.4%	414	36.1%	1,696	30.1%	1,750	34.2%	2,396	38.2%		
			97	222	7.5%	75	6.5%	293	5.2%	442	8.6%	496	7.9%		
		97(輸血以外の再掲)	192	6.5%	66	5.8%	280	5.0%	411	8.0%	460	7.3%			
		01	630	21.2%	199	17.4%	915	16.2%	842	16.5%	964	15.4%			
		02	139	4.7%	104	9.1%	389	6.9%	320	6.3%	386	6.2%			
		03	986	33.2%	354	30.9%	2,339	41.5%	1,762	34.4%	2,025	32.3%			
		日数	99	11.37		13.26		10.19		11.89		13.76			
			97	25.88		20.77		20.20		19.80		23.69			
		97(輸血以外の再掲)	23.46		17.00		19.65		18.43		22.49				
		01	27.97		27.92		28.23		27.66		30.98				
02	50.09		55.28		52.11		55.64		56.91						
03	11.45		8.71		8.28		10.08		11.50						
050180	静脈・リンパ管疾患	件数	99	361	23.4%	171	30.4%	566	20.0%	789	24.8%	1,004	26.1%		
			97	133	8.6%	41	7.3%	197	7.0%	268	8.4%	266	6.9%		
		97(輸血以外の再掲)	124	8.0%	34	6.0%	186	6.6%	250	7.9%	252	6.6%			
		01	1,051	68.0%	350	62.3%	2,062	73.0%	2,122	66.8%	2,575	67.0%			
		日数	99	15.53		14.71		16.10		17.10		16.96			
			97	25.95		25.29		25.36		22.79		23.80			
		97(輸血以外の再掲)	25.78		23.79		25.30		22.02		23.36				
		01	5.63		5.22		5.45		5.70		6.21				
		050190	肺塞栓症	件数	99	300	62.5%	92	55.8%	445	57.6%	396	64.5%	553	67.7%
					97	180	37.5%	73	44.2%	327	42.4%	218	35.5%	264	32.3%
97(輸血以外の再掲)	165			34.4%	69	41.8%	305	39.5%	209	34.0%	250	30.6%			
日数	99			21.54		18.33		19.42		19.69		20.08			
	97			33.51		30.75		25.91		28.41		27.20			
97(輸血以外の再掲)	32.96				30.32		25.52		28.67		26.23				
050200	循環器疾患(その他)			件数	99	248	66.8%	114	76.0%	421	80.7%	535	76.6%	846	79.1%
					97	123	33.2%	36	24.0%	101	19.3%	163	23.4%	223	20.9%
				97(輸血以外の再掲)	121	32.6%	36	24.0%	98	18.8%	160	22.9%	214	20.0%	
				日数	99	12.25		7.96		8.62		8.47		8.49	
		97	22.36			11.28		14.68		17.87		18.83			
		97(輸血以外の再掲)	22.38		11.28		14.86		17.94		17.84				
		050210	徐脈性不整脈	件数	99	521	18.4%	266	21.6%	1,082	21.1%	1,193	21.0%	1,604	20.7%
					97	2,304	81.6%	965	78.4%	4,053	78.9%	4,481	79.0%	6,160	79.3%
				97(輸血以外の再掲)	2,298	81.3%	961	78.1%	4,039	78.7%	4,463	78.7%	6,130	79.0%	
				日数	99	10.33		8.80		8.76		9.49		9.88	
97	15.88					13.75		13.98		16.05		16.57			
97(輸血以外の再掲)	15.87				13.77		13.97		16.02		16.50				
050340	その他の循環器の障害			件数	99	263	57.2%	127	76.0%	416	70.9%	440	76.8%	553	75.1%
					97	197	42.8%	40	24.0%	171	29.1%	133	23.2%	183	24.9%
				97(輸血以外の再掲)	187	40.7%	36	21.6%	167	28.4%	122	21.3%	172	23.4%	
				日数	99	11.68		10.02		10.50		12.19		13.53	
		97	22.22			26.60		18.62		20.37		19.42			
		97(輸血以外の再掲)	22.40		27.42		17.94		20.41		19.94				
		060010	食道の悪性腫瘍(頸部を含む。)	件数	99	3,534	55.3%	523	63.3%	2,309	59.3%	3,170	61.1%	3,847	61.2%
					97	571	8.9%	76	9.2%	365	9.4%	539	10.4%	646	10.3%
				97(輸血以外の再掲)	353	5.5%	47	5.7%	207	5.3%	341	6.6%	430	6.8%	
				01	1,037	16.2%	82	9.9%	419	10.8%	556	10.7%	630	10.0%	
02	70			1.1%	3	0.4%	24	0.6%	30	0.6%	48	0.8%			
03	1,179			18.4%	142	17.2%	774	19.9%	894	17.2%	1,115	17.7%			
日数	99			23.36		23.34		22.15		21.99		21.99			
	97			43.22		41.62		42.88		41.24		43.02			
97(輸血以外の再掲)	45.04				44.53		43.27		41.57		44.99				
01	45.73				45.59		47.79		51.96		54.66				
02	53.41		60.67		59.46		62.13		54.48						
03	21.58		26.80		26.12		28.97		30.40						
060020	胃の悪性腫瘍	件数	99	3,260	36.8%	1,457	41.7%	6,284	40.7%	7,005	40.4%	9,973	41.4%		
			97	987	11.1%	416	11.9%	1,841	11.9%	2,108	12.2%	2,955	12.3%		
		97(輸血以外の再掲)	593	6.7%	209	6.0%	936	6.1%	1,122	6.5%	1,570	6.5%			
		01	1,259	14.2%	485	13.9%	1,913	12.4%	2,141	12.3%	3,043	12.6%			
		02	2,605	29.4%	890	25.5%	4,165	27.0%	4,480	25.8%	6,236	25.9%			
		03	373	4.2%	133	3.8%	668	4.3%	815	4.7%	1,011	4.2%			
		04	370	4.2%	112	3.2%	582	3.8%	792	4.6%	866	3.6%			
		日数	99	12.97		13.79		13.48		15.12		15.01			

疾患別手術別件数在院日数

疾患コード	疾患名	件数/日数	手術 診断群分類番号(9,10 桁)	平成15年度 DPC対象病院		平成16年度 DPC対象病院		平成18年度 DPC対象病院		平成18年度 DPC準備病院		平成19年度 DPC準備病院	
			97	31.31		29.63		31.55		35.55		37.30	
			97(輸血以外の再掲)	33.03		31.62		34.67		38.19		39.16	
			01	31.45		30.21		30.41		35.04		36.91	
			02	24.00		24.92		24.17		28.52		29.75	
			03	26.65		30.14		29.87		31.98		36.26	
060030	小腸の悪性腫瘍	件数	04	10.14		10.69		10.50		10.42		11.39	
			99	541	56.8%	156	61.2%	476	54.5%	752	61.6%	1,180	64.2%
			97	223	23.4%	59	23.1%	227	26.0%	297	24.3%	412	22.4%
			97(輸血以外の再掲)	177	18.6%	46	18.0%	185	21.2%	247	20.2%	343	18.7%
			01	138	14.5%	32	12.5%	141	16.1%	115	9.4%	168	9.1%
		日数	02	50	5.3%	8	3.1%	30	3.4%	56	4.6%	77	4.2%
			99	11.77		10.54		13.90		11.60		11.06	
			97	32.19		36.64		28.94		33.10		33.83	
			97(輸血以外の再掲)	31.62		38.98		29.71		32.51		34.07	
			01	32.93		30.09		28.33		32.02		36.65	
060035	大腸(上行結腸からS状結腸)の悪性腫瘍	件数	02	32.46		47.13		36.30		40.70		43.61	
			99	1,977	31.9%	1,693	47.0%	6,016	40.2%	9,069	47.7%	12,050	47.4%
			97	825	13.3%	428	11.9%	2,044	13.7%	2,556	13.4%	3,584	14.1%
			97(輸血以外の再掲)	734	11.9%	363	10.1%	1,803	12.1%	2,244	11.8%	3,177	12.5%
			01	2,692	43.5%	1,231	34.2%	5,163	34.5%	5,949	31.3%	8,103	31.9%
		日数	02	35	0.6%	17	0.5%	81	0.5%	106	0.6%	156	0.6%
			03	662	10.7%	233	6.5%	1,646	11.0%	1,337	7.0%	1,540	6.1%
			99	8.91		7.04		6.94		7.17		7.59	
			97	21.80		20.64		17.14		23.45		23.10	
			97(輸血以外の再掲)	21.29		18.14		16.08		22.02		21.73	
060040	直腸肛門(直S状結腸から肛門)の悪性腫瘍	件数	01	24.68		26.88		24.44		29.20		30.75	
			02	33.74		39.65		41.90		41.68		45.99	
			03	7.06		4.70		5.25		5.46		5.93	
			99	1,587	33.3%	1,063	50.1%	4,007	44.9%	6,440	53.1%	8,431	52.9%
			97	891	18.7%	271	12.8%	1,161	13.0%	1,613	13.3%	2,125	13.3%
		日数	97(輸血以外の再掲)	816	17.1%	233	11.0%	1,040	11.7%	1,423	11.7%	1,838	11.5%
			01	1,964	41.2%	709	33.4%	3,210	36.0%	3,480	28.7%	4,643	29.1%
			02	108	2.3%	28	1.3%	149	1.7%	163	1.3%	227	1.4%
			03	214	4.5%	50	2.4%	388	4.4%	423	3.5%	508	3.2%
			99	10.94		7.63		7.76		7.43		7.71	
060050	肝・肝内胆管の悪性腫瘍(続発性を含む。)	件数	97	22.42		24.89		21.15		24.47		26.52	
			97(輸血以外の再掲)	21.61		23.70		20.26		23.78		25.28	
			01	30.41		31.25		29.18		34.31		35.68	
			02	12.73		12.50		11.60		13.35		13.89	
			03	8.18		5.76		5.78		6.54		7.12	
		日数	99	5,094	28.6%	1,854	42.1%	6,540	35.9%	8,666	41.3%	12,198	45.4%
			97	7,431	41.8%	1,600	36.3%	7,945	43.6%	8,218	39.2%	9,938	37.0%
			97(輸血以外の再掲)	7,145	40.2%	1,471	33.4%	7,514	41.3%	7,809	37.3%	9,397	35.0%
			01	29	0.2%	2	0.0%	25	0.1%	19	0.1%	23	0.1%
			02	555	3.1%	76	1.7%	309	1.7%	343	1.6%	452	1.7%
060060	胆嚢、肝外胆管の悪性腫瘍	件数	03	1,435	8.1%	224	5.1%	948	5.2%	965	4.6%	1,240	4.6%
			04	3,238	18.2%	651	14.8%	2,447	13.4%	2,751	13.1%	3,022	11.2%
			99	13.85		13.73		14.24		12.60		12.92	
			97	18.62		17.95		16.83		19.16		19.70	
			97(輸血以外の再掲)	18.16		17.06		16.14		18.61		19.18	
		日数	01	48.31		41.50		45.24		46.89		40.00	
			02	35.93		27.21		29.64		33.99		34.76	
			03	27.66		22.31		23.84		27.07		28.54	
			04	16.73		14.12		13.67		16.81		16.85	
			99	800	32.1%	314	38.2%	1,310	38.7%	1,397	39.8%	2,125	40.2%
060070	膵臓、脾臓の腫瘍	件数	97	961	38.6%	337	41.0%	1,389	41.1%	1,393	39.7%	2,100	39.7%
			97(輸血以外の再掲)	882	35.4%	311	37.8%	1,269	37.5%	1,249	35.6%	1,887	35.7%
			01	41	1.6%	1	0.1%	18	0.5%	13	0.4%	16	0.3%
			02	437	17.5%	86	10.5%	372	11.0%	399	11.4%	579	10.9%
			03	153	6.1%	55	6.7%	179	5.3%	181	5.2%	286	5.4%
		日数	04	100	4.0%	29	3.5%	115	3.4%	123	3.5%	182	3.4%
			99	15.91		18.83		17.76		18.91		19.42	
			97	32.02		28.74		30.76		34.75		34.91	
			97(輸血以外の再掲)	32.83		28.54		30.76		34.94		34.97	
			01	61.51		38.00		69.33		49.38		71.25	
060080	食道の良性腫瘍	件数	02	55.52		55.59		55.06		60.62		60.40	
			03	39.18		27.49		27.91		38.92		41.44	
			04	45.09		37.31		34.64		38.97		40.41	
			99	2,207	49.0%	693	56.3%	2,707	56.1%	3,190	58.5%	4,481	59.9%
			97	541	12.0%	177	14.4%	600	12.4%	742	13.6%	992	13.3%
		日数	97(輸血以外の再掲)	372	8.3%	108	8.8%	389	8.1%	487	8.9%	639	8.5%
			01	575	12.8%	75	6.1%	348	7.2%	360	6.6%	470	6.3%
			02	382	8.5%	68	5.5%	223	4.6%	222	4.1%	300	4.0%
			03	13	0.3%	5	0.4%	7	0.1%	16	0.3%	17	0.2%
			04	788	17.5%	214	17.4%	938	19.4%	919	16.9%	1,216	16.3%
060080	食道の良性腫瘍	件数	99	17.54		18.85		17.26		19.84		19.73	
			97	30.60		28.15		31.62		33.31		37.61	
			97(輸血以外の再掲)	30.38		28.12		30.04		32.74		37.62	
			01	48.14		46.79		51.65		58.38		56.15	
			02	36.15		33.81		34.26		37.12		40.47	
		日数	03	21.38		39.40		14.00		18.44		33.53	
			04	34.57		35.41		33.94		38.73		42.66	
			99	4	13.3%	1	25.0%	2	7.7%	8	21.6%	5	12.8%
			97	7	23.3%			5	19.2%	10	27.0%	7	17.9%
			97(輸血以外の再掲)	7	23.3%			5	19.2%	9	24.3%	7	17.9%
			01	6	20.0%			2	7.7%	1	2.7%	3	7.7%
			02	13	43.3%	3	75.0%	17	65.4%	18	48.6%	24	61.5%

疾患別手術別件数在院日数

疾患コード	疾患名	件数/日数	手術 診断群分類番号(9,10 桁)	平成15年度 DPC対象病院		平成16年度 DPC対象病院		平成18年度 DPC対象病院		平成18年度 DPC準備病院		平成19年度 DPC準備病院	
				件数	割合								
		日数	99	5.00		5.00		2.00		7.75		3.20	
			97	44.14				6.60		6.90		5.57	
			97(輸血以外の再掲)	44.14				6.60		6.78		5.57	
			01	21.67				14.00		9.00		16.33	
			02	6.08		11.00		7.82		9.33		8.63	
060090	胃の良性腫瘍	件数	99	136	16.2%	47	12.1%	172	10.6%	247	12.8%	418	14.9%
			97	37	4.4%	7	1.8%	43	2.6%	163	8.5%	214	7.6%
			97(輸血以外の再掲)	33	3.9%	6	1.5%	32	2.0%	153	8.0%	192	6.9%
			01	136	16.2%	52	13.4%	166	10.2%	149	7.7%	219	7.8%
			02	533	63.3%	282	72.7%	1,244	76.6%	1,365	70.9%	1,949	69.6%
		日数	99	6.24		4.91		6.16		7.11		7.67	
			97	18.43		9.57		14.98		13.10		13.96	
			97(輸血以外の再掲)	15.36		8.67		12.84		12.90		13.82	
			01	17.49		16.27		15.27		20.01		21.36	
			02	9.43		7.88		7.64		7.81		8.72	
060100	小腸大腸の良性疾患(良性腫瘍を含む。)	件数	99	1,281	17.5%	1,034	19.1%	4,573	21.0%	6,955	22.3%	10,860	23.1%
			97	156	2.1%	83	1.5%	303	1.4%	1,061	3.4%	1,305	2.8%
			97(輸血以外の再掲)	120	1.6%	59	1.1%	209	1.0%	846	2.7%	1,028	2.2%
			01	162	2.2%	98	1.8%	340	1.6%	405	1.3%	583	1.2%
			02	5,671	77.5%	4,180	77.1%	16,453	75.6%	22,627	72.7%	34,134	72.6%
		日数	99	6.49		6.12		6.28		6.34		6.36	
			97	12.26		10.41		11.72		9.30		9.58	
			97(輸血以外の再掲)	11.61		8.39		10.43		7.43		7.52	
			01	22.73		19.97		20.70		25.16		26.42	
			02	4.36		3.22		3.32		3.51		3.49	
060110	肝の良性腫瘍	件数	99	11	68.8%	3	33.3%	16	61.5%	44	73.3%	29	67.4%
			97	5	31.3%	6	66.7%	10	38.5%	16	26.7%	14	32.6%
			97(輸血以外の再掲)	5	31.3%	6	66.7%	10	38.5%	16	26.7%	14	32.6%
			01										
			02										
		日数	99	6.18		6.67		9.38		8.84		9.21	
			97	23.60		19.83		24.60		28.50		27.43	
			97(輸血以外の再掲)	23.60		19.83		24.60		28.50		27.43	
			01										
			02										
060130	食道、胃、十二指腸、他腸の炎症(その他良性疾患)	件数	99	1,853	51.0%	1,210	62.0%	4,299	58.3%	5,828	65.8%	8,921	68.5%
			97	619	17.0%	301	15.4%	1,301	17.6%	1,254	14.1%	1,667	12.8%
			97(輸血以外の再掲)	184	5.1%	53	2.7%	243	3.3%	276	3.1%	349	2.7%
			01	185	5.1%	10	0.5%	67	0.9%	76	0.9%	97	0.7%
			02	976	26.9%	432	22.1%	1,707	23.1%	1,705	19.2%	2,340	18.0%
		日数	99	10.27		9.05		8.97		9.60		10.09	
			97	20.53		17.38		17.64		19.12		19.32	
			97(輸血以外の再掲)	28.97		26.60		26.37		26.30		27.93	
			01	23.14		17.10		23.91		37.92		27.64	
			02	16.11		13.09		13.67		15.57		16.02	
060140	胃十二指腸潰瘍、胃憩室症、幽門狭窄	件数	99	450	26.3%	605	33.3%	2,536	34.8%	3,480	38.9%	5,536	40.8%
			97	299	17.4%	322	17.7%	1,108	15.2%	1,572	17.6%	2,274	16.8%
			97(輸血以外の再掲)	98	5.7%	106	5.8%	354	4.9%	559	6.3%	828	6.1%
			01	42	2.5%	38	2.1%	192	2.6%	171	1.9%	304	2.2%
			02	923	53.9%	854	46.9%	3,458	47.4%	3,721	41.6%	5,449	40.2%
		日数	99	10.91		11.66		10.47		12.01		12.45	
			97	16.94		18.26		16.60		18.90		19.82	
			97(輸血以外の再掲)	21.87		23.01		21.25		23.54		25.14	
			01	17.95		28.45		22.10		28.17		26.00	
			02	13.14		13.75		13.42		14.36		14.97	
060150	虫垂炎	件数	99	491	28.3%	412	23.9%	1,726	23.8%	2,143	25.4%	3,161	26.6%
			97	9	0.5%	3	0.2%	21	0.3%	65	0.8%	72	0.6%
			97(輸血以外の再掲)	8	0.5%	3	0.2%	21	0.3%	64	0.8%	68	0.6%
			01	37	2.1%	40	2.3%	176	2.4%	158	1.9%	201	1.7%
			02	1,199	69.1%	1,267	73.6%	5,327	73.5%	6,068	71.9%	8,454	71.1%
		日数	99	6.48		6.38		5.83		6.18		6.55	
			97	21.22		16.00		15.43		20.03		20.81	
			97(輸血以外の再掲)	22.50		16.00		15.43		20.20		18.62	
			01	18.24		18.73		18.50		19.55		19.64	
			02	8.88		7.49		7.35		8.67		8.88	
060160	鼠径ヘルニア	件数	99	79	2.0%	38	1.5%	126	1.3%	166	1.4%	197	1.2%
			97	2	0.0%	7	0.3%	8	0.1%	55	0.5%	71	0.4%
			97(輸血以外の再掲)	2	0.0%	7	0.3%	8	0.1%	52	0.4%	71	0.4%
			01	9	0.2%	7	0.3%	18	0.2%	39	0.3%	52	0.3%
			02	3,505	87.5%	2,354	91.7%	9,305	93.5%	11,465	95.2%	15,510	94.9%
		日数	99	4.11	10.3%	161	6.3%	496	5.0%	320	2.7%	517	3.2%
			99	4.58		3.92		3.78		5.82		5.19	
			97	8.00		6.71		9.25		10.69		12.20	
			97(輸血以外の再掲)	8.00		6.71		9.25		9.50		12.20	
			01	11.67		22.14		17.39		16.05		19.52	
060170	閉塞、壊疽のない腹腔のヘルニア	件数	99	51	5.9%	24	5.3%	69	4.3%	131	6.5%	151	5.6%
			97	20	2.3%	11	2.4%	39	2.4%	91	4.5%	109	4.0%
			97(輸血以外の再掲)	19	2.2%	11	2.4%	39	2.4%	90	4.5%	109	4.0%
			01	40	4.6%	30	6.6%	119	7.5%	116	5.8%	176	6.5%
			02	757	87.2%	389	85.7%	1,366	85.8%	1,678	83.2%	2,284	84.0%
		日数	99	6.20		8.54		7.72		7.30		9.24	
			97	23.90		28.18		15.62		15.56		18.40	
			97(輸血以外の再掲)	18.58		28.18		15.62		15.67		18.40	
			01	16.90		19.53		21.26		23.26		23.95	
			02	10.05		10.11		10.38		11.55		12.67	
060180	クローン病等	件数	99	1,347	74.1%	321	64.8%	982	78.1%	920	70.8%	1,220	76.4%
			97	148	8.1%	84	17.0%	154	12.3%	209	16.1%	235	14.7%

疾患別手術別件数在院日数

疾患 コード	疾患名	件数 /日 数	手術 診断群分類番号(9,10 桁)		平成15年度 DPC対象病院		平成16年度 DPC対象病院		平成18年度 DPC対象病院		平成18年度 DPC準備病院		平成19年度 DPC準備病院	
			97(輸血以外の再掲)											
		件数	97(輸血以外の再掲)	112	6.2%	68	13.7%	120	9.5%	156	12.0%	163	10.2%	
			01	324	17.8%	90	18.2%	121	9.6%	171	13.2%	142	8.9%	
			日数	99	13.52		16.51		14.12		16.09		16.29	
			97	31.38		25.96		27.08		27.93		30.89		
			97(輸血以外の再掲)	34.60		27.50		26.02		29.14		32.98		
060185	潰瘍性大腸炎	件数	97(輸血以外の再掲)	39.14		38.02		36.60		44.24		39.76		
			99	706	61.7%	235	85.1%	1,010	83.9%	1,081	82.1%	1,523	87.1%	
			97	91	7.9%	27	9.8%	89	7.4%	151	11.5%	127	7.3%	
			97(輸血以外の再掲)	51	4.5%	10	3.6%	45	3.7%	114	8.7%	66	3.8%	
			01	348	30.4%	14	5.1%	105	8.7%	84	6.4%	99	5.7%	
060190	虚血性腸炎	件数	99	25.93		24.83		24.66		24.58		24.80		
			97	40.88		43.67		43.12		42.01		45.44		
			97(輸血以外の再掲)	35.24		43.40		47.44		39.84		43.86		
			01	33.14		46.21		41.17		36.43		51.31		
			日数	99	11.52		11.12		10.37		11.30		11.67	
060200	腸重積	件数	97	34.12		30.87		27.96		26.91		28.39		
			97(輸血以外の再掲)	34.60		32.59		29.76		27.54		28.97		
			99	54	19.3%	8	6.6%	70	14.6%	109	17.3%	162	20.4%	
			97	226	80.7%	114	93.4%	408	85.4%	520	82.7%	633	79.6%	
			97(輸血以外の再掲)	226	80.7%	114	93.4%	407	85.1%	519	82.5%	632	79.5%	
060210	ヘルニアの記載のない腸閉塞	件数	99	3.63		4.13		4.29		5.11		4.46		
			97	5.06		3.75		3.96		4.32		5.60		
			97(輸血以外の再掲)	5.06		3.75		3.96		4.21		5.51		
			99	2,923	76.9%	2,093	79.6%	8,165	79.5%	10,101	81.9%	15,050	82.3%	
			97	878	23.1%	536	20.4%	2,110	20.5%	2,233	18.1%	3,234	17.7%	
060220	直腸脱、肛門脱	件数	97(輸血以外の再掲)	841	22.1%	519	19.7%	2,045	19.9%	2,169	17.6%	3,132	17.1%	
			99	12.49		11.88		11.55		11.98		12.47		
			97	30.48		28.75		27.83		30.31		30.59		
			97(輸血以外の再掲)	29.98		28.85		27.70		30.09		30.52		
			日数	99	10	9.3%	2	2.2%	16	7.5%	47	7.4%	75	13.1%
060230	肛門周囲膿瘍	件数	97	98	90.7%	91	97.8%	196	92.5%	591	92.6%	499	86.9%	
			97(輸血以外の再掲)	98	90.7%	91	97.8%	195	92.0%	590	92.5%	499	86.9%	
			99	11.20		14.00		6.56		7.23		8.64		
			97	12.55		9.15		9.96		13.21		13.44		
			97(輸血以外の再掲)	12.55		9.15		9.98		13.22		13.44		
060235	痔瘻	件数	99	24	25.0%	12	12.1%	70	22.1%	103	19.7%	176	24.3%	
			97	72	75.0%	87	87.9%	247	77.9%	419	80.3%	547	75.7%	
			97(輸血以外の再掲)	72	75.0%	87	87.9%	247	77.9%	418	80.1%	543	75.1%	
			99	10.38		9.58		11.29		9.76		10.22		
			97	12.75		8.80		9.90		9.32		10.62		
060240	外痔核	件数	97(輸血以外の再掲)	12.75		8.80		9.90		9.33		10.43		
			99	11	8.7%	3	0.7%	9	2.5%	3	0.5%	17	2.0%	
			97	116	91.3%	420	99.3%	355	97.5%	584	99.5%	850	98.0%	
			97(輸血以外の再掲)	116	91.3%	420	99.3%	355	97.5%	584	99.5%	848	97.8%	
			日数	99	12.36		34.67		11.22		12.00		7.88	
060245	内痔核	件数	97	10.34		6.59		8.21		11.16		10.23		
			97(輸血以外の再掲)	10.34		6.59		8.21		11.16		10.23		
			99	4	28.6%	2	11.8%	6	12.0%	19	12.6%	24	11.2%	
			97	10	71.4%	15	88.2%	44	88.0%	132	87.4%	190	88.8%	
			97(輸血以外の再掲)	10	71.4%	15	88.2%	43	86.0%	131	86.8%	189	88.3%	
060250	尖圭コンジローム	件数	99	4.50		7.00		6.50		5.11		4.63		
			97	8.00		5.60		7.07		5.52		7.18		
			97(輸血以外の再掲)	8.00		5.60		6.51		5.22		7.17		
			99	27	16.6%	25	3.4%	205	16.9%	344	17.7%	863	26.5%	
			97	136	83.4%	716	96.6%	1,006	83.1%	1,598	82.3%	2,398	73.5%	
060260	肛門狭窄、肛門裂孔	件数	97(輸血以外の再掲)	131	80.4%	716	96.6%	998	82.4%	1,566	80.6%	2,349	72.0%	
			99	7.19		4.92		3.96		5.00		4.13		
			97	8.13		6.98		7.39		9.74		9.49		
			97(輸血以外の再掲)	8.09		6.98		7.34		9.69		9.33		
			日数	99	1	1.4%			1	1.0%	1	1.1%	4	2.4%
060270	劇症肝炎、急性肝不全、急性肝炎	件数	97	70	98.6%	50	100.0%	95	99.0%	88	98.9%	161	97.6%	
			97(輸血以外の再掲)	70	98.6%	50	100.0%	95	99.0%	88	98.9%	161	97.6%	
			99	2.00				3.00		3.00		4.25		
			97	4.80		4.20		3.91		3.66		3.89		
			97(輸血以外の再掲)	4.80		4.20		3.91		3.66		3.89		
060290	慢性肝炎(慢性C型肝炎を除く。)	件数	99	17	36.2%	2	3.0%	11	12.6%	29	19.1%	32	14.7%	
			97	30	63.8%	64	97.0%	76	87.4%	123	80.9%	186	85.3%	
			97(輸血以外の再掲)	30	63.8%	64	97.0%	76	87.4%	123	80.9%	185	84.9%	
			99	5.76		9.00		6.45		9.28		10.09		
			97	14.23		8.59		10.16		11.20		13.76		
060295	慢性C型肝炎	件数	97(輸血以外の再掲)	14.23		8.59		10.16		11.20		13.65		
			99	596	82.7%	396	93.8%	1,351	92.0%	1,585	94.0%	2,249	93.0%	
			97	125	17.3%	26	6.2%	117	8.0%	102	6.0%	170	7.0%	
			97(輸血以外の再掲)	59	8.2%	10	2.4%	69	4.7%	61	3.6%	91	3.8%	
			日数	99	17.99		16.02		16.15		16.34		16.20	
060295	慢性C型肝炎	件数	97	41.48		34.85		36.17		27.85		30.25		
			97(輸血以外の再掲)	48.36		38.80		41.74		30.51		31.66		
			99	846	96.5%	217	96.0%	946	97.6%	1,353	96.5%	1,717	95.9%	
			97	31	3.5%	9	4.0%	23	2.4%	49	3.5%	73	4.1%	
			97(輸血以外の再掲)	17	1.9%	8	3.5%	16	1.7%	35	2.5%	55	3.1%	
060295	慢性C型肝炎	件数	99	10.57		15.38		12.38		14.64		16.47		
			97	40.71		25.56		41.43		39.35		41.18		
			97(輸血以外の再掲)	37.94		24.50		31.19		35.46		39.45		
			99	2,240	97.5%	523	97.8%	2,627	97.7%	3,093	94.7%	3,675	93.9%	

疾患別手術別件数在院日数

疾患 コード	疾患名	件数 /日 数	手術 診断群分類番号(9,10 桁)	平成15年度 DPC対象病院		平成16年度 DPC対象病院		平成18年度 DPC対象病院		平成18年度 DPC準備病院		平成19年度 DPC準備病院	
				件数	割合								
		日数	97	58	2.5%	12	2.2%	63	2.3%	174	5.3%	240	6.1%
			97(輸血以外の再掲)	47	2.0%	9	1.7%	44	1.6%	140	4.3%	188	4.8%
			99	11.49		11.96		11.95		13.76		15.05	
			97	29.62		20.17		23.89		31.55		33.70	
060300	肝硬変(胆汁性肝硬変を含む。)	件数	97(輸血以外の再掲)	29.47		20.89		17.91		30.14		32.51	
			99	1,607	44.4%	835	53.9%	3,242	52.0%	2,850	52.0%	3,769	50.2%
			97	1,942	53.6%	676	43.6%	2,797	44.8%	2,493	45.5%	3,472	46.2%
			97(輸血以外の再掲)	1,688	46.6%	552	35.6%	2,358	37.8%	2,174	39.6%	3,070	40.9%
		日数	01	73	2.0%	39	2.5%	200	3.2%	140	2.6%	271	3.6%
			99	15.77		18.97		20.42		19.94		21.30	
			97	24.00		25.66		22.88		25.58		24.70	
			97(輸血以外の再掲)	23.01		24.32		22.08		24.17		23.63	
060310	肝膿瘍(細菌性・寄生虫性疾患を含む。)	件数	01	33.44		26.92		24.80		34.89		31.37	
			99	141	61.0%	74	55.2%	268	57.3%	302	60.3%	422	58.0%
			97	90	39.0%	60	44.8%	200	42.7%	199	39.7%	305	42.0%
			97(輸血以外の再掲)	78	33.8%	58	43.3%	186	39.7%	189	37.7%	290	39.9%
		日数	99	21.70		21.01		22.91		22.78		24.80	
			97	41.29		31.20		35.06		37.02		37.60	
			97(輸血以外の再掲)	42.42		31.67		34.12		36.37		37.29	
			01	77	51.3%	35	59.3%	116	55.8%	201	66.1%	227	59.4%
060320	肝嚢胞	件数	97	73	48.7%	24	40.7%	92	44.2%	103	33.9%	155	40.6%
			97(輸血以外の再掲)	71	47.3%	24	40.7%	90	43.3%	99	32.6%	150	39.3%
			99	11.86		11.94		13.60		11.92		11.24	
			97	21.37		16.96		18.99		22.34		23.41	
		日数	97(輸血以外の再掲)	21.14		16.96		19.32		22.31		22.71	
			99	146	9.7%	95	10.5%	423	11.9%	776	14.6%	972	14.8%
			97	46	3.1%	20	2.2%	101	2.9%	222	4.2%	243	3.7%
			97(輸血以外の再掲)	46	3.1%	20	2.2%	101	2.9%	216	4.1%	240	3.6%
060330	胆嚢疾患(胆嚢結石など)	件数	01	123	8.2%	41	4.5%	223	6.3%	342	6.4%	473	7.2%
			02	1,190	79.1%	748	82.7%	2,796	78.9%	3,966	74.7%	4,895	74.4%
			99	7.62		8.95		7.61		9.02		8.77	
			97	17.76		16.90		17.84		20.46		21.48	
		日数	97(輸血以外の再掲)	17.76		16.90		17.84		20.76		21.60	
			01	18.17		14.88		14.56		19.26		21.18	
			02	8.87		8.01		8.25		10.02		10.84	
			99	474	27.6%	531	28.1%	2,211	29.4%	2,482	31.3%	3,818	33.9%
060335	胆嚢水腫、胆嚢炎等	件数	97	220	12.8%	199	10.5%	693	9.2%	805	10.2%	1,043	9.3%
			97(輸血以外の再掲)	212	12.3%	193	10.2%	673	8.9%	790	10.0%	1,010	9.0%
			01	206	12.0%	286	15.1%	881	11.7%	977	12.3%	1,453	12.9%
			02	820	47.7%	874	46.2%	3,742	49.7%	3,656	46.2%	4,961	44.0%
		日数	99	12.38		13.82		13.02		14.32		14.89	
			97	27.25		26.29		24.92		28.07		28.82	
			97(輸血以外の再掲)	27.55		26.30		24.31		27.85		28.70	
			01	23.73		21.95		21.84		25.97		25.74	
060340	胆管(肝内外)結石、胆管炎	件数	02	11.83		11.42		11.12		13.82		15.19	
			99	1,320	30.2%	527	26.8%	2,389	29.0%	2,840	30.4%	4,188	31.5%
			97	182	4.2%	126	6.4%	302	3.7%	477	5.1%	593	4.5%
			97(輸血以外の再掲)	160	3.7%	115	5.8%	266	3.2%	427	4.6%	512	3.8%
		日数	01	61	1.4%	23	1.2%	59	0.7%	83	0.9%	98	0.7%
			02	222	5.1%	270	13.7%	839	10.2%	1,045	11.2%	1,424	10.7%
			03	2,589	59.2%	1,022	51.9%	4,636	56.4%	4,908	52.5%	6,999	52.6%
			99	10.25		12.26		11.76		12.96		13.50	
060350	急性膵炎	件数	97	195	21.1%	88	12.7%	345	13.5%	242	9.6%	364	9.8%
			97(輸血以外の再掲)	52	5.6%	46	6.7%	133	5.2%	87	3.5%	101	2.7%
			99	18.71		14.79		16.24		16.43		16.80	
			97	38.27		30.85		29.27		35.41		32.50	
		日数	97(輸血以外の再掲)	36.23		29.90		28.65		35.54		32.52	
			01	55.19		32.39		35.27		42.22		34.18	
			99	645	69.8%	543	78.6%	2,039	80.0%	2,152	85.7%	3,175	85.6%
			97	227	24.6%	102	14.8%	378	14.8%	273	10.9%	431	11.6%
060360	慢性膵炎(膵嚢胞を含む。)	件数	97(輸血以外の再掲)	195	21.1%	88	12.7%	345	13.5%	242	9.6%	364	9.8%
			01	52	5.6%	46	6.7%	133	5.2%	87	3.5%	101	2.7%
			99	13.67		11.81		12.97		14.29		14.80	
			97	20.61		17.66		21.49		27.07		25.11	
		日数	97(輸血以外の再掲)	20.44		17.57		21.54		25.32		24.80	
			01	32.46		23.38		33.05		41.27		34.08	
			99	456	36.9%	322	45.5%	1,232	41.5%	1,013	41.3%	1,540	43.1%
			97	369	29.9%	231	32.6%	921	31.0%	881	35.9%	1,181	33.1%
060370	腹膜炎、腹腔内膿瘍(女性器臓器を除く。)	件数	97(輸血以外の再掲)	342	27.7%	219	30.9%	873	29.4%	833	34.0%	1,102	30.9%
			01	411	33.3%	155	21.9%	818	27.5%	559	22.8%	850	23.8%
			99	17.09		15.96		14.46		15.81		15.57	
			97	32.94		29.82		29.88		33.53		33.18	
		日数	97(輸血以外の再掲)	32.56		29.66		29.36		33.26		32.54	
			01	26.16		25.72		24.40		28.91		27.10	
			99	849	71.8%	423	78.5%	1,484	78.4%	1,951	79.7%	2,625	79.7%
			97	333	28.2%	116	21.5%	409	21.6%	496	20.3%	667	20.3%
060570	その他の消化管の障害	件数	97(輸血以外の再掲)	311	26.3%	109	20.2%	397	21.0%	473	19.3%	617	18.7%
			99	9.39		9.59		9.35		9.71		10.01	
			97	14.99		12.05		12.53		17.42		16.72	
			97(輸血以外の再掲)	14.63		11.25		11.88		17.15		16.31	

疾患別手術別件数在院日数

疾患 コード	疾患名	件数 /日 数	手術 診断群分類番号(9,10 桁)	平成15年度 DPC対象病院		平成16年度 DPC対象病院		平成18年度 DPC対象病院		平成18年度 DPC準備病院		平成19年度 DPC準備病院	
				件数	割合								
070010	骨軟部の良性腫瘍(脊椎脊髄を除く。)	件数	99	241	9.9%	13	2.9%	48	2.4%	128	6.1%	179	6.9%
			97	148	6.1%	26	5.8%	130	6.5%	205	9.8%	270	10.4%
			97(輸血以外の再掲)	147	6.0%	26	5.8%	130	6.5%	204	9.7%	268	10.3%
			01	2,048	84.0%	412	91.4%	1,814	91.1%	1,763	84.1%	2,156	82.8%
		日数	99	6.53		4.15		10.52		6.77		8.07	
			97	15.87		11.88		9.37		12.09		12.44	
			97(輸血以外の再掲)	15.56		11.88		9.37		12.05		12.39	
01	8.76		6.13		6.07		7.09		7.16				
070015	皮膚の良性新生物	件数	99	35	3.4%	3	1.0%	17	1.5%	47	3.6%	32	2.1%
			97	156	15.2%	48	15.6%	192	17.3%	296	22.5%	360	23.8%
			97(輸血以外の再掲)	156	15.2%	48	15.6%	192	17.3%	296	22.5%	360	23.8%
			01	837	81.4%	256	83.4%	901	81.2%	974	74.0%	1,118	74.0%
		日数	99	3.26		6.67		3.41		4.68		5.00	
			97	8.70		6.48		7.23		7.20		7.32	
			97(輸血以外の再掲)	8.70		6.48		7.23		7.20		7.32	
01	6.33		4.97		5.11		5.82		5.55				
070020	神経の良性腫瘍	件数	99	84	14.7%	8	11.4%	16	7.1%	26	8.5%	29	8.6%
			97	93	16.3%	6	8.6%	35	15.5%	66	21.5%	68	20.1%
			97(輸血以外の再掲)	92	16.1%	6	8.6%	35	15.5%	65	21.2%	67	19.8%
			01	262	46.0%	27	38.6%	118	52.2%	126	41.0%	144	42.5%
		日数	02	131	23.0%	29	41.4%	57	25.2%	89	29.0%	98	28.9%
			99	9.55		19.25		9.38		6.54		8.38	
			97	21.55		16.00		17.26		17.80		20.16	
97(輸血以外の再掲)	21.65		16.00		17.26		17.74		20.24				
01	12.13		10.96		7.20		9.18		10.19				
02	10.02		8.90		7.04		7.88		8.55				
070030	脊椎・脊髄腫瘍(髄外のもの。)	件数	99	258	34.6%	23	33.8%	136	40.4%	158	45.9%	151	40.5%
			97	147	19.7%	8	11.8%	35	10.4%	53	15.4%	65	17.4%
			97(輸血以外の再掲)	140	18.8%	8	11.8%	32	9.5%	47	13.7%	60	16.1%
			01	341	45.7%	37	54.4%	166	49.3%	133	38.7%	157	42.1%
		日数	99	11.10		15.65		12.54		14.63		12.34	
			97	34.93		57.00		26.89		40.25		36.94	
			97(輸血以外の再掲)	35.31		57.00		27.84		39.60		37.68	
01	27.74		24.05		25.68		30.90		31.13				
070040	骨軟部の悪性腫瘍(脊髄を除く。)	件数	99	1,984	55.0%	414	68.0%	1,632	68.1%	1,732	69.6%	2,457	70.8%
			97	859	23.8%	143	23.5%	590	24.6%	526	21.1%	725	20.9%
			97(輸血以外の再掲)	575	15.9%	106	17.4%	394	16.4%	414	16.6%	532	15.3%
			01	581	16.1%	40	6.6%	131	5.5%	180	7.2%	221	6.4%
			02	45	1.2%	2	0.3%	10	0.4%	10	0.4%	13	0.4%
			03	140	3.9%	10	1.6%	33	1.4%	41	1.6%	54	1.6%
		日数	99	20.33		24.44		23.76		22.38		22.76	
97	39.71			33.14		41.18		37.47		38.37			
97(輸血以外の再掲)	39.88			33.84		41.02		35.35		37.33			
01	32.95		20.57		23.34		20.77		24.95				
02	48.78		9.50		32.00		50.20		38.08				
03	44.40		64.30		46.91		42.34		46.80				
070042	上肢等の皮膚の悪性腫瘍	件数	99	296	14.4%	26	14.0%	68	7.6%	107	12.4%	219	18.9%
			97	157	7.6%	10	5.4%	68	7.6%	77	8.9%	90	7.8%
			97(輸血以外の再掲)	150	7.3%	9	4.8%	65	7.2%	73	8.5%	80	6.9%
			01	1,604	78.0%	150	80.6%	764	84.9%	678	78.7%	848	73.3%
		日数	99	18.85		18.04		21.60		20.09		11.31	
			97	22.46		33.30		15.46		23.21		24.10	
			97(輸血以外の再掲)	21.33		31.33		15.20		18.79		21.65	
01	15.79		11.67		12.68		14.04		13.65				
070045	黒色腫	件数	99	1,074	63.9%	28	57.1%	120	59.7%	171	56.8%	261	64.1%
			97	129	7.7%	1	2.0%	14	7.0%	32	10.6%	33	8.1%
			97(輸血以外の再掲)	108	6.4%			10	5.0%	24	8.0%	24	5.9%
			01	477	28.4%	20	40.8%	67	33.3%	98	32.6%	113	27.8%
		日数	99	11.08		8.18		12.65		11.04		11.57	
			97	22.45		39.00		15.07		23.34		19.09	
			97(輸血以外の再掲)	20.32				13.30		26.96		15.63	
01	29.01		25.15		24.91		29.82		25.00				
070050	肩関節炎、肩の障害(その他)	件数	99	9	10.3%	12	28.6%	51	26.3%	58	38.2%	108	37.5%
			97	78	89.7%	30	71.4%	143	73.7%	94	61.8%	180	62.5%
			97(輸血以外の再掲)	77	88.5%	30	71.4%	143	73.7%	94	61.8%	178	61.8%
		日数	99	25.00		19.67		15.04		13.97		16.40	
			97	24.86		24.23		28.37		27.76		25.08	
			97(輸血以外の再掲)	24.81		24.23		28.37		27.76		24.90	
			01	16.27		21.75		8.79		18.11		23.65	
070060	手肘の関節炎	件数	99	6	18.8%	11	47.8%	19	13.5%	24	27.3%	53	39.8%
			97	26	81.3%	12	52.2%	122	86.5%	64	72.7%	80	60.2%
			97(輸血以外の再掲)	26	81.3%	12	52.2%	121	85.8%	63	71.6%	79	59.4%
		日数	99	12.83		12.18		13.74		19.25		16.25	
			97	16.27		21.75		9.05		18.42		23.75	
			97(輸血以外の再掲)	16.27		21.75		8.79		18.11		23.65	
			01	26.29		20.54		20.27		22.92		24.05	
070070	骨髄炎	件数	99	85	28.5%	24	23.8%	113	29.9%	134	30.2%	151	26.7%
			97	119	39.9%	50	49.5%	174	46.0%	208	47.0%	288	50.9%
			97(輸血以外の再掲)	115	38.6%	50	49.5%	174	46.0%	201	45.4%	283	50.0%
			01	94	31.5%	27	26.7%	91	24.1%	101	22.8%	127	22.4%
		日数	99	26.29		20.54		20.27		22.92		24.05	
			97	46.21		34.16		36.02		42.21		37.28	
			97(輸血以外の再掲)	45.90		34.16		36.02		41.16		37.42	
01	41.31		43.00		39.67		43.35		38.83				
070080	滑膜炎、腱鞘炎、軟骨などの炎症(上肢)	件数	99	2	1.7%	3	6.0%	18	9.8%	45	12.0%	44	8.3%
			97	115	98.3%	47	94.0%	166	90.2%	330	88.0%	486	91.7%
			97(輸血以外の再掲)	115	98.3%	47	94.0%	166	90.2%	330	88.0%	485	91.5%
		日数	99	9.00		6.00		8.28		11.58		11.89	
			97	8.70		8.94		8.26		10.64		10.44	

疾患別手術別件数在院日数

疾患 コード	疾患名	件数 /日 数	手術 診断群分類番号(9,10 桁)	平成15年度 DPC対象病院		平成16年度 DPC対象病院		平成18年度 DPC対象病院		平成18年度 DPC準備病院		平成19年度 DPC準備病院	
				件数	割合	件数	割合	件数	割合	件数	割合	件数	割合
070085	滑膜炎、腱鞘炎、軟骨などの炎症(上肢以外)	件数	97(輸血以外の再掲)	8.70		8.94		8.26		10.64		10.44	
			99	56	16.1%	31	24.6%	89	16.3%	115	20.4%	212	20.9%
			97	292	83.9%	95	75.4%	458	83.7%	448	79.6%	804	79.1%
		日数	97(輸血以外の再掲)	292	83.9%	95	75.4%	457	83.5%	447	79.4%	803	79.0%
			99	19.13		11.77		14.18		15.93		14.34	
070090	筋炎(感染性を含む。)	件数	97(輸血以外の再掲)	17.60		16.99		10.76		17.80		14.99	
			99	115	74.2%	33	64.7%	107	60.8%	179	67.5%	189	60.4%
			97	40	25.8%	18	35.3%	69	39.2%	86	32.5%	124	39.6%
		日数	97(輸血以外の再掲)	39	25.2%	16	31.4%	68	38.6%	85	32.1%	120	38.3%
			99	14.74		14.67		12.76		15.38		15.10	
070100	化膿性・結核性股関節炎	件数	97(輸血以外の再掲)	19.62		14.63		14.38		13.13		15.57	
			99	13	22.4%	9	52.9%	35	39.3%	57	56.4%	82	61.2%
			97	45	77.6%	8	47.1%	54	60.7%	44	43.6%	52	38.8%
		日数	97(輸血以外の再掲)	44	75.9%	8	47.1%	53	59.6%	43	42.6%	52	38.8%
			99	17.38		14.22		16.17		15.93		17.20	
070120	化膿性膝関節炎	件数	97(輸血以外の再掲)	42.59		41.88		47.02		42.67		53.90	
			99	35	25.7%	45	50.6%	144	40.4%	249	56.6%	340	53.5%
			97	101	74.3%	44	49.4%	212	59.6%	191	43.4%	295	46.5%
		日数	97(輸血以外の再掲)	99	72.8%	43	48.3%	210	59.0%	188	42.7%	290	45.7%
			99	22.09		13.96		16.75		16.69		18.06	
070135	下肢(股関節以外)関節炎	件数	97(輸血以外の再掲)	23.67		30.00		36.87		35.52		39.26	
			99	7	53.8%	2	66.7%	12	34.3%	21	40.4%	38	52.1%
			97	6	46.2%	1	33.3%	23	65.7%	31	59.6%	35	47.9%
		日数	97(輸血以外の再掲)	5	38.5%	1	33.3%	22	62.9%	31	59.6%	35	47.9%
			99	19.57		30.00		21.17		20.10		16.82	
070140	脳性麻痺	件数	97(輸血以外の再掲)	25.00		30.00		37.50		35.52		39.26	
			99	229	86.4%	38	90.5%	185	84.5%	244	78.5%	322	85.2%
			97	36	13.6%	4	9.5%	34	15.5%	67	21.5%	56	14.8%
		日数	97(輸血以外の再掲)	34	12.8%	4	9.5%	34	15.5%	65	20.9%	55	14.6%
			99	18.66		15.03		28.11		17.90		18.16	
070150	上肢神経障害(胸郭出口症候群含む。)	件数	97(輸血以外の再掲)	17.78		9.50		12.86		16.71		23.19	
			99	42	70.0%	14	77.8%	13	65.0%	47	66.2%	54	63.5%
			97	18	30.0%	4	22.2%	7	35.0%	24	33.8%	31	36.5%
		日数	97(輸血以外の再掲)	18	30.0%	4	22.2%	7	35.0%	24	33.8%	31	36.5%
			99	20.60		12.50		21.46		16.55		15.43	
070160	上肢末梢神経麻痺	件数	97(輸血以外の再掲)	17.06		10.70		17.11		20.04		14.46	
			99	21	4.2%	10	4.1%	17	2.1%	46	3.5%	59	3.2%
			97	5	1.0%	4	1.6%	10	1.3%	21	1.6%	25	1.4%
		日数	97(輸血以外の再掲)	5	1.0%	4	1.6%	10	1.3%	21	1.6%	25	1.4%
			99	477	94.8%	229	94.2%	768	96.6%	1,230	94.8%	1,754	95.4%
070170	下肢神経疾患	件数	97(輸血以外の再掲)	17.06		10.70		17.11		20.04		14.46	
			99	15	45.5%	11	52.4%	31	62.0%	49	52.1%	86	57.0%
			97	18	54.5%	10	47.6%	19	38.0%	45	47.9%	65	43.0%
		日数	97(輸血以外の再掲)	18	54.5%	10	47.6%	19	38.0%	45	47.9%	65	43.0%
			99	14.93		8.91		11.48		14.35		17.27	
070180	脊椎変形	件数	97(輸血以外の再掲)	26.30		27.28		26.91		27.12		29.94	
			99	113	23.5%	25	21.9%	167	46.9%	93	37.3%	83	26.9%
			97	368	76.5%	89	78.1%	189	53.1%	156	62.7%	225	73.1%
		日数	97(輸血以外の再掲)	337	70.1%	87	76.3%	187	52.5%	155	62.2%	197	64.0%
			99	4.78		6.84		6.53		9.44		10.34	
070190	上肢・手の変形(偽関節を除く。)	件数	97(輸血以外の再掲)	26.30		27.28		26.91		27.12		29.94	
			99	4	5.7%			1	1.4%	3	3.2%	6	3.8%
			97	13	18.6%	5	27.8%	19	26.8%	37	39.8%	42	26.9%
		日数	97(輸血以外の再掲)	13	18.6%	5	27.8%	19	26.8%	37	39.8%	42	26.9%
			99	53	75.7%	13	72.2%	51	71.8%	53	57.0%	108	69.2%
070200	手関節症(変形性を含む。)	件数	97(輸血以外の再掲)	26.30		27.28		26.91		27.12		29.94	
			99	1	0.8%			1	0.6%	6	2.7%	9	3.1%
			97	127	99.2%	33	100.0%	175	99.4%	216	97.3%	281	96.9%
		日数	97(輸血以外の再掲)	127	99.2%	33	100.0%	175	99.4%	216	97.3%	280	96.6%
			99	14.00				2.00		10.67		13.33	
070210	下肢の変形	件数	97(輸血以外の再掲)	26.30		27.28		26.91		27.12		29.94	
			99	10	4.1%	1	2.3%	10	5.8%	19	7.6%	33	7.9%
			97	57	23.6%	18	41.9%	61	35.3%	81	32.3%	147	35.3%
		日数	97(輸血以外の再掲)	56	23.1%	18	41.9%	61	35.3%	81	32.3%	146	35.1%
			99	175	72.3%	24	55.8%	102	59.0%	151	60.2%	236	56.7%
070220	股関節症(変形性を含む。)	件数	97(輸血以外の再掲)	26.30		27.28		26.91		27.12		29.94	
			99	81	3.3%	93	20.8%	321	14.0%	299	12.6%	500	14.8%
			97	240	9.7%	35	7.8%	143	6.3%	149	6.3%	317	9.4%

疾患別手術別件数在院日数

疾患コード	疾患名	件数/日数	手術 診断群分類番号(9,10 桁)		平成15年度 DPC対象病院		平成16年度 DPC対象病院		平成18年度 DPC対象病院		平成18年度 DPC準備病院		平成19年度 DPC準備病院	
		件数	97(輸血以外の再掲)	105	4.3%	12	2.7%	64	2.8%	69	2.9%	93	2.8%	
			01	2,041	82.9%	311	69.6%	1,804	78.9%	1,892	79.7%	2,519	74.6%	
			02	101	4.1%	8	1.8%	17	0.7%	35	1.5%	40	1.2%	
		日数	99	10.94		16.48		9.06		13.66		14.92		
			97	12.14		12.54		7.13		9.07		7.55		
			97(輸血以外の再掲)	18.22		32.58		11.80		13.74		12.71		
			01	33.10		33.07		32.57		35.06		37.05		
02	38.51		62.75		35.00		36.74		50.50					
070230	膝関節症(変形性を含む。)	件数	99	58	3.0%	51	5.5%	199	6.5%	285	8.2%	643	12.4%	
97	160		8.2%	51	5.5%	53	1.7%	129	3.7%	247	4.7%			
97(輸血以外の再掲)	31		1.6%	6	0.6%	32	1.0%	72	2.1%	111	2.1%			
01	1,547		79.1%	697	74.9%	2,535	83.0%	2,690	77.3%	3,744	71.9%			
02	190		9.7%	131	14.1%	268	8.8%	375	10.8%	571	11.0%			
日数	99		12.10		12.55		12.07		16.65		17.79			
	97		9.21		4.24		9.28		14.19		13.11			
	97(輸血以外の再掲)	11.90		19.17		12.88		18.40		20.47				
	01	32.05		31.67		29.91		35.87		36.16				
	02	24.45		16.29		22.17		20.75		21.38				
070240	下肢動揺関節症	件数	99	1	5.9%			1	0.9%	1	3.7%	16	25.0%	
97	16		94.1%	2	100.0%	108	99.1%	26	96.3%	48	75.0%			
97(輸血以外の再掲)	16		94.1%	2	100.0%	108	99.1%	26	96.3%	48	75.0%			
日数	99		9.00				4.00		37.00		7.56			
	97		13.50		4.50		13.54		13.04		12.83			
	97(輸血以外の再掲)	13.50		4.50		13.54		13.04		12.83				
070250	関節内障、関節内遊離体	件数	99	1	2.0%	2	8.7%	1	1.4%	5	4.8%	7	4.3%	
97	48		98.0%	21	91.3%	70	98.6%	99	95.2%	156	95.7%			
97(輸血以外の再掲)	48		98.0%	21	91.3%	70	98.6%	99	95.2%	156	95.7%			
日数	99		8.00		13.50		6.00		20.20		5.57			
	97		9.79		8.24		6.43		6.81		6.42			
	97(輸血以外の再掲)	9.79		8.24		6.43		6.81		6.42				
070270	膝蓋骨の障害	件数	99	3	4.3%			1	2.1%	1	2.0%	3	2.9%	
97	66		95.7%	13	100.0%	46	97.9%	49	98.0%	100	97.1%			
97(輸血以外の再掲)	66		95.7%	13	100.0%	46	97.9%	49	98.0%	100	97.1%			
日数	99		7.33				6.00		4.00		19.67			
	97		18.23		15.54		17.48		18.78		20.97			
	97(輸血以外の再掲)	18.23		15.54		17.48		18.78		20.97				
070280	骨端症、骨軟骨障害・骨壊死、発育期の膝関節障害	件数	99	4	2.7%	3	7.9%	12	7.8%	12	6.6%	27	9.7%	
97	146		97.3%	35	92.1%	141	92.2%	171	93.4%	250	90.3%			
97(輸血以外の再掲)	145		96.7%	35	92.1%	141	92.2%	170	92.9%	248	89.5%			
日数	99		23.75		6.33		15.08		19.25		25.70			
	97		18.27		14.51		15.94		18.19		21.05			
	97(輸血以外の再掲)	18.34		14.51		15.94		18.29		21.13				
070290	上肢関節拘縮・強直	件数	99	3	3.0%	3	9.4%	4	2.8%	18	11.2%	51	21.1%	
97	96		97.0%	29	90.6%	140	97.2%	143	88.8%	191	78.9%			
97(輸血以外の再掲)	96		97.0%	29	90.6%	140	97.2%	142	88.2%	191	78.9%			
日数	99		12.33		5.00		24.25		20.72		16.51			
	97		17.30		10.24		13.39		16.20		15.76			
	97(輸血以外の再掲)	17.30		10.24		13.39		16.09		15.76				
070310	下肢関節拘縮・強直	件数	99	2	5.1%	1	5.9%	4	7.5%	10	15.4%	12	14.3%	
97	37		94.9%	16	94.1%	49	92.5%	55	84.6%	72	85.7%			
97(輸血以外の再掲)	37		94.9%	16	94.1%	49	92.5%	55	84.6%	71	84.5%			
日数	99		19.00		60.00		22.50		26.50		29.75			
	97		25.14		23.63		20.29		24.42		23.06			
	97(輸血以外の再掲)	25.14		23.63		20.29		24.42		23.20				
070330	脊椎感染(感染を含む。)	件数	99	169	56.3%	88	73.3%	389	76.3%	423	74.0%	612	77.6%	
97	65		21.7%	19	15.8%	77	15.1%	105	18.4%	126	16.0%			
97(輸血以外の再掲)	59		19.7%	18	15.0%	62	12.2%	89	15.6%	103	13.1%			
01	66		22.0%	13	10.8%	44	8.6%	44	7.7%	51	6.5%			
日数	99		33.71		39.31		33.45		37.96		40.87			
	97	53.23		55.21		66.66		62.15		71.98				
	97(輸血以外の再掲)	51.69		54.00		68.73		60.06		69.86				
	01	62.98		63.54		73.61		63.39		68.18				
	070340	脊柱管狭窄(脊椎症を含む。)	件数	99	2,660	42.7%	1,084	47.1%	4,233	45.5%	6,181	52.4%	8,223	53.1%
97	3,563	57.3%		1,219	52.9%	5,080	54.5%	5,617	47.6%	7,269	46.9%			
97(輸血以外の再掲)	3,521	56.6%		1,213	52.7%	5,063	54.4%	5,564	47.2%	7,174	46.3%			
日数	99	7.89			9.91		9.30		10.59		13.25			
	97	25.26			26.55		25.49		27.74		28.41			
	97(輸血以外の再掲)	25.40		26.60		25.50		27.87		28.53				
070350	椎間板変性、ヘルニア	件数	99	588	37.5%	493	50.9%	1,891	46.9%	3,028	55.7%	4,499	57.1%	
97	982		62.5%	476	49.1%	2,139	53.1%	2,413	44.3%	3,387	42.9%			
97(輸血以外の再掲)	980		62.4%	475	49.0%	2,136	53.0%	2,400	44.1%	3,363	42.6%			
日数	99		8.34		10.74		10.45		11.37		13.39			
	97		19.37		21.38		19.40		22.44		22.83			
	97(輸血以外の再掲)	19.37		21.42		19.40		22.48		22.92				
070360	不安定椎	件数	99	191	34.0%	83	33.1%	519	39.6%	451	40.3%	556	38.9%	
97	25		4.4%	9	3.6%	33	2.5%	56	5.0%	55	3.8%			
97(輸血以外の再掲)	16		2.8%	9	3.6%	23	1.8%	38	3.4%	36	2.5%			
01	346		61.6%	159	63.3%	757	57.8%	611	54.7%	818	57.2%			
日数	99		5.43		5.33		5.36		8.03		10.35			
	97	12.16		12.78		8.21		13.61		14.84				
	97(輸血以外の再掲)	14.63		12.78		9.78		16.74		18.39				
	01	27.66		27.31		25.29		29.25		29.06				
	070370	脊椎骨粗鬆症	件数	99	29	96.7%	76	80.9%	115	92.7%	185	87.7%	311	93.4%
97	1	3.3%		18	19.1%	9	7.3%	26	12.3%	22	6.6%			
97(輸血以外の再掲)	1	3.3%		17	18.1%	8	6.5%	25	11.8%	21	6.3%			
日数	99	20.93			28.34		23.24		21.92		28.70			
	97	38.00			29.78		23.89		36.65		34.77			

疾患別手術別件数在院日数

疾患コード	疾患名	件数/日数	手術 診断群分類番号(9,10 桁)		平成15年度 DPC対象病院		平成16年度 DPC対象病院		平成18年度 DPC対象病院		平成18年度 DPC準備病院		平成19年度 DPC準備病院	
			97(輸血以外の再掲)											
070380	ガングリオン	件数	99		38.00		31.00		24.75		35.96		33.71	
			97		13	16.5%	2	5.9%	14	11.2%	42	19.2%	71	24.7%
			97(輸血以外の再掲)		13	16.5%	2	5.9%	14	11.2%	42	19.2%	71	24.7%
			01		66	83.5%	32	94.1%	108	86.4%	173	79.0%	209	72.8%
		日数	99					2.33			9.00		4.57	
070390	線維芽細胞性障害	件数	99		8	6.2%	3	9.4%	10	7.6%	21	11.7%	34	13.7%
			97		121	93.8%	29	90.6%	121	92.4%	159	88.3%	215	86.3%
			97(輸血以外の再掲)		121	93.8%	29	90.6%	121	92.4%	158	87.8%	215	86.3%
			01		7.15		6.31		7.34		6.56		6.41	
		日数	99		26.75		14.00		8.70		12.71		10.94	
070395	壊死性筋膜炎	件数	99		11	11.5%	7	20.0%	38	22.4%	20	17.4%	41	27.7%
			97		85	88.5%	28	80.0%	132	77.6%	95	82.6%	107	72.3%
			97(輸血以外の再掲)		85	88.5%	27	77.1%	130	76.5%	92	80.0%	103	69.6%
			01		52.66		44.75		49.37		50.97		44.70	
		日数	99		26.45		17.29		26.21		26.45		16.73	
070400	股関節骨頭壊死	件数	99		29	5.6%	4	4.8%	22	5.9%	37	8.7%	70	11.7%
			97		98	18.9%	12	14.3%	55	14.8%	57	13.5%	71	11.9%
			97(輸血以外の再掲)		60	11.6%	10	11.9%	46	12.4%	51	12.1%	60	10.0%
			01		391	75.5%	68	81.0%	294	79.2%	329	77.8%	458	76.5%
		日数	99		14.79		13.00		19.27		17.19		25.36	
070420	大腿骨頭すべり症	件数	99		1	1.5%					2	4.3%	6	10.2%
			97		65	98.5%	9	100.0%	39	100.0%	45	95.7%	53	89.8%
			97(輸血以外の再掲)		65	98.5%	9	100.0%	39	100.0%	45	95.7%	53	89.8%
			01		4.00						8.00		12.67	
		日数	99		23.35		15.44		25.54		14.91		21.87	
070430	神経異栄養症、骨成長障害、骨障害(その他)	件数	99		70	47.9%	8	47.1%	22	27.8%	25	22.9%	46	41.4%
			97		48	32.9%	1	5.9%	32	40.5%	59	54.1%	42	37.8%
			97(輸血以外の再掲)		48	32.9%	1	5.9%	32	40.5%	59	54.1%	41	36.9%
			01		28	19.2%	8	47.1%	25	31.6%	25	22.9%	23	20.7%
		日数	99		16.84		5.38		16.23		17.12		22.65	
070440	色素性絨毛結節性滑膜炎	件数	99		2	6.3%					2	11.1%	1	4.0%
			97		30	93.8%	3	100.0%	18	100.0%	16	88.9%	24	96.0%
			97(輸血以外の再掲)		30	93.8%	3	100.0%	18	100.0%	16	88.9%	24	96.0%
			01		6.00						16.00		3.00	
		日数	99		18.03		9.00		13.00		16.50		12.17	
070460	股関節ベルテス病	件数	99		14	34.1%	2	100.0%	4	30.8%	17	77.3%	14	33.3%
			97		27	65.9%			9	69.2%	5	22.7%	28	66.7%
			97(輸血以外の再掲)		27	65.9%			9	69.2%	5	22.7%	28	66.7%
			01		24.57		23.00		17.00		30.71		31.79	
		日数	99		21.74				31.56		39.40		21.14	
070470	関節リウマチ	件数	99		2,686	68.7%	683	68.6%	1,561	66.2%	2,761	77.3%	3,307	72.5%
			97		156	4.0%	55	5.5%	99	4.2%	103	2.9%	183	4.0%
			97(輸血以外の再掲)		108	2.8%	20	2.0%	65	2.8%	77	2.2%	110	2.4%
			01		25	0.6%	2	0.2%	10	0.4%	5	0.1%	34	0.7%
		日数	99		713	18.2%	159	16.0%	470	19.9%	428	12.0%	672	14.7%
070510	痛風、関節の障害(その他)	件数	99		332	8.5%	96	9.6%	218	9.2%	276	7.7%	365	8.0%
			97		12.75		11.96		13.10		10.89		13.36	
			97(輸血以外の再掲)		34.83		20.58		38.82		38.60		38.77	
			01		36.83		31.25		42.58		35.34		43.71	
		日数	99		50.92		53.50		32.90		80.80		49.50	
070520	リンパ節、リンパ管の疾患	件数	99		350	56.7%	179	82.5%	699	84.3%	874	83.5%	1,066	83.9%
			97		267	43.3%	38	17.5%	130	15.7%	173	16.5%	205	16.1%
			97(輸血以外の再掲)		266	43.1%	37	17.1%	128	15.4%	171	16.3%	204	16.1%
			01		12.09		9.54		9.27		9.47		9.71	
		日数	99		14.00		9.79		12.65		14.99		14.39	
070530	放射線皮膚障害	件数	99		18	16.5%	1	11.1%	6	11.1%	13	17.8%	18	25.4%
			97		91	83.5%	8	88.9%	48	88.9%	60	82.2%	53	74.6%
			97(輸血以外の再掲)		91	83.5%	8	88.9%	48	88.9%	60	82.2%	53	74.6%
			01		8.56		6.00		19.67		6.69		10.28	
		日数	99		12.20		7.38		7.96		8.62		10.58	
070550	褥瘡潰瘍	件数	99		32	22.2%	25	29.4%	158	42.9%	213	40.4%	313	47.0%
			97		112	77.8%	60	70.6%	210	57.1%	314	59.6%	353	53.0%

疾患別手術別件数在院日数

疾患コード	疾患名	件数 / 日数	手術 診断群分類番号(9,10 桁)	平成15年度 DPC対象病院		平成16年度 DPC対象病院		平成18年度 DPC対象病院		平成18年度 DPC準備病院		平成19年度 DPC準備病院	
				件数	割合	件数	割合	件数	割合	件数	割合	件数	割合
		日数	97(輸血以外の再掲)	109	75.7%	60	70.6%	203	55.2%	304	57.7%	336	50.5%
			99	25.72		33.00		32.99		35.67		40.16	
			97	55.46		49.03		51.35		54.87		59.18	
			97(輸血以外の再掲)	53.81		49.03		51.97		55.31		58.96	
			99	4.079	89.4%	757	89.7%	2,115	88.0%	2,057	88.0%	2,569	89.8%
070560	全身性臓器障害を伴う自己免疫性疾患	件数	97	485	10.6%	87	10.3%	289	12.0%	281	12.0%	291	10.2%
			97(輸血以外の再掲)	368	8.1%	65	7.7%	217	9.0%	202	8.6%	221	7.7%
			99	27.63		22.19		24.15		26.36		25.82	
			97	57.24		49.80		46.12		46.90		46.10	
			97(輸血以外の再掲)	56.05		48.35		43.30		45.25		44.19	
070570	癬痕拘縮	件数	99	111	7.5%	21	9.3%	75	8.8%	155	14.2%	215	18.7%
			97	339	23.0%	15	6.6%	161	19.0%	229	21.0%	281	24.5%
			97(輸血以外の再掲)	336	22.8%	15	6.6%	159	18.7%	223	20.5%	276	24.0%
			01	832	56.4%	162	71.7%	471	55.5%	511	47.0%	461	40.1%
			02	194	13.1%	28	12.4%	142	16.7%	193	17.7%	192	16.7%
		日数	99	26.23		21.86		26.45		23.97		27.09	
			97	17.03		13.00		15.73		16.90		17.96	
			97(輸血以外の再掲)	16.61		13.00		15.22		16.31		17.47	
			01	13.67		9.75		9.34		11.14		10.83	
			02	33.08		32.39		25.13		37.22		34.44	
070580	斜頸	件数	99	21	41.2%	15	75.0%	35	76.1%	87	81.3%	61	75.3%
			97	30	58.8%	5	25.0%	11	23.9%	20	18.7%	20	24.7%
			97(輸血以外の再掲)	30	58.8%	5	25.0%	11	23.9%	20	18.7%	20	24.7%
			99	12.48		10.07		8.40		6.93		9.77	
			97	16.43		16.80		9.91		9.30		7.35	
071030	その他の筋骨格系・結合組織の疾患	件数	99	243	44.3%	234	67.4%	783	76.7%	1,423	80.0%	2,076	80.7%
			97	305	55.7%	113	32.6%	238	23.3%	355	20.0%	497	19.3%
			97(輸血以外の再掲)	304	55.5%	112	32.3%	236	23.1%	352	19.8%	490	19.0%
			99	15.22		11.60		9.56		11.72		12.13	
			97	20.01		18.35		16.89		22.68		21.43	
080011	急性膿皮症	件数	99	1,273	73.1%	902	81.5%	3,164	83.6%	4,545	83.3%	5,995	84.6%
			97	468	26.9%	205	18.5%	620	16.4%	910	16.7%	1,088	15.4%
			97(輸血以外の再掲)	450	25.8%	201	18.2%	610	16.1%	874	16.0%	1,056	14.9%
			99	11.75		11.45		11.16		12.30		12.69	
			97	24.36		23.33		19.74		23.43		22.15	
080070	慢性膿皮症	件数	99	2	2.6%	4	7.1%	9	7.9%	15	9.7%	17	8.7%
			97	75	97.4%	52	92.9%	105	92.1%	140	90.3%	179	91.3%
			97(輸血以外の再掲)	74	96.1%	52	92.9%	105	92.1%	138	89.0%	179	91.3%
			99	6.00		10.00		11.44		18.47		14.24	
			97	13.83		9.40		13.16		14.26		13.26	
080150	爪の疾患	件数	99	2	3.1%					3	1.8%		
			97	62	96.9%	26	100.0%	140	100.0%	162	98.2%	212	100.0%
			97(輸血以外の再掲)	62	96.9%	26	100.0%	140	100.0%	162	98.2%	212	100.0%
			99	2.00						2.67			
			97	7.13		6.15		5.47		7.07		7.28	
080180	母斑、母斑症	件数	99	352	33.5%	13	21.0%	155	42.0%	280	45.2%	153	32.6%
			97	699	66.5%	49	79.0%	214	58.0%	340	54.8%	317	67.4%
			97(輸血以外の再掲)	698	66.4%	49	79.0%	214	58.0%	337	54.4%	314	66.8%
			99	4.04		4.69		2.99		3.59		3.92	
			97	6.84		7.14		5.37		6.45		7.40	
080220	エクリン汗腺の障害、アポクリン汗腺の障害	件数	99	24	28.2%			1	1.1%	7	5.8%	9	7.7%
			97	61	71.8%	16	100.0%	92	98.9%	114	94.2%	108	92.3%
			97(輸血以外の再掲)	61	71.8%	16	100.0%	92	98.9%	114	94.2%	108	92.3%
			99	14.08				6.00		6.57		7.00	
			97	7.31		8.69		7.29		6.99		7.04	
080230	皮膚色素異常症	件数	99	19	45.2%	1	33.3%	1	20.0%	2	20.0%	6	33.3%
			97	23	54.8%	2	66.7%	4	80.0%	8	80.0%	12	66.7%
			97(輸血以外の再掲)	23	54.8%	2	66.7%	4	80.0%	8	80.0%	12	66.7%
			99	8.53		18.00		11.00		39.00		9.83	
			97	7.74		2.00		3.50		4.75		7.08	
080240	多汗症	件数	99	5	6.5%			2	5.1%			4	4.0%
			97	72	93.5%	19	100.0%	37	94.9%	44	100.0%	96	96.0%
			97(輸血以外の再掲)	72	93.5%	19	100.0%	37	94.9%	44	100.0%	96	96.0%
			99	11.80				2.00				3.25	
			97	3.82		3.95		3.43		2.68		3.50	
090010	乳房の悪性腫瘍	件数	99	2,206	27.6%	931	34.3%	3,262	32.2%	3,987	34.8%	6,693	40.2%
			97	5,784	72.4%	1,782	65.7%	6,854	67.8%	7,455	65.2%	9,950	59.8%
			97(輸血以外の再掲)	5,712	71.5%	1,766	65.1%	6,772	66.9%	7,349	64.2%	9,838	59.1%
			99	13.21		10.44		9.92		10.85		9.18	
			97	10.96		11.68		11.91		14.58		14.79	
090020	乳房の良性腫瘍	件数	99	12	3.2%	4	3.9%	6	1.3%	13	2.3%	31	4.9%
			97	360	96.8%	99	96.1%	456	98.7%	544	97.7%	598	95.1%
			97(輸血以外の再掲)	360	96.8%	99	96.1%	456	98.7%	544	97.7%	598	95.1%
			99	4.42		4.25		3.17		5.77		4.13	
			97	5.09		4.62		4.87		4.96		5.41	
090030	乳房の炎症性障害	件数	99	8	27.6%	14	70.0%	41	60.3%	50	50.0%	68	53.5%

疾患別手術別件数在院日数

疾患コード	疾患名	件数/日数	手術 診断群分類番号(9,10 桁)	平成15年度 DPC対象病院		平成16年度 DPC対象病院		平成18年度 DPC対象病院		平成18年度 DPC準備病院		平成19年度 DPC準備病院	
				件数	割合	件数	割合	件数	割合	件数	割合	件数	割合
		件数	97	21	72.4%	6	30.0%	27	39.7%	50	50.0%	59	46.5%
			97(輸血以外の再掲)	21	72.4%	6	30.0%	27	39.7%	50	50.0%	59	46.5%
		日数	99	4.38		4.71		5.02		7.06		7.59	
			97	6.71		5.33		10.00		10.00		7.90	
090040	乳房の形態異常、女性化乳房、乳腺症など	件数	99	1	1.7%	1	20.0%	5	7.7%	2	3.6%	3	4.7%
			97	59	98.3%	4	80.0%	60	92.3%	54	96.4%	61	95.3%
		日数	97(輸血以外の再掲)	59	98.3%	4	80.0%	60	92.3%	54	96.4%	61	95.3%
			99	2.00		7.00		3.60		2.00		13.00	
100010	多発性内分泌腺腫症	件数	99	22	88.0%	2	66.7%	1	100.0%	1	100.0%	6	100.0%
			97	3	12.0%	1	33.3%						
		日数	97(輸血以外の再掲)	2	8.0%	1	33.3%						
			99	16.36		20.00		11.00		14.00		6.33	
100020	甲状腺の悪性腫瘍	件数	99	986	36.3%	43	12.3%	172	12.0%	294	11.6%	368	17.9%
			97	142	5.2%	13	3.7%	70	4.9%	119	4.7%	132	6.4%
		日数	97(輸血以外の再掲)	136	5.0%	12	3.4%	65	4.5%	108	4.2%	121	5.9%
			01	1,590	58.5%	293	84.0%	1,188	83.1%	2,129	83.8%	1,559	75.7%
100030	内分泌腺および関連組織の腫瘍	件数	99	97	46.2%	3	37.5%	45	52.3%	49	50.5%	39	43.8%
			97	113	53.8%	5	62.5%	41	47.7%	48	49.5%	50	56.2%
		日数	97(輸血以外の再掲)	107	51.0%	5	62.5%	37	43.0%	46	47.4%	42	47.2%
			99	11.63		6.33		12.07		12.10		15.00	
100100	糖尿病足病変	件数	99	93	39.7%	17	28.3%	123	44.2%	103	35.0%	147	44.1%
			97	141	60.3%	43	71.7%	155	55.8%	191	65.0%	186	55.9%
		日数	97(輸血以外の再掲)	139	59.4%	43	71.7%	153	55.0%	190	64.6%	182	54.7%
			99	34.81		24.76		31.26		25.86		33.48	
100130	甲状腺の良性結節	件数	99	78	15.2%	17	10.6%	27	5.0%	67	6.2%	63	8.9%
			97	434	84.8%	144	89.4%	510	95.0%	1,013	93.8%	643	91.1%
		日数	97(輸血以外の再掲)	434	84.8%	144	89.4%	510	95.0%	1,013	93.8%	642	90.9%
			99	4.23		6.06		6.67		6.96		9.02	
100140	甲状腺機能亢進症	件数	99	481	70.8%	129	92.1%	353	76.4%	665	62.3%	525	79.8%
			97	198	29.2%	11	7.9%	109	23.6%	403	37.7%	133	20.2%
		日数	97(輸血以外の再掲)	198	29.2%	11	7.9%	109	23.6%	401	37.5%	133	20.2%
			99	18.14		13.95		15.18		13.41		15.16	
100180	副腎皮質機能亢進症、非機能性副腎皮質腫瘍	件数	99	1,302	64.1%	151	76.3%	455	68.1%	502	69.0%	556	68.2%
			97	166	8.2%	11	5.6%	48	7.2%	38	5.2%	60	7.4%
		日数	97(輸血以外の再掲)	92	4.5%	9	4.5%	37	5.5%	22	3.0%	46	5.6%
			01	7	0.3%					4	0.5%		
100190	褐色細胞腫、パラガングリオーマ	件数	99	96	81.4%	6	75.0%	13	59.1%	11	73.3%	24	57.1%
			97	22	18.6%	2	25.0%	9	40.9%	4	26.7%	18	42.9%
		日数	97(輸血以外の再掲)	22	18.6%	2	25.0%	9	40.9%	4	26.7%	16	38.1%
			99	11.57		3.00		14.31		10.36		12.75	
100220	原発性副甲状腺機能亢進症、副甲状腺腫瘍	件数	99	101	24.3%	24	39.3%	31	15.9%	36	13.9%	33	17.6%
			97	8	1.9%	1	1.6%	8	4.1%	10	3.9%	15	8.0%
		日数	97(輸血以外の再掲)	8	1.9%	1	1.6%	8	4.1%	9	3.5%	15	8.0%
			01	2	0.5%			1	0.5%	6	2.3%		
100230	続発性副甲状腺機能亢進症	件数	03	304	73.3%	36	59.0%	155	79.5%	207	79.9%	139	74.3%
			99	15.41		11.96		11.65		17.39		15.27	
		日数	97	37.13		10.00		31.13		12.00		14.20	
			97(輸血以外の再掲)	37.13		10.00		31.13		12.22		14.20	
100250	下垂体機能低下症	件数	01	51.00				19.00		20.83			
			03	10.84		10.86		10.55		12.84		11.44	
		日数	99	13	5.9%	9	9.1%	10	4.9%	12	6.1%	15	9.9%
			97	5	2.3%	2	2.0%	2	1.0%	1	0.5%	5	3.3%

疾患別手術別件数在院日数

疾患コード	疾患名	件数 /日数	手術 診断群分類番号(9,10 桁)		平成15年度 DPC対象病院		平成16年度 DPC対象病院		平成18年度 DPC対象病院		平成18年度 DPC準備病院		平成19年度 DPC準備病院	
			97(輸血以外の再掲)											
		日数	97(輸血以外の再掲)	55	8.9%	2	1.6%	24	4.9%	30	6.4%	21	3.4%	
			99	9.71		6.68		6.63		6.44		6.99		
			97	28.25		12.33		28.78		30.48		25.59		
100260	下垂体機能亢進症	件数	97(輸血以外の再掲)	28.25		15.50		28.75		30.80		26.10		
			99	506	41.7%	54	60.0%	197	43.7%	195	35.7%	202	41.6%	
			97	706	58.3%	36	40.0%	254	56.3%	351	64.3%	284	58.4%	
		日数	97(輸血以外の再掲)	701	57.8%	36	40.0%	253	56.1%	341	62.5%	282	58.0%	
			99	10.94		9.50		9.54		9.71		11.47		
			97	22.11		23.53		21.35		22.07		24.54		
100300	代謝性疾患(糖尿病を除く。)	件数	97(輸血以外の再掲)	22.22		23.53		21.40		22.45		24.48		
			99	229	96.6%	17	94.4%	44	93.6%	96	86.5%	134	89.3%	
			97	8	3.4%	1	5.6%	3	6.4%	15	13.5%	16	10.7%	
		日数	97(輸血以外の再掲)	7	3.0%	1	5.6%	2	4.3%	9	8.1%	11	7.3%	
			99	7.24		9.12		18.02		11.00		12.40		
			97	53.88		15.00		78.33		25.60		22.44		
100310	腎血管性高血圧症	件数	97(輸血以外の再掲)	44.57		15.00		67.50		26.22		12.09		
			99	91	47.9%	13	43.3%	69	30.3%	80	30.2%	85	35.6%	
			97	99	52.1%	17	56.7%	159	69.7%	185	69.8%	154	64.4%	
		日数	97(輸血以外の再掲)	98	51.6%	17	56.7%	158	69.3%	184	69.4%	154	64.4%	
			99	13.66		7.46		9.91		8.05		9.87		
			97	15.39		7.24		8.89		12.56		12.22		
100335	代謝障害(その他)	件数	97(輸血以外の再掲)	15.29		7.24		8.58		12.58		12.22		
			99	461	88.8%	114	83.8%	255	78.9%	392	86.3%	660	86.4%	
			97	58	11.2%	22	16.2%	68	21.1%	62	13.7%	104	13.6%	
		日数	97(輸血以外の再掲)	37	7.1%	12	8.8%	37	11.5%	21	4.6%	52	6.8%	
			99	10.36		14.32		17.40		16.72		15.70		
			97	49.10		39.23		42.38		36.65		33.79		
100370	アミロイドーシス	件数	97(輸血以外の再掲)	44.76		46.58		42.68		43.71		36.27		
			99	147	86.5%	23	69.7%	59	76.6%	63	61.8%	76	71.7%	
			97	23	13.5%	10	30.3%	18	23.4%	39	38.2%	30	28.3%	
		日数	97(輸血以外の再掲)	15	8.8%	7	21.2%	9	11.7%	25	24.5%	27	25.5%	
			99	22.95		24.13		32.85		27.11		26.45		
			97	34.43		33.30		41.67		39.51		53.57		
100391	低カルウム血症	件数	97(輸血以外の再掲)	31.53		39.00		36.11		31.64		52.85		
			99	96	97.0%	81	97.6%	250	96.9%	292	97.0%	400	95.9%	
			97	3	3.0%	2	2.4%	8	3.1%	9	3.0%	17	4.1%	
		日数	97(輸血以外の再掲)	2	2.0%	1	1.2%	6	2.3%	6	2.0%	10	2.4%	
			99	14.59		12.22		12.85		12.95		14.58		
			97	54.00		38.50		25.75		28.78		36.76		
100392	カルシウム代謝障害	件数	97(輸血以外の再掲)	43.00		16.00		27.33		26.00		31.80		
			99	97	90.7%	42	95.5%	131	94.2%	130	89.7%	143	89.9%	
			97	10	9.3%	2	4.5%	8	5.8%	15	10.3%	16	10.1%	
		日数	97(輸血以外の再掲)	4	3.7%			4	2.9%	7	4.8%	8	5.0%	
			99	18.23		19.10		16.76		19.42		17.10		
			97	14.40		46.50		27.75		28.07		23.19		
100393	その他の体液・電解質・酸塩基平衡障害	件数	97(輸血以外の再掲)	9.25				23.50		35.00		28.63		
			99	429	95.3%	291	95.4%	1,223	96.3%	1,220	95.6%	1,643	95.7%	
			97	21	4.7%	14	4.6%	47	3.7%	56	4.4%	73	4.3%	
		日数	97(輸血以外の再掲)	9	2.0%	5	1.6%	33	2.6%	36	2.8%	51	3.0%	
			99	12.59		12.56		11.12		12.42		12.53		
			97	26.10		19.57		28.04		25.75		29.45		
11001x	腎腫瘍	件数	97(輸血以外の再掲)	28.56		27.80		28.73		28.53		30.75		
			99	696	29.8%	121	27.8%	552	32.1%	626	32.7%	707	32.2%	
			97	249	10.7%	52	11.9%	178	10.4%	252	13.2%	318	14.5%	
		日数	97(輸血以外の再掲)	162	6.9%	26	6.0%	117	6.8%	159	8.3%	207	9.4%	
			01	1,387	59.5%	263	60.3%	988	57.5%	1,035	54.1%	1,170	53.3%	
			99	19.74		17.54		19.42		19.32		22.38		
11002x	性器の悪性腫瘍	件数	97(輸血以外の再掲)	18.84		18.65		17.23		20.41		21.07		
			99	28	34.1%	1	9.1%	18	30.0%	21	33.9%	25	32.1%	
			97	54	65.9%	10	90.9%	42	70.0%	41	66.1%	53	67.9%	
		日数	97(輸血以外の再掲)	52	63.4%	10	90.9%	42	70.0%	41	66.1%	49	62.8%	
			99	17.82		47.00		18.39		20.24		22.48		
			97	25.30		16.10		22.93		29.20		31.94		
11004x	尿道・性器の良性腫瘍	件数	97(輸血以外の再掲)	24.90		16.10		22.93		29.20		30.67		
			99	78	43.1%	221	87.4%	149	52.7%	385	54.2%	358	48.6%	
			97	103	56.9%	32	12.6%	134	47.3%	325	45.8%	378	51.4%	
		日数	97(輸血以外の再掲)	101	55.8%	32	12.6%	134	47.3%	319	44.9%	372	50.5%	
			99	6.38		3.22		3.65		5.37		4.81		
			97	9.72		8.13		7.24		10.60		11.24		
110050	後腹膜疾患	件数	97(輸血以外の再掲)	9.29		8.13		7.24		9.97		11.21		
			99	533	55.0%	291	61.4%	1,142	66.4%	1,505	69.9%	2,390	73.0%	
			97	285	29.4%	145	30.6%	457	26.6%	517	24.0%	733	22.4%	
		日数	97(輸血以外の再掲)	209	21.6%	101	21.3%	350	20.3%	415	19.3%	536	16.4%	
			01	151	15.6%	38	8.0%	121	7.0%	132	6.1%	152	4.6%	
			99	15.66		23.70		21.16		15.64		16.59		
110060	腎盂・尿管の悪性腫瘍	件数	97(輸血以外の再掲)	37.60		41.40		38.69		36.06		37.89		
			99	285	29.4%	145	30.6%	457	26.6%	517	24.0%	733	22.4%	
			97	209	21.6%	101	21.3%	350	20.3%	415	19.3%	536	16.4%	
		日数	01	151	15.6%	38	8.0%	121	7.0%	132	6.1%	152	4.6%	
			99	15.66		23.70		21.16		15.64		16.59		
			97	36.87		40.16		38.90		35.35		36.91		
110060	腎盂・尿管の悪性腫瘍	件数	97(輸血以外の再掲)	28.36		21.74		22.65		28.17		33.71		
			99	753	51.2%	148	49.8%	746	52.1%	710	46.4%	872	47.2%	
			97	184	12.5%	35	11.8%	169	11.8%	226	14.8%	265	14.3%	
		日数	97(輸血以外の再掲)	101	6.9%	20	6.7%	97	6.8%	145	9.5%	156	8.4%	
			01	479	32.6%	108	36.4%	465	32.4%	525	34.3%	624	33.8%	
			02	54	3.7%	6	2.0%	53	3.7%	69	4.5%	87	4.7%	
99	21.73		18.45		18.77		20.08		20.84					
97	33.93		31.69		29.88		36.42		34.97					

疾患別手術別件数在院日数

疾患 コード	疾患名	件数 /日 数	手術 診断群分類番号(9,10 桁)		平成15年度 DPC対象病院		平成16年度 DPC対象病院		平成18年度 DPC対象病院		平成18年度 DPC準備病院		平成19年度 DPC準備病院			
			97(輸血以外の再掲)	01	02	99	97	01	02	99	97	01	02	99	97	01
110070	膀胱腫瘍	件数	97(輸血以外の再掲)		26.90		15.65		27.56		29.76		33.01		27.05	
			01		24.43		23.52		22.93		26.60		24.93			
			02		16.57		5.50		14.49		27.75					
		日数	99		1,211	22.8%	343	20.2%	1,397	18.7%	1,392	16.4%	1,753	16.8%		
			97		384	7.2%	85	5.0%	372	5.0%	485	5.7%	694	6.7%		
			97(輸血以外の再掲)		234	4.4%	45	2.7%	253	3.4%	338	4.0%	487	4.7%		
			01		397	7.5%	81	4.8%	392	5.3%	481	5.7%	563	5.4%		
			02		3,314	62.5%	1,189	70.0%	5,293	71.0%	6,148	72.3%	7,407	71.1%		
			99		20.58		16.64		18.93		17.59		17.80			
			97		39.79		33.29		30.62		34.92		34.18			
97(輸血以外の再掲)		39.78		30.64		29.42		34.91		31.74						
01		45.06		42.38		39.73		47.77		50.86						
02		11.52		9.57		10.16		10.72		11.24						
110080	前立腺の悪性腫瘍	件数	99		8,107	85.1%	1,985	77.6%	10,986	83.8%	12,544	82.9%	15,997	83.7%		
			97		381	4.0%	184	7.2%	610	4.7%	936	6.2%	1,184	6.2%		
			97(輸血以外の再掲)		241	2.5%	140	5.5%	457	3.5%	686	4.5%	840	4.4%		
		日数	01		1,043	10.9%	388	15.2%	1,509	11.5%	1,647	10.9%	1,923	10.1%		
			99		6.33		4.78		4.69		5.53		5.68			
			97		24.99		19.36		20.94		23.88		25.54			
			97(輸血以外の再掲)		24.07		18.54		19.18		20.85		22.64			
			01		18.97		17.89		19.10		19.89		20.79			
			02													
			03													
110100	精巣腫瘍	件数	99		188	35.1%	25	36.2%	78	25.1%	68	22.1%	66	19.0%		
			97		147	27.4%	6	8.7%	42	13.5%	51	16.6%	66	19.0%		
			97(輸血以外の再掲)		82	15.3%	4	5.8%	26	8.4%	44	14.3%	57	16.4%		
		日数	01		201	37.5%	38	55.1%	191	61.4%	188	61.2%	216	62.1%		
			99		30.36		26.12		32.63		26.24		35.36			
			97		39.10		30.50		24.40		25.29		24.33			
			97(輸血以外の再掲)		31.06		21.50		18.54		20.05		22.47			
			01		22.29		13.47		16.99		17.92		19.65			
			02													
			03													
11012x	上部尿路疾患	件数	99		289	14.1%	316	24.5%	1,234	19.4%	2,140	21.5%	3,566	29.3%		
			97		192	9.4%	81	6.3%	330	5.2%	590	5.9%	663	5.4%		
			97(輸血以外の再掲)		189	9.2%	79	6.1%	321	5.0%	567	5.7%	644	5.3%		
		日数	01		19	0.9%	8	0.6%	43	0.7%	52	0.5%	57	0.5%		
			02		404	19.7%	178	13.8%	767	12.1%	1,171	11.8%	1,352	11.1%		
			03		82	4.0%	31	2.4%	139	2.2%	163	1.6%	123	1.0%		
			04		1,066	51.9%	675	52.4%	3,847	60.5%	5,824	58.6%	6,423	52.7%		
			99		5.38		4.33		4.15		5.04		4.31			
			97		10.19		8.22		8.62		9.30		9.75			
			97(輸血以外の再掲)		10.04		8.13		8.28		9.01		9.48			
01		23.32		17.75		17.44		18.62		19.84						
02		8.73		7.59		7.09		8.62		7.78						
03		18.82		22.29		16.76		21.10		16.96						
04		4.95		4.44		3.86		4.78		4.76						
11013x	下部尿路疾患	件数	99		357	28.4%	252	36.5%	686	33.3%	1,231	39.3%	1,784	43.6%		
			97		290	23.1%	165	23.9%	345	16.7%	430	13.7%	576	14.1%		
			97(輸血以外の再掲)		276	21.9%	161	23.3%	326	15.8%	380	12.1%	520	12.7%		
		日数	01		18	1.4%	9	1.3%	34	1.7%	73	2.3%	79	1.9%		
			02		214	17.0%	70	10.1%	287	13.9%	436	13.9%	495	12.1%		
			03		9	0.7%	1	0.1%	2	0.1%	11	0.4%	12	0.3%		
			04		121	9.6%	37	5.4%	46	2.2%	50	1.6%	112	2.7%		
			05		17	1.4%	7	1.0%	29	1.4%	41	1.3%	51	1.2%		
			06		232	18.4%	150	21.7%	631	30.6%	859	27.4%	985	24.1%		
			99		7.33		5.35		8.68		12.05		11.96			
97		10.06		6.95		9.01		13.27		12.89						
97(輸血以外の再掲)		8.22		6.96		8.08		12.10		12.09						
01		19.06		7.89		9.68		10.79		11.32						
02		8.65		8.81		9.18		10.83		10.45						
03		10.00		15.00		17.50		18.36		13.33						
04		12.79		14.54		12.74		14.06		10.36						
05		22.53		19.29		22.69		26.61		20.96						
06		8.47		6.33		6.73		7.16		7.52						
110200	前立腺肥大症	件数	99		149	13.0%	238	24.9%	756	21.3%	856	18.5%	1,026	17.2%		
			97		32	2.8%	31	3.2%	98	2.8%	179	3.9%	224	3.7%		
			97(輸血以外の再掲)		26	2.3%	31	3.2%	95	2.7%	175	3.8%	214	3.6%		
		日数	01		45	3.9%	24	2.5%	168	4.7%	178	3.8%	209	3.5%		
			02		640	56.0%	599	62.7%	2,212	62.4%	3,131	67.6%	4,061	68.0%		
			04		276	24.2%	63	6.6%	312	8.8%	286	6.2%	454	7.6%		
			99		6.30		4.03		4.41		6.06		6.13			
			97		9.31		9.84		11.91		13.92		13.21			
			97(輸血以外の再掲)		8.46		9.84		12.05		13.45		13.26			
			01		20.11		16.25		17.01		18.83		18.41			
02		11.17		12.25		11.54		12.81		12.37						
04		10.41		7.97		9.75		8.23		11.41						
11022x	男性生殖器疾患	件数	99		542	41.5%	206	44.1%	1,019	51.0%	1,307	50.6%	1,745	54.0%		
			97		107	8.2%	22	4.7%	131	6.6%	240	9.3%	221	6.8%		
			97(輸血以外の再掲)		106	8.1%	22	4.7%	129	6.5%	233	9.0%	209	6.5%		
		日数	01		295	22.6%	112	24.0%	468	23.4%	519	20.1%	642	19.9%		
			02		15	1.1%	1	0.2%	5	0.3%	10	0.4%	10	0.3%		
			03		105	8.0%	22	4.7%	82	4.1%	93	3.6%	119	3.7%		
			04		91	7.0%	27	5.8%	64	3.2%	62	2.4%	74	2.3%		
			05		21	1.6%	3	0.6%	13	0.7%	15	0.6%	16	0.5%		
			06		131	10.0%	74	15.8%	215	10.8%	338	13.1%	402	12.4%		
			99		7.74		8.43		8.49		8.60		8.85			
97		7.82		8.91		7.89		11.85		13.91						
97(輸血以外の再掲)		7.80		8.91		7.69		11.41		13.45						
01		5.40		5.19		6.32		6.36		6.32						
02		3.67		3.00		3.80		3.90		4.50						

疾患別手術別件数在院日数

疾患コード	疾患名	件数 /日数	手術 診断群分類番号(9,10 桁)	平成15年度 DPC対象病院	平成16年度 DPC対象病院	平成18年度 DPC対象病院	平成18年度 DPC準備病院	平成19年度 DPC準備病院
			03	4.48	3.64	5.00	4.74	5.05
			04	4.26	3.48	4.52	4.50	5.69
			05	5.48	5.33	6.38	6.20	4.81
			06	4.60	3.46	3.52	4.20	4.71
110310	腎臓の感染症	件数	99	745 82.8%	807 88.0%	3,149 87.0%	3,948 90.6%	6,138 92.7%
			97	155 17.2%	110 12.0%	472 13.0%	409 9.4%	482 7.3%
			97(輸血以外の再掲)	142 15.8%	92 10.0%	430 11.9%	371 8.5%	420 6.3%
		日数	99	9.85	10.96	10.93	11.93	12.39
			97	19.90	20.75	18.39	23.60	22.28
			97(輸血以外の再掲)	18.90	20.96	17.81	23.11	21.83
110320	腎、泌尿器の疾患(その他)	件数	99	881 72.2%	994 86.4%	3,280 84.5%	4,570 83.6%	5,805 85.2%
			97	166 13.6%	88 7.6%	407 10.5%	500 9.1%	689 10.1%
			97(輸血以外の再掲)	128 10.5%	65 5.6%	307 7.9%	368 6.7%	486 7.1%
			01	173 14.2%	69 6.0%	196 5.0%	398 7.3%	317 4.7%
		日数	99	11.28	13.75	11.90	13.17	14.42
			97	24.39	22.48	21.15	27.17	27.13
			97(輸血以外の再掲)	24.46	21.29	20.57	25.79	27.88
			01	12.08	10.48	12.52	12.37	14.12
110420	水腎症(その他)	件数	99	212 21.1%	112 23.9%	489 22.7%	453 19.6%	636 22.3%
			97	649 64.6%	323 69.0%	1,520 70.6%	1,649 71.4%	1,992 69.8%
			97(輸血以外の再掲)	643 64.0%	321 68.6%	1,514 70.3%	1,642 71.1%	1,982 69.4%
			01	34 3.4%	10 2.1%	29 1.3%	36 1.6%	51 1.8%
			02	33 3.3%	9 1.9%	22 1.0%	23 1.0%	31 1.1%
			03	77 7.7%	14 3.0%	94 4.4%	148 6.4%	144 5.0%
		日数	99	7.21	7.03	6.56	6.99	7.37
			97	9.05	7.69	7.40	9.18	9.98
			97(輸血以外の再掲)	9.04	7.34	7.35	9.00	9.86
			01	27.12	17.00	29.14	24.75	24.86
			02	13.24	15.22	12.09	17.04	15.29
			03	8.31	6.36	8.10	9.81	8.38
120010	卵巣・子宮附属器の悪性腫瘍	件数	99	6,238 77.7%	1,416 81.1%	5,092 79.8%	6,074 80.2%	7,352 80.2%
			97	532 6.6%	97 5.6%	392 6.1%	496 6.6%	635 6.9%
			97(輸血以外の再掲)	276 3.4%	50 2.9%	212 3.3%	279 3.7%	394 4.3%
			01	1,262 15.7%	232 13.3%	894 14.0%	1,001 13.2%	1,185 12.9%
		日数	99	7.93	8.65	8.05	7.69	8.10
			97	32.41	38.81	29.87	31.88	34.62
			97(輸血以外の再掲)	38.91	36.30	31.58	32.41	39.07
			01	28.18	23.07	22.14	27.22	28.93
120020	子宮頸・体部の悪性腫瘍	件数	99	6,590 56.8%	987 52.6%	3,782 48.6%	4,319 50.7%	5,126 47.6%
			97	897 7.7%	126 6.7%	460 5.9%	587 6.9%	775 7.2%
			97(輸血以外の再掲)	435 3.8%	60 3.2%	222 2.9%	319 3.7%	413 3.8%
			01	2,350 20.3%	307 16.4%	1,646 21.1%	1,731 20.3%	2,188 20.3%
			02	1,526 13.2%	407 21.7%	1,712 22.0%	1,683 19.8%	2,462 22.8%
			03	229 2.0%	50 2.7%	186 2.4%	194 2.3%	224 2.1%
		日数	99	12.19	11.25	10.59	10.20	11.42
			97	34.11	35.10	27.30	33.49	32.74
			97(輸血以外の再掲)	39.14	38.27	29.94	35.19	32.33
			01	27.69	20.75	20.06	22.70	24.20
			02	4.86	4.94	4.83	4.96	4.97
			03	3.72	2.60	3.08	4.05	5.23
120030	外陰の悪性腫瘍	件数	99	134 49.6%	5 29.4%	32 39.0%	52 45.2%	58 43.3%
			97	136 50.4%	12 70.6%	50 61.0%	63 54.8%	76 56.7%
			97(輸血以外の再掲)	130 48.1%	12 70.6%	47 57.3%	60 52.2%	66 49.3%
		日数	99	17.88	8.80	28.19	20.04	18.86
			97	27.28	29.92	24.92	30.52	30.97
			97(輸血以外の再掲)	27.12	29.92	22.79	30.53	29.03
120040	膣の悪性腫瘍	件数	99	89 66.9%	18 81.8%	25 67.6%	75 58.1%	57 49.6%
			97	44 33.1%	4 18.2%	12 32.4%	54 41.9%	58 50.4%
			97(輸血以外の再掲)	35 26.3%	4 18.2%	10 27.0%	46 35.7%	52 45.2%
		日数	99	21.11	14.72	16.16	17.51	15.72
			97	20.59	27.25	17.92	17.72	16.67
			97(輸血以外の再掲)	19.63	27.25	19.70	16.00	13.27
120050	胎盤の悪性腫瘍、胞状奇胎	件数	99	256 53.0%	15 27.8%	98 35.3%	73 28.0%	83 22.2%
			97	35 7.2%	5 9.3%	31 11.2%	43 16.5%	64 17.1%
			97(輸血以外の再掲)	28 5.8%	5 9.3%	31 11.2%	41 15.7%	61 16.3%
			01	192 39.8%	34 63.0%	149 53.6%	145 55.6%	227 60.7%
		日数	99	9.60	16.47	8.23	7.85	11.20
			97	24.66	6.00	9.42	6.84	13.09
			97(輸血以外の再掲)	22.25	6.00	9.42	6.27	12.72
			01	3.16	2.50	2.41	3.02	3.32
120060	子宮の良性腫瘍	件数	99	121 3.0%	39 2.4%	135 2.1%	154 2.6%	202 2.4%
			97	93 2.3%	22 1.3%	65 1.0%	126 2.1%	147 1.7%
			97(輸血以外の再掲)	74 1.8%	20 1.2%	53 0.8%	98 1.7%	123 1.5%
			01	2,288 56.5%	1,037 63.5%	4,865 76.1%	4,582 77.4%	6,060 72.0%
			02	1,550 38.3%	536 32.8%	1,327 20.8%	1,059 17.9%	2,013 23.9%
		日数	99	5.81	6.31	7.13	7.96	7.14
			97	7.62	6.45	6.74	8.09	8.71
			97(輸血以外の再掲)	7.97	6.40	6.55	8.65	8.42
			01	12.07	11.73	11.44	11.60	12.27
			02	6.81	7.01	7.03	6.58	7.71
120070	卵巣の良性腫瘍	件数	99	161 4.7%	47 3.7%	241 5.1%	305 6.8%	382 6.5%
			97	61 1.8%	3 0.2%	40 0.8%	90 2.0%	146 2.5%
			97(輸血以外の再掲)	57 1.7%	3 0.2%	39 0.8%	89 2.0%	143 2.4%
			01	1,688 49.4%	626 49.9%	2,546 53.8%	2,623 58.5%	3,049 52.1%
			02	1,504 44.1%	579 46.1%	1,904 40.2%	1,463 32.6%	2,272 38.8%
		日数	99	5.64	5.15	4.95	5.90	6.61
			97	11.07	13.00	11.20	14.26	13.42

疾患別手術別件数在院日数

疾患コード	疾患名	件数/日数	手術診断群分類番号(9,10桁)		平成15年度	平成16年度	平成18年度	平成18年度	平成19年度					
					DPC対象病院	DPC対象病院	DPC対象病院	DPC準備病院	DPC準備病院					
120080	女性生殖系の良性腫瘍(その他)	件数	97(輸血以外の再掲)		11.40	13.00	10.67	14.27	12.04					
			01		12.54	12.18	11.32	11.55	12.38					
			02		7.34	6.89	7.17	7.35	7.68					
			99	6	10.3%		2	3.2%	4	5.9%	2	1.9%		
			97	52	89.7%	21	100.0%	60	96.8%	64	94.1%	104	98.1%	
120090	生殖器脱出症	件数	97(輸血以外の再掲)		51	87.9%	21	100.0%	60	96.8%	64	94.1%	104	98.1%
			99		2.17		3.00	9.00	14.00					
			97		8.46	4.90	6.30	6.25	6.33					
			97(輸血以外の再掲)		7.53	4.90	6.30	6.25	6.33					
			99	33	4.2%	186	23.6%	16	1.0%	24	1.7%	32	1.5%	
120100	子宮内膜症	件数	97	758	95.8%	602	76.4%	1,544	99.0%	1,429	98.3%	2,126	98.5%	
			97(輸血以外の再掲)		758	95.8%	602	76.4%	1,544	99.0%	1,429	98.3%	2,126	98.5%
			99		7.06	2.06	5.44	5.08	7.50					
			97		11.75	11.13	10.98	11.66	12.35					
			97(輸血以外の再掲)		11.75	11.13	10.98	11.66	12.35					
120110	子宮・子宮付属器の炎症性疾患	件数	99	52	5.1%	27	6.2%	120	7.5%	95	6.9%	116	5.8%	
			97		38	3.7%	8	1.8%	43	2.7%	64	4.7%	63	3.1%
			97(輸血以外の再掲)		34	3.3%	8	1.8%	36	2.2%	59	4.3%	57	2.8%
			01	585	57.5%	316	72.0%	1,067	66.4%	937	68.3%	1,341	66.6%	
			02	342	33.6%	88	20.0%	377	23.5%	276	20.1%	494	24.5%	
120120	卵巣・卵管・広間膜の非炎症性疾患	件数	99		4.31	5.33	6.64	6.24	5.64					
			97		8.50	13.63	8.60	9.94	11.03					
			97(輸血以外の再掲)		8.74	13.63	8.28	10.27	10.14					
			01	10.14		9.22	10.42	10.65	11.33					
			02	6.58		6.57	7.41	6.74	7.65					
120130	子宮外妊娠	件数	99	294	62.2%	194	73.5%	785	69.3%	807	77.4%	1,127	77.0%	
			97	31	6.6%	8	3.0%	48	4.2%	50	4.8%	71	4.9%	
			97(輸血以外の再掲)		29	6.1%	5	1.9%	45	4.0%	44	4.2%	59	4.0%
			01	96	20.3%	40	15.2%	186	16.4%	139	13.3%	194	13.3%	
			02	52	11.0%	22	8.3%	113	10.0%	46	4.4%	71	4.9%	
120140	流産	件数	99		7.96	8.27	7.47	7.67	8.13					
			97		19.23	28.25	16.58	18.94	16.44					
			97(輸血以外の再掲)		18.83	20.40	14.38	19.09	15.14					
			01	15.88		15.98	15.66	14.63	16.09					
			02	12.10		9.36	7.21	9.02	15.55					
120150	妊娠早期の出血	件数	99	150	62.0%	82	65.1%	314	49.9%	332	55.6%	374	56.4%	
			97	92	38.0%	44	34.9%	315	50.1%	265	44.4%	289	43.6%	
			97(輸血以外の再掲)		92	38.0%	44	34.9%	314	49.9%	262	43.9%	289	43.6%
			99		4.73	4.99	4.69	5.12	4.99					
			97		8.30	9.05	8.05	9.51	9.67					
120160	妊娠・分娩・産褥に合併する高血圧症等	件数	97(輸血以外の再掲)		8.30	9.05	8.06	9.55	9.67					
			99	113	15.8%	35	14.7%	129	12.7%	122	13.0%	171	15.2%	
			97	602	84.2%	203	85.3%	885	87.3%	816	87.0%	951	84.8%	
			97(輸血以外の再掲)		602	84.2%	203	85.3%	884	87.2%	816	87.0%	951	84.8%
			99		8.18	6.09	6.35	5.86	8.22					
120170	早産、切迫早産	件数	97		7.45	8.05	7.89	7.69	8.44					
			97(輸血以外の再掲)		7.45	8.05	7.88	7.69	8.44					
			99	123	10.3%	70	12.5%	197	9.7%	165	8.0%	283	9.4%	
			97	1,072	89.7%	488	87.5%	1,825	90.3%	1,902	92.0%	2,743	90.6%	
			97(輸血以外の再掲)		1,072	89.7%	488	87.5%	1,824	90.2%	1,902	92.0%	2,741	90.6%
120180	胎児及び羊膜腔に関連する母体ケア、予想される分娩の諸問題	件数	99		3.57	4.33	3.37	3.61	3.69					
			97		2.62	2.27	2.27	2.48	2.57					
			97(輸血以外の再掲)		2.62	2.27	2.26	2.48	2.57					
			99	544	78.8%	296	85.8%	1,090	85.6%	1,236	92.9%	1,757	93.4%	
			97	146	21.2%	49	14.2%	183	14.4%	94	7.1%	124	6.6%	
120190	胎児及び羊膜腔に関連する母体ケア、予想される分娩の諸問題	件数	97(輸血以外の再掲)		144	20.9%	49	14.2%	183	14.4%	94	7.1%	124	6.6%
			99		14.01	15.78	13.19	13.29	13.79					
			97		27.06	15.98	17.13	18.97	16.94					
			97(輸血以外の再掲)		26.75	15.98	17.13	18.97	16.94					
			99	553	59.1%	333	69.2%	1,096	69.0%	1,166	79.1%	1,724	83.7%	
120200	胎児及び羊膜腔に関連する母体ケア、予想される分娩の諸問題	件数	97	35	3.7%	10	2.1%	45	2.8%	44	3.0%	36	1.7%	
			97(輸血以外の再掲)		29	3.1%	10	2.1%	43	2.7%	42	2.8%	34	1.7%
			01	348	37.2%	138	28.7%	447	28.1%	264	17.9%	300	14.6%	
			99		12.18	13.52	11.84	10.86	11.46					
			97		23.49	13.40	17.00	13.02	13.89					
120210	胎児及び羊膜腔に関連する母体ケア、予想される分娩の諸問題	件数	97(輸血以外の再掲)		24.79	13.40	17.33	13.40	14.24					
			01	18.61		15.67	14.66	14.98	15.91					
			99	1,367	65.9%	655	73.4%	2,250	75.5%	2,403	85.6%	2,917	87.8%	
			97	47	2.3%	9	1.0%	60	2.0%	40	1.4%	47	1.4%	
			97(輸血以外の再掲)		34	1.6%	6	0.7%	54	1.8%	37	1.3%	41	1.2%
120220	胎児及び羊膜腔に関連する母体ケア、予想される分娩の諸問題	件数	01	609	29.4%	192	21.5%	598	20.1%	327	11.7%	306	9.2%	
			02	50	2.4%	36	4.0%	72	2.4%	36	1.3%	51	1.5%	
			99		23.79	20.44	19.22	19.59	19.13					
			97		26.66	22.56	28.48	31.13	36.34					
			97(輸血以外の再掲)		29.12	19.17	28.43	30.35	39.00					
120230	胎児及び羊膜腔に関連する母体ケア、予想される分娩の諸問題	件数	01		38.32	36.68	34.34	37.66	40.35					
			02		32.64	24.19	36.54	41.86	38.20					
			99	838	25.2%	158	13.2%	614	14.6%	648	17.2%	810	18.7%	
			97	248	7.4%	49	4.1%	300	7.1%	346	9.2%	403	9.3%	
			97(輸血以外の再掲)		200	6.0%	43	3.6%	287	6.8%	328	8.7%	364	8.4%
120240	胎児及び羊膜腔に関連する母体ケア、予想される分娩の諸問題	件数	01	2,087	62.7%	928	77.3%	3,064	72.7%	2,343	62.1%	2,734	63.1%	
			02	158	4.7%	66	5.5%	236	5.6%	435	11.5%	385	8.9%	
			99		9.05	9.10	8.12	8.84	8.03					
			97		8.62	5.00	5.00	5.18	4.23					
			97(輸血以外の再掲)		5.82	5.00	4.42	4.55	4.23					
120250	胎児及び羊膜腔に関連する母体ケア、予想される分娩の諸問題	件数	01		14.92	11.43	11.75	13.81	13.01					
			02		14.49	9.09	10.53	11.44	11.89					

疾患別手術別件数在院日数

疾患コード	疾患名	件数/日数	手術 診断群分類番号(9,10 桁)	平成15年度 DPC対象病院		平成16年度 DPC対象病院		平成18年度 DPC対象病院		平成18年度 DPC準備病院		平成19年度 DPC準備病院	
				件数	割合								
120190	女性生殖系の炎症性疾患 (その他)	件数	99	16	31.4%	9	21.4%	25	26.0%	33	25.8%	50	24.8%
			97	35	68.6%	33	78.6%	71	74.0%	95	74.2%	152	75.2%
			97(輸血以外の再掲)	35	68.6%	33	78.6%	71	74.0%	95	74.2%	152	75.2%
		日数	99	5.56		12.11		7.40		7.76		9.12	
			97	7.86		4.00		4.63		4.99		5.14	
			97(輸血以外の再掲)	7.86		4.00		4.63		4.99		5.14	
120210	女性性器を含む瘻	件数	99	13	16.9%	5	31.3%	7	18.4%	10	16.4%	15	19.2%
			97	64	83.1%	11	68.8%	31	81.6%	51	83.6%	63	80.8%
			97(輸血以外の再掲)	61	79.2%	11	68.8%	30	78.9%	50	82.0%	62	79.5%
		日数	99	8.15		5.40		12.00		11.10		13.00	
			97	23.52		15.91		36.58		26.69		32.35	
			97(輸血以外の再掲)	24.20		15.91		37.37		27.08		32.53	
120220	女性性器のポリープ	件数	99	21	4.6%	3	2.4%	8	1.7%	5	1.2%	14	2.0%
			97	4	0.9%			8	1.7%	22	5.1%	32	4.5%
			97(輸血以外の再掲)	4	0.9%			8	1.7%	22	5.1%	31	4.4%
			01	374	81.8%	99	80.5%	389	80.5%	369	85.4%	561	78.9%
			02	58	12.7%	21	17.1%	78	16.1%	36	8.3%	104	14.6%
		日数	99	2.57		2.00		2.63		2.80		4.07	
			97	4.50				5.00		4.64		4.94	
			97(輸血以外の再掲)	4.50				5.00		4.64		4.87	
			01	3.68		3.25		3.39		3.93		3.65	
			02	2.24		2.10		2.12		3.56		2.25	
120230	子宮の非炎症性障害	件数	99	47	10.9%	8	7.4%	19	4.0%	22	4.6%	46	7.0%
			97	44	10.2%	6	5.6%	45	9.4%	46	9.6%	85	12.9%
			97(輸血以外の再掲)	42	9.7%	6	5.6%	42	8.8%	46	9.6%	84	12.7%
			01	80	18.6%	27	25.0%	129	27.0%	89	18.6%	110	16.6%
			02	260	60.3%	67	62.0%	284	59.5%	322	67.2%	420	63.5%
		日数	99	3.77		2.50		4.05		6.50		5.33	
120250	生殖・月経周期に関連する 病態	件数	99	91	34.5%	29	49.2%	115	62.2%	172	52.4%	249	66.2%
			97	173	65.5%	30	50.8%	70	37.8%	156	47.6%	127	33.8%
			97(輸血以外の再掲)	162	61.4%	26	44.1%	61	33.0%	116	35.4%	104	27.7%
			99	6.40		5.34		6.10		6.35		5.56	
			97	6.57		6.53		7.50		6.19		6.82	
		日数	97(輸血以外の再掲)	6.19		5.88		7.74		5.36		6.22	
			99	148	11.0%	41	9.4%	164	7.1%	158	5.4%	260	8.4%
			97	110	8.2%	23	5.3%	60	2.6%	102	3.5%	136	4.4%
			97(輸血以外の再掲)	79	5.9%	16	3.7%	51	2.2%	91	3.1%	102	3.3%
			01	1,018	75.5%	331	75.9%	1,856	80.2%	2,422	82.6%	2,556	83.0%
120260	分娩の合併症、産科手術を 伴う異常分娩	件数	02	73	5.4%	41	9.4%	235	10.2%	251	8.6%	126	4.1%
			99	7.03		3.80		5.43		5.35		5.13	
			97	7.48		8.74		5.60		7.67		6.62	
			97(輸血以外の再掲)	7.77		7.88		5.29		7.86		5.93	
			01	10.96		10.18		10.70		12.10		11.96	
		02	6.66		7.32		7.08		6.73		7.41		
120270	妊娠、分娩、産褥に伴う病 態	件数	99	100	65.8%	36	72.0%	73	58.4%	135	66.2%	168	72.7%
			97	52	34.2%	14	28.0%	52	41.6%	69	33.8%	63	27.3%
			97(輸血以外の再掲)	50	32.9%	14	28.0%	51	40.8%	64	31.4%	57	24.7%
			99	7.50		6.36		5.97		6.32		6.14	
			97	10.81		11.50		9.92		10.65		8.97	
		97(輸血以外の再掲)	10.96		11.50		9.88		10.56		9.19		
130010	急性白血病	件数	99	830	28.9%	103	15.5%	422	19.5%	347	19.2%	577	25.6%
			97	2,041	71.1%	560	84.5%	1,747	80.5%	1,458	80.8%	1,677	74.4%
			97(輸血以外の再掲)	134	4.7%	30	4.5%	81	3.7%	98	5.4%	117	5.2%
			99	12.58		16.17		13.15		15.99		10.33	
			97	50.45		43.04		46.52		52.47		51.62	
		97(輸血以外の再掲)	72.55		75.33		63.23		82.40		73.28		
130020	ホジキン病	件数	99	222	73.3%	54	67.5%	184	71.9%	225	72.8%	237	78.2%
			97	81	26.7%	26	32.5%	72	28.1%	84	27.2%	66	21.8%
			97(輸血以外の再掲)	42	13.9%	11	13.8%	37	14.5%	46	14.9%	44	14.5%
			99	18.61		23.44		21.31		19.11		17.50	
			97	42.86		36.42		50.47		44.82		56.55	
		97(輸血以外の再掲)	38.48		34.00		48.92		47.24		53.07		
130030	非ホジキンリンパ腫	件数	99	3,802	65.1%	1,448	72.2%	4,464	71.1%	4,670	70.8%	5,221	72.8%
			97	2,040	34.9%	558	27.8%	1,817	28.9%	1,926	29.2%	1,953	27.2%
			97(輸血以外の再掲)	1,065	18.2%	300	15.0%	949	15.1%	990	15.0%	1,171	16.3%
			99	23.65		20.90		21.91		20.18		20.94	
			97	43.08		38.08		42.47		49.31		48.90	
		97(輸血以外の再掲)	37.18		36.07		35.37		46.31		46.96		
130040	多発性骨髄腫、免疫系悪性 新生物	件数	99	517	58.0%	241	59.5%	786	58.6%	678	53.8%	765	54.6%
			97	375	42.0%	164	40.5%	555	41.4%	582	46.2%	637	45.4%
			97(輸血以外の再掲)	60	6.7%	25	6.2%	69	5.1%	78	6.2%	90	6.4%
			99	25.70		23.85		25.37		26.80		26.81	
			97	45.89		42.80		41.25		47.93		44.13	
		97(輸血以外の再掲)	56.43		47.60		65.13		67.72		65.19		
130050	慢性白血病、骨髄増殖性疾 患	件数	99	315	58.8%	137	61.4%	552	64.5%	415	58.7%	436	58.9%
			97	221	41.2%	86	38.6%	304	35.5%	292	41.3%	304	41.1%
			97(輸血以外の再掲)	56	10.4%	15	6.7%	54	6.3%	67	9.5%	54	7.3%
			99	22.80		21.72		22.84		24.38		25.02	
			97	44.71		43.79		45.53		46.04		46.87	
		97(輸血以外の再掲)	45.66		46.27		55.26		50.99		60.85		
130060	骨髄異形成症候群	件数	99	71	18.8%	55	20.1%	169	17.9%	126	13.7%	174	15.3%
			97	306	81.2%	219	79.9%	775	82.1%	795	86.3%	961	84.7%
			97(輸血以外の再掲)	23	6.1%	15	5.5%	42	4.4%	44	4.8%	54	4.8%

疾患別手術別件数在院日数

疾患コード	疾患名	件数/日数	手術 診断群分類番号(9,10 桁)	平成15年度	平成16年度	平成18年度	平成18年度	平成19年度						
				DPC対象病院	DPC対象病院	DPC対象病院	DPC準備病院	DPC準備病院						
		日数	99	16.37	16.47	13.68	16.06	18.17						
			97	31.23	31.66	25.31	27.66	28.15						
			97(輸血以外の再掲)	43.83	44.53	49.33	45.95	52.35						
130070	白血球疾患(その他)	件数	99	597	84.2%	263	84.8%	850	85.5%	944	76.3%	1,356	89.6%	
			97	112	15.8%	47	15.2%	144	14.5%	293	23.7%	157	10.4%	
			97(輸血以外の再掲)	15	2.1%	4	1.3%	23	2.3%	15	1.2%	30	2.0%	
		日数	99	9.76		8.98		9.53		9.47		9.61		
			97	31.38		14.91		27.33		12.92		22.18		
			97(輸血以外の再掲)	57.07		9.50		38.43		26.80		34.93		
130080	再生不良性貧血	件数	99	134	29.7%	30	27.8%	144	29.5%	119	22.4%	148	20.7%	
			97	317	70.3%	78	72.2%	344	70.5%	412	77.6%	566	79.3%	
			97(輸血以外の再掲)	29	6.4%	4	3.7%	26	5.3%	20	3.8%	36	5.0%	
		日数	99	12.51		15.30		13.51		17.30		16.02		
			97	36.93		30.76		34.69		29.49		27.01		
			97(輸血以外の再掲)	59.07		54.00		57.08		46.90		57.03		
130090	貧血(その他)	件数	99	256	30.5%	189	34.9%	733	40.0%	884	35.8%	1,364	36.9%	
			97	583	69.5%	352	65.1%	1,098	60.0%	1,587	64.2%	2,333	63.1%	
			97(輸血以外の再掲)	94	11.2%	69	12.8%	212	11.6%	148	6.0%	229	6.2%	
		日数	99	15.03		14.19		14.14		14.28		15.74		
			97	15.84		18.33		16.66		16.96		16.29		
			97(輸血以外の再掲)	24.28		29.46		26.62		29.16		24.21		
130150	原発性免疫不全症候群	件数	99	160	81.6%	17	77.3%	67	81.7%	49	59.8%	88	84.6%	
			97	36	18.4%	5	22.7%	15	18.3%	33	40.2%	16	15.4%	
			97(輸血以外の再掲)	12	6.1%	3	13.6%	4	4.9%	6	7.3%	4	3.8%	
		日数	99	11.36		7.65		16.07		10.96		12.00		
			97	56.42		52.20		52.00		22.33		45.75		
			97(輸血以外の再掲)	48.58		53.67		40.25		28.17		66.25		
140010	妊娠期間短縮、低出産体重に 関連する障害	件数	99	6,027	84.2%	2,327	94.0%	9,274	87.5%	10,863	92.4%	13,772	90.5%	
			97	1,129	15.8%	148	6.0%	1,319	12.5%	890	7.6%	1,452	9.5%	
			97(輸血以外の再掲)	1,022	14.3%	134	5.4%	1,227	11.6%	803	6.8%	1,344	8.8%	
		日数	99	14.49		12.17		11.63		13.11		11.57		
			97	48.49		51.66		33.26		45.48		35.32		
			97(輸血以外の再掲)	46.00		50.75		31.10		44.27		33.57		
140070	頭蓋、顔面骨の先天異常	件数	99	29	17.7%	1	4.0%	5	17.2%	13	23.6%	26	28.0%	
			97	135	82.3%	24	96.0%	24	82.8%	42	76.4%	67	72.0%	
			97(輸血以外の再掲)	133	81.1%	24	96.0%	24	82.8%	42	76.4%	67	72.0%	
		日数	99	8.79		4.00		12.60		22.15		27.15		
			97	20.96		22.63		18.67		19.93		26.34		
			97(輸血以外の再掲)	20.78		22.63		18.67		19.93		26.34		
140080	脳、脊椎の先天異常	件数	99	157	41.8%	10	43.5%	55	46.6%	60	46.5%	127	53.1%	
			97	219	58.2%	13	56.5%	63	53.4%	69	53.5%	112	46.9%	
			97(輸血以外の再掲)	219	58.2%	13	56.5%	63	53.4%	69	53.5%	112	46.9%	
		日数	99	8.48		19.50		11.44		8.67		8.46		
			97	27.45		16.46		25.60		23.70		23.77		
			97(輸血以外の再掲)	27.45		16.46		25.60		23.70		23.77		
140090	先天性鼻涙管閉塞	件数	99									3	14.3%	
			97	6	100.0%			1	100.0%			18	85.7%	
			97(輸血以外の再掲)	6	100.0%			1	100.0%			18	85.7%	
		日数	99										3.33	
			97	3.50				3.00				2.94		
			97(輸血以外の再掲)	3.50				3.00				2.94		
140100	眼の先天異常	件数	99	6	23.1%			1	6.7%	3	6.8%	4	11.8%	
			97	20	76.9%	15	100.0%	14	93.3%	41	93.2%	30	88.2%	
			97(輸血以外の再掲)	20	76.9%	15	100.0%	14	93.3%	41	93.2%	30	88.2%	
		日数	99	6.83				9.00		2.67		2.50		
			97	11.00		3.07		5.86		5.54		4.63		
			97(輸血以外の再掲)	11.00		3.07		5.86		5.54		4.63		
140110	鼻の先天異常	件数	99	1	1.7%					1	4.3%	1	4.0%	
			97	57	98.3%	6	100.0%	26	100.0%	22	95.7%	24	96.0%	
			97(輸血以外の再掲)	57	98.3%	6	100.0%	26	100.0%	22	95.7%	24	96.0%	
		日数	99	3.00						14.00		1.00		
			97	10.40		11.50		8.54		9.77		9.00		
			97(輸血以外の再掲)	10.40		11.50		8.54		9.77		9.00		
140120	舌小帯短縮(症)	件数	99	1	2.9%			1	3.1%	2	4.9%			
			97	33	97.1%	13	100.0%	31	96.9%	39	95.1%	35	100.0%	
			97(輸血以外の再掲)	33	97.1%	13	100.0%	31	96.9%	39	95.1%	35	100.0%	
		日数	99	2.00				2.00		2.00				
			97	3.42		2.92		3.52		3.31		3.51		
			97(輸血以外の再掲)	3.42		2.92		3.52		3.31		3.51		
140130	巨舌症	件数	99									1	100.0%	
			97									1	100.0%	
			97(輸血以外の再掲)											
		日数	99										13.00	
			97										13.00	
			97(輸血以外の再掲)										13.00	
140140	口蓋・口唇先天性疾患	件数	99	52	4.1%	13	13.1%	32	10.6%	41	13.1%	40	10.4%	
			97	132	10.3%	4	4.0%	20	6.6%	21	6.7%	40	10.4%	
			97(輸血以外の再掲)	132	10.3%	4	4.0%	20	6.6%	21	6.7%	40	10.4%	
		日数	01	1,094	85.6%	82	82.8%	251	82.8%	252	80.3%	304	79.2%	
			99	8.87		7.92		10.03		9.85		9.72		
			97	12.24		15.50		10.05		13.33		8.15		
01	11.53		10.49		10.41		10.09		8.81					
140170	正中顎嚢胞・側顎嚢胞	件数	99	6	4.2%	1	2.3%	2	1.5%	6	3.7%	6	3.5%	
			97	138	95.8%	43	97.7%	128	98.5%	158	96.3%	166	96.5%	
			97(輸血以外の再掲)	138	95.8%	43	97.7%	128	98.5%	158	96.3%	166	96.5%	
		日数	99	6.67		7.00		6.50		5.00		5.33		

疾患別手術別件数在院日数

疾患 コード	疾患名	件数 /日 数	手術 診断群分類番号(9,10 桁)	平成15年度 DPC対象病院		平成16年度 DPC対象病院		平成18年度 DPC対象病院		平成18年度 DPC準備病院		平成19年度 DPC準備病院	
140190	小耳症・耳介異常・外耳道閉鎖	件数	97	9.40		7.67		8.59		8.68		8.78	
			97(輸血以外の再掲)	9.40		7.67		8.59		8.68		8.78	
			99	1	0.3%	1	5.9%	6	10.7%	4	6.5%	4	4.0%
			97	361	99.7%	16	94.1%	50	89.3%	58	93.5%	96	96.0%
140210	先天性耳瘻孔、副耳	件数	97	361	99.7%	16	94.1%	50	89.3%	58	93.5%	96	96.0%
			97(輸血以外の再掲)	361	99.7%	16	94.1%	50	89.3%	58	93.5%	96	96.0%
			99	2.00		6.00		5.83		8.50		7.75	
			97	16.23		14.81		9.90		12.86		12.36	
140220	耳の疾患(その他)	件数	97(輸血以外の再掲)	16.23		14.81		9.90		12.86		12.36	
			99	14	4.6%	5	4.3%	7	2.0%	9	2.0%	16	4.3%
			97	291	95.4%	111	95.7%	346	98.0%	431	98.0%	359	95.7%
			97(輸血以外の再掲)	291	95.4%	111	95.7%	346	98.0%	431	98.0%	359	95.7%
140240	口腔の先天性異常	件数	99	5.36		3.40		6.29		4.44		3.75	
			97	5.22		4.59		4.68		4.57		4.92	
			97(輸血以外の再掲)	5.22		4.59		4.68		4.57		4.92	
			99	6	3.6%	2	2.2%	4	3.6%	4	3.6%	4	4.9%
140250	咽頭の先天異常	件数	97	161	96.4%	19	100.0%	90	97.8%	107	96.4%	77	95.1%
			97(輸血以外の再掲)	161	96.4%	19	100.0%	90	97.8%	107	96.4%	77	95.1%
			99	8.83				3.50		3.75		6.50	
			97	11.87		9.00		7.98		8.72		8.53	
140260	胸郭の変形および先天異常	件数	97(輸血以外の再掲)	11.87		9.00		7.98		8.72		8.53	
			99	6	17.1%	1	25.0%	2	18.2%	3	27.3%	3	25.0%
			97	29	82.9%	3	75.0%	9	81.8%	8	72.7%	9	75.0%
			97(輸血以外の再掲)	29	82.9%	3	75.0%	9	81.8%	8	72.7%	9	75.0%
140270	肺の先天性異常	件数	99	8.67		2.00		8.00		15.00		25.33	
			97	12.86		18.00		11.00		9.00		11.11	
			97(輸血以外の再掲)	12.86		18.00		11.00		9.00		11.11	
			99	10	2.5%			4	4.8%	7	4.7%	6	4.8%
140280	気道の先天異常	件数	97	176	43.1%	7	29.2%	41	48.8%	52	34.9%	38	30.2%
			97(輸血以外の再掲)	176	43.1%	7	29.2%	41	48.8%	51	34.2%	38	30.2%
			01	222	54.4%	17	70.8%	39	46.4%	90	60.4%	82	65.1%
			99	6.30				6.50		4.86		11.67	
140290	動脈管開存症	件数	97	5.39		4.57		5.10		6.27		4.37	
			97(輸血以外の再掲)	5.39		4.57		5.10		6.27		4.37	
			01	13.77		12.29		11.72		12.58		11.88	
			99	16	30.8%			10	50.0%	6	37.5%	17	43.6%
140300	心房中隔欠損症	件数	97	36	69.2%	4	100.0%	10	50.0%	10	62.5%	22	56.4%
			97(輸血以外の再掲)	36	69.2%	4	100.0%	10	50.0%	10	62.5%	22	56.4%
			99	5.13				5.60		7.83		13.82	
			97	18.64		13.75		18.00		15.80		15.41	
140310	心室中隔欠損症	件数	97(輸血以外の再掲)	18.64		13.75		18.00		15.80		15.41	
			99	23	46.9%	1	100.0%	24	70.6%	31	77.5%	35	63.6%
			97	26	53.1%			10	29.4%	9	22.5%	20	36.4%
			97(輸血以外の再掲)	26	53.1%			10	29.4%	9	22.5%	20	36.4%
140320	房室中隔欠損症	件数	99	16.57		8.00		9.83		10.74		8.63	
			97	15.88				15.30		32.67		37.90	
			97(輸血以外の再掲)	15.88				15.30		32.67		37.90	
			99	72	65.5%	15	68.2%	79	67.5%	46	79.3%	67	70.5%
140330	その他の左右短絡性心奇形	件数	97	38	34.5%	7	31.8%	38	32.5%	12	20.7%	28	29.5%
			97(輸血以外の再掲)	35	31.8%	7	31.8%	33	28.2%	12	20.7%	28	29.5%
			99	7.56		6.60		15.94		12.91		7.67	
			97	11.24		4.71		49.89		12.58		9.14	
140340	非短絡性心奇形	件数	97(輸血以外の再掲)	7.57		4.71		43.48		12.58		9.14	
			99	459	64.6%	100	64.1%	158	54.3%	180	59.6%	264	63.3%
			97	251	35.4%	56	35.9%	133	45.7%	122	40.4%	153	36.7%
			97(輸血以外の再掲)	237	33.4%	54	34.6%	133	45.7%	119	39.4%	151	36.2%
140350	心房中隔欠損症	件数	99	5.46		5.08		5.59		5.68		5.50	
			97	17.63		15.04		19.05		18.57		19.50	
			97(輸血以外の再掲)	18.17		15.50		19.05		18.79		19.42	
			99	417	91.6%	59	95.2%	186	95.4%	219	89.4%	293	93.0%
140360	心室中隔欠損症	件数	97	38	8.4%	3	4.8%	9	4.6%	26	10.6%	22	7.0%
			97(輸血以外の再掲)	23	5.1%	3	4.8%	8	4.1%	18	7.3%	19	6.0%
			99	6.47		5.71		8.38		6.60		8.75	
			97	24.89		37.67		31.00		22.92		23.91	
140370	房室中隔欠損症	件数	97(輸血以外の再掲)	30.30		37.67		30.63		27.11		22.84	
			99	98	78.4%	12	75.0%	28	80.0%	36	85.7%	51	83.6%
			97	27	21.6%	4	25.0%	7	20.0%	6	14.3%	10	16.4%
			97(輸血以外の再掲)	14	11.2%	2	12.5%	5	14.3%	5	11.9%	10	16.4%
140380	その他の左右短絡性心奇形	件数	99	9.87		3.92		10.21		9.14		11.04	
			97	33.85		8.50		41.57		24.00		17.50	
			97(輸血以外の再掲)	48.50		13.00		22.60		28.20		17.50	
			99	35	54.7%	5	50.0%	13	44.8%	21	61.8%	20	57.1%
140390	非短絡性心奇形	件数	97	29	45.3%	5	50.0%	16	55.2%	13	38.2%	15	42.9%
			97(輸血以外の再掲)	27	42.2%	5	50.0%	16	55.2%	12	35.3%	15	42.9%
			99	9.20		4.40		4.92		5.29		6.70	
			97	25.72		14.60		24.94		21.92		12.87	
140400	非短絡性心奇形	件数	97(輸血以外の再掲)	26.70		14.60		24.94		21.50		12.87	
			99	61	67.0%	10	50.0%	37	66.1%	50	70.4%	54	69.2%
			97	30	33.0%	10	50.0%	19	33.9%	21	29.6%	24	30.8%
			97(輸血以外の再掲)	28	30.8%	10	50.0%	19	33.9%	20	28.2%	21	26.9%
140410	非短絡性心奇形	件数	99	6.85		5.40		7.16		6.26		6.72	
			97	22.63		14.30		16.16		17.76		16.67	

疾患別手術別件数在院日数

疾患コード	疾患名	件数/日数	手術 診断群分類番号(9,10 桁)	平成15年度 DPC対象病院		平成16年度 DPC対象病院		平成18年度 DPC対象病院		平成18年度 DPC準備病院		平成19年度 DPC準備病院	
				件数	割合	件数	割合	件数	割合	件数	割合	件数	割合
140350	ファロー四徴症	件数	97(輸血以外の再掲)	23.21		14.30		16.16		17.60		18.48	
			99	196	79.7%	33	82.5%	40	69.0%	95	83.3%	102	81.6%
			97	50	20.3%	7	17.5%	18	31.0%	19	16.7%	23	18.4%
		日数	97(輸血以外の再掲)	41	16.7%	7	17.5%	16	27.6%	18	15.8%	21	16.8%
			99	8.80		7.85		9.45		10.89		8.18	
140360	新生児乳児の先天性心奇形	件数	99	386	76.4%	72	78.3%	84	65.1%	185	73.7%	207	76.7%
			97	119	23.6%	20	21.7%	45	34.9%	66	26.3%	63	23.3%
			97(輸血以外の再掲)	106	21.0%	19	20.7%	45	34.9%	62	24.7%	57	21.1%
		日数	99	7.29		7.24		7.13		5.73		6.54	
			97	35.79		19.90		34.29		37.80		26.43	
140370	その他の複雑心奇形	件数	99	211	82.1%	25	89.3%	40	80.0%	87	79.1%	82	80.4%
			97	46	17.9%	3	10.7%	10	20.0%	23	20.9%	20	19.6%
			97(輸血以外の再掲)	44	17.1%	3	10.7%	8	16.0%	21	19.1%	19	18.6%
		日数	99	9.28		4.60		7.05		6.16		6.06	
			97	34.72		48.33		46.40		36.65		25.95	
140380	その他の循環器系の先天性奇形	件数	99	143	78.1%	17	77.3%	72	83.7%	85	76.6%	97	72.9%
			97	40	21.9%	5	22.7%	14	16.3%	26	23.4%	36	27.1%
			97(輸血以外の再掲)	39	21.3%	5	22.7%	13	15.1%	26	23.4%	36	27.1%
		日数	99	9.11		10.65		7.81		7.18		8.71	
			97	29.70		39.40		29.21		21.54		18.89	
140390	食道の先天異常	件数	99	31	33.3%	2	33.3%	5	29.4%	12	41.4%	11	28.2%
			97	62	66.7%	4	66.7%	12	70.6%	17	58.6%	28	71.8%
			97(輸血以外の再掲)	62	66.7%	4	66.7%	12	70.6%	17	58.6%	28	71.8%
		日数	99	3.94		16.50		8.40		3.75		7.09	
			97	25.52		27.75		54.08		18.71		41.11	
140410	先天性肥厚性幽門狭窄症	件数	99	21	19.1%	14	63.6%	35	44.3%	54	51.4%	71	57.3%
			97	89	80.9%	8	36.4%	44	55.7%	51	48.6%	53	42.7%
			97(輸血以外の再掲)	89	80.9%	8	36.4%	44	55.7%	51	48.6%	53	42.7%
		日数	99	10.43		7.86		8.09		6.87		9.30	
			97	9.39		8.50		8.80		7.27		8.49	
140430	腸管の先天異常	件数	99	161	46.9%	21	48.8%	59	42.4%	108	55.7%	115	45.6%
			97	85	24.8%	7	16.3%	30	21.6%	34	17.5%	61	24.2%
			97(輸血以外の再掲)	84	24.5%	7	16.3%	28	20.1%	33	17.0%	59	23.4%
			01	70	20.4%	7	16.3%	24	17.3%	23	11.9%	42	16.7%
			02	27	7.9%	8	18.6%	26	18.7%	29	14.9%	34	13.5%
140440	肛門閉鎖	件数	99	60	27.4%	1	4.8%	19	30.6%	17	25.0%	29	30.2%
			97	159	72.6%	20	95.2%	43	69.4%	51	75.0%	67	69.8%
			97(輸血以外の再掲)	159	72.6%	20	95.2%	43	69.4%	51	75.0%	67	69.8%
		日数	99	7.60		2.00		10.74		10.65		12.83	
			97	29.64		22.55		22.70		19.86		26.87	
140450	胆道の先天異常(拡張症)	件数	99	82	47.7%	11	61.1%	40	47.1%	45	43.7%	70	54.7%
			97	90	52.3%	7	38.9%	45	52.9%	58	56.3%	58	45.3%
			97(輸血以外の再掲)	88	51.2%	7	38.9%	45	52.9%	58	56.3%	57	44.5%
		日数	99	7.67		5.36		5.55		7.11		8.66	
			97	24.81		25.86		18.89		27.22		25.36	
140460	胆道の先天異常(閉鎖症)	件数	99	147	72.4%	6	66.7%	9	75.0%	9	81.8%	24	75.0%
			97	56	27.6%	3	33.3%	3	25.0%	2	18.2%	8	25.0%
			97(輸血以外の再掲)	42	20.7%	3	33.3%	2	16.7%	2	18.2%	8	25.0%
		日数	99	7.39		10.67		3.78		9.22		14.50	
			97	42.70		50.00		34.67		22.00		75.88	
140480	先天性腹壁異常	件数	99	2	7.4%								
			97	25	92.6%	4	100.0%	12	100.0%	11	100.0%	13	100.0%
			97(輸血以外の再掲)	25	92.6%	4	100.0%	12	100.0%	11	100.0%	13	100.0%
		日数	99	27.00									
			97	50.80		33.50		31.67		25.91		41.62	
140490	手足先天性疾患	件数	99	31	4.8%	7	11.7%	11	5.0%	18	5.2%	53	9.7%
			97	612	95.2%	53	88.3%	208	95.0%	329	94.8%	496	90.3%
			97(輸血以外の再掲)	612	95.2%	53	88.3%	208	95.0%	329	94.8%	496	90.3%
		日数	99	10.74		4.00		6.36		4.17		6.43	
			97	12.99		8.55		9.56		10.88		9.84	
140500	骨軟骨先天性形成異常	件数	99	96	58.2%	11	73.3%	30	65.2%	13	38.2%	71	56.3%
			97	69	41.8%	4	26.7%	16	34.8%	21	61.8%	55	43.7%
			97(輸血以外の再掲)	69	41.8%	4	26.7%	16	34.8%	20	58.8%	55	43.7%
		日数	99	5.72		4.27		5.07		26.08		9.35	
			97	27.48		24.75		14.63		17.57		18.40	
140510	股関節先天性疾患	件数	99	40	27.8%	2	33.3%	12	19.7%	31	29.0%	22	23.2%
			97	54	37.5%	2	33.3%	27	44.3%	43	40.2%	52	54.7%
			97(輸血以外の再掲)	47	32.6%	2	33.3%	27	44.3%	41	38.3%	51	53.7%
		01	50	34.7%	2	33.3%	22	36.1%	33	30.8%	21	22.1%	

疾患別手術別件数在院日数

疾患コード	疾患名	件数/日数	手術 診断群分類番号(9,10 桁)	平成15年度 DPC対象病院		平成16年度 DPC対象病院		平成18年度 DPC対象病院		平成18年度 DPC準備病院		平成19年度 DPC準備病院		
				件数	割合									
		日数	99		22.90		42.00		28.00		22.94		21.95	
			97		19.56		12.50		15.26		20.93		15.85	
			97(輸血以外の再掲)		21.62		12.50		15.26		21.80		16.10	
			01		32.76		38.00		33.23		32.67		32.38	
140550	先天性嚢胞性腎疾患	件数	99		54	58.7%	15	55.6%	43	45.3%	49	33.1%	84	48.3%
			97		38	41.3%	12	44.4%	52	54.7%	99	66.9%	90	51.7%
			97(輸血以外の再掲)		36	39.1%	12	44.4%	52	54.7%	97	65.5%	90	51.7%
			01											
		日数	99		10.72		10.93		10.23		8.51		9.96	
			97		12.50		9.00		6.83		17.61		7.78	
			97(輸血以外の再掲)		12.83		9.00		6.83		17.44		7.78	
			01											
140560	先天性水腎症	件数	99		131	46.0%	25	49.0%	35	30.7%	65	42.2%	52	31.1%
			97		154	54.0%	26	51.0%	79	69.3%	89	57.8%	115	68.9%
			97(輸血以外の再掲)		154	54.0%	26	51.0%	79	69.3%	89	57.8%	115	68.9%
			01											
		日数	99		4.61		3.96		5.37		5.92		6.00	
			97		11.86		12.23		10.19		12.04		13.66	
			97(輸血以外の再掲)		11.86		12.23		10.19		12.04		13.66	
			01											
140570	先天性上部尿路疾患	件数	99		14	63.6%	3	75.0%	5	38.5%	12	75.0%	21	60.0%
			97		8	36.4%	1	25.0%	8	61.5%	4	25.0%	14	40.0%
			97(輸血以外の再掲)		8	36.4%	1	25.0%	8	61.5%	4	25.0%	14	40.0%
			01											
		日数	99		4.71		3.67		2.80		5.17		4.62	
			97		15.13		37.00		10.38		10.00		13.64	
			97(輸血以外の再掲)		15.13		37.00		10.38		10.00		13.64	
			01											
140580	先天性下部尿路疾患	件数	99		55	11.2%	4	6.7%	14	7.4%	27	9.5%	46	11.1%
			97		139	28.3%	14	23.3%	29	15.3%	84	29.5%	68	16.3%
			97(輸血以外の再掲)		139	28.3%	14	23.3%	29	15.3%	84	29.5%	68	16.3%
			01		7	1.4%	2	3.3%			2	0.7%	3	0.7%
			02		219	44.6%	20	33.3%	44	23.3%	72	25.3%	171	41.1%
			03		71	14.5%	20	33.3%	102	54.0%	100	35.1%	128	30.8%
			日数	99		5.56		4.25		5.64		8.26		5.22
				97		5.50		3.64		6.07		6.40		5.44
				97(輸血以外の再掲)		5.50		3.64		6.07		6.40		5.44
				01		15.43		23.00				13.00		12.67
02		11.93			12.60		9.50		13.54		9.60			
03		10.39			7.90		8.80		9.86		10.20			
140590	停留精巣	件数	99		28	4.2%	2	1.7%	6	1.5%	18	3.8%	23	4.1%
			97		642	95.8%	117	98.3%	385	98.5%	462	96.3%	537	95.9%
			97(輸血以外の再掲)		642	95.8%	117	98.3%	385	98.5%	462	96.3%	537	95.9%
			01											
		日数	99		2.54		2.00		2.00		2.28		2.48	
			97		4.21		3.15		3.49		3.83		3.68	
			97(輸血以外の再掲)		4.21		3.15		3.49		3.83		3.68	
			01											
140600	女性性器の先天性異常	件数	99		5	7.6%	2	25.0%	1	2.6%	1	4.0%	4	10.8%
			97		61	92.4%	6	75.0%	37	97.4%	24	96.0%	33	89.2%
			97(輸血以外の再掲)		61	92.4%	6	75.0%	37	97.4%	24	96.0%	33	89.2%
			01											
		日数	99		3.00		3.00		11.00		2.00		5.50	
			97		8.36		7.67		6.59		8.04		6.73	
			97(輸血以外の再掲)		8.36		7.67		6.59		8.04		6.73	
			01											
140620	その他の先天異常	件数	99		178	43.1%	23	67.6%	58	45.0%	86	41.1%	106	35.3%
			97		235	56.9%	11	32.4%	71	55.0%	123	58.9%	194	64.7%
			97(輸血以外の再掲)		233	56.4%	11	32.4%	71	55.0%	119	56.9%	194	64.7%
			01											
		日数	99		7.84		6.87		11.41		12.17		12.86	
			97		16.58		14.91		11.92		13.67		12.44	
			97(輸血以外の再掲)		16.43		14.91		11.92		13.39		12.44	
			01											
160040	血管腫、リンパ管腫	件数	99		591	46.8%	45	47.9%	196	45.2%	368	45.3%	369	49.5%
			97		672	53.2%	49	52.1%	238	54.8%	444	54.7%	377	50.5%
			97(輸血以外の再掲)		669	53.0%	49	52.1%	237	54.6%	437	53.8%	369	49.5%
			01											
		日数	99		5.66		5.67		4.99		6.24		6.58	
			97		11.78		8.71		7.76		11.33		11.80	
			97(輸血以外の再掲)		11.79		8.71		7.78		11.24		11.09	
			01											
160300	眼窩内異物	件数	99		113	25.4%	23	21.7%	72	46.8%	78	50.6%	99	53.8%
			97		168	37.8%	22	20.8%	42	27.3%	36	23.4%	46	25.0%
			97(輸血以外の再掲)		168	37.8%	22	20.8%	42	27.3%	36	23.4%	46	25.0%
			01		100	22.5%	2	1.9%	30	19.5%	18	11.7%	19	10.3%
			02		64	14.4%	59	55.7%	10	6.5%	22	14.3%	20	10.9%
			日数	99		11.94		8.96		8.75		8.21		7.81
				97		8.06		7.95		5.83		6.03		9.22
				97(輸血以外の再掲)		8.06		7.95		5.83		6.03		9.22
01		10.94			12.50		11.67		11.11		14.16			
		日数	02		6.64		3.46		10.90		7.14		8.25	
			99		3	11.1%			12	16.7%	37	25.5%	49	22.3%
			97		24	88.9%	9	100.0%	60	83.3%	108	74.5%	171	77.7%
			97(輸血以外の再掲)		24	88.9%	9	100.0%	60	83.3%	108	74.5%	171	77.7%
		日数	99		3.00				4.67		6.16		4.45	
			97		4.50		4.11		5.32		5.64		5.97	
			97(輸血以外の再掲)		4.50		4.11		5.32		5.64		5.97	
			01											
160340	強膜・角膜の裂傷、眼球破裂	件数	99		66	13.0%	13	26.0%	29	21.0%	52	24.6%	62	27.6%
			97		190	37.5%	18	36.0%	46	33.3%	94	44.5%	85	37.8%
			97(輸血以外の再掲)		190	37.5%	18	36.0%	46	33.3%	94	44.5%	85	37.8%
			01		251	49.5%	19	38.0%	62	44.9%	65	30.8%	76	33.8%
			02					1	0.7%				2	0.9%
			日数	99		7.05		4.23		8.55		6.81		6.39
				97		8.37		8.67		8.70		8.24		6.42
				97(輸血以外の再掲)		8.37		8.67		8.70		8.24		6.42
01		13.37			16.11		14.31		14.29		14.76			
		日数	02				8.00				8.00			
			99		5	100.0%			3	100.0%	1	50.0%	4	100.0%
			97								1	50.0%		
			97(輸血以外の再掲)								1	50.0%		
160360	眼球熱傷、化学熱傷	件数	99											
			97											
			97(輸血以外の再掲)											
			01											

疾患別手術別件数在院日数

疾患 コード	疾患名	件数 /日 数	手術 診断群分類番号(9,10 桁)	平成15年度 DPC対象病院		平成16年度 DPC対象病院		平成18年度 DPC対象病院		平成18年度 DPC準備病院		平成19年度 DPC準備病院	
160400	鼻骨骨折	日数	99	9.60				11.67		25.00		7.00	
			97							25.00			
			97(輸血以外の再掲)							25.00			
		件数	99	4	1.5%	3	2.9%	5	1.5%	22	4.5%	22	4.7%
			97	21	7.6%	3	2.9%	18	5.3%	25	5.2%	24	5.2%
97(輸血以外の再掲)	21		7.6%	3	2.9%	18	5.3%	25	5.2%	24	5.2%		
日数	01	250	90.9%	99	94.3%	319	93.3%	438	90.3%	418	90.1%		
	99	2.50		2.00		2.80		5.00		6.09			
	97	8.67		8.67		8.56		6.32		9.83			
160410	顔面の損傷	件数	99	4	13.3%	2	18.2%	4	8.2%	28	21.9%	39	24.8%
			97	26	86.7%	9	81.8%	45	91.8%	100	78.1%	118	75.2%
			97(輸血以外の再掲)	26	86.7%	9	81.8%	45	91.8%	100	78.1%	117	74.5%
		日数	99	5.25		4.00		4.00		5.46		6.41	
			97	6.04		8.56		7.09		4.24		6.18	
97(輸血以外の再掲)	6.04			8.56		7.09		4.24		6.18			
160420	頭部・顔面外傷	件数	99	1,301	43.2%	804	48.3%	3,750	50.1%	4,229	54.6%	6,237	56.3%
			97	662	22.0%	319	19.2%	1,484	19.8%	1,594	20.6%	2,381	21.5%
			97(輸血以外の再掲)	625	20.8%	312	18.7%	1,429	19.1%	1,548	20.0%	2,308	20.8%
		日数	01	447	14.8%	366	22.0%	1,713	22.9%	1,373	17.7%	1,981	17.9%
			02	602	20.0%	176	10.6%	541	7.2%	550	7.1%	475	4.3%
99	8.54			10.34		10.27		9.88		10.02			
160450	喉頭・気管内異物	件数	99	23	19.2%	12	52.2%	48	40.3%	113	60.4%	129	60.8%
			97	97	80.8%	11	47.8%	71	59.7%	74	39.6%	83	39.2%
			97(輸血以外の再掲)	97	80.8%	11	47.8%	70	58.8%	74	39.6%	83	39.2%
		日数	99	4.65		9.67		4.06		7.29		6.96	
			97	5.69		5.55		5.49		6.42		7.24	
97(輸血以外の再掲)	5.69			5.55		5.47		6.42		7.24			
160460	胸部実質臓器外傷	件数	99	198	66.4%	98	74.2%	536	71.7%	519	79.5%	775	78.0%
			97	100	33.6%	34	25.8%	212	28.3%	134	20.5%	218	22.0%
			97(輸血以外の再掲)	88	29.5%	29	22.0%	181	24.2%	110	16.8%	188	18.9%
		日数	99	8.74		11.02		10.28		11.41		11.62	
			97	23.21		17.71		21.40		21.12		23.50	
97(輸血以外の再掲)	23.95			17.48		20.46		20.65		22.23			
160470	胸部骨性外傷	件数	99	70	64.8%	63	85.1%	328	87.9%	513	88.3%	860	90.7%
			97	38	35.2%	11	14.9%	45	12.1%	68	11.7%	88	9.3%
			97(輸血以外の再掲)	32	29.6%	11	14.9%	41	11.0%	59	10.2%	81	8.5%
		日数	99	7.13		10.56		10.06		12.08		13.40	
			97	14.68		27.36		23.44		17.68		16.70	
97(輸血以外の再掲)	14.53			27.36		23.12		16.24		15.40			
160480	胸部の大血管外傷	件数	99	5	41.7%	1	50.0%	4	36.4%	3	37.5%	2	25.0%
			97	7	58.3%	1	50.0%	7	63.6%	5	62.5%	6	75.0%
			97(輸血以外の再掲)	6	50.0%	1	50.0%	7	63.6%	5	62.5%	6	75.0%
		日数	99	5.80		2.00		22.00		8.00		20.00	
			97	56.14		106.00		38.57		43.80		45.00	
97(輸血以外の再掲)	60.67			106.00		38.57		43.80		45.00			
160490	心臓外傷	件数	99	3	33.3%	2	50.0%	3	50.0%	1	14.3%	1	16.7%
			97	6	66.7%	2	50.0%	3	50.0%	6	85.7%	5	83.3%
			97(輸血以外の再掲)	4	44.4%	2	50.0%	3	50.0%	5	71.4%	5	83.3%
		日数	99	4.00		5.50		6.33		11.00		2.00	
			97	17.00		13.00		16.33		12.17		11.80	
97(輸血以外の再掲)	21.50			13.00		16.33		10.80		11.80			
160500	胃外傷	件数	99						1	50.0%	2	20.0%	
			97	2	100.0%	2	100.0%	6	100.0%	1	50.0%	8	80.0%
			97(輸血以外の再掲)	1	50.0%	2	100.0%	6	100.0%	1	50.0%	8	80.0%
		日数	99							7.00		8.00	
			97	18.50		8.50		17.17		19.00		18.25	
97(輸血以外の再掲)	22.00			8.50		17.17		19.00		18.25			
160510	肝外傷	件数	99	59	55.7%	15	53.6%	81	60.4%	82	56.6%	130	61.6%
			97	47	44.3%	13	46.4%	53	39.6%	63	43.4%	81	38.4%
			97(輸血以外の再掲)	43	40.6%	12	42.9%	51	38.1%	58	40.0%	72	34.1%
		日数	99	8.46		9.20		10.06		11.70		10.13	
			97	30.15		32.62		24.06		23.11		24.27	
97(輸血以外の再掲)	30.44			31.33		24.14		23.41		23.08			
160520	脾外傷	件数	99	7	58.3%	2	66.7%	9	52.9%	5	45.5%	10	45.5%
			97	5	41.7%	1	33.3%	8	47.1%	6	54.5%	12	54.5%
			97(輸血以外の再掲)	5	41.7%	1	33.3%	8	47.1%	6	54.5%	12	54.5%
		日数	99	11.57		23.50		14.22		8.60		18.10	
			97	47.00		76.00		50.00		43.83		40.25	
97(輸血以外の再掲)	47.00			76.00		50.00		43.83		40.25			
160530	脾外傷	件数	99	20	40.8%	3	21.4%	38	52.1%	44	46.3%	57	47.5%
			97	29	59.2%	11	78.6%	35	47.9%	51	53.7%	63	52.5%
			97(輸血以外の再掲)	29	59.2%	10	71.4%	32	43.8%	45	47.4%	58	48.3%
		日数	99	13.95		9.00		11.13		13.07		11.16	
			97	25.17		23.82		23.91		18.20		20.90	
97(輸血以外の再掲)	25.17			24.70		24.72		18.71		21.07			
160540	腸管外傷(十二指腸から直腸)	件数	99	13	31.0%	10	32.3%	25	26.3%	30	36.6%	36	25.9%
			97	29	69.0%	21	67.7%	70	73.7%	52	63.4%	103	74.1%
			97(輸血以外の再掲)	27	64.3%	20	64.5%	67	70.5%	49	59.8%	102	73.4%
		日数	99	6.69		11.00		9.36		9.83		9.33	
			97	24.79		25.14		21.04		25.85		28.10	
97(輸血以外の再掲)	24.96			24.05		21.09		25.88		28.30			

疾患別手術別件数在院日数

疾患コード	疾患名	件数 /日数	手術 診断群分類番号(9,10 桁)		平成15年度 DPC対象病院		平成16年度 DPC対象病院		平成18年度 DPC対象病院		平成18年度 DPC準備病院		平成19年度 DPC準備病院	
160550	腹部血管外傷	件数	99	2	14.3%			7	30.4%	2	7.7%	5	19.2%	
			97	12	85.7%	1	100.0%	16	69.6%	24	92.3%	21	80.8%	
			97(輸血以外の再掲)	11	78.6%	1	100.0%	14	60.9%	24	92.3%	21	80.8%	
		日数	99		6.00				11.14		13.50		13.80	
			97		15.00		17.00		27.25		34.83		22.67	
			97(輸血以外の再掲)		15.55		17.00		30.14		34.83		22.67	
160560	食道・胃内異物	件数	99	30	21.1%	4	15.4%	28	20.3%	55	23.6%	67	24.4%	
			97	112	78.9%	22	84.6%	110	79.7%	178	76.4%	208	75.6%	
			97(輸血以外の再掲)	112	78.9%	22	84.6%	110	79.7%	178	76.4%	208	75.6%	
		日数	99		3.40		5.50		4.46		3.29		4.73	
			97		6.04		5.32		5.62		5.46		6.27	
			97(輸血以外の再掲)		6.04		5.32		5.62		5.46		6.27	
160570	肛門異物	件数	99					1	9.1%	2	8.0%	4	15.4%	
			97	4	100.0%	5	100.0%	10	90.9%	23	92.0%	22	84.6%	
			97(輸血以外の再掲)	4	100.0%	5	100.0%	10	90.9%	23	92.0%	22	84.6%	
		日数	99					2.00		17.00		2.75		
			97		5.00		8.00		8.20		5.83		5.64	
			97(輸血以外の再掲)		5.00		8.00		8.20		5.83		5.64	
160580	体幹の開放創	件数	99	80	82.5%	95	94.1%	392	88.3%	542	90.2%	866	89.6%	
			97	17	17.5%	6	5.9%	52	11.7%	59	9.8%	100	10.4%	
			97(輸血以外の再掲)	17	17.5%	5	5.0%	48	10.8%	53	8.8%	92	9.5%	
		日数	99		5.15		8.93		8.47		9.41		9.99	
			97		10.65		22.17		10.46		9.97		11.33	
			97(輸血以外の再掲)		10.65		14.00		9.58		9.94		9.78	
160590	四肢神経損傷	件数	99	5	5.1%			2	1.7%	8	3.4%	15	5.2%	
			97	94	94.9%	29	100.0%	119	98.3%	227	96.6%	274	94.8%	
			97(輸血以外の再掲)	94	94.9%	29	100.0%	119	98.3%	227	96.6%	274	94.8%	
		日数	99		20.40				7.00		18.63		14.07	
			97		8.68		7.90		8.63		9.30		9.13	
			97(輸血以外の再掲)		8.68		7.90		8.63		9.30		9.13	
160600	四肢血管損傷	件数	99	1	2.6%	1	10.0%	4	6.3%	4	5.8%	10	9.3%	
			97	37	97.4%	9	90.0%	60	93.8%	65	94.2%	98	90.7%	
			97(輸血以外の再掲)	36	94.7%	9	90.0%	57	89.1%	63	91.3%	96	88.9%	
		日数	99		4.00		2.00		9.50		5.00		7.70	
			97		16.78		13.00		13.37		13.23		13.96	
			97(輸血以外の再掲)		17.19		13.00		13.32		13.13		14.05	
160610	四肢筋腱損傷	件数	99	113	11.6%	113	23.3%	432	22.4%	585	21.9%	845	20.4%	
			97	178	18.3%	151	31.2%	554	28.8%	850	31.9%	1,318	31.9%	
			97(輸血以外の再掲)	175	18.0%	151	31.2%	551	28.6%	842	31.6%	1,312	31.7%	
			01	438	45.0%	82	16.9%	413	21.4%	578	21.7%	990	23.9%	
			02	244	25.1%	138	28.5%	527	27.4%	653	24.5%	981	23.7%	
		日数	99		11.66		11.18		13.25		15.38		15.09	
			97		12.66		16.05		12.56		14.16		14.51	
			97(輸血以外の再掲)		12.44		16.05		12.50		13.81		14.36	
			01		23.84		24.16		23.42		25.29		25.06	
			02		14.42		13.99		11.44		12.69		14.95	
160620	肘、膝の外傷(スポーツ障害等を含む。)	件数	99	55	2.5%	70	6.0%	125	3.1%	269	5.7%	444	6.0%	
			97	328	14.6%	92	7.8%	319	7.9%	353	7.5%	758	10.2%	
			97(輸血以外の再掲)	328	14.6%	92	7.8%	319	7.9%	353	7.5%	758	10.2%	
			01	1,822	81.2%	999	85.2%	3,521	87.7%	4,018	85.3%	6,148	82.8%	
			02	38	1.7%	12	1.0%	50	1.2%	70	1.5%	78	1.1%	
		日数	99		12.96		8.23		9.59		11.63		11.37	
			97		11.45		7.21		9.11		9.94		9.37	
			97(輸血以外の再掲)		11.45		7.21		9.11		9.94		9.37	
			01		14.57		11.52		11.95		12.43		13.11	
			02		8.11		7.25		5.78		6.89		5.23	
160640	外傷性切断	件数	99	9	5.4%	1	2.9%	6	4.3%	12	5.2%	24	7.8%	
			97	64	38.3%	17	48.6%	64	45.7%	91	39.2%	108	35.1%	
			97(輸血以外の再掲)	64	38.3%	17	48.6%	63	45.0%	91	39.2%	108	35.1%	
			01	68	40.7%	10	28.6%	34	24.3%	64	27.6%	88	28.6%	
			02	26	15.6%	7	20.0%	36	25.7%	65	28.0%	88	28.6%	
		日数	99		31.44		30.00		9.83		32.83		23.71	
97			14.23		16.35		15.70		14.93		11.90			
97(輸血以外の再掲)			14.23		16.35		15.48		14.93		11.90			
01			19.56		32.20		26.35		22.44		21.00			
02			16.46		13.86		17.83		23.88		17.44			
160650	コンパートメント症候群	件数	99	51	63.0%	46	88.5%	279	80.6%	420	81.1%	653	81.2%	
			97	30	37.0%	6	11.5%	67	19.4%	98	18.9%	151	18.8%	
			97(輸血以外の再掲)	27	33.3%	6	11.5%	61	17.6%	89	17.2%	138	17.2%	
		日数	99		29.04		32.15		30.08		32.58		35.52	
			97		40.30		27.67		31.46		47.93		58.50	
			97(輸血以外の再掲)		38.26		27.67		29.02		47.18		59.80	
160660	皮下軟部損傷・挫滅損傷、開放創	件数	99	34	18.8%	59	36.4%	224	34.8%	478	44.5%	792	48.9%	
			97	147	81.2%	103	63.6%	419	65.2%	596	55.5%	828	51.1%	
			97(輸血以外の再掲)	145	80.1%	100	61.7%	414	64.4%	586	54.6%	813	50.2%	
		日数	99		8.82		12.12		12.48		11.50		12.13	
			97		14.63		11.09		13.43		14.48		13.71	
			97(輸血以外の再掲)		14.28		10.80		13.34		14.40		13.25	
160690	胸椎、腰椎以下骨折損傷(胸・腰髄損傷を含む。)	件数	99	345	62.2%	591	88.9%	2,729	88.3%	3,952	89.0%	6,321	91.0%	
			97	58	10.5%	34	5.1%	182	5.9%	262	5.9%	412	5.9%	
			97(輸血以外の再掲)	52	9.4%	34	5.1%	169	5.5%	239	5.4%	371	5.3%	
			01	152	27.4%	40	6.0%	180	5.8%	224	5.0%	214	3.1%	
		日数	99		20.88		23.40		23.88		25.58		27.26	
			97		22.24		32.06		29.68		28.80		31.73	
01	97(輸血以外の再掲)		21.12		32.06		27.41		28.48		31.32			
	01		46.11		56.60		48.90		46.25		50.95			
160700	鎖骨骨折、肩甲骨骨折	件数	99	34	22.1%	35	10.6%	111	9.0%	187	10.5%	272	11.0%	

疾患別手術別件数在院日数

疾患コード	疾患名	件数/日数	手術 診断群分類番号(9,10 桁)		平成15年度 DPC対象病院		平成16年度 DPC対象病院		平成18年度 DPC対象病院		平成18年度 DPC準備病院		平成19年度 DPC準備病院	
			97											
		件数	97	120	77.9%	296	89.4%	1,117	91.0%	1,587	89.5%	2,208	89.0%	
			97(輸血以外の再掲)	119	77.3%	295	89.1%	1,117	91.0%	1,586	89.4%	2,206	89.0%	
			99	9.50		9.77		10.99		12.40		14.19		
			97	11.92		8.99		8.98		10.45		10.72		
			97(輸血以外の再掲)	11.91		9.01		8.98		10.42		10.72		
160720	肩関節周辺の骨折脱臼	件数	99	19	4.3%	44	11.0%	161	11.2%	303	15.8%	452	15.2%	
			97	140	31.4%	126	31.6%	423	29.4%	573	29.9%	958	32.3%	
			97(輸血以外の再掲)	139	31.2%	124	31.1%	418	29.1%	564	29.4%	947	31.9%	
			01	287	64.3%	229	57.4%	853	59.4%	1,043	54.4%	1,558	52.5%	
			99	19.32		16.27		21.30		20.87		23.42		
160740	肘関節周辺の骨折・脱臼	件数	99	5	1.5%	15	3.0%	34	1.9%	69	2.9%	92	3.0%	
			97	337	98.5%	478	97.0%	1,780	98.1%	2,279	97.1%	3,007	97.0%	
			97(輸血以外の再掲)	337	98.5%	478	97.0%	1,779	98.1%	2,279	97.1%	3,007	97.0%	
			99	7.80		8.20		9.18		12.14		14.70		
			97	7.90		9.24		7.89		8.75		9.43		
160760	前腕の骨折	件数	99	7	2.7%	8	1.5%	34	1.8%	67	2.4%	174	4.5%	
			97	250	97.3%	536	98.5%	1,878	98.2%	2,703	97.6%	3,693	95.5%	
			97(輸血以外の再掲)	250	97.3%	536	98.5%	1,877	98.2%	2,703	97.6%	3,693	95.5%	
			99	4.71		8.75		10.03		16.18		18.37		
			97	8.30		8.08		8.31		9.67		9.92		
160780	手関節周辺骨折脱臼	件数	99	5	2.6%	3	1.1%	5	0.6%	45	3.2%	51	2.6%	
			97	184	97.4%	274	98.9%	890	99.4%	1,347	96.8%	1,897	97.4%	
			97(輸血以外の再掲)	184	97.4%	274	98.9%	890	99.4%	1,347	96.8%	1,897	97.4%	
			99	4.40		7.00		8.20		12.22		13.78		
			97	5.41		5.47		5.48		7.17		7.57		
160800	股関節大腿近位骨折	件数	99	156	14.0%	240	10.7%	742	8.9%	1,140	10.4%	1,762	11.3%	
			97	272	24.5%	204	9.1%	893	10.8%	1,267	11.5%	1,807	11.6%	
			97(輸血以外の再掲)	260	23.4%	195	8.7%	853	10.3%	1,200	10.9%	1,722	11.1%	
			01	230	20.7%	547	24.4%	2,135	25.7%	2,661	24.2%	3,642	23.4%	
			02	453	40.8%	1,252	55.8%	4,536	54.6%	5,924	53.9%	8,335	53.6%	
160820	膝関節周辺骨折・脱臼	件数	99	37	16.4%	73	17.4%	288	19.0%	470	21.5%	768	23.4%	
			97	71	31.6%	112	26.7%	453	29.9%	686	31.3%	1,020	31.0%	
			97(輸血以外の再掲)	70	31.1%	111	26.4%	448	29.6%	676	30.9%	1,009	30.7%	
			01	117	52.0%	235	56.0%	774	51.1%	1,035	47.2%	1,498	45.6%	
			99	15.54		26.21		26.77		25.72		29.49		
160830	膝関節周辺開放骨折	件数	99	16	61.5%	7	41.2%	48	55.2%	57	49.1%	82	51.3%	
			97	16	61.5%	7	41.2%	47	54.0%	57	49.1%	82	51.3%	
			97(輸血以外の再掲)	16	61.5%	7	41.2%	47	54.0%	57	49.1%	82	51.3%	
			01	8	30.8%	7	41.2%	21	24.1%	29	25.0%	45	28.1%	
			02	2	7.7%	2	11.8%	14	16.1%	23	19.8%	25	15.6%	
160835	下腿足関節周辺骨折	件数	99	17	10.3%	27	11.3%	102	9.2%	145	10.3%	264	13.2%	
			97	51	30.9%	87	36.6%	396	35.6%	546	39.0%	712	35.5%	
			97(輸血以外の再掲)	50	30.3%	87	36.6%	395	35.5%	544	38.8%	711	35.4%	
			01	97	58.8%	124	52.1%	614	55.2%	710	50.7%	1,031	51.4%	
			99	17.41		28.30		22.15		24.83		23.62		
160840	下腿足関節周辺開放骨折	件数	99	2	3.1%	1	2.5%	3	1.5%	15	7.5%	13	4.2%	
			97	19	29.7%	16	40.0%	77	39.7%	91	45.3%	121	39.2%	
			97(輸血以外の再掲)	19	29.7%	16	40.0%	77	39.7%	91	45.3%	121	39.2%	
			01	39	60.9%	22	55.0%	113	58.2%	91	45.3%	170	55.0%	
			02	4	6.3%	1	2.5%	1	0.5%	4	2.0%	5	1.6%	
160850	足関節・足部の骨折、脱臼	件数	99	22	7.9%	46	8.0%	156	7.4%	315	10.2%	535	11.1%	
			97	125	45.1%	296	51.5%	1,128	53.3%	1,727	55.9%	2,650	55.2%	
			97(輸血以外の再掲)	125	45.1%	296	51.5%	1,128	53.3%	1,725	55.9%	2,648	55.1%	
			01	130	46.9%	233	40.5%	831	39.3%	1,046	33.9%	1,617	33.7%	
			99	18.55		16.59		21.44		24.40		27.61		
160870	頸椎頸髄損傷	件数	99	252	42.6%	134	62.3%	570	62.2%	707	67.5%	1,063	70.2%	
			97	94	15.9%	39	18.1%	171	18.6%	156	14.9%	228	15.0%	

疾患別手術別件数在院日数

疾患 コード	疾患名	件数 /日 数	手術 診断群分類番号(9,10 桁)		平成15年度 DPC対象病院		平成16年度 DPC対象病院		平成18年度 DPC対象病院		平成18年度 DPC準備病院		平成19年度 DPC準備病院	
			97	(輸血以外の再掲)										
		件数	97	(輸血以外の再掲)	92	15.6%	37	17.2%	169	18.4%	153	14.6%	219	14.5%
			01		245	41.5%	42	19.5%	176	19.2%	184	17.6%	224	14.8%
			99		14.44		16.39		17.93		17.51		18.39	
			97		31.27		38.54		36.13		39.24		34.57	
160890	骨折変形癒合、癒合不全などによる変形(上肢以外)	件数	97	(輸血以外の再掲)	31.65		39.92		36.36		39.56		35.04	
			01		37.84		38.21		47.39		50.88		47.92	
			99		15	7.9%	8	14.0%	56	19.0%	64	21.1%	109	21.5%
			97		96	50.3%	23	40.4%	141	47.8%	175	57.6%	266	52.4%
160895	骨折変形癒合、癒合不全などによる変形(上肢)	件数	97	(輸血以外の再掲)	96	50.3%	22	38.6%	140	47.5%	173	56.9%	264	52.0%
			01		80	41.9%	26	45.6%	98	33.2%	65	21.4%	133	26.2%
			99		11.40		17.13		19.54		27.70		25.93	
			97		27.01		27.65		27.87		34.58		32.23	
160950	腎・尿管外傷	件数	97	(輸血以外の再掲)	27.01		28.77		28.02		34.78		32.09	
			01		41.95		27.31		33.49		30.17		29.35	
			99		2	1.1%	1	1.5%	7	3.1%	7	2.4%	16	4.0%
			97		51	27.0%	13	19.7%	75	32.8%	93	32.3%	133	33.4%
160950	腎・尿管外傷	件数	97	(輸血以外の再掲)	51	27.0%	13	19.7%	75	32.8%	93	32.3%	132	33.2%
			01		136	72.0%	52	78.8%	147	64.2%	188	65.3%	249	62.6%
			99		6.50		8.00		9.29		12.00		11.00	
			97		11.29		8.23		7.88		12.08		13.60	
160960	膀胱・尿道外傷	件数	97	(輸血以外の再掲)	11.29		8.23		7.88		12.08		13.64	
			01		11.24		10.75		10.95		13.77		12.50	
			99		54	65.9%	29	78.4%	70	66.0%	84	69.4%	136	76.8%
			97		28	34.1%	8	21.6%	36	34.0%	37	30.6%	41	23.2%
160960	膀胱・尿道外傷	件数	97	(輸血以外の再掲)	23	28.0%	8	21.6%	30	28.3%	28	23.1%	30	16.9%
			01		10.30		9.34		11.19		10.07		9.97	
			99		23.64		25.88		23.39		32.43		22.95	
			97		25.83		25.88		25.00		35.57		21.97	
160970	骨盤生殖器外傷	件数	99		16	50.0%	7	87.5%	18	42.9%	46	69.7%	56	65.1%
			97		16	50.0%	1	12.5%	24	57.1%	20	30.3%	30	34.9%
			97	(輸血以外の再掲)	14	43.8%	1	12.5%	23	54.8%	19	28.8%	30	34.9%
			01		9.19		9.29		13.28		9.43		10.27	
160970	骨盤生殖器外傷	件数	97	(輸血以外の再掲)	23.63		5.00		17.38		21.70		15.00	
			01		21.29		5.00		17.74		21.89		15.00	
			99		29	25.9%	10	21.7%	46	29.7%	38	22.6%	69	33.8%
			97		83	74.1%	36	78.3%	109	70.3%	130	77.4%	135	66.2%
160980	骨盤骨折	件数	97	(輸血以外の再掲)	83	74.1%	35	76.1%	109	70.3%	128	76.2%	135	66.2%
			01		4.38		7.20		5.28		5.37		6.57	
			99		8.23		7.17		7.50		7.93		7.50	
			97	(輸血以外の再掲)	8.23		6.86		7.50		7.86		7.50	
160980	骨盤骨折	件数	99		111	48.7%	160	80.4%	621	73.5%	818	80.4%	1,376	82.7%
			97		59	25.9%	33	16.6%	141	16.7%	164	16.1%	214	12.9%
			97	(輸血以外の再掲)	52	22.8%	26	13.1%	117	13.8%	125	12.3%	168	10.1%
			01		58	25.4%	6	3.0%	83	9.8%	35	3.4%	74	4.4%
160990	多部位外傷	件数	99		20.26		23.73		22.74		23.62		26.94	
			97		31.59		43.91		34.51		39.76		35.92	
			97	(輸血以外の再掲)	32.00		47.50		34.57		40.15		34.46	
			01		49.86		51.67		53.02		47.06		48.32	
160990	多部位外傷	件数	99		148	45.7%	89	39.6%	577	41.9%	769	59.8%	1,108	68.2%
			97		176	54.3%	136	60.4%	799	58.1%	518	40.2%	516	31.8%
			97	(輸血以外の再掲)	172	53.1%	132	58.7%	778	56.5%	505	39.2%	502	30.9%
			01		9.84		19.45		16.07		19.33		21.68	
161000	熱傷・化学熱傷・凍傷・電撃傷	件数	97	(輸血以外の再掲)	29.80		30.53		30.77		27.17		30.73	
			01		28.47		30.83		30.33		26.87		30.31	
			99		257	50.6%	74	47.1%	369	61.6%	455	65.8%	561	69.3%
			97		33	6.5%	8	5.1%	37	6.2%	40	5.8%	47	5.8%
161000	熱傷・化学熱傷・凍傷・電撃傷	件数	97	(輸血以外の再掲)	30	5.9%	6	3.8%	32	5.3%	37	5.4%	36	4.4%
			01		125	24.6%	44	28.0%	104	17.4%	112	16.2%	93	11.5%
			02		93	18.3%	31	19.7%	89	14.9%	84	12.2%	109	13.5%
			99		12.57		10.99		11.04		13.72		15.30	
161050	頸部外傷	件数	97	(輸血以外の再掲)	19.58		15.13		22.81		34.48		29.72	
			01		20.20		14.50		24.22		32.54		29.50	
			99		54.58		38.50		51.75		51.02		51.57	
			97	(輸血以外の再掲)	30.18		28.61		24.55		31.23		30.05	
161050	頸部外傷	件数	99		35	57.4%	7	46.7%	38	57.6%	35	46.1%	46	42.2%
			97		26	42.6%	8	53.3%	28	42.4%	41	53.9%	63	57.8%
			97	(輸血以外の再掲)	26	42.6%	7	46.7%	28	42.4%	41	53.9%	62	56.9%
			01		6.54		3.86		6.32		6.29		9.33	
161060	詳細不明の損傷等	件数	97	(輸血以外の再掲)	11.04		9.71		12.36		9.20		13.38	
			01		11.04		9.71		12.36		9.20		13.34	
			99		1,895	44.2%	688	46.3%	2,166	41.6%	2,579	35.9%	3,620	39.5%
			97		2,396	55.8%	798	53.7%	3,038	58.4%	4,614	64.1%	5,556	60.5%
161060	詳細不明の損傷等	件数	97	(輸血以外の再掲)	2,253	52.5%	769	51.7%	2,941	56.5%	4,498	62.5%	5,406	58.9%
			01		8.38		8.79		8.23		8.80		9.36	
			99		23.86		21.10		19.90		17.05		17.28	
			97	(輸血以外の再掲)	23.60		21.01		19.92		16.95		17.19	