

- ISO [1995]. Air quality—particle size fraction definitions for health-related sampling, ISO 7708: Geneva, Switzerland: International Standards Organisation.
- ISO [2006]. Workplace Atmospheres – Ultrafine, nanoparticle and nano-structured aerosols – Exposure characterization and assessment. Geneva: Switzerland: International Standards Organization. Document no. ISO/TC 146/SC 2/WG1 N324, 32 pp [in press].
- Jaques PA, Kim CS [2000]. Measurement of total lung deposition of inhaled ultrafine particles in healthy men and women. *Inhal Toxicol* 12(8):715–731.
- Johnston CJ, Finkelstein JN, Mercer P, Corson N, Gelein R, Oberdorster G [2000]. Pulmonary effects induced by ultrafine PTFE particles. *Toxicol Appl Pharmacol* 168:208–215.
- Keskinen J, Pietarinen K, Lehtimäki M [1992]. Electrical low pressure impactor. *J Aerosol Sci* 23:353–360.
- Kim CS, Jaques PA [2004]. Analysis of total respiratory deposition of inhaled ultrafine particles in adult subjects at various breathing patterns. *Aerosol Sci Technol* 38:525–540.
- Kreiss K, Mroz MM, Zhen B, Wiedemann H, Barna B [1997]. Risks of beryllium disease related to work processes at a metal, alloy, and oxide production plant. *5A(8):605–612.*
- Kreyling WG, Semmler M, Erbe F, Mayer P, Takenaka S, Schulz H, Oberdorster G, Ziesenis A [2002]. Translocation of ultrafine insoluble iridium particles from lung epithelium to extrapulmonary organs is size dependent but very low. *J Toxicol Environ Health* 65(20):1513–1530.
- Kreyling WG, Semmler-Behnke M, Moller W [2006]. Ultrafine Particle–Lung Interactions: Does Size Matter? *J Aerosol Med* 19(1): 74–83.
- Ku BK, Maynard AD [2005]. Comparing aerosol surface-area measurements of monodisperse ultrafine silver agglomerates by mobility analysis, transmission electron microscopy and diffusion charging. *J Aerosol Sci* 36:1108–1124.
- Ku BK, Maynard AD [2006]. Generation and investigation of airborne silver nanoparticles with specific size and morphology by homogeneous nucleation, coagulation and sintering. *J Aerosol Sci* 37:452–470.
- Kuhlbusch TAJ, Neumann S, Fissan H [2004]. Number size distribution, mass concentration, and particle composition of PM<sub>1</sub>, PM<sub>2.5</sub>, and PM<sub>10</sub> in bag filling areas of carbon black production. *J Occup Environ Hyg* 7(10):660–671.
- Lam CW, James JT, McCluskey R, Hunter RL [2004]. Pulmonary toxicity of single-wall carbon nanotubes in mice 7 and 90 days after intratracheal instillation. *Toxicol Sci* 77:126–134.
- Lam C-W, James JT, McCluskey R, Arepalli S, Hunter RL [2006]. A review of carbon nanotube toxicity and assessment of potential occupational and environmental health risks. *Crit Rev Toxicol* 36:189–217.
- Lee KW, Liu BYH [1982]. Theoretical study of aerosol filtration by fibrous filters. *Aerosol Sci Technol* 1(2):147–162.
- Lee KP, Trochimowicz HJ, Reinhardt CF [1985]. Pulmonary response of rats exposed to titanium dioxide (TiO<sub>2</sub>) by inhalation for two years. *Toxicol Appl Pharmacol* 79:179–192.
- Lee CH, Guo YL, Tsai PJ, Chang HY, Chen CR, Chen CW, et al. [1997]. Fatal acute pulmonary oedema after inhalation of fumes from polytetrafluoroethylene (PTFE). *Eur Res J* 10:1408–1411.

- Lippmann M [1977]. Regional deposition of particles in the human respiratory tract. In: Lee DHK, Murphy S, eds. Handbook of physiology; section IV, environmental physiology. Philadelphia, PA: Williams and Wilkins:213–232.
- Lison, D., C. Lardot, F. Huaux, G. Zanetti, Fubini B [1997]. Influence of particle surface area on the toxicity of insoluble manganese dioxide dusts. *Arch. Toxicol.* 71(12): 725–729.
- Long TC, Saleh N, Tilton RD, Lowry GV, Veronesi B [2006]. Titanium dioxide (P25) produces reactive oxygen species in immortalized brain microglia (BV2): implications for nanoparticle neurotoxicity. *Environ Sci & Technol* [published online: 16 June 2006].
- Lovric J, Bazzi HS, Cuie Y, Fortin, GRA, Winnik FM, and D Maysinger [2005]. Differences in subcellular distribution and toxicity of green and red emitting CdTe quantum dots. *J Mol Med* 83(5):377–385 Epub 2005 Feb2.
- Marple VA, Olson BA, Rubow KL [2001]. Inertial, gravitational, centrifugal, and thermal collection techniques. In: Baron PA, Willeke K, eds. *Aerosol measurement: principles, techniques and applications* New York: John Wiley and Sons:229–260.
- Martin S, and Moyer E [2000]. Electrostatic Respirator Filter Media: Filter Efficiency and Most Penetrating Particle Size Effects, *Applied Occupational and Environmental Hygiene*, 15(8), 609–617.
- Maynard AD [2003]. Estimating aerosol surface area from number and mass concentration measurements. *Ann Occup Hyg* 47(2):123–144.
- Maynard AD, Baron PA, Foley M, Shvedova AA, Kisin ER, Castranova V [2004]. Exposure to carbon nanotube material: aerosol release during the handling of unrefined single walled carbon nanotube material. *J Toxicol Environ Health* 67(1):87–107.
- Maynard AM, Kuempel ED [2005]. Airborne nanostructured particles and occupational health. *J Nanoparticle Research* 7(6):587–614.
- Misra C, Singh M, Shen S, Sioutas C, Hall PM [2002]. Development and evaluation of a personal cascade impactor sampler (PCIS). *J Aerosol Sci* 33(7):1027–1048.
- Moller W, Hofer T, Ziesenis A, Karg E, Heyder J [2002]. Ultrafine particles cause cytoskeletal dysfunctions in macrophages. *Toxicol Appl Pharmacol* 182(3): 197–207.
- Moller W, Brown DM, Kreyling WG, Stone V [2005]. Ultrafine particles cause cytoskeletal dysfunctions in macrophages: role of intracellular calcium. *Part Fibre Toxicol.* 2:7, 12pp.
- Monteiro-Riviere NA, Nemanich RJ, Inman AO, Wang YY, Riviere JE [2005]. Multi-walled carbon nanotube interactions with human epidermal keratinocytes. *Toxicol Lett* 155(3):377–384.
- Moshhammer H, Neuberger M [2003]. The active surface of suspended particles as a predictor of lung function and pulmonary symptoms in Austrian school children. *Atmos Environ* 37(13):1737–1744.
- Mossman B, Churg A [1998]. Mechanisms in the pathogenesis of asbestosis and silicosis. *Am J Respir Crit Care Med* 157:1666–1680.
- Muller J, Huaux F, Moreau N, Misson P, Heilier J-F, Delos M, Arras M, Fonseca A, Nagy JB, Lison D [2005]. Respiratory toxicity of multi-wall carbon nanotubes. *Toxicol Appl Pharmacol* 207:221–231.
- Nemmar A, Hoet PHM, Vanquickenborne B, Dinsdale D, Thomeer M, Hoylaerts MF, Vanbilloen H, Mortelmans L, Nemery B [2002]. Passage of inhaled particles into the blood circulation in humans. *Circulation* 105:411–414.

NIOSH [1994a]. NIOSH manual of analytical methods. 4th ed. Schlecht PC, O'Connor PF, eds. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers Disease Control and Prevention, National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication 94-113. [1st Supplement Publication 96-135, 2nd Supplement Publication 98-119; 3rd Supplement 2003-154. [[www.cdc.gov/niosh/nmam/](http://www.cdc.gov/niosh/nmam/)].

NIOSH [1994b]. Method 0600 (Issue 3): particulates not otherwise regulated, respirable: In: NIOSH manual of analytical methods. 4th ed. Schlecht PC, O'Connor PF, eds. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers Disease Control and Prevention, National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication 94-113; 1st Supplement Publication 96-135, 2nd Supplement Publication 98-119; 3rd Supplement 2003-154 [[www.cdc.gov/niosh/nmam/](http://www.cdc.gov/niosh/nmam/)].

NIOSH [1996]. NIOSH guide to the selection and use of particulate respirators certified under 42 CFR 84. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication No. 96-101.

NIOSH [2003]. Filtration and air-cleaning systems to protect building environments. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication No. 2003-136.

NIOSH [2004]. NIOSH respirator selection logic. Cincinnati, OH: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication No. 2005-100. [www.cdc.gov/niosh/docs/2005-100/](http://www.cdc.gov/niosh/docs/2005-100/).

NIOSH [2005a]. Procedure No. RCT-APR-STP-0057, 0058, 0059, Revision 1.1. Department of Health and Human Services, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health, National Personal Protective Technology Laboratory, Pittsburgh, PA. <http://www.cdc.gov/niosh/npptl/stps/pdfs/RCT-APR-0057%2058%2059.pdf>.

NIOSH [2005b]. Procedure No. RCT-APR-STP-0051, 0052, 0053, 0054, 0055, 0056, Revision 1.1, Department of Health and Human Services, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health, National Personal Protective Technology Laboratory, Pittsburgh, PA. <http://www.cdc.gov/niosh/npptl/stps/pdfs/RCT-APR-0051%2052%2053%2054%2055%2056.pdf>

Oberdörster G, Yu [1990]. The carcinogenic potential of inhaled diesel exhaust: a particle effect? *J Aerosol Sci* 21(S397-S401).

Oberdörster G, Ferin J, Gelein R, Soderholm SC, Finkelstein J [1992]. Role of the alveolar macrophage in lung injury—studies with ultrafine particles. *Environ Health Perspect* 97:193-199.

Oberdörster G, Ferin J, Lehnert BE [1994a]. Correlation between particle-size, in-vivo particle persistence, and lung injury. *Environ Health Perspect* 102(S5):173-179.

Oberdörster G, Ferin J, Soderholm S Gelein R, Cox C, Baggs R, Morrow PE [1994b]. Increased pulmonary toxicity of inhaled ultrafine particles: due to lung overload alone? *Ann. Occup. Hyg.* 38(Suppl. 1): 295-302.

Oberdörster G, Gelein RM, Ferin J, Weiss B [1995]. Association of particulate air pollution and acute mortality: involvement of ultrafine particles? *Inhal Toxicol* 7(1):111-124.

Oberdörster G, Sharp Z, Atudorei V, Elder A, Gelein R, Lunts A, Kreyling W, Cox C [2002]. Extrapulmonary translocation of ultrafine carbon particles following whole-body inhalation exposure of rats. *J Toxicol Environ Health* 65 Part A(20):1531-1543.

Oberdörster G, Sharp Z, Atudorei V, Elder A, Gelein R, Kreyling W, Cox C [2004]. Translocation of inhaled ultrafine particles to the brain. *Inhal Toxicol* 16(6-7):437-445.

- Oberdörster G, Oberdörster E, Oberdörster J [2005a]. Nanotoxicology: an emerging discipline evolving from studies of ultrafine particles. *Environ Health Perspect.* 113(7):823–839.
- Oberdörster G, Maynard A, Donaldson K, Castranova V, Fitzpatrick J, Ausman K, Carter J, Karn B, Kreyling W, Lai D, Olin S, Monteiro-Riviere N, Warheit D, Yang H (ILSI Research Foundation/Risk Science Institute Nanomaterial Toxicity Screening Working Group) [2005b]. Principles for characterizing the potential human health effects from exposure to nanomaterials: elements of a screening strategy. *Part Fibre Toxicol* 2:8.
- Penttinen P, Timonen KL, Tiittanen P, Mirme A, Russkanen J, Pekkanen J [2001]. Ultrafine particles in urban air and respiratory health among adult asthmatics. *Eur Respir J* 17(3):428–435.
- Peters A, Dockery DW, Heinrich J, Wichmann HE [1997]. Short-term effects of particulate air pollution on respiratory morbidity in asthmatic children. *Eur Respir J* 10(4):872–879.
- Pope CA, Burnett RT, Thun MJ, Calle EE, Krewski E, Ito K, Thurston GD [2002]. Lung cancer, cardiopulmonary mortality and long term exposure to fine particulate air pollution. *JAMA* 287(9):1132–1141.
- Pope CA, Burnett RT, Thurston GD, Thun MJ, Calle EE, Krewski D, Godleski JJ [2004]. Cardiovascular mortality and long-term exposure to particulate air pollution: epidemiological evidence of general pathophysiological pathways of disease. *Circulation* 109(1):71–74.
- Pott F, Roller M [2005]. Carcinogenicity study with nineteen granular dusts in rats. *Eur J Oncol* 10(4):249–281.
- Pritchard DK [2004]. Literature review—explosion hazards associated with nanopowders. United Kingdom: Health and Safety Laboratory, HSL/2004/12.
- Pui, David Y.H., and Kim, Seong Chan. Final Report NIOSH Contract No. 254-2005-M-11698, “Penetration of Nanoparticles through Respirator Filter Media”, April 2, 2006.
- Ratherman S [1996]. Methods of control. In: Plog B, ed. *Fundamentals of industrial hygiene*. Itasca IL: National Safety Council.
- Renwick LC, Brown D, Clouter A, Donaldson K [2004]. Increased inflammation and altered macrophage chemotactic responses caused by two ultrafine particles. *Occup Environ Med* 61:442–447.
- Richardson, A.W., Eshbaugh, J.P., Hofacre, K.C., and Gardner, P.D., Contract Report No. SP0700-00-D-3180, Respirator Filter Efficiency Testing Against Particulate and Biological Aerosols Under Moderate to High Flow Rates, Battelle Columbus Operations, November 2005.
- Roco MC, Bainbridge W, eds. [2001]. *Societal implications of nanoscience and nanotechnology*. Arlington, VA: National Science Foundation.
- Ruckerl R, A Ibald-Mulli, W Koenig, A Schneider, G Woelke, J Cyrus, J Heinrich, V Marder, M Frampton, HE Wichmann, Peters A [2005]. *Am J Respir Crit Care Med* 173(4):432–441.
- Ryman-Rasmussen JP, JE Riviere JE, NA Monteiro-Riviere (2006). Penetration of intact skin by quantum dots with diverse physiochemical properties. *Toxicological Sciences* 91(1):159–165.
- Sayes CM, Fortner JD, Guo W, Lyon D, Boyd AM, Ausman KD, Tao YJ, Sitharaman B, Wilson LJ, Hughes JB, West JL, Colvin VL [2004]. The differential cytotoxicity of water-soluble fullerenes. *Nano Letters*. 4(10): 1881–1887.
- Sayes CM, Liang F, Hudson JL, Mendez J, Guo W, Beach JM, Moore VC, Doyle CD, West JL, Billups WE, Ausman KD, Colvin VL [2005]. Functionalization density dependence of single-walled carbon nanotubes cytotoxicity in vitro. *Toxicol Lett* 161(2): 135–42.

Sayes CM, Wahi R, Kurian PA, Liu Y, West JL, Ausman KD, Warheit DB, Colvin VL [2006]. Correlating nanoscale titania structure with toxicity: a cytotoxicity and inflammatory response study with human dermal fibroblasts and human lung epithelial cells. *Toxicol Sci* 92(1): 174–85.

Schneider T, Cherrie JW, Vermeulen R, Kromhout H [2000]. Dermal exposure assessment. *Ann Occup Hyg* 44(7):493–499.

Seinfeld JA, Pandis SN [1998]. *Atmospheric chemistry and physics*. New York: John Wiley and Sons.

Semmer M, Seitz J, Erbe F, Mayer P, Heyder J, Oberdorster G, Kreyling WG [2004]. Long-term clearance kinetics of inhaled ultrafine insoluble iridium particles from the rat lung, including transient translocation into secondary organs. *Inhal Toxicol* 16(6–7): 453–459.

Shalev I, Barker RL, McCord MG, Tucker PA, Lisk BR [2000]. Protective textile particulate penetration screening. Performance of protective clothing: 7th Symposium, ASTM STP 1386, West Conshohocken, PA: American Society for Testing and Materials.

Shiohara A, Hoshino A, Hanaki K, Suzuki K, Yamamoto K [2004]. On the cytotoxicity of quantum dots. *Microbiol Immunol* 48(9):669–675.

Shvedova AA, Kisin ER, AR Murray, Gandelsman VZ, Maynard AD, Baron PA, Castranova V [2003]. Exposure to carbon nanotube material: assessment of the biological effects of nanotube materials using human keratinocyte cells. *J Toxicol Environ Health* 66(20):1909–1926.

Shvedova AA, Kisin ER, Mercer R, Murray AR, Johnson VJ, Potapovich AI, Tyurina YY, Gorelik O, Arepalli S, Schwegler-Berry D [2005]. Unusual inflammatory and fibrogenic pulmonary responses to single walled carbon nanotubes in mice. *Am J Physiol Lung Cell Mol Physiol* 289: L698–L708.

Steenland K, Deddens J, Stayner L [1998]. Diesel exhaust and lung cancer in the trucking industry: exposure–response analyses and risk assessment. *Am J Ind Med* 34(3):220–228.

Stevens, G. and Moyer, E [1989]. “Worst Case” Aerosol Testing Parameters: I. Sodium Chloride and Dioctyl Phthalate Aerosol Filter Efficiency as a Function of Particle Size and Flow Rate, *American Industrial Hygiene Association Journal* 50(5), 257–264.

Takenaka S, Karg D, Roth C, Schulz H, Ziesenis A, Heinzmann U, Chramel P, Heyder J [2001]. Pulmonary and systemic distribution of inhaled ultrafine silver particles in rats. *Environ Health Perspect* 109(suppl. 4):547–551.

The Royal Society, The Royal Academy of Engineering [2004]. *Nanoscience and nanotechnologies*. London, UK: The Royal Society and The Royal Academy of Engineering, [www.nanotec.org.uk/finalReport.htm](http://www.nanotec.org.uk/finalReport.htm).

Thomas K, Aguar P, Kawasaki H, Morris J, Nakanish J, Savage N [2006]. Research Strategies for Safety Evaluation of Nanomaterials, Part VIII: International Efforts to Develop Risk-based Safety Evaluations for Nanomaterials. *Toxicological Sciences* 92(1):23–32.

Timonen KL, G Hoek, J Heinrich, A Bernard, B Brunekreef, J de Hartog, K Hameri, A Ibaldo-Mulli, A Mirme, A Peters, P Tiittanen, WB Kreyling, J Pekkanen [2004]. Daily variation in fine and ultrafine particulate air pollution and urinary concentrations of lung Clara cell protein CC16. *Occup Environ Med* 61(11):908–914.

Tinkle SS, Antonini JM, Rich BA, Robert JR, Salmen R, DePree K, Adkins EJ [2003]. Skin as a route of exposure and sensitization in chronic beryllium disease. *Environ Health Perspect* 111(9):1202–1208.

Tran CL, Buchanan D, Cullen RT, Searl A, Jones AD, Donaldson K [2000]. Inhalation of poorly soluble particles. II. Influence of particle surface area on inflammation and clearance. *Inhal Toxicol* 12(12):1113–1126.

Tran CL, Cullen RT, Buchanan D, Jones AD, Miller BG, Searl A, Davis JMG, Donaldson K [1999]. Investigation and prediction of pulmonary responses to dust. Part II. In: Investigations into the pulmonary effects of low toxicity dusts. Contract Research Report 216/1999 Suffolk, UK: Health and Safety Executive.

TSI [2005]. Mechanisms of filtration for high efficiency fibrous filters. Application Note ITI-041, TSI Incorporated. [[www.tsi.com/AppNotes/appnotes.aspx?Cid=24&Cid2=195&Pid=33&lid=439&file=iti\\_041#mech](http://www.tsi.com/AppNotes/appnotes.aspx?Cid=24&Cid2=195&Pid=33&lid=439&file=iti_041#mech)]. Vaughan NP, Milligan BD, Ogden TL [1989]. Filter weighing reproducibility and the gravimetric detection limit. *Ann Occup Hyg* 33(3):331–337.

Warheit DB, Laurence BR, Reed KL, Roach DH, Reynolds GA, Webb TR [2004]. Comparative pulmonary toxicity assessment of single-wall carbon nanotubes in rats. *Toxicol Sci* 77:117–125.

Warheit DB, Webb TR, Sayes CM, Colvin VL, Reed KL [2006]. Pulmonary instillation studies with nanoscale TiO<sub>2</sub> rods and dots in rats: toxicity is not dependent upon particle size and surface area. *Toxicol Sci* 91(1): 227–36.  
Woo K-S, Chen D-R, Pui DYH, Wilson WE [2001]. Use of continuous measurements of integral aerosol parameters to estimate particle surface area. *Aerosol Sci. Technol* 34:57–65.

## Additional Resources

Aitken RJ, Creely KS, Tran CL [2004]. Nanoparticles: an occupational hygiene review. HSE Research Report 274, UK Health and Safety Executive, [www.hse.gov.uk/research/rrhtm/rr274.htm](http://www.hse.gov.uk/research/rrhtm/rr274.htm)

Balazy A, Podgórski A, Grado L [2004]. Filtration of nanosized aerosol particles in fibrous filters: I. Experimental results. European Aerosol Conference.

Baron PA, Willeke K [2001]. Aerosol measurement. Principles, techniques and applications. New York: Wiley-Interscience.

Blake T, Castranova V, SchweglerBerry D, Baron P, Deye GJ, Li CH, Jones W [1998]. Effect of fiber length on glass microfiber cytotoxicity. *J Toxicol Environ Health* 54(Part A)(4):243–259.

Borm PJA [2002]. Particle toxicology: from coal mining to nanotechnology. *Inhal Toxicology* 14:311–324.

Byrd DM, Cothorn CR [2000]. Introduction to risk analysis. Rockville, MD: Government Institutes.

Conhaim RL, Eaton A, Staub NC, Heath TD [1988]. Equivalent pore estimate for the alveolar-airway barrier in isolated dog lung. *J Appl Physiol* 64(3):1134–1142.

Driscoll KE, Costa DL, Hatch G, Henderson R, Oberdörster G, Salem H, Schlesinger RB [2000]. Intratracheal instillation as an exposure technique for the evaluation of respiratory tract toxicity: uses and limitations. *Toxicol Sci* 55(1):24–35.

EC [2004]. Nanotechnologies: a preliminary risk analysis on the basis of a workshop organized in Brussels, March 1–2, 2004, by the Health and Consumer Protection Directorate General of the European Commission, Brussels. [http://eurpoa.eu.int/comm/health/ph\\_risk/events\\_risk\\_en.htm](http://eurpoa.eu.int/comm/health/ph_risk/events_risk_en.htm).

EPA [1992]. Guidelines for exposure assessment, Federal Register 57(104):22888–22938, U.S. Environmental Protection Agency.

Faux SP, Tran CL, Miller BG, Jones AD, Monteiller C, Donaldson K [2003]. In vitro determinants of particulate toxicity: The dose-metric for poorly soluble dusts. Research report 154 Suffolk, UK: Health and Safety Executive.

- Ferin, J, Oberdörster G [1992]. Translocation of particles from pulmonary alveoli into the interstitium. *J Aerosol Med* 5(3):179–187.
- Gibbs JP, Crump KS, Houck DP, Warren PA, Mosley WS [1999]. Focused medical surveillance: a search for subclinical movement disorders in a cohort of US workers exposed to low levels of manganese dust. *Neurotoxicol* 20(2–3):299–313.
- Hardman R [2006]. A toxicologic review of Quantum Dots: toxicity depends on physicochemical and environmental factors. *Environ Health Perspectives* 114(2):165–172.
- Hayes AW, ed. [2001]. *Principles and methods of toxicology*. 4th ed. Philadelphia, PA: Taylor and Francis.
- Hoet PHM, Bruske-Hohlfeld I, Salata OV [2004] Nanoparticles—known and unknown health risks. *J Nanobiotechnology* 2(12):1–15.
- Hofmann W, Sturm R, Winkler-Heil R, Pawlak E [2003]. Stochastic model of ultrafine particle deposition and clearance in the human respiratory tract. *Radiat Prot Dosim* 105(1–4):77–80.
- Hood E [2004]. Nanotechnology: looking as we leap. *Environ Health Perspect* 112(13): A741–A749.
- Huckzko A, Lange H [2001]. Carbon nanotubes: experimental evidence for a null risk of skin irritation and allergy. *Fullerene Science and Technology* 9(2):247–250.
- Huckzko A, Lange H, Calko E, Grubeck-Jaworska H, Droszcz P [2001]. Physiological testing of carbon nanotubes: are they asbestos-like? *Fullerene Science and Technology* 9(2):251–254.
- Keller A, Fierz M, Siegmann K, Siegmann HC, Filippov A [2001]. Surface science with nanosized particles in a carrier gas. *Journal of Vacuum Science and Technology a—Vacuum Surfaces and Films* 19(1):1–8.
- Klaassen CD, Amdur MO, Doull J [1986]. *Casarett and Doull's Toxicology: the basic science of poisons*. New York: Macmillan Publishing Company.
- Last JM [1983]. *A dictionary of epidemiology*. New York: Oxford University Press.
- Lee KW, Liu BYH [1981]. Experimental study of aerosol filtration by fibrous filters. *Aerosol Sci Technol* 1(1):35–46.
- Li N, Sioutas C, Cho A, Schmitz D, Misra C, Sempf J, Wang MY, Oberley T, Froines J, Nel A [2003]. Ultrafine particulate pollutants induce oxidative stress and mitochondrial damage. *Environ Health Perspect* 111(4):455–460.
- Maynard AD [2001]. Experimental determination of ultrafine TiO<sub>2</sub> de-agglomeration in surrogate pulmonary surfactant—preliminary results. *Inhaled Particles IX*, Cambridge, UK, BOHS.
- Maynard AD [2002]. Experimental determination of ultrafine TiO<sub>2</sub> de-agglomeration in surrogate pulmonary surfactant—preliminary results. *Ann Occup Hyg* 46(Suppl 1):197–202.
- NCI [1979]. Bioassay of titanium dioxide for possible carcinogenicity. Technical Report Series No. 97, National Cancer Institute.
- Nemmar A, Vanbilloen H, Hoylaerts MF, Hoet PHM, Verbruggen A, Nemery BS [2001]. Passage of intratracheally instilled ultrafine particles from the lung into the systemic circulation in hamster. *Am J Respir Crit Care Med* 164(9):1665–1668.

Nichols G, Byard S, Bloxham MJ, Botterill J, Dawson NJ, Dennis A, Diart V, North NC, Sherwood JD [2002]. A review of the terms agglomerate and aggregate with a recommendation for nomenclature used in powder and particle characterization. *J Pharm Sci* 91(10):2103-2109.

Nel A, Xia T, Madler L, Li N [2006]. Toxic potential of materials at the nanolevel. *Science* 311:622-627.  
NIOSH [1987]. NIOSH guide to industrial respiratory protection. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, DHHS (NIOSH) Publication No. 87-116, Appendix B.

NRC [1994]. Science and judgement in risk assessment. Washington D.C.: National Academy Press.

Oberdörster E [2004]. Manufactured nanomaterials (Fullerenes, C60) induce oxidative stress in brain of juvenile largemouth bass. *Environ Health Perspect* 112(10):1058-1062.

Oberdörster G, Ferin J, Finkelstein J, Soderholm S [1992]. Thermal-degradation events as health-hazards-Particle Vs gas-phase effects, mechanistic studies with particles. *Acta Astronautica* 27:251-256.

OSHA [1998]. Industrial hygiene. Washington, DC: U.S. Department of Labor, Occupational Safety and Health Administration, OSHA 3143 (revised).

Patty [2000]. Patty's industrial hygiene and toxicology. New York: John Wiley and Sons.

Pflucker F, Wendel V, Hohenberg H, Gärtner E, Will T, Pfeiffer S, Wept F, Gers-Barlag H [2001]. The human stratum corneum layer: an effective barrier against dermal uptake of different forms of topically applied micronised titanium dioxide. *Skin Pharmacol. Appl Skin Physiol* 14(Suppl 1):92-97.

Pui DYH, Chen D [2002]. Experimental and modeling studies of nanometer aerosol filtration. Sponsored by the Department of Energy Minneapolis MN, University of Minnesota, Particle Technology Laboratory. Grant No. DOEIDE-FG02-98ER1490.

Rao GVS, Tinkle S, Weissman DN, Antonini JM, Kashon ML, Salmen R, Battelli LA, Willard PA, Hoover MD, Hubbs AF [2003]. Efficacy of a technique for exposing the mouse lung to particles aspirated from the pharynx. *J Toxicol Environ Health* 66(15): 1441-1445.

Renwick LC, Donaldson K, Clouter A [2001]. Impairment of alveolar macrophage phagocytosis by ultrafine particles. *Toxicol Appl Pharmacol* 172(2):119-127.

Roels H, Lauwerys R, Buchet JP, Genet P, Sarhan MJ, Hanotiau I, Defays M, Bernard A, Stanesco D [1987]. Epidemiologic survey among workers exposed to manganese-Effects on Lung, Central-Nervous-System, and Some Biological Indexes. *Am J Ind Med* 11(3):307-327.

Schultz J, Hohenberg H, Plücker F, Gärtner E, Will T, Pfeiffer S, Wepf R, Wendel V, Gers-Barlag H, Wittern KP [2002]. Distribution of sunscreens on skin. *Advanced Drug Delivery Reviews* 54(Suppl1):S157-S163.

Scott R [1997]. Basic concepts of industrial hygiene. Boca Raton, LA: Lewis Publishers.

Stefaniak AB, Hoover MD, Dickerson RM, Peterson EJ, Day GA, Breysse PN, Kent MS, Scripsick RC [2003]. Surface area of respirable beryllium metal, oxide, and copper alloy aerosols and implications for assessment of exposure risk of chronic beryllium disease. *Am Ind Hyg Assoc J* 64(3):297-305.

Thomas K, Sayre P [2005]. Research strategies for safety evaluation of nanomaterials, Part 1: Evaluation the human health implications of exposure to nanoscale materials. *Toxicological Sciences* 87(2):316-321.



VanOsdell DW, Liu BYH, Rubow KL, Pui DYH [1990]. Experimental-study of submicrometer and ultrafine particle penetration and pressure-drop for high-efficiency filters. *Aerosol Sci Technol* 12(4):911-925.

Wang HC [1996]. Comparison of thermal rebound theory with penetration measurements of nanometer particles through wire screens. *Aerosol Sci Technol* 24(3):129-134.

Wang HC, Kasper G [1991]. Filtration efficiency of nanometer-size aerosol-particles. *J Aerosol Sci* 22(1):31-41.

Wennberg A, Iregren A, Struwe G, Cizinsky G, Hagman M, Johansson L [1991]. Manganese exposure in steel smelters a health-hazard to the nervous-system. *Scand J Work Environ Health* 17(4):255-262.