

表Ⅲ-2 基本チェックリスト得点の変化に関するオッズ比（全数）

	改善									
	維持悪化=0	改善=1	OR (95%CI)	p-値	OR (95%CI)	p-値	OR (95%CI)	p-値	OR (95%CI)	p-値
	N = 5354	N = 675	性・年齢補正		全数		特定高齢者		要支援	
年齢										
連続変数					0.98 (0.97-1.00)	0.012	0.97 (0.95-1.00)	0.023	1.00 (0.98-1.01)	0.531
性別										
男性					1.00		1.00		1.00	
女性					0.77 (0.62-0.93)	0.008	0.69 (0.49-0.98)	0.038	0.80 (0.62-1.03)	0.084
疾患既往歴（脳血管疾患）										
あり	909 (90.2%)	99 (9.8%)	1.00		1.00		1.00		1.00	
なし	4445 (88.5%)	576 (11.5%)	1.37 (1.08-1.73)	0.009	1.35 (1.05-1.73)	0.018	1.01 (0.64-1.61)	0.962	1.19 (0.88-1.61)	0.257
疾患既往歴（関節疾患）										
あり	1449 (90.8%)	146 (9.2%)	1.00		1.00		1.00		1.00	
なし	3905 (88.1%)	529 (11.9%)	1.32 (1.01-1.60)	0.005	1.51 (1.23-1.86)	0.000	1.44 (1.03-2.01)	0.033	1.55 (1.18-2.02)	0.002
疾患既往歴（認知症）										
あり	184 (82.1%)	40 (17.9%)	1.00		1.00		1.00		1.00	
なし	5170 (89.1%)	635 (10.9%)	0.53 (0.37-0.76)	0.000	0.48 (0.33-0.71)	0.000	0.46 (0.23-0.92)	0.028	0.50 (0.32-0.80)	0.004
疾患既往歴（骨折・転倒）										
あり	1002 (90.7%)	103 (9.3%)	1.00		1.00		1.00		1.00	
なし	4352 (88.4%)	572 (11.6%)	1.24 (0.99-1.55)	0.057	1.31 (1.04-1.66)	0.023	0.91 (0.60-1.37)	0.649	1.39 (1.03-1.86)	0.031
疾患既往歴（高齢による衰弱）										
あり	433 (91.2%)	42 (8.8%)	1.00		1.00		1.00		1.00	
なし	4921 (88.6%)	633 (11.4%)	1.20 (0.86-1.68)	0.277	1.30 (0.92-1.84)	0.140	1.58 (0.85-2.94)	0.145	1.23 (0.81-1.88)	0.335
基本チェックリスト										
連続変数			0.88 (0.86-0.90)	0.000	0.90 (0.88-0.93)	0.000	0.92 (0.88-0.96)	0.000	0.91 (0.88-0.94)	0.000
GDS15										
11点以上	518 (92.5%)	42 (7.5%)	1.00		1.00		1.00		1.00	
10点以下	4815 (88.4%)	632 (11.6%)	1.72 (1.24-2.38)	0.001	0.95 (0.66-1.36)	0.771	0.79 (0.42-1.48)	0.459	1.10 (0.70-1.73)	0.667
長谷川式簡易知能評価スケール										
20点以下	990 (90.4%)	105 (9.6%)	1.00		1.00		1.00		1.00	
21点以上	4340 (88.4%)	567 (11.6%)	1.18 (0.94-1.48)	0.148	0.94 (0.73-1.21)	0.629	0.86 (0.54-1.36)	0.510	0.97 (0.72-1.32)	0.859
認知的活動										
14点以下	2164 (91.2%)	209 (8.8%)	1.00		1.00		1.00		1.00	
15-18点	1531 (89.1%)	188 (10.9%)	1.24 (1.01-1.53)	0.042	1.12 (0.90-1.39)	0.303	1.03 (0.71-1.50)	0.876	1.07 (0.82-1.41)	0.609
19点以上	1628 (85.5%)	275 (14.5%)	1.70 (1.40-2.06)	0.000	1.46 (1.19-1.79)	0.000	1.42 (1.00-2.01)	0.052	1.35 (1.04-1.74)	0.022
ふだんの過ごし方（役割）										
なし	3531 (90.7%)	360 (9.3%)	1.00		1.00		1.00		1.00	
あり	1823 (85.3%)	315 (14.7%)	1.73 (1.47-2.04)	0.000	1.40 (1.17-1.67)	0.000	1.07 (0.80-1.44)	0.641	1.33 (1.06-1.67)	0.015
同居者										
なし	1722 (88.9%)	214 (11.1%)	1.00		1.00		1.00		1.00	
あり	3632 (88.7%)	461 (11.3%)	1.00 (0.84-1.19)	0.987	0.93 (0.77-1.13)	0.480	0.88 (0.62-1.25)	0.477	0.87 (0.69-1.11)	0.276
困ったときの相談相手										
いない	195 (90.7%)	20 (9.3%)	1.00		1.00		1.00		1.00	
いる	5067 (88.7%)	646 (11.3%)	1.29 (0.81-2.06)	0.288	0.94 (0.56-1.58)	0.808	1.70 (0.61-4.73)	0.311	0.70 (0.37-1.30)	0.255
体の具合が悪いときの相談相手										
いない	186 (92.5%)	15 (7.5%)	1.00		1.00		1.00		1.00	
いる	5076 (88.6%)	651 (11.4%)	1.67 (0.98-2.84)	0.060	1.45 (0.80-2.63)	0.223	0.91 (0.37-2.24)	0.837	2.47 (1.00-6.06)	0.049
日常生活を支援してくれる人										
いない	488 (88.2%)	65 (11.8%)	1.00		1.00		1.00		1.00	
いる	4774 (88.8%)	601 (11.2%)	0.97 (0.74-1.27)	0.813	0.88 (0.62-1.24)	0.452	1.42 (0.75-2.69)	0.278	0.79 (0.52-1.20)	0.267
具合が悪いとき病院に連れて行ってくれる人										
いない	409 (89.3%)	49 (10.7%)	1.00		1.00		1.00		1.00	
いる	4853 (88.7%)	617 (11.3%)	1.10 (0.81-1.50)	0.537	0.98 (0.67-1.44)	0.930	0.89 (0.43-1.84)	0.759	0.98 (0.62-1.56)	0.936
寝込んだとき身のまわりの世話をしてくれる人										
いない	787 (89.3%)	94 (10.7%)	1.00		1.00		1.00		1.00	
いる	4475 (88.7%)	572 (11.3%)	1.08 (0.86-1.37)	0.499	1.04 (0.76-1.41)	0.808	0.68 (0.39-1.19)	0.178	1.20 (0.8-1.75)	0.356
なんらかの運動器の機能向上サービス										
非実施	3132 (91.3%)	299 (8.7%)	1.00		1.00		1.00		1.00	
実施	2222 (85.5%)	376 (14.5%)	1.75 (1.49-2.06)	0.000	1.67 (1.41-1.98)	0.000	1.98 (0.39-2.83)	0.000	1.07 (0.86-1.34)	0.546

表Ⅲ-3 基本チェックリスト得点の変化に関するオッズ比（特定高齢者・要支援者別）

	特定高齢者				要支援者			
	維持・悪化=0	改善=1	OR (95%CI)	p-値	維持・悪化=0	改善=1	OR (95%CI)	p-値
	N = 969	N = 283			N = 4385	N = 392		
年齢			1.00				1.00	
連続変数			0.97 (0.95-1.00)	0.020			0.99 (0.98-1.01)	0.407
性別								
男性			1.00				1.00	
女性			0.65 (0.46-0.91)	0.013			0.79 (0.61-1.03)	0.077
疾患既往歴 (脳血管疾患)								
あり	96 (75.0%)	32 (25.0%)	1.00		813 (92.4%)	67 (7.6%)	1.00	
なし	873 (77.7%)	251 (22.3%)	0.99 (0.62-1.57)	0.951	3572 (91.7%)	325 (8.3%)	1.20 (0.89-1.62)	0.237
疾患既往歴 (関節疾患)								
あり	272 (80.5%)	66 (19.5%)	1.00		1177 (93.6%)	80 (6.4%)	1.00	
なし	697 (76.3%)	217 (23.7%)	1.30 (0.93-1.81)	0.121	3208 (91.1%)	312 (8.9%)	1.54 (1.18-2.02)	0.002
疾患既往歴 (認知症)								
あり	31 (67.4%)	15 (32.6%)	1.00		153 (86.0%)	25 (14.0%)	1.00	
なし	938 (77.8%)	268 (22.2%)	0.44 (0.22-0.88)	0.020	4232 (92.0%)	367 (8.0%)	0.51 (0.32-0.81)	0.004
疾患既往歴 (骨折・転倒)								
あり	114 (74.5%)	39 (25.5%)	1.00		888 (93.3%)	64 (6.7%)	1.00	
なし	855 (77.8%)	244 (22.2%)	0.84 (0.55-1.26)	0.395	3497 (91.4%)	328 (8.6%)	1.38 (1.03-1.86)	0.032
疾患既往歴 (高齢による衰弱)								
あり	70 (83.3%)	14 (16.7%)	1.00		363 (92.8%)	28 (7.2%)	1.00	
なし	899 (77.0%)	269 (23.0%)	1.44 (0.78-2.66)	0.248	4022 (91.7%)	364 (8.3%)	1.23 (0.80-1.88)	0.341
基本チェックリスト								
連続変数			0.91 (0.88-0.96)	0.000			0.91 (0.88-0.94)	0.000
GDS15								
11点以上	67 (79.8%)	17 (20.2%)	1.00		451 (94.7%)	25 (5.3%)	1.00	
10点以下	899 (77.2%)	266 (22.8%)	0.82 (0.44-1.53)	0.534	3916 (91.5%)	366 (8.5%)	1.10 (0.70-1.73)	0.676
長谷川式簡易知能評価スケール								
20点以下	137 (79.2%)	36 (20.8%)	1.00		853 (92.5%)	69 (7.5%)	1.00	
21点以上	825 (77.1%)	245 (22.9%)	0.86 (0.55-1.35)	0.517	3515 (91.6%)	322 (8.4%)	0.98 (0.72-1.32)	0.884
認知的活動								
14点以下	287 (80.8%)	68 (19.2%)	1.00		1877 (93.0%)	141 (7.0%)	1.00	
15-18点	324 (79.2%)	85 (20.8%)	1.05 (0.72-1.52)	0.803	1207 (92.1%)	103 (7.9%)	1.07 (0.82-1.41)	0.615
19点以上			1.43 (1.01-2.03)	0.045	1274 (89.7%)	146 (10.3%)	1.34 (1.04-1.73)	0.024
ふだんの過ごし方 (役割)								
なし	354 (73.3%)	129 (26.7%)	1.00		3076 (92.8%)	238 (7.2%)	1.00	
あり	455 (78.9%)	122 (21.1%)	1.07 (0.80-1.44)	0.644	1309 (89.5%)	154 (10.5%)	1.33 (1.05-1.67)	0.016
同居者								
なし	216 (76.9%)	65 (23.1%)	1.00		1506 (91.0%)	149 (9.0%)	1.00	
あり	753 (77.5%)	218 (22.5%)	0.89 (0.63-1.27)	0.530	2879 (92.2%)	243 (7.8%)	0.85 (0.67-1.09)	0.196
困ったときの相談相手								
いない	30 (83.3%)	6 (16.7%)	1.00		165 (92.2%)	14 (7.8%)	1.00	
いる	934 (77.3%)	275 (22.7%)	1.72 (0.63-4.75)	0.295	4133 (91.8%)	371 (8.2%)	0.71 (0.38-1.32)	0.281
体の具合が悪いときの相談相手								
いない	32 (78.0%)	9 (22.0%)	1.00		154 (96.3%)	6 (3.8%)	1.00	
いる	932 (77.4%)	272 (22.6%)	0.90 (0.37-2.20)	0.824	4144 (91.6%)	379 (8.4%)	2.46 (1.00-6.04)	0.050
日常生活を支援してくれる人								
いない	83 (78.3%)	23 (21.7%)	1.00		405 (90.6%)	42 (9.4%)	1.00	
いる	881 (77.3%)	258 (22.7%)	1.30 (0.69-2.44)	0.415	3893 (91.9%)	343 (8.1%)	0.78 (0.51-1.20)	0.258
具合が悪いとき病院に連れて行ってくれる人								
いない	52 (75.4%)	17 (24.6%)	1.00		357 (91.8%)	32 (8.2%)	1.00	
いる	912 (77.6%)	264 (22.4%)	0.94 (0.46-1.91)	0.862	3941 (91.8%)	353 (8.2%)	0.97 (0.61-1.53)	0.879
寝込んだとき身のまわりの世話をしてくれる人								
いない	105 (75.0%)	35 (25.0%)	1.00		682 (92.0%)	59 (8.0%)	1.00	
いる	859 (77.7%)	246 (22.3%)	0.70 (0.41-1.22)	0.206	3616 (91.7%)	326 (8.3%)	1.19 (0.81-1.74)	0.373
通所型介護事業 (運動器の機能向上)								
非実施	63 (77.8%)	18 (22.2%)	1.00					
実施	906 (77.4%)	265 (22.6%)	1.04 (0.59-1.83)	0.893				
訪問型介護事業 (運動器の機能向上)								
非実施	917 (77.1%)	272 (22.9%)	1.00					
実施	52 (82.5%)	11 (17.5%)	0.72 (0.36-1.43)	0.351				
介護予防通所介護 (運動器の機能向上)								
非実施					3337 (92.4%)	275 (7.6%)	1.00	
実施					1048 (90.0%)	117 (10.0%)	1.35 (1.03-1.77)	0.029
介護予防通所リハビリテーション (運動器の機能向上)								
非実施					3539 (91.7%)	322 (8.3%)	1.00	
実施					846 (92.4%)	70 (7.6%)	1.07 (0.79-1.44)	0.680
介護予防通所介護 (アクティビティ)								
非実施					3281 (91.8%)	294 (8.2%)	1.00	
実施					1104 (91.8%)	98 (8.2%)	1.12 (0.85-1.48)	0.419

表Ⅲ－４ 基本アウトカム指標の維持改善割合（全数）

		要介護				基本チェックリスト				主観的健康観			
		悪化		維持改善		悪化		維持改善		悪化		維持改善	
		N	%	N	%	N	%	N	%	N	%	N	%
実施方法 (マシンによる筋力増強)	いいえ	416	15.9%	2197	84.1%	422	19.5%	1747	80.5%	472	21.8%	1698	78.2%
	はい	153	13.8%	958	86.2%	171	17.8%	790	82.2%	217	22.6%	745	77.4%
実施方法 (マシンによらない筋力増強)	いいえ	209	16.2%	1085	83.8%	197	18.6%	862	81.4%	260	24.4%	805	75.6%
	はい	360	14.8%	2070	85.2%	396	19.1%	1675	80.9%	429	20.8%	1638	79.2%
実施方法 (持久性訓練)	いいえ	474	15.9%	2498	84.1%	466	18.9%	1996	81.1%	555	22.5%	1912	77.5%
	はい	95	12.6%	657	87.4%	127	19.0%	541	81.0%	134	20.2%	531	79.8%
実施方法 (日常生活動作に関わる訓練)	いいえ	330	14.8%	1905	85.2%	364	19.2%	1536	80.8%	420	22.0%	1487	78.0%
	はい	239	16.1%	1250	83.9%	229	18.6%	1001	81.4%	269	22.0%	956	78.0%
実施方法 (レクリエーション・ゲーム)	いいえ	192	13.0%	1284	87.0%	228	17.8%	1056	82.2%	273	21.2%	1014	78.8%
	はい	377	16.8%	1871	83.2%	365	19.8%	1481	80.2%	416	22.5%	1429	77.5%
1月当たりの実施回数	週1回未満	57	14.5%	335	85.5%	53	17.2%	255	82.8%	76	24.4%	235	75.6%
	週1回以上2回未満	344	14.6%	2005	85.4%	376	18.7%	1632	81.3%	444	22.1%	1568	77.9%
	週2回以上	164	17.1%	795	82.9%	157	19.8%	636	80.2%	166	21.1%	622	78.9%
	30分未満	100	23.7%	322	76.3%	74	20.7%	284	79.3%	93	25.7%	269	74.3%
1回あたりの実施時間	30分以上1時間未満	198	19.0%	845	81.0%	164	19.1%	696	80.9%	196	22.8%	662	77.2%
	1時間以上2時間未満	141	11.0%	1144	89.0%	200	18.7%	870	81.3%	221	20.6%	850	79.4%
	2時間以上	130	13.3%	844	86.7%	155	18.4%	687	81.6%	179	21.3%	662	78.7%
	30分以上1時間未満	198	19.0%	845	81.0%	164	19.1%	696	80.9%	196	22.8%	662	77.2%
サービス提供の職種 (医師)	いいえ	517	14.9%	2945	85.1%	549	18.8%	2376	81.2%	629	21.5%	2297	78.5%
	はい	52	19.8%	210	80.2%	44	21.5%	161	78.5%	60	29.1%	146	70.9%
サービス提供の種類 (理学療法士)	いいえ	345	15.9%	1823	84.1%	355	19.4%	1473	80.6%	397	21.7%	1432	78.3%
	はい	224	14.4%	1332	85.6%	238	18.3%	1064	81.7%	292	22.4%	1011	77.6%
サービス提供の職種 (作業療法士)	いいえ	424	14.3%	2546	85.7%	477	19.1%	2026	80.9%	539	21.5%	1968	78.5%
	はい	145	19.2%	609	80.8%	116	18.5%	511	81.5%	150	24.0%	475	76.0%
サービス提供の職種 (言語聴覚士)	いいえ	561	15.2%	3122	84.8%	585	18.9%	2512	81.1%	678	21.9%	2420	78.1%
	はい	8	19.5%	33	80.5%	8	24.2%	25	75.8%	11	32.4%	23	67.6%
サービス提供の職種 (保健師)	いいえ	547	16.7%	2728	83.3%	538	19.2%	2262	80.8%	611	21.8%	2189	78.2%
	はい	22	4.9%	427	95.1%	55	16.7%	275	83.3%	78	23.5%	254	76.5%
サービス提供の職種 (看護師、准看護師)	いいえ	174	12.9%	1173	87.1%	211	18.0%	962	82.0%	260	22.1%	917	77.9%
	はい	395	16.6%	1982	83.4%	382	19.5%	1575	80.5%	429	21.9%	1526	78.1%
サービス提供の職種 (柔道整復師)	いいえ	555	15.7%	2972	84.3%	555	18.9%	2383	81.1%	649	22.1%	2293	77.9%
	はい	14	7.1%	183	92.9%	38	19.8%	154	80.2%	40	21.1%	150	78.9%
サービス提供の職種 (あんまマッサージ指圧師)	いいえ	531	15.0%	3010	85.0%	567	19.0%	2411	81.0%	650	21.8%	2326	78.2%
	はい	38	20.8%	145	79.2%	26	17.1%	126	82.9%	39	25.0%	117	75.0%

表Ⅲ－５ 運動器アウトカム指標の維持改善割合（全数）

		開眼片足立ち時間															
		TUG				5m通常歩行時間				5m最大歩行時間							
		悪化		維持改善		悪化		維持改善		悪化		維持改善					
N		%		N		%		N		%		N		%			
実施方法 (マシンによる筋力増強)	いいえ	426	28.8%	1053	71.2%	370	21.4%	1363	78.6%	379	23.9%	1207	76.1%	383	22.7%	1303	77.3%
	はい	178	25.8%	512	74.2%	139	17.8%	642	82.2%	120	18.8%	520	81.3%	148	20.6%	569	79.4%
実施方法 (マシンによらない筋力増強)	いいえ	210	28.2%	534	71.8%	179	21.2%	666	78.8%	163	22.3%	568	77.7%	181	22.9%	608	77.1%
	はい	394	27.6%	1031	72.4%	330	19.8%	1339	80.2%	336	22.5%	1159	77.5%	350	21.7%	1264	78.3%
実施方法 (持久性訓練)	いいえ	454	27.6%	1192	72.4%	415	21.2%	1544	78.8%	420	23.4%	1375	76.6%	430	22.9%	1449	77.1%
	はい	150	28.7%	373	71.3%	94	16.9%	461	83.1%	79	18.3%	352	81.7%	101	19.3%	423	80.7%
実施方法 (日常生活動作に関わる訓練)	いいえ	390	29.3%	943	70.7%	324	20.8%	1230	79.2%	319	23.4%	1045	76.6%	340	23.0%	1141	77.0%
	はい	214	25.6%	622	74.4%	185	19.3%	775	80.7%	180	20.9%	682	79.1%	191	20.7%	731	79.3%
実施方法 (レクリエーション・ゲーム)	いいえ	258	27.1%	695	72.9%	167	15.7%	894	84.3%	189	22.1%	668	77.9%	217	22.1%	763	77.9%
	はい	346	28.5%	870	71.5%	342	23.5%	1111	76.5%	310	22.6%	1059	77.4%	314	22.1%	1109	77.9%
1月当たりの実施回数	週1回未満	55	28.5%	138	71.5%	49	23.0%	164	77.0%	59	28.2%	150	71.8%	53	24.9%	160	75.1%
	週1回以上2回未満	392	26.6%	1081	73.4%	346	20.8%	1319	79.2%	308	22.2%	1080	77.8%	335	21.4%	1229	78.6%
	週2回以上	154	31.6%	334	68.4%	111	17.9%	509	82.1%	129	21.0%	485	79.0%	138	22.7%	471	77.3%
	30分未満	81	38.2%	131	61.8%	69	25.5%	202	74.5%	64	23.8%	205	76.2%	63	23.5%	205	76.5%
1回あたりの実施時間	30分以上1時間未満	153	29.8%	360	70.2%	114	17.8%	528	82.2%	159	26.2%	448	73.8%	149	23.7%	480	76.3%
	1時間以上2時間未満	193	23.6%	624	76.4%	162	18.3%	723	81.7%	121	16.6%	608	83.4%	152	17.8%	700	82.2%
	2時間以上	177	28.2%	450	71.8%	164	22.9%	552	77.1%	155	25.0%	466	75.0%	167	25.5%	487	74.5%
	30分以上1時間未満	153	29.8%	360	70.2%	114	17.8%	528	82.2%	159	26.2%	448	73.8%	149	23.7%	480	76.3%
サービス提供の職種 (医師)	いいえ	564	27.7%	1475	72.3%	478	20.2%	1885	79.8%	461	22.2%	1612	77.8%	497	22.1%	1753	77.9%
	はい	40	30.8%	90	69.2%	31	20.5%	120	79.5%	38	24.8%	115	75.2%	34	22.2%	119	77.8%
サービス提供の種類 (理学療法士)	いいえ	363	29.5%	866	70.5%	323	22.3%	1123	77.7%	301	23.6%	974	76.4%	330	24.0%	1047	76.0%
	はい	241	25.6%	699	74.4%	186	17.4%	882	82.6%	198	20.8%	753	79.2%	201	19.6%	825	80.4%
サービス提供の職種 (作業療法士)	いいえ	485	27.0%	1308	73.0%	416	20.4%	1625	79.6%	398	22.5%	1371	77.5%	432	22.2%	1511	77.8%
	はい	119	31.6%	257	68.4%	93	19.7%	380	80.3%	101	22.1%	356	77.9%	99	21.5%	361	78.5%
サービス提供の職種 (言語聴覚士)	いいえ	602	27.9%	1552	72.1%	505	20.3%	1988	79.7%	496	22.5%	1710	77.5%	527	22.1%	1854	77.9%
	はい	2	13.3%	13	86.7%	4	19.0%	17	81.0%	3	15.0%	17	85.0%	4	18.2%	18	81.8%
サービス提供の職種 (保健師)	いいえ	544	28.7%	1352	71.3%	472	21.1%	1762	78.9%	461	22.9%	1550	77.1%	487	22.7%	1663	77.3%
	はい	60	22.0%	213	78.0%	37	13.2%	243	86.8%	38	17.7%	177	82.3%	44	17.4%	209	82.6%
サービス提供の職種 (看護師、准看護師)	いいえ	227	26.2%	640	73.8%	206	21.3%	761	78.7%	186	21.9%	662	78.1%	221	24.0%	698	76.0%
	はい	377	29.0%	925	71.0%	303	19.6%	1244	80.4%	313	22.7%	1065	77.3%	310	20.9%	1174	79.1%
サービス提供の職種 (柔道整復師)	いいえ	573	28.6%	1433	71.4%	485	20.7%	1858	79.3%	489	22.6%	1677	77.4%	515	23.0%	1726	77.0%
	はい	31	19.0%	132	81.0%	24	14.0%	147	86.0%	10	16.7%	50	83.3%	16	9.9%	146	90.1%
サービス提供の職種 (あんまマッサージ指圧師)	いいえ	582	27.8%	1514	72.2%	487	20.3%	1915	79.7%	480	22.6%	1640	77.4%	506	22.0%	1789	78.0%
	はい	22	30.1%	51	69.9%	22	19.6%	90	80.4%	19	17.9%	87	82.1%	25	23.1%	83	76.9%