

参考文献

- 1) Aitken FC. Sodium and potassium in nutrition of mammals. Commonwealth Agricultural Bureaux, Farnham Royal. 1976: 137-41.
- 2) Preuss HG. Electrolytes: sodium, chloride, and potassium. In: Bowman BA, Russell RM, eds. Present knowledge in nutrition, 9th ed, Vol. I. ILSI Press, Washington D.C., 2006: 409-21.
- 3) 厚生労働省. 平成 17 年国民健康・栄養調査報告. 東京, 2007.
- 4) 厚生労働省. 平成 18 年国民健康・栄養調査報告. 東京, 2009.
- 5) Aitken FC. Sodium and potassium in nutrition of mammals. Commonwealth Agricultural Bureaux, Farnham Royal. 1976: 165.
- 6) National Research Council. Recommended dietary allowances, 10th edition. National Academy Press, Washington D.C., 1989.
- 7) Department of Health. Report on health and social subjects 41 dietary reference values of food energy and nutrients for the United Kingdom. Her Majesty's Stationery Office, London, 1991: 152-5.
- 8) Maughan RJ, Shirreffs SM. Recovery from prolonged exercise: restoration of water and electrolyte balance. J Sports Sci 1997; 15: 297-303.
- 9) Yamawaki N, Yamada M, Kan-no T, et al. Macronutrient, mineral and trace element composition of breast milk from Japanese women. J Trace Elem Med Biol 2005; 19: 171-81.
- 10) 井戸田正. 母乳の成分：日本人の人乳組成に関する全国調査—人工乳の目標として一. 産科婦人科の実際 2007; 56: 315-25.
- 11) 鈴木久美子, 佐々木晶子, 新澤佳代, 他. 離乳前乳児の哺乳量に関する研究. 栄養学雑誌 2004; 62: 369-72.
- 12) 廣瀬潤子, 遠藤美佳, 柴田克己, 他. 日本人母乳栄養児（0～5 カ月）の哺乳量. 日本母乳哺育学会雑誌 2008; 2: 23-8.
- 13) 米山京子. 母乳栄養児の発育と母乳からの栄養素摂取量. 小児保健研究 1998; 57: 49-57.
- 14) 米山京子, 後藤いずみ, 永田久紀. 母乳の栄養成分の授乳月数に伴う変動. 日本公衛誌 1995; 42: 472-81.
- 15) 中埜拓, 加藤健, 小林直道, 他. 乳幼児の食生活に関する全国実態調査. 離乳食および乳汁からの栄養素等の摂取状況について. 小児保健研究 2003; 62: 630-9.
- 16) Lindheimer MD, Conrad KP, Karumanchi SA. Renal physiology and disease in pregnancy. In: Alpern RJ, Hebert RJ, eds. Seldin and Giebisch's the kidney: physiology and pathophysiology, 4th edition. Vol. 2. Academic Press, Burlington, 2008: 2339-98.
- 17) Intersalt Cooperative Research Group. Intersalt: an international study of electrolyte excretion and blood pressure. Results for 24 hour urinary sodium and potassium excretion. BMJ 1988; 297: 319-28.
- 18) He FJ, Macgregor GA. A comprehensive review on salt and health and current experience of worldwide salt reduction programmes. J Hum Hypertens (in press).
- 19) Chobanian AV, Bakris GL, Black HR, et al. The seventh report of the Joint National Committee on prevention, detection, evaluation, and treatment of high blood pressure. The

- JNC 7 Report, JAMA 2003; 289: 2560–71.
- 20) Whitworth JA, WHO, International Society of Hypertension Writing Group. 2003 World Health Organization (WHO)/International Society of Hypertension (ISH) statement on management of hypertension. *J Hypertens* 2003; 21: 1983–92.
 - 21) 日本高血圧学会高血圧治療ガイドライン作成委員会. 高血圧治療ガイドライン 2009 (JSH2009) 日本高血圧学会, 東京, 2009.
 - 22) World Cancer Research Fund/American Institute for Cancer Research. Food, nutrition, physical activity and the prevention of cancer, a global perspective. AICR, Washington D.C., 2007.
 - 23) Tsugane S, Sasazuki S, Kobayashi M, et al. Salt and salted food intake and subsequent risk of gastric cancer among middle-aged Japanese men and women. *Br J Cancer* 2004; 90: 128–34.
 - 24) Kurosawa M, Kikuchi S, Xu J, et al. Highly salted food and mountain herbs elevate the risk for stomach cancer death in a rural area of Japan. *J Gastroenterol Hepatol* 2006; 21: 1681–6.
 - 25) Shikata K, Kiyohara Y, Kubo M, et al. A prospective study of dietary salt intake and gastric cancer incidence in a defined Japanese population: the Hisayama study. *Int J Cancer* 2006; 119: 196–201.
 - 26) Umesawa M, Iso H, Date C, et al. Relations between dietary sodium and potassium intakes and mortality from cardiovascular disease: the Japan Collaborative Cohort Study for Evaluation of Cancer Risks. *Am J Clin Nutr* 2008; 88: 195–202.
 - 27) Nagata C, Takatsuka N, Shimizu N, et al. Sodium intake and risk of death from stroke in Japanese men and women. *Stroke* 2004; 35: 1543–7.
 - 28) Frank HA, Hastings TN, Brophy TW. Fluid and electrolyte management in pediatric surgery. *West J Surg Obstet Gynecol* 1952; 60: 25–31.
 - 29) Squires RD, Huth EJ. Experimental potassium depletion in normal human subjects. Relation of ionic intakes to the renal conservation of potassium. *J Clin Invest* 1959; 38: 1134–48.
 - 30) Sebastian A, McSherry E, Morris RC Jr. Renal potassium wasting in renal tubular acidosis (RTA): its occurrence in type 1 and 2 RTA despite sustained correction of systemic acidosis. *J Clin Invest* 1971; 50: 667–78.
 - 31) Institute of Medicine. Dietary reference intakes for water, potassium, sodium, chloride, and sulfate. The National Academy Press, Washington D.C., 2005.
 - 32) Expert Group on Vitamins and Minerals. Safe upper levels for vitamins and minerals. Food Standards Agency, London, 2003.
 - 33) Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure. The sixth report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure (JNC VI). *Arch Intern Med* 1997; 157: 2413–46.
 - 34) Sasaki S, Yanagibori R. Association between nutrient intakes and bone mineral density at calcaneus in pre-and postmenopausal Japanese women. *J Nutr Sci Vitaminol* 2001; 47: 289–94.

- 35) Macdonald HM, New SA, Fraser WD, et al. Low dietary potassium intakes and high dietary estimates of net endogenous acid production are associated with low bone mineral density in premenopausal women and increased markers of bone resorption in postmenopausal women. *Am J Clin Nutr* 2005; 81: 923–33.
- 36) Zhu K, Devine A, Prince RL. The effects of high potassium consumption on bone mineral density in a prospective cohort study of elderly postmenopausal women. *Osteoporosis Int* 2009; 20: 335–40.
- 37) Lemann J Jr, Pleuss JA, Gray RW, et al. Potassium administration reduces and potassium deprivation increases urinary calcium excretion in healthy adults. *Kidney Int* 1991; 39: 973–83.
- 38) Frassetto LA, Nash E, Morris RC Jr, et al. Comparative effects of potassium chloride and bicarbonate on thiazide-induced reduction in urinary calcium excretion. *Kidney Int* 2000; 58: 748–52.
- 39) Macdonald HM, Black AJ, Aucott L, et al. Effect of potassium citrate supplementation or increased fruit and vegetable intake on bone metabolism in healthy postmenopausal women: a randomized controlled trial. *Am J Clin Nutr* 2008; 88: 465–74.
- 40) Weaver CM. Calcium. In: Bowman BA and Russell RM, eds. *Present knowledge in nutrition* 9th ed, Vol. I. ILSI Press, Washington D. C., 2006; 373–82.
- 41) Dawson-Hughes B. Osteoporosis. In: Bowman BA and Russel RM, eds. *Present knowledge in nutrition* 9th ed, Vol. II. ILSI Press, Washington D. C., 2006: 687–97.
- 42) Cumming RG, Nevitt MC. Calcium for prevention of osteoporotic fractures in postmenopausal women. *J Bone Miner Res* 1997; 12: 1321–9.
- 43) Welten DC, Kemper HC, Post GB, et al. A meta-analysis of the effect of calcium intake on bone mass in young and middle aged females and males. *J Nutr* 1995; 125: 2802–13.
- 44) Nakamura K, Kurahashi N, Ishihara J, et al. Calcium intake and 10-year incidence of self-reported vertebral fractures in women and men: The Japan Public Health Centre-based Prospective Study. *Br J Nutr* 2009; 101: 285–94.
- 45) Xu L, McElduff P, D'Este C, et al. Does dietary calcium have a protective effect on bone fractures in women? a meta-analysis of observational studies. *Br J Nutr* 2004; 91: 625–34.
- 46) Bischoff-Ferrari HA, Dawson-Hughes, Baron J, et al. Calcium intake and hip fracture in men and women: a meta-analysis of prospective cohort studies and randomized controlled trials. *Am J Clin Nutr* 2007; 86: 1780–90.
- 47) Winzenberg T, Shaw K, Fryer J, et al. Effects of calcium supplementation on bone density in healthy children: meta-analysis of randomised controlled trials. *BMJ* 2006; 333: 775–8.
- 48) Tang BM, Eslick GD, Nowson C, et al. Use of calcium or calcium in combination with vitamin D supplementation to prevent fracture and bone loss in people aged 50 years and older: a meta-analysis. *Lancet* 2007; 370: 657–66.
- 49) Boonen S, Lips P, Bouillon R, et al. Need for additional calcium to reduce the risk of hip fracture with vitamin D supplementation: evidence from a comparative metaanalysis of randomized controlled trials. *J Clin Endocrinol Metab* 2007; 92: 1415–23.
- 50) Jackson RD, LaCroix AZ, Gass M, et al. Calcium plus vitamin D supplementation and the

- risk of fractures. *N Engl J Med* 2006; 354: 669–83.
- 51) Marshall D, Johnell O, Wedel H. Meta-analysis of how well measures of bone mineral density predict occurrence of osteoporotic fractures. *BMJ* 1996; 312: 1254–9.
 - 52) Cranney A, Weiler HA, O'Donnell S, et al. Summary of evidence-based review on vitamin D efficacy and safety in relation to bone health. *Am J Clin Nutr* 2008; 88: S513–9.
 - 53) De Laet C, Kanis JA, Oden A, et al. Body mass index as a predictor of fracture risk: a meta-analysis. *Osteoporosis Int* 2005; 16: 1330–8.
 - 54) Kanis JA, Johnell O, Oden A, et al. Smoking and fracture risk: a meta-analysis. *Osteoporosis Int* 2005; 16: 155–62.
 - 55) Moayyeri A. The association between physical activity and osteoporotic fractures: a review of the evidence and implications for future research. *Ann Epidemiol* 2008; 18: 827–35.
 - 56) Zhu K, Greenfield H, Zhang Q, et al. Growth and bone mineral accretion during puberty in Chinese girls: a five-year longitudinal study. *J Bone Miner Res* 2008; 23: 167–72.
 - 57) Bailey DA, Martin AD, McKay HA, et al. Calcium accretion in girls and boys during puberty: a longitudinal analysis. *J Bone Miner Res* 2000; 15: 2245–50.
 - 58) Braun M, Martin BR, Kern M, et al. Calcium retention in adolescent boys on a range of controlled calcium intakes. *Am J Clin Nutr* 2007; 84: 414–8.
 - 59) Braun M, Palacios C, Wigertz K, et al. Racial differences in skeletal calcium retention in adolescent girls with varied controlled calcium intakes. *Am J Clin Nutr* 2007; 85: 1657–63.
 - 60) van der Sluis IM, de Ridder MAJ, Boot AM, et al. Reference data for bone density and body composition measured with dual energy x-ray absorptiometry in white children and young adults. *Arch Dis Child* 2002; 87: 341–7.
 - 61) Bachrach LK, Hastie T, Wang MC, et al. Bone mineral acquisition in healthy Asia, Hispanic, Black, and Caucasian youth: a longitudinal study. *J Clin Endocrinol Metab* 1999; 84: 4702–12.
 - 62) Maynard LM, Guo SS, Chumlea WC, et al. Total-body and regional bone mineral content and areal bone mineral density in children aged 8–18 y: the Fels longitudinal study. *Am J Clin Nutr* 1998; 68: 1111–7.
 - 63) Kalkwarf HJ, Zemel BS, Gilsanz V, et al. The bone mineral density in childhood study: bone mineral content and density according to age, sex, and race. *J Clin Endocrinol Metab* 2007; 92: 2087–99.
 - 64) Molgaard C, Thomassen BL, Michaelsen KF. Whole body bone mineral accretion in healthy children and adolescents. *Arch Dis Child* 1999; 81: 10–5.
 - 65) Zhu K, Zhang Q, Foo LH, et al. Growth, bone mass, and vitamin D status of Chinese adolescent girls 3 y after withdrawal of milk supplementation. *Am J Clin Nutr* 2006; 83: 714–21.
 - 66) Abrams SA, Copeland KC, Gunn SK, et al. Calcium absorption, bone mass accumulation, and kinetics increase during early pubertal development in girls. *J Clin Endocrinol Metab* 2000; 85: 1805–9.
 - 67) Martin AD, Bailey DA, McKay HA, et al. Bone mineral and calcium accretion during

- puberty. Am J Clin Nutr 1997; 66: 611–5.
- 68) Whiting SJ, Vatanparast H, Baxter-Jones A, et al. Factors that affect bone mineral accrual in the adolescent growth spurt. J Nutr 2004; 134: S696–700.
- 69) 西山宗六, 木脇弘二, 井本岳秋, 他. 日本人小児の骨密度と体組成の年齢別推移. 日本小児科学会雑誌 1999; 103: 1131–8.
- 70) Butte NA, Hopkinson JM, Wong WW, et al. Body composition during the first 2 years of life: an updated reference. Pediatr Res 2000; 47: 578–85.
- 71) Schaafsma G. The scientific basis of recommended dietary allowance for calcium. J Int Med 1992; 231: 187–94.
- 72) 上西一弘, 石田裕美, 亀井明子, 他. 若年女性のCa必要量—高齢者との比較—. Osteoporosis Jpn 2000; 8: 217–9.
- 73) Uenishi K, Ishida H, Kamei A, et al. Calcium requirement estimated by balance study in elderly Japanese people. Osteoporosis Int 2001; 12: 858–63.
- 74) Charles P, Eriksen EF, Hasling C, et al. Dermal, intestinal, and renal obligatory losses of calcium: relation to skeletal calcium loss. Am J Clin Nutr 1991; 54(Suppl): S266–73.
- 75) Abrams SA, Wen J, Stuff JE. Absorption of calcium, zinc, and iron from breast milk by five-to seven-month-old infants. Pediatr Res 1997; 41: 384–90.
- 76) Abrams SA, Grusak MA, Stuff J, et al. Calcium and magnesium balance in 9–14-y-old children. Am J Clin Nutr 1997; 66: 1172–7.
- 77) Heaney RP, Recker RR, Hinders SM. Variability of calcium absorption. Am J Clin Nutr 1988; 47: 262–4.
- 78) Abrams SA, Copeland KC, Gunn SK, et al. Calcium absorption and kinetics are similar in 7-and 8-year-old Mexican-American and Caucasian girls despite hormonal differences. J Nutr 1999; 129: 666–71.
- 79) Miller JZ, Smith DL, Flora L, et al. Calcium absorption from calcium carbonate and a new form of calcium (CCM) in healthy male and female adolescents. Am J Clin Nutr 1998; 48: 1291–4.
- 80) Abrams SA, O'Brien KO, Liang LK, et al. Differences in calcium absorption and kinetics between black and white girls aged 5–16 years. J Bone Miner Res 1995; 10: 829–33.
- 81) Bryant RJ, Wastney ME, Martin BR, et al. Racial differences in bone turnover and calcium metabolism in adolescent females. J Clin Endocrinol Metab 2003; 88: 1043–7.
- 82) Weaver CM, Martin BR, Plawecki KL, et al. Differences in calcium metabolism between adolescent and adult females. Am J Clin Nutr 1995; 61: 577–81.
- 83) 上西一弘, 石田裕美, 五島孜郎, 他. 日常食摂取時の妊婦・授乳婦のCa出納. Osteoporosis Jpn 2003; 11: 249–51.
- 84) Heaney RP, Recker RR, Stegman MR, et al. Calcium absorption in women: relationships to calcium intake, estrogen status, and age. J Bone Miner Res 1989; 4: 469–75.
- 85) Roughead ZK, Johnson LK, Lykken GI, et al. Controlled high meat diets do not affect calcium retention or indices of bone status in healthy postmenopausal women. J Nutr 2003; 133: 1020–6.
- 86) Tahiri M, Tressol JC, Arnaud J, et al. Effect of short-chain fructooligosaccharides on

- intestinal calcium absorption and calcium status in postmenopausal women: a stable-isotope study. *Am J Clin Nutr* 2003; 77: 449–57.
- 87) Cifuentes M, Riedt CS, Brolin RE, et al. Weight loss and calcium intake influence calcium absorption in overweight postmenopausal women. *Am J Clin Nutr* 2004; 80: 123–30.
- 88) Lynch MF, Griffin IJ, Hawthorne KM, et al. Calcium balance in 1–4-y-old children. *Am J Clin Nutr* 2007; 85: 750–4.
- 89) Kohlenberg-Mueller K, Raschka L. Calcium balance in young adults on a vegan and lactovegetarian diet. *J Bone Miner Metab* 2003; 21: 28–33.
- 90) Abrams SA, Griffin IJ, Hawthorne KM, et al. Height and height z-score are related to calcium absorption in five-to fifteen-year-old girls. *J Clin Endocrinol Metab* 2005; 90: 5077–81.
- 91) O'Brien KO, Abrams SA, Liang LK, et al. Increased efficiency of calcium absorption during short periods of inadequate calcium intake in girls. *Am J Clin Nutr* 1996; 63: 579–83.
- 92) Weaver CM, McCabe LD, McCabe GP, et al. Vitamin D status and calcium metabolism in adolescent black and white girls on range of controlled calcium intakes. *J Clin Endocrinol Metab* 2008; 93: 3907–14.
- 93) Moser-Veillon, Mangels AR, Vieira NE, et al. Calcium fractional absorption and metabolism assessed using stable isotope differ between postpartum and never pregnant women. *J Nutr* 2001; 131: 2295–9.
- 94) Rigo J, Salle BL, Picaud JC, et al. Nutritional evaluation of protein hydrolysate formulas. *Eur J Clin Nutr* 1995; 49: S26–38.
- 95) King JC. Physiology of pregnancy and nutrient metabolism. *Am J Clin Nutr* 2000; 71 (Suppl): S1218–25.
- 96) Cross NA, Hillman LS, Allen SH, et al. Calcium homeostasis and bone metabolism during pregnancy, lactation and post weaning: a longitudinal study. *Am J Clin Nutr* 1995; 61: 514–23.
- 97) Ritchie LD, Fung EB, Halloran BP, et al. A longitudinal study of calcium homeostasis during human pregnancy and lactation and after resumption of menses. *Am J Clin Nutr* 1998; 67: 693–701.
- 98) Abrams SA, Silber TJ, Esteban NV, et al. Mineral balance and bone turnover in adolescents with anorexia nervosa. *J Pediatr* 1993; 123: 326–31.
- 99) Bullimore DW, Miloszewski KJ. Raised parathyroid hormone levels in the milk alkali syndrome: an appropriate response? *Postgrad Med J* 1987; 63: 789–92.
- 100) Campbell SB, Macfarlane DJ, Fleming SJ, et al. Increased skeletal uptake of Tc-99m methylene diphosphonate in milk-alkali syndrome. *Clin Nucl Med* 1994; 19: 207–11.
- 101) Carroll PR, Clark OH. Milk alkali syndrome. Does it exist and can it be differentiated from primary hyperparathyroidism? *Ann Surg* 1983; 197: 427–33.
- 102) Hart M, Windle J, McHale M, et al. Milk-alkali syndrome and hypercalcemia: a case report. *Nebr Med J* 1982; 67: 128–30.
- 103) Kallmeyer JC, Funston MR. The milk-alkali syndrome. A case report. *S Afr Med J* 1983; 64: 287–8.

- 104) Kapsner P, Langsdorf L, Marcus R, et al. Milk-alkali syndrome in patients treated with calcium carbonate after cardiac transplantation. *Arch Intern Med* 1986; 146: 1965–8.
- 105) Kleinman GE, Rodriguez H, Good MC, et al. Hypercalcemic crisis in pregnancy associated with excessive ingestion of calcium carbonate antacid (milk-alkali syndrome): successful treatment with hemodialysis. *Obstet Gynecol* 1991; 78: 496–9.
- 106) Schuman CA, Jones HW 3rd. The ‘milk-alkali’ syndrome: two case reports with discussion of pathogenesis. *Q J Med* 1985; 55: 119–26.
- 107) Riggs BL, O’Fallon WM, Muhs J, et al. Long-term effects of calcium supplementation on serum parathyroid hormone level, bone turnover, and bone loss in elderly women. *J Bone Miner Res* 1998; 13: 168–74.
- 108) Morrison NA, Yeoman R, Kelly PJ, et al. Contribution of trans-acting factor to normal physiological variability: vitamin D receptor gene polymorphisms and circulating osteocalcin. *Proc Natl Acad Sci* 1992; 89: 6665–9.
- 109) Bolland MJ, Barber PA, Doughty RN, et al. Vascular events in healthy older women receiving calcium supplementation: randomized controlled trial. *BMJ* 2008; 336: 262–6.
- 110) Fleet JC, Cashman KD. Magnesium. In: Bowman BA, Russell RM, eds. *Present knowledge in nutrition*, 8th ed. ILSI Press, Washington D.C., 2001: 292–301.
- 111) Food and Nutrition Board, Institute of Medicine. Magnesium. In: Institute of Medicine, ed. *Dietary reference intakes for calcium, phosphorus, magnesium, vitamin D, and fluoride*. National Academies Press, Washington D.C., 1997: 190–249.
- 112) Schwartz R, Spencer H, Welsh JJ. Magnesium absorption in human subjects from leafy vegetables, intrinsically labeled with stable ^{26}Mg . *Am J Clin Nutr* 1984; 39: 571–6.
- 113) Nishimuta M, Kodama N, Morikuni E. Balances of calcium, magnesium and phosphorus in Japanese young adults. *J Nutr Sci Vitaminol* 2004; 50: 19–25.
- 114) Lakshmanan LF, Rao RB, Kim WW, et al. Magnesium intakes, balances, and blood levels of adults consuming self-selected diets. *Am J Clin Nutr* 1984; 40: 1380–9.
- 115) Hunt CD, Johnson LK. Magnesium requirements: new estimations for men and women by cross-sectional analyses of metabolic magnesium balance data. *Am J Clin Nutr* 2006; 84: 843–52.
- 116) 鈴木和春. 日本人小児のミネラル摂取とその出納. *日本栄養・食糧学会誌* 1991; 44: 89–104.
- 117) Seeling MS. Magnesium balance in pregnancy, magnesium deficiency in the pathogenesis of disease. Plenum Medical, New York, 1980.
- 118) Subcommittee on Nutrition during Lactation. Committee on Nutritional Status during Pregnancy and Lactation. Food and Nutrition Board, Institute of Medicine. *Nutrition during lactation*. National Academies Press, Washington D.C., 1991.
- 119) Widdowson EM, Dickerson JWT. The chemical composition of the body. In: Comar CL, Bronner F, eds. *Mineral metabolism: an advanced treatise*. Volume II. The elements, Part A. Academic Press, New York, 1964: 1–247.
- 120) Caddell JL, Saier FL, Thomason CA. Parenteral magnesium load tests in postpartum American women. *Am J Clin Nutr* 1975; 28: 1099–104.

- 121) Klein CJ, Moser-Veillon PB, Douglass LW, et al. Longitudinal study of urinary calcium, magnesium, and zinc excretion in lactating and nonlactating postpartum women. *Am J Clin Nutr* 1995; 61: 779–86.
- 122) Bashir Y, Sneddon JF, Staunton HA, et al. Effects of long-term oral magnesium chloride replacement in congestive heart failure Secondary to coronary artery disease. *Am J Cardiol* 1993; 72: 1156–62.
- 123) Fine KD, Santa Ana CA, Fordtran JS. Diagnosis of magnesium-induced diarrhea. *N Engl J Med* 1991; 324: 1012–7.
- 124) Marken PA, Weart CW, Carson DS, et al. Effects of magnesium oxide on the lipid profile of healthy volunteers. *Atherosclerosis* 1989; 77: 37–42.
- 125) Ricci JM, Hariharan S, Helfgott A, et al. Oral tocolysis with magnesium chloride: a randomized controlled prospective clinical trial. *Am J Obstet Gynecol* 1991; 165: 603–10.
- 126) Anderson JJB, Klemmer PJ, Watts M, et al. Phosphorus. In: Bowman BA, Russel RM, eds. *Present knowledge in nutrition* 9th ed. Vol. I. ILSL Press, Washington D. C., 2006: 383–99.
- 127) Anderson JJB. Nutritional biochemistry of calcium and phosphorus. *J Nutr Biochem* 1991; 2: 300–9.
- 128) Food and Nutrition Board, Institute of Medicine. Phosphorus. In: Institute of Medicine, ed. *Dietary reference intakes for calcium, phosphorus, magnesium, vitamin D, and fluoride*. National Academies Press, Washington D.C., 1997: 146–89.
- 129) Nakamura K, Hori Y, Nashimoto M, et al. Nutritional covariates of dietary calcium in elderly Japanese women: Result of a study using the duplicate portion sampling method. *Nutrition* 2003; 19: 922–5.
- 130) Fomom SJ, Haschke F, Ziegler EE, et al. Body composition of reference children from birth to age 10 years. *Am J Clin Nutr* 1982; 35: 1169–75.
- 131) Bell RR, Draper HH, Tzeng DYM, et al. Physiological responses of human adult of food containing phosphate additives. *J Nutr* 1977; 107: 42–50.
- 132) Calvo MS, Heath H 3rd. Acute effects of oral phosphate-salt ingestion on serum phosphorus, serum ionized calcium, and parathyroid hormone in young adults. *Am J Clin Nutr* 1988; 47: 1025–9.
- 133) Silverberg SJ, Shane E, Clemens TL, et al. The effect of oral phosphate administration on major indices of skeletal metabolism in normal subjects. *J Bone Miner Res* 1986; 1: 383–8.
- 134) Zemel MB, Linkswiler HM. Calcium metabolism in the young adult male as affected by level and form of phosphorus intake and level of calcium intake. *J Nutr* 1981; 111: 315–24.
- 135) Kemi VE, Karkkainen MU, Lamberg-Allardt CJ, et al. High phosphorus intakes acutely and negatively affect Ca and bone metabolism in a dose-dependent manner in healthy young females. *Br J Nutr* 2006; 96: 545–52.
- 136) Kemi VE, Karkkainen MU, Karp HJ, et al. Increased calcium intake does not completely counteract the effects of increased phosphorus intake on bone: an acute dose-response study in healthy females. *Br J Nutr* 2008; 99: 832–9.
- 137) Basabe Tuero B, Mena Valverde MC, Faci Vega M, et al. The influence of calcium and

- phosphorus intake on bone mineral density in young women. Arch Latinoam Nutr 2004; 54: 203-8.
- 138) Brot C, Jorgensen N, Jensen LB, et al. Relationships between bone mineral density, serum vitamin D metabolites and calcium: phosphorus intake in healthy perimenopausal women. J Intern Med 1999; 245: 509-16.
- 139) Nordin BEC. Phosphorus. J Food Nutr 1989; 45: 62-75.
- 140) 小川愛一郎, 川口良人. 高磷・低磷血症. 医学と薬学 1989; 22: 321-8.