

## (2)研究者の研究業績

- ① 三木恒治 京都府立医科大学大学院医学研究科泌尿器外科学・教授
1. Mori Y, Kiyoohara H, Miki T, Kotake T. Pheochromocytoma with prominent calcification and associated pancreatic islet cell tumor. *J Urol* 118, 843–844, 1977
  2. Tateishi R, Wada A, Ishiguro S, Ehara M, Sakamoto H, Miki T, Mori Y, Matsui Y, Ishikawa O. Coexistence of bilateral pheochromocytoma and pancreatic islet cell tumor. *Cancer* 42, 2928–2934, 1978
  3. Kotake T, Usami M, Miki T, Kuroda M, Obata K, Osafune M, Fujioka H, Takasugi Y. Combination chemotherapy including adriamycin for advanced transitional cell carcinoma of the urinary tract. *Cancer Chemotherapy and Pharmacology* 11 supplement, 38–42, 1983
  4. Kotake T, Usami M, Miki T, Kuroda M, Obata K, Osafune M, Fujioka H. ADRIAMYCIN : Its expanding role in cancer treatment. Ed by Ogawa M, Muggia X and Treatment Rozencweig M. *Excerpta Medica*, 355–365, 1984
  5. Miki T, Saiki S, Kinouchi T, Kuroda M, Kiyoohara H, Usami M, Kotake T. Urachal carcinoma diagnosis by CT scan. *Nishinihon J Urol* 48, 1271–1273, 1986
  6. Miki T, Saiki S, Kinouchi T, Kuroda M, Kiyoohara H, Usami M, Sawada M, Kotake T. Immunosuppressive acidic protein in patients with testicular cancer. *J Urol* 137, 48–52, 1987
  7. Kiyoohara H, Kuroda M, Saiki S, Miki T, Kinouchi T, Usami M, Kotake T. Postoperative systemic adjuvant chemotherapy for bladder cancer. *Cancer Chemotherapy and Pharmacology* 20 supplement, 34–38, 1987
  8. Narumi Y, Sato T, Kuriyama K, Fujita M, Saiki S, Kuroda M, Miki T, Kotake T. Vesical dome tumors: Significance of extravesical extension on CT. *Radiology* 169, 383–385, 1988
  9. Akaza H, Hagiwara M, Deguchi N, Kawai T, Satomi Y, Matsuda T, Miki T, Ueda T, Kotake T, Tazaki H, Aso Y, Niijima T, The Carboplatin Study Group. Phase II trial of carboplatin in patients with advanced germ-cell testicular tumors and transitional cell carcinomas of the urinary tract. *Cancer Chemotherapy and Pharmacology* 23, 181–185, 1989
  10. Kotake T, Miki T. Cancer Chemotherapy : Challenges for the Future. Ed by Kimura K, Ota K, Carter S.K, Pinedo, H.M. *Excerpta Medica*, 248–255, 1989
  11. Yoshimura K, Maeda O, Saiki S, Kuroda M, Miki T, Usami M, Kotake T. Solitary neurofibroma of scrotum. *J Urol* 143, 823, 1990
  12. Kotake T, Miki T. Combination salvage chemotherapy using cisplatin and teniposide for patients with refractory germinal testicular tumors. *Cancer Chemotherapy and Pharmacology* 27, 85–88, 1990
  13. Kotake T, Miki T, Akaza H, Kubota Y, Nishio Y, Matsumura Y, Ota K, Ogawa N. Effect of recombinant granulocyte colony-stimulating factor (rG-CSF) on chemotherapy-induced neutropenia in patients with urogenital cancer. *Cancer Chemotherapy and Pharmacology* 27, 253–257, 1991
  14. Kotake T, Kinouchi T, Saiki S, Kuroda M, Miki T, Kiyoohara H, Usami M. Treatment of metastatic renal cell carcinoma with a combination of human lymphoblastoid interferon-alpha and cimetidine. *Jap J Clin Oncol* 21, 46–51, 1991
  15. Akaza H, Togashi M, Nishio Y, Miki T, Kotake T, Matsumura Y, Yoshida O, Aso Y, 254-S Urological Cancer Study Group. Phase II study of cis-diammine (glycolato) platinum, 254-S, in patients with advanced germ-cell testicular cancer, prostatic cancer, and transitional-cell carcinoma of the urinary tract. *Cancer Chemotherapy and Pharmacology* 31, 87–192, 1992
  16. Hanai J, Lin M, Wada A, Ishiguro S, Miki T, Sakaguchi H, Kanda H. Expression of intermediate filaments and other special markers by testicular germ cell tumors. With reference to embryogenesis. *Histology and Histopathology*, 533–541, 1992
  17. Adolfsson J, Akaza H, Algaba F.B., Altwein J.E, Andersson L, Aso Y, Bagshaw M.A, Benson M.C, Miki T, Kotake T et al. Proceedings of 3rd international Symposium on Recent Advances in Urologic Cancer Diagnosis and Treatment. *Scientific Communication Int Ltd*, 419–425, 1993
  18. Miki T, Ishiguro S, Sawada M, Kotake T. Antitumor effect of recombinant human tumor necrosis factor on human testicular tumors heterotransplanted in nude mice. *Eur Urol* 25, 242–247, 1994
  19. Tsuboniwa N, Miki T, Kuroda M, Maeda O, Saiki S, Kinouchi T, Usami M, Kotake T. Primary adenocarcinoma in an ileal conduit. *Int J Urol* 3, 64–66, 1996
  20. Takada S, Namiki M, Matsumiya K, Park N, Kondoh N, Uchida K, Kitamura M, Takahara S, Miki T, Okuyama A. Expression of CD44 splice variants in human transitional cell carcinoma. *Eur Urol* 29, 370–373, 1996
  21. Takada S, Namiki M, Takahara S, Matsumiya K, Kondoh N, Kitamura M, Uchida K, Koga M, Jiang H,

- Kokado Y, Kameoka H, Miki T, Matsumoto K, Nakamura T, Okuyama A. HGF prevents the tacrolimus (FK506)-induced nephrotoxicity in SHR rats. *Transplantation Proceedings* 28, 1089–1090, 1996
22. Nonomura N, Miki T, Yokoyama M, Imazu T, Takada T, Takeuchi S, Kanno N, Nishimura K, Kojima Y, Okuyama A. Fas/APO-1-mediated apoptosis of human renal cell carcinoma. *Biochem Biophys Res Comm* 229, 945–951, 1996
  23. Tsuboniwa N, Kuroda M, Hanafusa T, Maeda O, Saiki S, Kinouchi T, Miki T, Usami M, Kotake T. Giant hydronephrosis of bilateral duplex systems associated with ureteral ectopia: a case report. *Acta Urol Jap* 42, 587–590, 1996
  24. Takada T, Kitamura M, Matsumiya K, Miki T, Kiyohara H, Namiki M, Okuyama A. Infrared thermometry for rapid, noninvasive detection of reflux of spermatic vein in varicocele. *J Urol* 156, 1652–1654, 1996
  25. Takahara S, Sada M, Hatori M, Wang JD, Tsuji T, Kokado Y, Kameoka H, Li D, Ichimura N, Miki T, et al. Importance of HLA-DRB1 molecular matching between recipient and donor in cadaveric renal transplantation. *Transplantation Proceedings* 28, 1255–1256, 1996
  26. Miki T, Sawada M, Nonomura N, Kojima Y, Okuyama A, Maeda O, Saiki S, Kotake T. Antitumor effect of CPT-11, a camptothecin derivative, on human testicular tumor xenografts in nude mice. *Eur Urol* 31, 92–96, 1997
  27. Kokado Y, Takahara S, Hatori M, Ichimaru N, Wang JD, Miki T, Okuyama A. Acute rejection episodes predict long-term renal transplantation survival. *Transplantation Proceedings* 29, 1537–1560, 1997
  28. Yasunaga Y, Hoshida Y, Hashimoto M, Miki T, Okuyama A, Aozasa K. Malignant lymphoma of the kidney. *J Surg Oncol* 64, 207–211, 1997
  29. Tsuboniwa N, Meguro N, Nakamura Y, Maeda O, Saiki S, Kinouchi T, Kuroda M, Miki T, Usami M, Kotake T. Coexistence of renal cell carcinoma, and renal angiomyolipoma developing in a kidney. *Acta Urol Jap* 43, 131–135, 1997
  30. Nonomura N, Miki T, Nishimura K, Kanno N, Kojima Y, Okuyama A. Altered imprinting of the H19 and insulin-like growth factor II genes in testicular tumors. *J Urol* 157, 1977–1979
  31. Nonomura N, Nishimura K, Miki T, Kanno N, Kojima Y, Yokoyama M, Okuyama A. Loss of imprinting of the insulin-like growth factor II gene in renal cell carcinoma. *Cancer Res* 57, 2575–2577, 1997
  32. Nonomura N, Murosaki N, Kojima Y, Kondoh N, Seguchi T, Takeda Y, Oji Y, Ogawa H, Sugiyama H, Miki T, Okuyama A. Secondary acute monocytic leukemia occurring during the treatment of a testicular germ cell tumor. *Urologia Internationalis* 58, 239–242, 1997
  33. Yazawa K, Nonomura N, Kokado Y, Aozasa K, Miki T. Vesico-adnexal fistula following endometriosis of an ovary. *British J Urol* 79, 658, 1997
  34. Wang JD, Nonomura N, Ichimaru N, Azuma H, Hatori M, Kokado Y, Matsumiya K, Miki T, Takahara S, Okuyama A. Expression of Fas and Fas ligand in renal grafts with acute and chronic rejection in the rat model. *J Interferon and Cytokine Res* 17, 369–373, 1997
  35. Kojima Y, Kominami K, Dohmae K, Nonomura N, Miki T, Okuyama A, Nishimune Y, Okabe M. Cessation of spermatogenesis in juvenile spermatogonial depletion (jsd/jsd) mice. *Int J Urol* 4, 500–507, 1997
  36. Kondoh G, Yomogida K, Dohmae K, Nozawa M, Koga M, Nonomura N, Miki T, Okuyama A, Nishimune Y. Coexpression of multiple Sertoli cell and Leydig cell marker genes in the spontaneous testicular tumor of F344 rat: Evidence for phenotypical bifurcation of the interstitial cell tumor. *Jpn J Cancer Res* 88, 839–845, 1997
  37. Fujimoto M, Tsujimoto Y, Nonomura N, Kojima Y, Miki T, Okuyama A. Renal pelvic cancer with tumor thrombus in the vena cava inferior: A case report and review of the literature. *Urologia Internationalis* 59, 263–265, 1997
  38. Nonomura N, Miki T, Nishimura K, Harada Y, Nozawa M, Kanno N, Kojima Y, Yokoyama M, Okuyama A. Altered imprinting of insulin-like growth factor II gene in transitional-cell carcinoma. *Mol Urol* 1, 287–291, 1997
  39. Miki T, Kojima Y, Nonomura N, Matsumiya K, Kokado Y, Yoshioka T, Takahara S, Okuyama A. Transurethral visual laser ablation of the prostate for benign prostatic hyperplasia Using a KTP/YAG laser. *Int J Urol* 4, 576–579, 1997
  40. Nishimura K, Kitamura M, Takada S, Nonomura N, Matsumiya K, Miki T, Matsumoto K, Okuyama A. Regulation of invasive potential of human prostate cancer cell lines by hepatocyte growth factor. *Int J Urol* 5, 276–281, 1997
  41. Fujita MQ, Shin M, Yasunaga Y, Sekii K, Itatani H, Tsujimura T, Miki T, Okuyama A, Aozasa K. Incidence of prostatic intra-epithelial neoplasia in Osaka, Japan. *Int J Cancer* 73, 808–811, 1997

42. Yasunaga Y, Nakanishi H, Naka N, Miki T, Tsujimura T, Itatani H, Okuyama A, Aozasa K. Alterations of the p53 gene in occupational bladder cancer in workers exposed to aromatic amines. *Laboratory Investigation* 77, 677–684, 1997
43. Kanno N, Nonomura N, Miki T, Kojima Y, Takahara S, Nozaki M, Okuyama A. Effects of epidermal growth factor on the invasion activity of the bladder cancer cell line. *J Urol* 159, 586–590, 1998
44. Shin M, Fujita MQ, Yasunaga Y, Miki T, Okuyama A, Aozasa K. Utility of immunohistochemical detection of high molecular weight cytokeratin for differential diagnosis in proliferative conditions of prostate. *Int J Urol* 5, 237–242, 1998
45. Yasunaga Y, Shin M, Miki T, Okuyama A, Aozasa K. Prognostic factors of renal cell carcinoma: A multivariate analysis. *J Surg Oncol* 68, 11–18, 1998
46. Miki T, Nonomura N, Saiki S, Kotake T. Long term results of adjuvant irradiation or surveillance in stage I testicular seminoma. *Int J Urol* 5, 357–360, 1998
47. Miki T, Nonomura N, Takaha N, Nishimura K, Kojima Y, Sawada M, Okuyama A. Antitumor effect of CPT-11 on human renal cell tumors heterotransplanted in nude mice. *Int J Urol* 5, 370–373, 1998
48. Miki T, Nonomura N, Takaha N, Nishimura K, Kojima Y, Sawada M, Okuyama A. Angiogenesis inhibitor TNP-470 inhibits growth and metastasis of a hormone-independent rat prostatic carcinoma cell line. *J Urol* 160, 210–213, 1998
49. Takahara S, Miki T, Hatori M, Kokado Y, Wang J, Okuyama A. A comparative study of FK506 granules and capsules in renal transplant patients. *Transplant Int* 11, 181–185, 1998
50. Miyake O, Yoshimura K, Yoshioka T, Honda M, Matsumiya K, Kokado Y, Miki T, Okuyama A. Operating time and complications in laparoscopic adrenalectomy. *Japanese J Endourology and ESWL* 11, 31–34, 1998
51. Miki T, Takahara S, Okuyama A. Correlations of serum and urine levels of neopterin, IL-8, IL-6, IL-6R, basic fetoprotein, and hepatocytes growth factor with acute rejection in kidney transplantation. *Puteridines* 9, 22–25, 1998
52. Wang J, Nonomura N, Takahara S, B-S Li, Azuma H, Ichimaru N, Kokado Y, Matsumiya K, Miki T, Suzuki S, Okuyama A. Lymphotactin: a key regulator of lymphocyte trafficking during acute graft rejection. *Immunology* 95, 56–61, 1998
53. Kokado Y, Kyo M, Takahara S, Ichimaru N, Wang JD, Toki K, Miki T, Okuyama A. Correlation between Banff classification and reversal of acute renal rejection. *Transplant Proc* 30, 3064–3066, 1998
54. Kokado Y, Takahara S, Kyo M, Ichimaru N, Jing-Ding W, Miki T, Okuyama A. Low-dose tacrolimus (FK506)-based immunosuppressive protocol in living donor renal transplantation. *Transplant Int* 1 supplement , S60–4, 1998
55. Kyo M, Hatori M, Takahara S, Kyakuno M, Nakamura T, Okada M, Kokado Y, Toki K, Ding XQ, Miki T, Miyamoto M, Okuyama A. Morphological findings in non-episode biopsies of kidney transplant allografts treated with FK506 or cyclosporine. *Transplant Int* 1 supplement, S100–3, 1998
56. Yasunaga Y, Shin M, Masaki QF, Nonomura N, Miki T, Okuyama A, Aozasa K. Different patterns of p53 mutations in prostatic intraepithelial neoplasia and concurrent carcinoma: analysis of microdissected specimens. *Laboratory Investigation* 78, 1275–1279, 1998
57. Kondo M, Nonomura N, Miki T, Kojima Y, Yokoyama M, Nakano E, Okuyama A. Enhancement of interleukin-2-induced lymphokine-activated killer activity by interleukin 7 against autologous human renal cell carcinoma. *Oncology* 55, 588–593, 1998
58. Yoshimura K, Yoshioka T, Miyake O, Matsumiya K, Miki T, Okuyama A. Comparison of clinical outcomes of laparoscopic and conventional open adrenalectomy. *J Endourology* 12, 555–559, 1998
59. Kotake T, Usami M, Miki T, Togashi M, Akaza H, Kubota Y, Matsumura Y. Effect of recombinant human granulocyte colony stimulating factor (lenograstim) on chemotherapy induced neutropenia in patients with urothelial cancer. *Int J Urol* 6, 61–67, 1999
60. Harada Y, Nonomura N, Nishimura K, Tamaki H, Takahara S, Miki T, Sugiyama H, Okuyama A. WT1 gene expression in human testicular germ-cell tumors. *Mol Urol* 3, 357–363, 1999
61. Ogata M, Takada T, Mori Y, Uchida Y, Miki T, Okuyama A, Kosugi A, Sawada M, Oh-hora M, Hamaoka T. Regulation of phosphorylation level and distribution of PTP36, a putative protein tyrosine phosphatase, by cell-substrate adhesion. *J Biol Chem* 274, 20717–20724, 1999
62. Imazu T, Shimizu S, Tagami S, Matsushima M, Nakamura Y, Miki T, Okuyama A, Tsujimoto Y. Bcl-2/E1B 19 kDa-interacting protein 3-like protein (Bnip3L) interacts with Bcl-2/Bcl-xL and induces apoptosis by altering mitochondrial membrane permability. *Oncogene* 18, 4523–4529, 1999
63. Harada Y, Nonomura N, Kondo M, Nishimura K, Takahara S, Miki T, Okuyama A. Clinical study of brain

- metastasis of renal cell carcinoma. *Eur Urol* 36, 230–235, 1999
64. Mizutani Y, Yoshida O, Miki T, Bonavida B. Synergistic cytotoxicity and apoptosis by Apo-2 ligand and adriamycin against bladder cancer cells. *Clin Cancer Res* 5, 2605–2612, 1999
  65. Mizutani Y, Yoshida O, Miki T. Adriamycin-mediated potentiation of cytotoxicity against freshly isolated bladder cancer cells by autologous non-activated peripheral blood lymphocytes and tumor infiltrating lymphocytes. *J Urol* 162, 2170–2175, 1999
  66. Willson A.P, Garner C.M, Sharp S.Y, Kelland L.R, Satyashwaroop P.G, Lee C.S.L, Musgrove E.A, Wistuba I.I, Sawada M, Miki T et al. Human Cell Culture Vol. II Cancer Cell Lines Part 2. Ed by Masters JRW, Palsson B, editors. Kluwer Academic Publishers, 121–125, 1999
  67. Kawauchi A, Tanaka Y, Soh J, Ukimura O, Kojima M, Miki T. Cause of nocturnal urinary frequency and reasons for its increase with age in healthy older men. *J Urol* 163, 81–84, 2000
  68. Nakamura J, Kojima M, Nakanouchi T, Okihara K, Ukimura O, Nakao M, Miki T. Significant changes in transrectal ultrasonic measurements of the prostate in relation to the degree of rectal wall distension. *Ultrasound in Med Biol* 26, 29–34, 2000
  69. Nozawa M, Yomogida K, Kanno N, Nonomura N, Miki T, Okuyama A, Nishimune Y, Nozaki M. Prostate-specific transcription factor hPSE is translated only in normal prostate epithelial cells. *Cancer Res* 60, 1348–1352, 2000
  70. Kojima M, Ochiai A, Naya Y, Okihara K, Ukimura O, Miki T. Doppler resistive index in benign prostatic hyperplasia: correlation with ultrasonic appearance of the prostate and infravesical obstruction. *Eur Urol* 37, 436–442, 2000
  71. Inaba M, Fushiki S, Yaoi T, Iwata T, Kamoi K, Okihara K, Ukimura O, Kawauchi A, Miyashita H, Kojima M, Miki T. Changes in extracellular matrix components of bladder detrusor in relation to bladder hypertrophy and compliance in patients with benign prostatic hyperplasia. *Acta Histochem Cytochem* 33, 133–139, 2000
  72. Kojima Y, Nonomura N, Nose T, Inoue T, Tsuda K, Narumi Y, Nakamura H, Shin M, Yasunaga Y, Aozasa K, Miki T, Okuyama A. Transition zone biopsy in the detection of prostate cancer. *Eur Urol* 37, 675–679, 2000
  73. Okada K, Kojima M, Naya Y, Kamoi K, Yokoyama K, Takamatsu T, Miki T. Correlation of histological inflammation in needle biopsy specimens with serum prostate-specific antigen levels in men with negative biopsy for prostate cancer. *Urology* 55, 892–898, 2000
  74. Okihara K, Kojima M, Nakanouchi T, Okada K, Miki T. Transrectal power Doppler imaging in the detection of prostate cancer. *BJU Int* 85, 1053–1057, 2000
  75. Yamao Y, Koyama Y, Kawauchi A, Jodo E, Kayama Y, Miki T. Are micturition systems influenced by sleep-arousal system? *Psychiatry Clin Neurosci* 54, 259–261, 2000
  76. Iwata T, Ukimura O, Tsuchihashi Y, Watanabe M, Kawauchi A, Kojima M, Miki T. Points of technique and case reports on the Web : A case of primary malignant melanoma of the prostate. *BJU Int* 85, 1154, 2000
  77. Kojima Y, Takahara S, Nonomura N, Sada M, Tsuji T, Hatori M, Fujioka H, Kuroda H, Miki T, Okuyama A. HLA-DRB1 genotypes in Japanese patients with renal cell carcinoma. *Oncology* 59, 57–62, 2000
  78. Honjo H, Naya Y, Ukimura O, Kojima M, Miki T. Acupuncture on clinical symptoms and urodynamic measurements in spinal-cord-injured patients with detrusor hyperreflexia. *Urol Int* 65, 190–195, 2000
  79. Kanemitsu N, Kato MV, Miki T, Komatsu S, Okazaki Y, Hayashizaki Y, Sakai T. Characterization of the promoter of the murine mac25 gene. *Biochem Biophys Res Commun* 279, 251–257, 2000
  80. Nishimura K, Nonomura N, Yasunaga Y, Takaha N, Inoue H, Sugao H, Yamaguchi S, Ukimura O, Miki T, Okuyama A. Low doses of oral dexamethasone for hormonerefractory prostate carcinoma. *Cancer* 89, 2570–2576, 2000
  81. Mizutani Y, Nakao M, Ogawa O, Yoshida O, Bonavida B, Miki T. Enhanced sensitivity of bladder cancer cells to tumor necrosis factor related apoptosis inducing ligand mediated apoptosis by cisplatin and carboplatin. *J Urol* 165, 263–270, 2001
  82. Kawauchi A, Yamao Y, Ukimura O, Kamoi K, Soh J, Miki T. Evaluation of reflux kidney using renal resistive index. *J Urol* 165, 2010–2012, 2001
  83. Nishimura K, Nonomura N, Ono Y, Nozawa M, Fukui T, Harada Y, Imazu T, Takaha N, Sugao H, Miki T, Okuyama A. Oral combination of cyclophosphamide, uracil plus tegafur and estramustine for hormone-refractory prostate cancer. *Oncology* 60, 49–54, 2001
  84. Mizutani Y, Wada H, Fukushima M, Yoshida O, Ukimura O, Kawauchi A, Miki T. Significance of dihydropyrimidine dehydrogenase (DPD) activity in bladder cancer. *Eur J Cancer* 37, 569–575, 2001
  85. Okada K, Yokoyama K, Okihara K, Ukimura O, Kojima M, Miki T, Takamatsu T. Immunohistochemical localization of platelet-derived endothelial cell growth factor expression and its relation to angiogenesis.

Urology 57, 376–381, 2001

86. Mizutani Y, Nakanishi H, Yoshida O, Fukushima M, Bonavid, B, Miki T. Potentiation of the sensitivity of renal cell carcinoma cells to TRAIL-mediated apoptosis by subtoxic concentrations of 5-fluorouracil Eur J Cancer 38, 167–176, 2001
87. Kanemitsu N, Kato M, Bai F, Miki T, Inoue T, Sakai T. Correlation between induction of the *mac25* gene and anti-proliferative effects of 1 $\alpha$ , 25(OH)2-D3 on breast cancer and leukemic cells. Int J Molecular Medicine 7, 515–520, 2001
88. Mizutani Y, Hongo F, Sato N, Yoshida O, Miki T. Significance of serum soluble Fas ligand in bladder cancer. Cancer 92, 287–293, 2001
89. Mizutani Y, Wada H, Yoshida O, Fukushima M, Nonomura N, Miki T. Prognostic significance of thymidylate synthase activity in bladder cancer. Cancer 92, 510–518, 2001
90. Iwata T, Ukimura O, Inaba M, Kojima M, Kumamoto, Ozawa H, Kawata M, Miki T. Immunohistochemical studies on the distribution of nerve fibers in the human prostate with special reference to the anterior fibromuscular stroma. Prostate 48, 242–247, 2001
91. Nakanouchi T, Okihara K, Kojima M, Ukimura O, Yokoyama K, Takamatsu T, Miki T. Possible use of transrectal power doppler imaging as an indicator of microvascular density of prostate cancer. Urology 58, 573–577, 2001
92. Yamao Y, Koyama Y, Kawauchi A, Kayama Y, Miki T. Discrete regions in the laterodorsal segmental area of the rat regulating the urinary bladder and external urethral sphincter. Brain Res 912, 162–170, 2001
93. Nakamura T, Mitsui S, Okui A, Kominami K, Nomoto T, Ukimura O, Kawauchi A, Miki T, Yamaguchi N. Alternative splicing isoforms of hippostason (PRSS20/KLK11) in prostate cancer cell lines. Prostate 49, 72–78, 2001
94. Kawauchi A, Tanaka Y, Yamao Y, Inaba M, Kanazawa M, Ukimura O, Mizutani Y, Miki T. Follow up study of bedwetting from 3 to 5 years of age. Urology 58, 772–776, 2001
95. Inaba M, Ukimura O, Kawauchi A, Iwata T, Kanazawa M, Ushijima S, Ochiai A, Kojima M, Miki T. Possible use of ultrasound –estimated bladder weight in evaluating vesicoureteral reflux in children. Ultrasound in Medicine and Biology 27, 1481–1484, 2001
96. Kanazawa M, Ukimura O, Ushijima S, Kitamura K, Miki T. A case of chronic expanding hematoma in the pelvic space. BJU 88, 1–2, 2001
97. Yamao Y, Koyama Y, Kawauchi A, Judo E, Kayama Y, Miki T. Sleep–Wake Mechanism ‘Are micturition systems influenced by sleep–arousal system?’ Psychiatry and Clinical Neurosciences 54, 259–261, 2001
98. Kawauchi A, Takahara S, Sada M, Goto R, Nakatani T, Miki T. Susceptibility to vesicoureteral reflux in Japanese is linked to HLA-DR antigen. Urology 58, 1036–1039, 2001
99. Miki T, Nakao M. Current status and future perspectives in the treatment of advanced testicular cancer. Int J Urol 9, 1–10, 2002
100. Kojima M, Kamoi K, Ukimura O, Fujito A, Nakao M, Tanaka S, Miyashita H, Iwamoto N, Ohe H, Kitamori T, Date S, Kitamura K, Araki H, Aoki T, Imada N, Takada H, Imaide Y, Mikami K, Uchida M, Saitoh M, Miki T. Clinical utility of ursodeoxycholic acid in preventing flutamide-induced hepatopathy in patients with prostate cancer : A preliminary study. Int J Urol 9, 42–46, 2002
101. Mizutani Y, Sato N, Kawauchi A, Nonomura N, Fukushima M, Miki T. Cisplatin-induced in vivo differentiation of human embryonal carcinoma. BJU Int 89, 454–458, 2002
102. Mizutani Y, Wada H, Yoshida O, Fukushima M, Bonavida B, Kawauchi A, Miki T. Prognostic significance of a combination of thymidylate synthase and dihydropyrimidine dehydrogenase activities in grade 1 and 2 superficial bladder cancer. Oncol Rep 9, 289–292, 2002
103. Kawauchi A, Yamao Y, Nakanishi H, Naito Y, Tanaka Y, Ukimura O, Mizutani Y, Miki T. Relationships between nocturnal urinary volume, bladder capacity and nocturia with and without water load in nonenuretic children. Urology 59, 433–437, 2002
104. Tanaka Y, Koyama Y, Jodo E, Kayama Y, Kawauchi A, Ukimura O, Miki T. Effects of the acupuncture to the sacral segment on the bladder activity and EEG. Psychiatry and Clin Neurosciences 56, 249–250, 2002
105. Mizutani Y, Wada H, Yoshida O, Fukushima M, Bonavida B, Kawauchi A, Miki T. Prognostic Significance of a combination of thymidylate synthase and dihydropyrimidine dehydrogenase activities in grades 1 and 2 superficial bladder cancer. Eur J Cancer, 167–176, 2002
106. Okihara K, Miki T, Babaian RJ. Clinical efficacy of prostate cancer detection using power Doppler imaging in American and Japanese men. J Clin Ultrasound 30, 213–221, 2002
107. Ushijima S, Ukimura O, Kanazawa M, Uchida M, Miki T. Percutaneous cryosurgery for renal oncocyotoma.

BJU Int 89, 1-2, 2002

108. Naya Y, Soh J, Ochiai A, Mizutani Y, Ushijima S, Kamoi K, Ukimura O, Kawauchi A, Fujito A, Ono T, Iwamoto N, Aoki T, Imada N, Marumo K, Murai M, Miki T. Significant decrease of the international index of erectile function in male renal failure patients treated with hemodialysis. *Int J Impot Res* 14, 172–177, 2002
109. Kawauchi A, Fujito A, Ukimura O, Soh J, Mizutani Y, Imaide Y, Miki T. Hand-assisted retroperitoneoscopic radical nephrectomy : Initial experience. *Int J Urol* 9, 480–484, 2002
110. Honjo H, Kawauchi A, Ukimura O, Soh J, Mizutani Y, Miki T. Treatment of monosymptomatic nocturnal enuresis by acupuncture : A preliminary study. *Int J Urol* 9, 672–676, 2002
111. Mizutani Y, Wada H, Yoshida O, Fukushima M, Kamoi K, Miki T. Prognostic significance of thymidine kinase activity in bladder carcinoma. *Cancer* 95, 2120–2125, 2002
112. Mizutani Y, Yoshida O, Ukimura O, Kawauchi A, Bonavida B, Miki T. Prognostic significance of a combination of soluble Fas and soluble Fas ligand in the serum of patients with Ta bladder cancer. *Cancer Biother Radio* 17, 563–567, 2002
113. Miki T, Mizutani Y, Nonomura N, Nomoto T, Nakao M, Sakai S, Kotake T, Okuyama A. Irinotecan plus cisplatin has a substantial antitumor effect as salvage chemotherapy against germ cell tumors. *Cancer* 95, 1879–1885, 2002
114. Naya Y, Soh J, Ochiai A, Mizutani Y, Kawauchi A, Fujito A, Ushijima S, Ono T, Iwamoto N, Aoki T, Imada N, Nakamura N, Yabe-Nishimura C, Miki T. Erythrocyte aldose reductase correlates with erectile dysfunction in diabetic patients. *Int J Impot Res* 14, 213–216, 2002
115. Miyashita H, Kojima M, Miki T. Ultrasonic measurement of bladder weight as a possible predictor of acute urinary retention in men with lower urinary tract symptoms suggestive of benign prostatic hyperplasia. *Ultrasound Med Biol* 28, 985–990, 2002
116. Kanemitsu N, Kawauchi A, Nishida M, Tanaka Y, Mizutani Y, Shirahama S, Miki T. Familial central diabetes insipidus detected by nocturnal enuresis. *Pediatric Nephrology* 17, 1063–1065, 2002
117. Nonomura N, Nishimura K, Takaha N, Inoue H, Nomoto T, Mizutani Y, Nakao M, Okuyama A, Miki T. Nerve-sparing retroperitoneal lymph node dissection for advanced testicular cancer after chemotherapy. *Int J Urol* 9, 539–544, 2002
118. Mizutani Y, Kamoi K, Ukimura O, Kawauchi A, Miki T. Synergistic cytotoxicity and apoptosis of JTE-522, a selective cyclooxygenase-2 inhibitor, and 5-fluorouracil against bladder cancer. *J Urol* 168, 2650–2654, 2002
119. Tanaka Y, Kawauchi A, Yoneda K, Naitoh Y, Yamao Y, Iwasaki H, Mizutani Y, Miki T. Vesicoureteral Reflux Detected among Patients with Nocturnal Enuresis, *Eur Urol* 43, 80–83, 2003
120. Kawauchi A, Fujito A, Ukimura O, Yoneda K, Mizutani Y, Miki T. Hand assisted retroperitoneoscopic nephroureterectomy : comparison with the open procedure. *J Urol* 69, 890–894, 2003
121. Mizutani Y, Wada H, Yoshida O, Fukushima M, Nonomura M, Nakao M, Miki T. Significance of thymidylate synthase activity in renal cell carcinoma. *Clin Cancer Res* 9, 1453–1460, 2003
122. Nakanishi H, Mizutani Y, Kawauchi A, Ukimura O, Shiraishi T, Hatano M, Mizuno M, Yoshida J, Miki T. Significant antitumoral activity of cationic multilamellar liposomes containing human interferon- $\beta$  gene against human renal cell carcinoma. *Clin Cancer Res* 9, 1129–1135, 2003
123. Nakanishi H, Mazda O, Satoh E, Asada H, Morioka H, Kishida T, Nakao M, Mizutani Y, Kawauchi A, Kita M, Imanishi J, Miki T. Nonviral genetic transfer of Fas ligand induced significant growth suppression and apoptotic tumor cell death in prostate cancer in vivo. *Gene Therapy* 10, 434–442, 2003
124. Tanaka Y, Koyama Y, Kayama Y, Kawauchi A, Ukimura O, Miki T. Firing of micturition center neurons in the rat mesopontine tegmentum during urinary bladder contraction. *Brain Res* 965, 146–154, 2003
125. Kawauchi A, Fujito A, Soh J, Ukimura O, Mizutani Y, Miki T. Laparoscopic correction of vesicoureteral reflux using the Lich-Gregoir technique : Initial experience and technical aspects. *Int J Urol* 10, 90–93, 2003
126. Mizutani Y, Wada H, Yoshida O, Fukushima M, Nakao M, Miki T. Significance of thymidine kinase activity in renal cell carcinoma. *J Urol* 169, 706–709, 2003
127. Mizutani Y, Wada H, Yoshida O, Fukushima M, Nakanishi H, Nakao M, Miki T. Significance of dihydropyrimidine dehydrogenase activity in renal cell carcinoma. *Eur J Cancer* 39, 541–547, 2003
128. Kanazawa M, Satomi Y, Mizutani Y, Ukimura O, Kawauchi A, Sakai T, Baba M, Okuyama T, Nishino H, Miki T. Isoliquiritigenin Inhibits the Growth of Prostate Cancer. *Eur Urol* 43, 580–586, 2003
129. Kawauchi A, Tanaka Y, Naito Y, Yamao Y, Ukimura O, Yoneda K, Mizutani Y, Miki T. Bladder capacity at the time of enuresis. *Urology* 61, 1016–1018, 2003
130. Ito T, Nakamura T, Suzuki K, Takagi T, Toba T, Hagiwara A, Kihara K, Miki T, Yamagishi H, Shimizu Y. Regeneration of hypogastric nerve using a polyglycolic acid (PGA)-collagen nerve conduit filled with collagen