

13. Shibuya N, Yoshida J, Kida Y, Kobayashi T, Kageyama N. Scanning electron microscopic studies on the effect of ACNU to human and rat glioma cell line. *J Clin Elect Micro* 13, 664, 1980
14. Yamamoto T, Kageyama N, Usui K, Yoshida J. Fibromuscular dysplasia of the internal carotid artery. *Acta Neurochir* 50, 293–298, 1980
15. Kobayashi T, Kagemaya N, Yoshida J, Shibuya N, Yonezawa T. Pathological and clinical basis of the indications for treatment of craniopharyngiomas. *Neuro Med Chir* 21, 39–47, 1981
16. Chang CG, Kageyama N, Kobayashi T, Yoshida J, Negoro N. Pineal tumors. Clinical diagnosis with special emphasis on the significance of pineal calcification. *Neurosurg* 8, 656–668, 1981
17. Kobayashi T, Kageyama N, Kida Y, Yoshida J, Shibuya N, Okumura K. Unilateral germinomas involving the basal ganglia and thalamus. *J Neurosurg* 55, 55–62, 1981
18. Kobayashi T, Kida Y, Yoshida J, Shibuya N, Kageyama N. Brain metastasis of choriocarcinoma. *Surg Neurol* 17, 395–403, 1982
19. Yoshida J, Shibuya N, Kobayashi T, Kageyama N. Sensitivity to 1-(4-amino-2-methyl-5-pyrimidyl)methyl-3-(2-chloroethyl)-3-nitrosourea hydrochloride (ACNU) of glioma cells in vivo and in vitro. *Cancer* 50, 410–418, 1982
20. Furui T, Ichihara K, Ikeda A, Inao S, Hirai N, Yoshida J, Kageyama N. Subdural hematoma associated with disseminated intravascular coagulation in patients with advanced cancer. *J Neurosurg* 58, 398–401, 1983
21. Yoshida J, Kobayashi T, Kageyama N. Multimodality treatment of malignant glioma. Effect of chemotherapy with ACNU and immunotherapy with N-CWS. *Neurol Med Chir* 24, 19–26, 1984
22. Kobayashi T, Yoshida J, Kageyama N, Mori O, Ogawa M. Successful treatment of dwarfism and hypogonadism after total removal of craniopharyngioma. *Neurol Med Chir* 25, 61–65, 1985
23. Kanamori M, Shibuya M, Yoshida J, Takayasu M, Kageyama N. Long-term follow-up of patients with optic glioma. *Child's Nerv Syst* 1, 272–278, 1985
24. Kida Y, Kobayashi T, Yoshida J, Kageyama N. Chemotherapy with cisplatin for AFP-secreting germ cell tumors of the central nervous system. *J Neurosurg* 65, 470–475, 1986
25. Enomoto H, Yoshida J, Kageyama N. The effectiveness of combination therapy with HuIFN- β and ACNU against malignant glioma. *Neurol Med Chir* 27, 6–10, 1987
26. Yoshida J, Wakabayashi T, Kito A, Kageyama N, Murata Y, Seo H, Kojima N, Yagi K. Clinical application of monoclonal antibodies against glioma-associated antigen. *Prog Exp Tumor Res* 30, 44–56, 1987
27. Kageyama N, Kanamori M, Yoshida J, Sugita K. Pathological consideration on follow-up results of optic glioma. *Prog Exp Tumor Res* 30, 100–107, 1987
28. Kageyama N, Kobayashi T, Kida Y, Yoshida J, Kato K. Intracranial germinal tumor. *Prog Exp Tumor Res* 30, 255–267, 1987
29. Wakabayashi T, Yoshida J, Seo H, Kato K, Murata Y, Matui N, Kageyama N. Characterization of neuroectodermal antigen defined by a monoclonal antibody and its application for the CSF diagnosis of human glioma. *J Neurosurg* 68, 449–455, 1988
30. Takahashi T, Mutsuga N, Aoki T, Handa T, Tanoi C, Yoshida J, Kageyama N. Localization of dural fistulas using metrizamide digital subtraction fluoroscopic cisternography. *J Neurosurg* 68, 721–725, 1988
31. Kato K, Yoshida J, Kageyama N, Kojima N, Yagi K. Liposome-entrapped human interferon- β : Its pharmacokinetics and antitumor activity against human brain tumor cells. *J Clin Biochem Nutr* 4, 139–147, 1988
32. Kobayashi T, Yoshida J, Ichiyama J, Noda S, Kito A, Kida Y. Combination chemotherapy with cisplatin and etoposide for malignant intracranial germ-cell tumors. *J Neurosurg* 70, 676–681, 1989
33. Kobayashi T, Yoshida J, Kida Y. Bilateral germ cell tumors involving the basal ganglia and thalamus. *Neurosurg* 24, 579–583, 1989
34. Kito A, Yoshida J, Kageyama N, Kojima N, Yagi K. Liposomes coupled with monoclonal antibodies against glioma-associated antigen for targeting chemotherapy of glioma. *J Neurosurg* 71, 382–387, 1989
35. Yoshida J, Yamamoto R, Wakabayashi T, Nagata M, Seo H. Radiommunoassay of glioma-associated antigen in cerebrospinal fluid and its usefulness for the diagnosis and monitoring of human glioma. *J Neuro-Oncol* 8, 23–31, 1990
36. Yoshida J, Mizuno M, Inoue I, Wakabayashi T, Sugita K, Seo H, Chiba K. Radioimaging of human glioma xenografts with ^{123}I labeled monoclonal antibody G-22 against glioma-associated antigen. *J Neuro-Oncol* 8, 221–229, 1990
37. Mizuno M, Yoshida J, Sugita K, Inoue I, Seo H, Hayashi Y, Koshizaka T, Yagi K. Growth inhibition of glioma cells transfected with the human β -interferon gene by liposomes coupled with a monoclonal antibody.

Cancer Res 50, 7826–7829, 1990

38. Mizuno M, Yoshida J, Sugita K, Yagi K. Growth inhibition of glioma cells of different cell lines by human interfefon- β produced in the cells transfected with its gene by means of liposomes. J Clin Biochem Nutr 9, 73–77, 1990
39. Yoshida J. Local growth regulation of glioma by autocrine or paracrine growth factors. Brain Tumor Pathol 9, 171–175, 1990
40. Inoue I, Yoshida J, Nagata M, Mizuno M, Seo H, Matsui N. Superinduction of cytotoxic interfefon- β in glioma cells. Neurol Med Chir 31, 485–489, 1991
41. Yoshida J, Mizuno M, Yagi K. Secretion of human β -interferon into the cystic fluid of glioma transfected with the interferon- β gene. J Clin Biochem Nutr 11, 12–128, 1991
42. Yoshida J, Wakabayashi T, Mizuno M, Sugita K, Seo H, Oshima M, Tadokoro M, Sakuma S. Tumor specific binding of radiolabeled G-22 monoclonal antibody in glioma patients. Neuro Med Chir 32, 125–129, 1992
43. Wakabayashi T, Yoshida J, Mizuno M, Kito A, Sugita K. Effectiveness of interferon- β , ACNU and radiation therapy in pediatric patients with brainstem glioma. Neurol Med Chir 32, 942–946, 1992
44. Suzuki N, Oiwa Y, Sugano I, Inaba N, Sekiya S, Fukuzawa I, Yoshida J, Takakubo Y, Isogai E, Saito-Ebihara M. Dipyridamole enhances anti-proliferative effect of interferon in various types of human tumor cells. Int J Cancer 51, 627–633, 1992
45. Yoshida J, Wakabayashi T, Mizuno M, Sugita K, Yoshida T, Hori S, Mori T, Sato T, Karashima A, Kurisu K, Kiya K, Uozumi T. Clinical effect of intra-arterial tumor necrosis factor- α for malignant glioma. J Neurosurg 77, 78–83, 1992
46. Yoshida J, Mizuno M, Yagi K. Antitumor effect of endogenous human β -interferon on malignant glioma and augmentation of the effect by tumor necrosis factor- α . J Clin Biochem Nutr 12, 153–160, 1992
47. Yagi G, Mizuno M, Yoshida J. Cytotoxicity of human β -and γ -interferon produced simultaneously in glioma cells transfected with interferon gene. J Clin Biochem Nutr 13, 1–6, 1992
48. Mizuno M, Yoshida J, Oyama H, Sugita K. Growth inhabitation of glioma cells by liposome-mediated cell transfection with tumor necrosis factor- α gene. Its enhancement by prior γ Interferon treatment. Neurol Med Chir 32, 873–876, 1992
49. Yoshida J, Mizuno M, Yagi K. Cytotoxicity of human β -interferon produced in human glioma cells transfected with its gene by means of liposomes. Biochem Int 28, 1055–1061, 1992
50. Tashiro T, Yoshida J, Mizuno M, Sugita K. Reinforced cytotoxicity of lymphokine-activated killer cells toward glioma cells by transfection with the tumor necrosis factor- α gene. J Neurosurg 78, 252–256, 1993
51. Yoshida J, Sugita K, Kobayashi T, Takakura K, Shitara N, Matsutani M, Tanaka R, Nagai H, Yamada H, Yamashita J, Oda Y, Hayakawa T, Ushio Y. Prognosis of intracranial germ cell tumors : Effectiveness of chemotherapy with cisplatin and etoposide (CDDP and VP-16). Acta Neurochir 120, 111–117, 1993
52. Tashiro T, Yoshida J, Wakabayashi T, Sugita K, Abe H. Primary intracranial germinoma involving the medulla oblongata. Neurol Med Chir 33, 251–254, 1993
53. Oshima M, Yoshida J, Wakabayashi T, Ito K, Tadokoro M, Kato T, Sakuma S. Recurrent malignant glioma : detection with 131I labeled monoclonal antibody G-22, 1993
54. Kimura S, Ishida S, Matunaga K, Washizu K, Hiraiwa H, Takeuchi K, Wakabayashi T, Yoshida J, Kato K. Determination of tenascin in human serum by the use of a new enzyme immunoassay. Biomed Res 14, 203–208, 1993
55. Yagi K, Hayashi Y, Ishida N, Ohbayashi M, Ohishi N, Mizuno M, Yoshida J. Interferon- β endogenously produced by intratumoral injection of cationic liposome-encapsulated gene : Cytocidal effect on glioma transplanted into nude mouse brain. Biochem Int 32, 167–172, 1994
56. Mizuno M, Yoshida J, Takaoka T, Sugita K. Liposomal transfection of human γ -interferon gene into glioma cells and adoptive immunotherapy using lymphokine-activated killer cells. J Neurosurg 80, 1–6, 1994
57. Yoshida J, Kajita Y, Wakabayashi T, Sugita K. Long-term follow-up results of 175 patients with malignant glioma ; Importance of radical tumor resection and postoperative adjuvant therapy with interferon, ACNU and radiation . Acta Neurochir 127, 55–59, 1994
58. Yoshida J, Wakabayashi T, Kimura S, Washizu K, Kiyosawa K, Mokuno K. Tenascin in cerebrospinal fluid is an useful biomarker for the diagnosis of brain tumor. J Neurosurg Psychi 57, 1212–1215, 1994
59. Yoshida J, Mizuno M. Simple method to prepare cationic multilamellar liposomes for efficient transfection of human interferon- β gene to human glioma cells. J Neuro-Oncol 19, 269–274, 1994
60. Kamo M, Yoshida J, Sugita K. Four autopsy cases of primary CNS lymphoma, consideration of unknown causes of death. Brain Tumor Pathol 11, 35–41, 1994

61. Mizuno M, Yoshida J, Takaoka T, Sugita K. Reinforced cytotoxicity of lymphokine-activated killer cells toward glioma cells by transfection of the killer cells with the β -interferon gene. *Jpn J Cancer Res* 86, 95–100, 1995
62. Harada K, Yoshida J, Mizuno M, Uozumi T. Growth inhibition of intracerebral rat glioma by transfection-induced human interferon β . *J Surgical Oncology* 55, 105–109, 1995
63. Yoshida J, Mizuno M. Simple preparation and characterization of cationic liposomes associated with a monoclonal antibody against glioma-associated antigen (immunoliposomes). *J Liposome Res* 5, 981–995, 1995
64. Yoshida J, Mizuno M, Seo H, Ishikawa T, Kakuma S. Inhibition of hepatitis B virus replication by interferon- β produced in situ by gene delivery. *Environ Med* 39, 33–36, 1995
65. Mizuno M, Yoshida J. Tumor necrosis factor α gene transfer augments anti-Fas antibody-mediated apoptosis in human glioma cells. *Jpn J Cancer Res* 8, 543–547, 1996
66. Mizuno M, Yoshida J. Repeated exposure to cationic immunoliposomes activates effective gene transfer to human glioma cells. *Neurologia Medico-Chirurgica* 36, 141–144, 1996
67. Sadatomo T, Yoshida J, Wakabayashi T, Mizuno M, Harada K, Kurisu K, Uozumi T, Sugita K. New approach for the treatment of medulloblastoma by transfection with glial fibrillary acidic protein gene. *Surgical Oncol* 5, 69–75, 1996
68. Okada H, Miyamura K, Itoh T, Hagiwara M, Wakabayashi T, Mizuno M, Colosi P, Kurtzman G, Yoshida J. Gene therapy against an experimental glioma using adeno-associated virus vectors. *Gene Therapy* 3, 957–964, 1996
69. Yoshida J, Takaoka T, Mizunno M, Momota H, Okada H. Cytolysis of malignant glioma cells by lymphokine-activated killer cells combined with anti-CD3 antiglioma bifunctional antibody and tumor necrosis factor- α . *J Surgical Oncol* 62, 177–182, 1996
70. Shinkai M, Yanase M, Honda H, Wakabayashi T, Mizuno M, Yoshida J, Kobayashi T. Intracellular hyperthermia for cancer using magnetic cationic liposome (In vitro study). *Jpn J Cancer Res* 87, 1179–1183, 1996
71. Okada H, Yoshida J, Sokabe M, Wakabayashi T, Hagiwara M. Suppression of CD44 expression decreases migration and invasion of human glioma cells. *Int J Cancer* 66, 255–260, 1996
72. Okamoto S, Yoshikawa K, Obata Y, Shibuya M, Aoki S, Yoshida J, Takahashi T. Monoclonal antibody against the fusion junction of a deletion-mutant epidermal growth factor receptor. *Br J Cancer* 73, 1366–1372, 1996
73. Wakabayashi T, Yoshida J, Takaoka T, Sadatomo T, Mizuno M, Kimura S. Enzyme immunoassay of glioma cell tenascin secretion and augmentation by tumor necrosis factor- α . *Neuro Med Chir* 37, 392–398, 1997
74. Mizuno M, Yoshida J. Effect of human interferon- β gene transfer upon human glioma transplanted into nude mouse brain involves induced natural killer cells. *Cancer Immunol Immunother* 47, 227–231, 1998
75. Bouhon IA, Shinkai M, Honda H, Mizuno M, Wakabayashi T, Yoshida J, Kobayashi T. Synergism between mild hyperthermia and interferon- β gene expression. *Cancer Letters* 139, 153–158, 1999
76. Natsume A, Mizuno M, Ryuken Y, Yoshida J. Antitumor effect and cellular immunity activation by murine interferon- β gene transfer against intracerebral glioma in mouse. *Gene Therapy* 6, 1626–1633, 1999
77. Otsuka G, Nagaya T, Saito K, Mizuno M, Yoshida J, Seo H. Inhibition of NF- κ B activation confers sensitivity to TNF α by impairment of cell-cycle progression in human glioma cells. *Cancer Res* 59, 4446–4452, 1999
78. Kasuya H, Mizuno M, Yoshida J, Nishiyama Y, Nomoto S, Nakao A. Combined effects of adeno-associated virus vector and a herpes simplex virus mutant as neoplastic therapy. *J Surgical Oncology* 74, 214–218, 2000
79. Ryuken Y, Mizuno M, Natsume A, Yoshida J. Transduction efficiency of adenoviral vectors into human glioma cells increased by association with cationic liposomes. *Neuro Med Chir* 40, 256–260, 2000
80. Natsume A, Tsujimura K, Mizuno M, Takahashi T, Yoshida J. IFN- β gene therapy induces systemic antitumor immunity against malignant glioma. *J Neuro-Oncology* 47, 117–124, 2000
81. Natsume A, Mizuno M, Ryuken Y, Yoshida J. Cationic liposome conjugation to recombinant adenoviral vector reduces viral antigenicity. *Jpn J Cancer Res* 91, 363–367, 2000
82. Hatano N, Wakabayashi T, Kajita Y, Mizuno M, Ohno T, Nakayashiki N, Takemura A, Yoshida J. Efficacy of post operative adjuvant therapy with human interferon beta, MCNU and radiation (IMR) for malignant glioma : Comparison among three protocol. *Acta Neurochirurgica* 142, 633–639, 2000
83. Nakayashiki N, Yoshikawa K, Nakamura K, Hanai N, Okamoto K, Okamoto S, Mizuno M, Wakabayashi T, Saga S, Yoshida J, Takahashi T. Production of a single chain variable fragment antibody recognizing type III

- mutant epidermal growth factor receptor. *Jpn J Cancer Res* 91, 1035–1043, 2000
84. Wakabayashi T, Hatano N, Kajita Y, Yoshida T, Mizuno M, Taniguchi K, Ohno T, Nagasaka T, Yoshida J. Initial and maintenance combined therapy treatment with interferon- β , MCNU (Ranimustine), and radiotherapy for patients with previously untreated malignant glioma. *J Neuro-Oncol* 49, 57–62, 2000
 85. Fukui T, Hayashi Y, Fukuhara H, Yamamoto N, Nishikawa M, Mitsudo K, Tohnai I, Ueda M, Mizuno M, Yoshida J. Suicide gene therapy for human oral squamous cell carcinoma with adeno-associated virus vector. *Oral Oncol* 7, 187–189, 2001
 86. Yamamoto N, Hayashi Y, Fukuhara H, Fukui T, Nishikawa M, Mitsudo K, Tohnai I, Ueda M, Mizuno M, Yoshida J. Basic research on interferon gene therapy for oral squamous cell carcinoma. *Oral Oncol* 7, 492–494, 2001
 87. Nishikawa M, Hayashi Y, Yamamoto N, Fukui T, Fukuhara H, Mitsudo K, Tohnai I, Ueda M, Mizuno M, Yoshida J. Cell death of human oral squamous cell carcinoma cell line induced by herpes simplex virus thymidine kinase gene and ganciclovir. *Oral Oncol* 7, 578–580, 2001
 88. Kageshita T, Mizuno M, Ono T, Matsumoto K, Saida T, Yoshida J. Growth inhibition of human malignant melanoma transfected with the human interferon- β gene by means of cationic liposomes. *Melanoma Res* 11, 337–342, 2001
 89. Yoshida T, Mizuno M, Taniguchi K, Nakayashiki N, Wakabayashi T, Yoshida J. Rat glioma cell death induced by cationic liposome-mediated transfer for the herpes simplex virus thymidine kinase gene followed by ganciclovir treatment. *J Surgcal Oncol* 76, 19–25, 2001
 90. Wakabayashi T, Kajita Y, Mizuno M, Nagasaka T, Yoshida J. Efficacy of adjuvant therapy with procarbazine, MCNU and vincristine for oligodendroglial tumors. *Neurologia Medico-Chirurgica* 41, 115–120, 2001
 91. Aoki H, Mizuno M, Natsume A, Tsugawa T, Tsujimura K, Takahashi T, Yoshida J. Dendritic cells pulsed with tumor extract–cationic liposomes complex increase the induction of cytotoxic T lymphocytes in mouse brain tumor. *Cancer Immunol Immunother* 50, 463–468, 2001
 92. Okamoto K, Mizuno M, Nakahara N, Natsume A, Yoshida J, Mori T, Hori S, Kobayashi H. Process of apoptosis induced by TNF- α in murine fibroblast Ltk-cell : Continuous observation with video enhanced contrast microscopy. *Apoptosis* 7, 77–86, 2002

⑩ 水野正明 名古屋大学大学院医学系研究科遺伝子治療学分野准教授

1. Mizuno M, Yoshida J, Sugita K, Inoue I, Seo H, Hayashi Y, Koshizaki T, Yagi K. Growth inhibition of glioma cells transfected with the human β -interferon gene by liposomes coupled with a monoclonal antibody. *Cancer Res* 50, 7826–7829, 1990
2. Mizuno M, Yoshida J, Sugita K, Yagi K. Growth inhibition of glioma cells of different cell lines by human interferon- β produced in the cells transfected with its gene by means of liposomes. *J Clin Biochem Nutr* 9, 73–77, 1990
3. Yoshida J, Mizuno M, Inoue I, Wakabayashi T, Sugita K, Seo H, Chiba K. Radioimaging of human glioma xenografts with ^{123}I labeled monoclonal antibody G-22 against glioma-associated antigen. *J Neuro-Oncol* 8, 221–229, 1990
4. Yoshida J, Mizuno M, Yagi K. Secretion of human β -interferon into the cystic fluid of glioma transfected with the interferon gene. *J Clin Biochem Nutr* 11, 123–128, 1991
5. Inoue I, Yoshida J, Nagata M, Mizuno M, Seo H, Matsui N. Superinduction of cytotoxic interferon- β in glioma cells. *Neurologica Medico-Chirurgica* 31, 485–489, 1991
6. Enomoto H, Mizuno M, Katsumata T, Doi T. Intracranial metastasis of a choroid plexus papilloma originating in the cerebellopontine angle region : A case report. *Surg Neurol* 36, 54–58, 1991.
7. Yoshida J, Wakabayashi T, Mizuno M, Oyama H, Nehashi K, Sugita K. The interaction between cytokines and growth factors on the growth of glioma cells. In tabuchi K. (ed) "Biology Aspect of Brain Tumors." Springer-Verlag, Tokyo, 200–206, 1991
8. Yoshida J, Wakabayashi T, Mizuno M, Sugita K, Seo H, Ohshima M, Tadokoro M, Sakuma S. Tumor-specific binding of radiolabeled G-22 monoclonal antibody in glioma patients *Neurologica Medico-Chirurgica* 32, 125–129, 1992
9. Yoshida J, Wakabayashi T, Mizuno M, Sugita K, Yoshida T, Hori S, Mori T, Sato T, Karashima A, Kurusu K, Kiya K, Uozumi T. Clinical effect of intra-arterial tumor necrosis factor- α for malignant glioma. *J Neurosurg* 77, 78–83, 1992
10. Yoshida J, Mizuno M, Yagi K. Antitumor effect of endogenous human β -interferon on malignant glioma and augmentation of the effect by tumor necrosis factor- α . *J Clin Biochem Nutr* 12, 153–160, 1992

11. Mizuno M, Yoshida J, Oyama H, Sugita K. Growth inhibition of glioma cells by liposome-mediated cell transfection with tumor necrosis factor- α . Its enhancement by prior γ -interferon treatment. *Neurologia Medico-Chirurgica* 32, 873–876, 1992
12. Wakabayashi T, Yoshida J, Mizuno M, Kito A, Sugita K. Effectiveness of interferon- β , ACNU and radiation therapy in pediatric patients with brainstem glioma. *Neurologia Medico-Chirurgica* 32, 942–946, 1992
13. Yoshida J, Mizuno M, Yagi K. Cytotoxicity of human β -interferon produced human glioma cells transfected with its gene by means of liposomes. *Biochemistry International* 28, 1055–1061, 1992
14. Yagi K, Mizuno M, Yoshida J. Cytotoxicity of human β -and γ -interferon produced simultaneously in glioma cells transfected with interferon genes. *J Clin Biochem Nutr* 13, 1055–1061, 1992
15. Tashiro T, Yoshida J, Mizuno M, Sugita K. Reinforced cytotoxicity of lymphokine-activated killer cells toward glioma cells by transfection with the tumor necrosis factor- α gene. *J Neurosurg* 78, 252–256, 1993
16. Mizuno M, Yoshida J, Takaoka T, Sugita K. Liposomal transfection of human γ -interferon gene into human glioma cells and adoptive immunotherapy using lymphokine-activated killer cells. *J Neurosurg* 80, 510–514, 1994
17. Yagi K, Hayashi Y, Ishida N, Ohbayashi M, Ohishi N, Mizuno M, Yoshida J. Interferon- β endogenously produced by intratumoral injection of cationic liposome encapsulated gene : Cytocidal effect on glioma transplanted into nude mouse brain. *Biochem Mol Biol Int* 32, 167–172, 1994
18. Kato K, Yoshida J, Mizuno M, Sugita K, Emi N. Retrovirus transfer of herpes simplex thymidine kinase gene into glioma cells causes targeting of gancyclovir cytotoxic effect. *Neurologia Medic-Chirurgica* 34, 339–344, 1994
19. Yoshida J, Mizuno M. Simple method to prepare cationic multilamellar liposomes for efficient transfection of human interferon- β gene to human glioma cells. *J Neuro-Oncol* 19, 269–274, 1994
20. Takaoka T, Yoshida J, Mizuno M, Sugita K. Transfection-induced tumor necrosis factor- α increases the susceptibility of human glioma cells to lysis by lymphokine-activated killer cells continuous expression of intercellular adhesion molecule-1 on the glioma cells. *Jpn J Cancer Res* 85, 750–755, 1994
21. Harada K, Yoshida J, Mizuno M, Sugita K, Uozumi T. Growth inhibition of subcutaneously transplanted human glioma by transfection-induced tumor necrosis factor- α and augmentation of the effect by γ -interferon. *J Neuro-Oncol* 22, 221–225, 1994
22. Wakabayashi T, Yoshida J, Mizuno M, Sugita K, Itoh K, Tadokoro M, Oshima M. Radioimmunolocalization of human brain tumor : Fundamental studies with indium-III labeled monoclonal antibody G-22. *Brain Tumor Pathology* 11, 177–180, 1994
23. Mizuno M, Yoshida J, Takaoka T, Sugita K. Reinforced cytotoxicity of lymphokine-activated killer cells toward glioma cells by transfection of the killer cells with the γ -interferon gene. *Jpn J Cancer Res* 86, 95–100, 1995
24. Harada K, Yoshida J, Mizuno M, Uozumi T. Growth inhibition of intra cerebral rat glioma by transfection-induced human interferon- β . *J Surgical Oncology* 55, 105–109, 1995
25. Yoshida J, Mizuno M. Simple preparation and characterization of cationic liposomes associated with a monoclonal antibody against glioma-associated antigen (immunoliposomes). *J Liposome Res* 5, 981–995, 1995
26. Yoshida J, Mizuno M, Seo H, Ishikawa T, Kakumu S. Inhibition of hepatitis B virus replication by interferon- β produced in situ by gene delivery. *Environ Med* 39, 33–36, 1995
27. Mizuno M, Yoshida J. Tumor necrosis factor- α gene transfer augments anti-Fas antibody-mediated apoptosis in human glioma cells. *Jpn J Cancer Res* 8, 543–547, 1996
28. Mizuno M, Yoshida J. Repeated exposure to cationic immunoliposomes activates effective gene transfer to human glioma cells. *Neurologia Medico-Chirurgica* 36, 141–144, 1996
29. Sadamoto T, Yoshida J, Wakabayashi T, Mizuno M, Harada K, Kurisu K, Uozumi T, Sugita K. New approach for the treatment of medulloblastoma by transfection with glial fibrillary acidic protein gene. *Surgical Oncol* 5, 69–75, 1996
30. Okada H, Miyamura K, Itoh T, Hagiwara M, Wakabayashi T, Mizuno M, Colosi P, Kurtzman G, Yoshida J. Gene therapy against an experimental glioma using adeno-associated virus vectors. *GeneTherapy* 3, 957–964, 1996
31. Yoshida J, Takaoka T, Mizuno M, Momota H, Okada H. Cytolysis of malignant glioma cells by lymphokine-activated killer cells combined with anti-CD3 antiglioma bifunctional antibody and tumor necrosis factor- α . *J Surgical Oncol* 62, 177–182, 1996
32. Yoshida J, Wakabayashi T, Mizuno M, Takaoka T, Okamoto S, Okada H, Yagi K. Cytokine gene therapy of

- malignant glioma by means of DNA/liposomes. Brain Tumor—Research and Therapy ; Springer—Verlag (Tokyo)1995.
33. Wakabayashi T, Yoshida J, Takaoka T, Sadamoto T, Mizuno M, Kimura S. Enzyme immunoassay of glioma cell tenascin secretion and augmentation by tumor necrosis factor- α . Neurologia Medico-Chirurgica 37, 392–398, 1997
 34. Ohta S, Mizuno M, Takaoka T, Yoshida J. Augmentation of anti-Fas antibody-mediated apoptosis on human glioma cells by liposomes associated with the antibody. J Neuro-Oncology 35, 7–11, 1997
 35. Mizuno M, Yoshida J, Colosi P, Kurtzman GJ. Adeno-associated virus vector containing the herpes simplex virus-thymidine kinase gene cause complete regression of intracerebrally implanted human gliomas in mice. Jpn J Cancer Res 89, 76–80, 1998
 36. Mizuno M, Yoshida J. Improvement of transduction efficiency of recombinant adeno-associated virus vector by entrapment in multilamellar liposomes. Jpn J Cancer Res 89, 352–354, 1998
 37. Bucur N, Mizuno M, Wakabayashi T, Yoshida J. Growth inhibition of experimental glioma by human interferon- β superinduced by cationic liposomes entrapping polyinosinic : polycytidilic acid. Neurol Med Chir 37, 763–771, 1998
 38. Ohta S, Yoshida J, Yamamoto S, Uemura K, Wakabayashi T, Mizuno M, Sakurai T, Terakawa S. Video-enhanced microscopic visualization of apoptotic cell death caused by anti-Fas antibody in living human glioma cells. Brain Tumor Pathol 15, 19–21, 1998
 39. Mizuno M, Yoshida J. Effect of human interferon- β gene transfer upon human glioma transplanted into nude mouse brain involves induced natural killer cells. Cancer Immunol Immunother 47, 227–231, 1998
 40. Bouhon IA, Shinkai M, Honda H, Mizuno M, Wakabayashi T, Yoshida J, Kobayashi T. Synergism between mild hyperthermia and interferon- β gene expression. Cancer Letters 139, 153–158, 1999
 41. Natsume A, Mizuno M, Ryu Y, Yoshida J. Antitumor effect and cellular immunity activation by murine interferon- β gene transfer against intracerebral glioma in mouse. Gene Therapy 6, 1626–1633, 1999
 42. Otsuka G, Nagaya T, Saito K, Mizuno M, Yoshida J, Seo H. Inhibition of NF- κ B activation confers sensitivity to TNF α by impairment of cell-cycle progression in human glioma cells. Cancer Res 59, 4446–4452, 1999
 43. Kasuya H, Mizuno M, Yoshida J, Nishiyama Y, Nomoto S, Nakao A. Combined effects of adeno-associated virus vector and a herpes simplex virus mutant as neoplastic therapy. J Surgical Oncology 74, 214–218, 2000
 44. Ryu Y, Mizuno M, Natsume A, Yoshida J. Transduction efficiency of adenoviral vectors into human glioma cells increased by association with cationic liposomes. Neurol Med Chir 40, 256–260, 2000
 45. Natsume A, Tsujimura K, Mizuno M, Takahashi T, Yoshida J. IFN- β gene therapy induces systemic antitumor immunity against malignant glioma. J Neuro-Oncology 47, 117–124, 2000
 46. Natsume A, Mizuno M, Ryu Y, Yoshida J. Cationic liposome conjugation to recombinant adenoviral vector reduces viral antigenicity. Jpn J Cancer Res 91, 363–367, 2000
 47. Hatano N, Wakabayashi T, Kajita Y, Mizuno M, Ohno T, Nakayashiki N, Takemura A, Yoshida J. Efficacy of post operative adjuvant therapy with human interferon beta, MCNU and radiation (IMR) for malignant glioma : Comparison among three protocol. Acta Neurochirurgica 142, 633–639, 2000
 48. Nakayashiki N, Yoshikawa K, Nakamura K, Hanai N, Okamoto K, Okamoto S, Mizuno M, Wakabayashi T, Saga S, Yoshida J, Takahashi T. Production of a single chain variable fragment antibody recognizing type III mutant epidermal growth factor receptor. Jpn J Cancer Res 91, 1035–1043, 2000
 49. Wakabayashi T, Hatano N, Kajita Y, Yoshida T, Mizuno M, Taniguchi K, Ohno T, Nagasaka T, Yoshida J. Initial and maintenance combined therapy treatment with interferon- β , MCNU (Ranimustine), and radiotherapy for patients with previously untreated malignant glioma. J Neuro-Oncol 49, 57–62, 2000
 50. Fukui T, Hayashi Y, Fukuji H, Yamamoto N, Nishikawa M, Mitsudo K, Tohnai I, Ueda M, Mizuno M, Yoshida J. Suicide gene therapy for human oral squamous cell carcinoma with adeno-associated virus vector. Oral Oncol 7, 187–189, 2001
 51. Yamamoto N, Hayashi Y, Fukuji H, Fukui T, Nishikawa M, Mitsudo K, Tohnai I, Ueda M, Mizuno M, Yoshida J. Basic research on interferon gene therapy for oral squamous cell carcinoma. Oral Oncol 7, 492–494, 2001
 52. Nishikawa M, Hayashi Y, Yamamoto N, Fukui T, Fukuji H, Mitsudo K, Tohnai I, Ueda M, Mizuno M, Yoshida J. Cell death of human oral squamous cell carcinoma cell line induced by herpes simplex virus thymidine kinase gene and ganciclovir. Oral Oncol 7, 578–580, 2001
 53. Kageshita T, Mizuno M, Ono T, Matsumoto K, saida T, Yoshida J. Growth inhibition of human malignant melanoma transfected with the human interferon- β gene by means of cationic liposomes. Melanoma Res 11,