

# 8～40msw 空気呼吸・酸素減圧表

資料1

CPTD   > 416  
  > 600

■は制約条件に該当、但し非常時のフェイルセーフとして記載するかは要検討  
 他減圧表との差は総業務時間を比較し、本減圧表が長い場合はプラス、短い場合はマイナス

帯底圧力(msw) を超え		以下	高圧下 時間(min)	He(%)	N2(%)	空気呼吸 減圧速度8m/min				酸素減圧 減圧速度1.5m/min				減圧時間	総業務 時間	CPTD	別表1 差	BP 差
						24	21	18	15	12	9	6	0					
8	～	10	30	0	79							1	8	38	1			
8	～	10	60	0	79							1	8	68	1		-7	
8	～	10	90	0	79							1	8	98	1		-7	
8	～	10	120	0	79							1	8	128	1		-7	
8	～	10	150	0	79							1	8	158	1		-7	
8	～	10	180	0	79							1	8	188	1		-7	
8	～	10	210	0	79							1	8	218	1			
8	～	10	240	0	79							1	8	248	1		-12	
8	～	10	270	0	79							1	8	278	1			
8	～	10	300	0	79							1	8	308	1			
8	～	10	330	0	79							1	8	338	1			
8	～	10	360	0	79							1	8	368	1			
10	～	12	30	0	79							1	9	39	1	6		
10	～	12	60	0	79							1	9	69	1	6	-8	
10	～	12	90	0	79							1	9	99	1	6	-8	
10	～	12	120	0	79							1	9	129	1	6	-8	
10	～	12	150	0	79							1	9	159	1	5	-13	
10	～	12	180	0	79							1	9	189	1	4	-18	
10	～	12	210	0	79							1	9	219	9	3		
10	～	12	240	0	79							3	11	251	13	4	-21	
10	～	12	270	0	79							6	14	284	18	7		
10	～	12	300	0	79							10	18	318	26	10		
10	～	12	330	0	79							15	23	353	35	15		
10	～	12	360	0	79							20	28	388	44	19		

# 8 ~ 40msw 空気呼吸・酸素減圧表

資料1

CPTD   > 416  
  > 600

■は制約条件に該当、但し非常時のフェイルセーフとして記載するかは要検討  
 他減圧表との差は総業務時間を比較し、本減圧表が長い場合はプラス、短い場合はマイナス

帯底圧力(msw) を越え		以下	高圧下 時間(min)	He(%)	N2(%)	空気呼吸 減圧速度8m/min				酸素減圧 減圧速度1.5m/min				減圧時間	総業務 時間	CPTD	別表1 差	BP 差
						24	21	18	15	12	9	6	0					
12	~	14	30	0	79							1	9	39	1	6		
12	~	14	60	0	79							1	9	69	1	6	-10	
12	~	14	90	0	79							1	9	99	1	6	-10	
12	~	14	120	0	79							1	9	129	1	4	-15	
12	~	14	150	0	79							2	10	160	11	3	-24	
12	~	14	180	0	79							7	15	195	20	7	-24	
12	~	14	210	0	79							11	19	229	27	9		
12	~	14	240	0	79							16	24	264	37	12	-25	
12	~	14	270	0	79						1	23	32	302	49	20		
12	~	14	300	0	79						2	31	41	341	64	29	-18	
12	~	14	330	0	79						3	37	48	378	77	34		
12	~	14	360	0	79						5	42	55	415	91			
14	~	16	30	0	79							1	10	40	4	7		
14	~	16	60	0	79							1	10	70	8	7	-11	
14	~	16	90	0	79							1	10	100	11	5	-21	
14	~	16	120	0	79							5	14	134	29	7	-32	
14	~	16	150	0	79							12	21	171	45	12	-40	
14	~	16	180	0	79						2	14	25	205	61	14	-46	
14	~	16	210	0	79						5	22	36	246	76	23		
14	~	16	240	0	79						9	28	46	286	100	29	-35	
14	~	16	270	0	79						11	34	54	324	118	34		
14	~	16	300	0	79						15	45	69	369	142		-22	
14	~	16	330	0	79						18	50	77	407	161			
14	~	16	360	0	79						23	56	88	448	187			

# 8 ~ 40msw 空気呼吸・酸素減圧表

資料1

CPTD   > 416  
  > 600

■は制約条件に該当、但し非常時のフェイルセーフとして記載するかは要検討  
 他減圧表との差は総業務時間を比較し、本減圧表が長い場合はプラス、短い場合はマイナス

帯底圧力(msw) を超え		以下	高圧下 時間(min)	He(%)	N2(%)	空気呼吸 減圧速度8m/min				酸素減圧 減圧速度1.5m/min				減圧時間	総業務 時間	CPTD	別表1 差	BP 差
						24	21	18	15	12	9	6	0					
16	~	18	30	0	79							1	10	40	7	7		
16	~	18	60	0	79							1	10	70	14	3	-18	
16	~	18	90	0	79							4	13	103	33	2	-30	
16	~	18	120	0	79						1	10	20	140	56	5	-43	
16	~	18	150	0	79						6	13	28	178	80	9	-45	
16	~	18	180	0	79						10	21	40	220	101	13	-28	
16	~	18	210	0	79						15	28	52	262	131	17		
16	~	18	240	0	79						18	40	67	307	157	26	-26	
16	~	18	270	0	79						24	46	79	349	188	32		
16	~	18	300	0	79						34	49	92	392	215	38	-16	
16	~	18	330	0	79					1	38	60	108	438	255			
16	~	18	360	0	79					1	43	75	128	488	291			
18	~	20	30	0	79							1	10	40	10	6		
18	~	20	60	0	79							1	10	70	26	-1	-25	
18	~	20	90	0	79						2	7	18	108	55	-1	-47	
18	~	20	120	0	79						7	12	28	148	85	3	-57	
18	~	20	150	0	79						13	19	41	191	111	9	-59	
18	~	20	180	0	79						19	26	54	234	147	10	-61	
18	~	20	210	0	79					1	25	35	70	280	183	17		
18	~	20	240	0	79					4	30	42	85	325	224	22	-40	
18	~	20	270	0	79					6	35	52	102	372	259	29		
18	~	20	300	0	79					8	41	67	125	425	305			
18	~	20	330	0	79					10	50	75	144	474	353			
18	~	20	360	0	79					13	56	87	165	525	396			

# 8 ~ 40msw 空気呼吸・酸素減圧表

資料1

CPTD   > 416  
  > 600

■ は制約条件に該当、但し非常時のフェイルセーフとして記載するかは要検討  
 他減圧表との差は総業務時間を比較し、本減圧表が長い場合はプラス、短い場合はマイナス

帯底圧力 (msw)		高圧下 時間(min)	He(%)	N2(%)	空気呼吸 減圧速度8m/min				酸素減圧 減圧速度1.5m/min				減圧時間	総業務 時間	CPTD	別表1 差	BP 差
を超え	以下				24	21	18	15	12	9	6	0					
20	~	22	30	0	79							1	10	40	12	6	-24
20	~	22	60	0	79							2	12	72	39	-2	-30
20	~	22	90	0	79							6	23	113	73	-3	-54
20	~	22	120	0	79							10	38	158	112	3	-59
20	~	22	150	0	79							14	51	201	153	3	-66
20	~	22	180	0	79							18	72	252	197	6	-55
20	~	22	210	0	79							22	89	299	242	16	
20	~	22	240	0	79							25	108	348	289	25	-29
20	~	22	270	0	79							30	133	403	343	39	
20	~	22	300	0	79							39	159	459	399		
20	~	22	330	0	79							45	179	509	450		
20	~	22	360	0	79							52	200	560	501		
22	~	24	30	0	79							1	11	41	14	7	-25
22	~	24	60	0	79							2	16	76	50	-1	-43
22	~	24	90	0	79							7	30	120	95	-2	-69
22	~	24	120	0	79							12	46	166	139	-5	-78
22	~	24	150	0	79							20	69	219	192	5	-70
22	~	24	180	0	79							23	86	266	243	8	-63
22	~	24	210	0	79							28	109	319	297	16	-55
22	~	24	240	0	79							35	136	376	358	29	
22	~	24	270	0	79							40	164	434	422		
22	~	24	300	0	79							49	191	491	484		
22	~	24	330	0	79							52	215	545	541		
22	~	24	360	0	79							59	237	597	603		

# 8 ~ 40msw 空気呼吸・酸素減圧表

資料1

CPTD   > 416  
  > 600

■は制約条件に該当、但し非常時のフェイルセーフとして記載するかは要検討  
 他減圧表との差は総業務時間を比較し、本減圧表が長い場合はプラス、短い場合はマイナス

帯底圧力(msw)		高圧下 時間(min)	He(%)	N2(%)	空気呼吸 減圧速度8m/min				酸素減圧 減圧速度1.5m/min				減圧時間	総業務 時間	CPTD	別表1 差	BP 差
を超え	以下				24	21	18	15	12	9	6	0					
24	~	26	30	0	79							1	11	41	16	7	-34
24	~	26	60	0	79					1	3	5	19	79	66	-4	-57
24	~	26	90	0	79					5	9	15	39	129	116	-2	-72
24	~	26	120	0	79					11	18	17	56	176	171	-1	-80
24	~	26	150	0	79					17	21	32	80	230	229	-1	-71
24	~	26	180	0	79					26	24	45	105	285	291	11	-56
24	~	26	210	0	79					34	34	53	131	341	354	23	
24	~	26	240	0	79					41	38	74	163	403	428	42	
24	~	26	270	0	79					49	48	86	193	463	499		
24	~	26	300	0	79				1	62	48	101	222	522	567		
24	~	26	330	0	79				5	68	60	111	254	584	634		
26	~	28	30	0	79							1	11	41	18	5	-41
26	~	28	60	0	79					2	6	5	23	83	80	-6	-60
26	~	28	90	0	79					9	10	16	45	135	138	-6	-88
26	~	28	120	0	79					16	19	24	69	189	199	-4	-79
26	~	28	150	0	79					25	21	40	96	246	267	2	-67
26	~	28	180	0	79					35	30	50	125	305	339	15	-48
26	~	28	210	0	79				4	42	37	68	161	371	416	36	
26	~	28	240	0	79				8	50	48	84	200	440	500		
26	~	28	270	0	79				15	63	49	100	237	507	575		
26	~	28	300	0	79				21	71	60	113	275	575	653		
28	~	30	30	0	79						1	1	12	42	32	3	-42
28	~	30	60	0	79					4	7	6	27	87	94	-10	-73
28	~	30	90	0	79					12	15	15	52	142	160	-16	-93
28	~	30	120	0	79					21	20	28	79	199	231	-13	-91
28	~	30	150	0	79				3	33	26	41	113	263	309	6	-72
28	~	30	180	0	79				10	40	35	54	149	329	385	25	-51
28	~	30	210	0	79				16	48	46	77	197	407	478	52	
28	~	30	240	0	79				25	62	48	99	244	484	568		
28	~	30	270	0	79				33	71	59	112	285	555	651		

# 8 ~ 40msw 空気呼吸・酸素減圧表

資料1

CPTD   > 416  
  > 600

■ は制約条件に該当、但し非常時のフェイルセーフとして記載するかは要検討  
 他減圧表との差は総業務時間を比較し、本減圧表が長い場合はプラス、短い場合はマイナス

帯底圧力 (msw)		高圧下 時間(min)	He(%)	N2(%)	空気呼吸 減圧速度8m/min				酸素減圧 減圧速度1.5m/min				減圧時間	総業務 時間	CPTD	別表1 差	BP 差
を超え	以下				24	21	18	15	12	9	6	0					
30	~	32	30	0	79						3	1	15	45	40	2	-39
30	~	32	60	0	79					6	10	15	42	102	118	-5	-63
30	~	32	90	0	79					16	21	24	72	162	198	-7	-83
30	~	32	120	0	79				5	28	30	40	114	234	291	10	-66
30	~	32	150	0	79				12	36	41	59	159	309	387	35	-36
30	~	32	180	0	79				21	45	55	88	220	400	500	81	
30	~	32	210	0	79				31	60	64	106	272	482	600		
30	~	32	240	0	79				41	69	80	129	330	570	710		
32	~	34	30	0	79					1	2	2	16	46	50	-1	-44
32	~	34	60	0	79					9	11	15	46	106	132	-9	-70
32	~	34	90	0	79				2	19	23	27	82	172	223	-17	-94
32	~	34	120	0	79				11	32	32	47	133	253	322	5	-68
32	~	34	150	0	79				22	40	49	71	193	343	438	47	-28
32	~	34	180	0	79				32	50	60	101	254	434	553	94	
32	~	34	210	0	79			1	45	66	70	120	313	523	667		
34	~	36	30	0	79					1	3	3	18	48	56	-4	-47
34	~	36	60	0	79					12	15	14	52	112	150	-13	-74
34	~	36	90	0	79				7	21	25	31	95	185	247	-18	-91
34	~	36	120	0	79				18	35	35	55	154	274	357	10	-62
34	~	36	150	0	79			1	30	45	52	85	224	374	486	63	-17
34	~	36	180	0	79			5	42	61	64	110	293	473	609		
36	~	38	30	0	79					2	4	3	20	50	63	-6	-45
36	~	38	60	0	79				2	13	17	15	58	118	163	-16	-83
36	~	38	90	0	79				13	23	26	40	113	203	268	-14	-88
36	~	38	120	0	79			1	26	37	41	59	175	295	393	20	-56
36	~	38	150	0	79			7	35	49	58	94	254	404	534	83	
36	~	38	180	0	79			14	47	66	71	119	328	508	670		
38	~	40	30	0	79					3	5	3	23	53	70	-7	-49
38	~	40	60	0	79				5	14	18	18	67	127	174	-15	-89
38	~	40	90	0	79				18	30	29	40	129	219	296	-11	-92
38	~	40	120	0	79			7	29	41	48	70	207	327	438	46	-49
38	~	40	150	0	79			14	41	55	65	101	288	438	584		
38	~	40	180	0	79			2	21	50	72	130	370	550	737		