

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
Gut 55, 744-745. (2006)	Infliximab as a treatment for systemic amyloidosis associated with Crohn's disease.	飯塚 政弘	内科学講座 消化器内科学分野
Gut 55, 1523. (2006)	Efficacy of ecabet sodium enema on steroid-resistant or steroid-dependent ulcerative colitis.	飯塚 政弘	内科学講座 消化器内科学分野
Cytokine 33, 28-35. (2006)	Suramin prevents fulminant hepatic failure resulting in reduction of lethality through the suppression of NF- κ B activity.	後藤 隆	内科学講座 消化器内科学分野
Am J Transplant 6, 2512-2515. (2006)	Iatrogenic Amyloid Neuropathy in a Japanese Patient After Sequential Liver Transplantation	後藤 隆	内科学講座 消化器内科学分野
Biochem Biophys Res Commun 347, 949-954. (2006)	A selective adenosine A2A receptor agonist, ATL-146e, prevents concanavalin A-induced acute liver injury in mice.	小田島 傑	内科学講座 消化器内科学分野
World J Gastroenterol 12, 568-573. (2006)	Attenuation of gastric mucosal inflammation induced by aspirin through activation of the A2A adenosine receptor in rats.	小田島 傑	内科学講座 消化器内科学分野
Biochem Biophys Res Commun 346, 339-344. (2006)	Specific type IV phosphodiesterase inhibitor ameliorates cerulein-induced pancreatitis in rats.	佐藤 亘	内科学講座 消化器内科学分野
J Mol Cell Cardiol. 42:498-507, 2007	Up-regulation of TRPC1 in the Development of Cardiac Hypertrophy.	Ohba, T. et. al	第二内科

Internal Med. 46 (6) :285-9, 2007	Successful outcome in a pregnant woman with isolated noncompaction of the left ventricular myocardium.	Munehisa Y, et. al	第二内科
Biochem Biophys Res Com 351:764-70, 2006	Regulatory role of neuron-restrictive silencing factor in the expression of TRPC1.	Ohba, T. et. al	第二内科
Life Sciences. 29:1380-1390, 2006	HMG-CoA Reductase Inhibitor Fluvastatin Prevents Angiotensin II-Induced Cardiac Hypertrophy via Rho Kinase and Inhibition of Cyclin D1.	Morikawa K, et. al	第二内科
Int J Hematol 3 : 181-182. (2006)	8 Vaginal outflow tract obstruction associated with chronic graft-versus-host disease following allogeneic peripheral blood stem cell transplantation.	Hirokawa, M et al	第三内科
Ren Fail 8:223-227. (2006)	2 Analysis of mutations in the urate transporter 1 (URAT1) gene of Japanese patients with hypouricemia in Northern Japan and review of the literature.	Komatsuda, A. et al	第三内科
Tohoku J Exp Med 209 : 61-67. (2006)	Successful autologous peripheral blood stem cell transplantation using thiotapec in a patient with systemic sclerosis and cardiac involvement.	Komatsuda, A. et al	第三内科
Clin Nephrol 5: 364-369. (2006)	6 Anaylsis of the NPHP genes in two Japanese patients with suspected sporadic juvenile or adolescent nephronophthisis.	Komatsuda, A. et al	第三内科
Clin Nephrol 6 : 315-321. (2006)	6 Increased serum levels of S100A12 in patients with MPO-ANCA-associated glomerulonephritis.	Komatsuda, A. et al	第三内科

Clin Exp Nephrol 10 : 140-145. (2006)	Nodular mesangial lesions, marked mesangiolysis, and fingerprint deposits of unknown origin in a patient with nephrotic syndrome : a unique combination of glomerular lesions.	Ohtani, H. et al	第三内科
Int J Hematol 4 : 445-448. (2006)	8 Late-onset fatal epstein-barr virus-associated hemophagocytic syndrome following cord blood cell transplantaion for adult acute lymphoblastic leukemia.	Kawabata, Y. et al	第三内科
Hematologica : 9-12. (2006)	91 Oligoclonal T cell expansion in blood but not in the thymus from a patient with thymoma-associated pure red cell aplasia.	Fujishima, N. et al	第三内科
Intern Med 5 : 963-996. (2006)	4 Adrenal insufficiency complicated with antiphospholipid syndrome (APS).	Fujishima, N. et al	第三内科
Blood 07: 1366-1374. (2006)	1 Phagocytosis of co-developing megakaryocytic progenitors by dendritic cells in culture with thrombopoietin and tumor necrosis factor- α (alpha) and its possible role in hemophagocytic syndrome.	Saito, K. et al	第三内科
Int J Hematol 3 : 55-62. (2006)	8 A phase II study of VEPA/FEPP chemotherapy for aggressive lymphoma in elderly patients: Japan clinical oncology group study JCOG9203.	Mizoroki, F. et al	第三内科
J Immunol 6 : 5637-5643. (2006)	17 Tumor-derived TGF β -1 induces dendritic cell apoptosis in the sentinel lymph node.	Ito, M. et al	第三内科
Hepatol Res 4 : 273-281. (2006)	3 Decreased renal expressions of heat shock protein-72 and -25 are associated with renal dysfunction in biliary cirrhotic rats.	Endoh, A. et al	第三内科

小計 8

臨床血液 478 (8) 770-776. (2006)	テトラソミー8を認めた急性单球性白血病.	亀岡淳一 et al	第三内科
Renal Failure 29:183-187 (2007)	Differences between myeloperoxidase-specific and -nonspecific P-ANCA-associated renal disease.	Ohtani H. et al	第三内科
Diabetes Care; 29:142-144, 2006	Increased urinary excretions of immunoglobulin g, ceruloplasmin, and transferrin predict development of microalbuminuria in patients with type 2 diabetes.	Narita T, Hosoba M, Kakei M,	老年科
Endocr J; 53:745-752, 2006	Possible relationship between adiponectin and renal tubular injury in diabetic nephropathy.	Fujita H, Morii T, Koshimura J,	老年科
Diabetes; 55(supple 2):S86-S91, 2006	Pancreatic and extrapancreatic effects of gastric inhibitory polypeptide.	Yamada Y	老年科
J Surg Res 136:209-218, 2006.	Dynamic changes of post-Ischemic hepatic microcirculation improved by a pre-treatment of phosphodiesterase-3 inhibitor, milrinone.	Kume M, Banafsche R, Yamamoto Y,	第一外科
Liver Transplantation 13:114-121, 2007.	Impact of Polysol, a newly developed preservation solution, on cold storage of steatotic rat livers.	Hata K, Tolba R, Yamamoto Y,	第一外科
World J Gastroenterol 13:970-972, 2007.	Stent placement is effective on both postoperative hepatic arterial pseudoaneurysm and subsequent portal vein stricture: A case report.	Ichihara T, Sato T, Yamamoto Y	第一外科

Am J Roentgenol 188:W323-W327, 2007	CT features of pancreatic fistula after pancreaticoduodenectomy.	Hashimoto M, Koga M, Sato T, Yamamoto Y.	第一外科
Akita J Med 33:229-231,2007	Delayed abscess in a femoral hernial sac secondary to diffuse peritonitis: report of a case.	Sakata A, Kato T, Kume M, Yamamoto Y	第一外科
日 外 科 連 会 誌 31:812-816, 2006.	子宮体部筋層への転移病巣から診断された両側乳癌の1例	久米 真、 中村吉昭、 森本泰介、 山本雄造、	第一外科
Ann Thorac Surg	Intraoperative sentinel lymph node mapping using a new sterilizable magnetometer in patients with nonsmall cell lung cancer.	Minamiya Y, Ito M, Katayose Y, Saito H, Imai K, Sato Y, Ogawa J	第二外科
Ann Thorac Surg	Treating gastric tube cancer with distal gastrectomy preserving the gastroepiploic artery.	Motoyama S, Saito R, Okuyama M, Maruyama K, Ogawa J	第二外科
電気学会論文誌C	遠赤外線ヒータを用いた体表面の加熱プロセスによる乳癌検査に関する研究	尹 鍾賢, 水戸 部一孝, 片寄 喜久, 小川純一, 吉村 昇	第二外科
World Journal of Surgery	Outcome and treatment strategy for Mid-and Lower-thoracic esophageal cancer recurring locally in the lymph nodes of the neck.	Motoyama S, Kitamura M, Saito R, Maruyama K, Okuyama M, Ogawa J	第二外科
胸部外科	腹直筋により横隔膜を再建した術後気管支断端瘻を伴う横隔膜ヘルニア	南谷佳弘	第二外科

Akita J. Med.	乳癌患者におけるアイソトープを用いたセンチネルリンパ節生検 Feasibility study の検討	片寄喜久, 鎌田収一, 初山恵, 戸村則昭, 南條博, 小川純一	第二外科
The Journal of Immunology	Tumor-Derived TGF β -1 Induces Dendritic Cell Apoptosis in the Sentinel Lymph Node.	Ito M, Minamiya Y, Kawai H, Saito S, Saito H, Nakagawa T, Imai K, Hirokawa M, Ogawa J	第二外科
Surg Today	Laparoscopic Long Esophagomyotomy with Dor's Fundoplication Using a Transhiatal Approach for an Epiphrenic Esophageal Diverticulum.	Motoyama S, Maruyama K, Okuyama M, Sasaki K, Sato Y, Ogawa J	第二外科
J Comput Assist Tomogr	Visualization of lymphatic basin from the tumor using magnetic resonance lymphography with superparamagnetic iron oxide in patients with thoracic esophageal cancer.	Ishiyama K, Motoyama S, Tomura N, Sashir, Imano H, Ogawa J, Narita K, Watarai J	第二外科
秋田医誌	センチネルリンパ節生検に基づく腋窩郭清を省略した乳癌縮小手術の有用性について	片寄喜久, 菅原健, 伊藤亞樹, 佐々木靖博, 南條博, 小川純一	第二外科
Ann Surg Oncol	REG I expression predicts long-term survival among locally advanced thoracic squamous cell esophageal cancer patients treated with neoadjuvant chemoradiotherapy followed by esophagectomy	Motoyama S, Sugiyama T, Ueno Y, Okamoto H, Takasawa S, Nanjo H, Watanabe H, Maruyama K, Okuyama M, Ogawa J	第二外科
Eur Surg Res	Extravascular lung water measured using single transpulmonary thermodilution reflects perioperative pulmonary edema induced by esophagectomy	Sato Y, Motoyama S, Maruyama K, Okuyama M, Hayashi K, Nakae H, Tajimi K,	第二外科

		Ogawa J	
J Clin Oncol	Prediction of breast tumor progression by integrity of free circulating DNA in serum	Umetani N, Giuliano AE, Hiramatsu SH, Amersi F, Nakagawa T, Martino S, Hoon DS	第二外科
Cancer Res	Proteomic Profiling of Primary Breast Cancer Predicts Axillary Lymph Node Metastasis	Nakagawa T, Huang SK, Martinez SR, Tran AN, Elashoff D, Ye X, Turner RR, Giuliano AE, Hoon DS	第二外科
Akita J. Med.	肺癌細胞による基底膜分解酵素—heparanase—の產生	三井匡史	第二外科（現在；能代山本医師会病院外科）
Akita J. Med.	Hyaluronic acid promotes the expression of live-1 in IN VITRO model of lymphangiogenesis (リンパ管新生モデルにおけるヒアルロン酸の発現促進について)	Ota H, Katsume K, Ogawa J, Yanagishita M	第二外科（現在；秋田組合総合病院外科）
Ann Thorac Surg	Surgical outcome of colon interposition by the posterior mediastinal route for thoracic esophageal cancer	Motoyama S, Kitamura M, Saito R, Maruyama K, Sato Y, Hayashi K, Saito H, Minamiya Y, Ogawa J	第二外科
Eur Surg Res (European Surgical Research)	Extravascular lung water measured using single transpulmonary thermodilution reflects perioperative pulmonary edema induced by esophagectomy.	Sato Y, Motoyama S, Maruyama K, Okuyama M, Hayashi K, Nakae H, Tajimi K, Ogawa J	第二外科

小計 6

ICUとCCU 30, 411-417	医療機器や設備に関する留意点 1) 人工呼吸器	山本浩史	心臓血管外科
ICUとCCU 30, 419-423	集中治療における安全管理、医療機器や設備に関する留意点 2) 循環補助 (PCPS, IABP)	石橋和幸	心臓血管外科
Schmidek & Sweet Operative Neurosurgical Techniques 5th edition pp.1167-1176. 2006年発行	Intraoperative Endovascular Techniques in the Management of Intracranial Aneurysms.	Mizoi K, Kinouchi H	脳神経外科
Angiotensin Research 3(4) 261-266. 2006年10月発行	酸化ストレスとRAS 一脳一 脳梗塞急性期病態への関与。	菅原 卓	脳神経外科
J Neurooncol., 77 185-191. 2006年4月発行	¹²³ I-metaiodobenzylguanidine single-photon emission computerized tomography in brain tumors - a preliminary study.	Sasajima T 他	脳神経外科
Akita J.Med., 33 29-37. 2006年6月発行	N-methyl-d-aspartate receptor glycine-binding site antagonist, sm-31900 protects against delayed neuronal death and reduces neurogenesis.	Yamaguchi S 他	脳神経外科
J.Neurotrauma., 23 595-603. 2006年5月発行	Overexpression of SOD1 in transgenic rats attenuates nuclear translocation of endonuclease G and apoptosis after spinal cord injury.	Yu F, Sugawara T 他	脳神経外科
Brain Dev., 28, 663-667, 2006	TRH therapy in a patient with juvenile Alexander disease.	沢石由記夫 (3番目)	小児科学

Brain Res, 1095, 159-166, 2006	Intraventricular ascorbic acid administration decreases hypoxic-ischemic brain injury in new born rats.	三浦 忍 (1番目)	小児科学
Tohoku J Exp Med, 209, 263-267, 2006	Niemann-Pick Disease Type C: Cataplexy and Hypocretin in Cerebrospinal Fluid.	小山勝幸 (1番目)	小児科学
Tohoku J Exp Med, 209, 69-73, 2006	Pulse Methylprednisolone Therapy in Type 3 Adenovirus Pneumonia with Hypercytokinemia.	高橋郁子 (1番目)	小児科学
Tohoku J Exp Med, 208, 255-259, 2006	A PTPN11 Gene Mutation (Y63C) Causing Noonan Syndrome is Not Associated with Short Stature in General Population.	高橋郁子 (1番目)	小児科学
J Biochem(Tokyo), 140, 193-200, 2006	Significant decrease in tropoelastin gene expression in fibroblasts from a Japanese Costello syndrome patient with impaired elastogenesis and enhanced proliferation.	高橋 勉 (2番目)	小児科学
J Med Invest, 53, 103-112, 2006	Elastogenesis in cultured dermal fibroblasts from patients with lysosomal beta-galactosidase, protective protein/cathepsin A and neuraminidase-1 deficiencies.	高橋 勉 (5番目)	小児科学
Jpn J Clin Oncol	Can we omit para-aorta lymph node dissection in endometrial cancer?	Tanaka h, Tanaka T (他6名)	産婦人科
Journal of Obstetrics and Gynaecology Research	Adenofibroma of the endometrium protruding into the vaginal cavity:findings on transvaginal ultrasonography, MRI and CT	Konishi Y, Tanaka T (他4名)	産婦人科

小計 8

Cranio. 2006;24(3):191-6.	A psychological study on patients with masticatory muscle disorder and sleep bruxism.	Takemura T, Et.al.	神経科精神科
Tohoku J Exp Med. 2006;209(3):263-7.	Niemann-Pick disease type C: cataplexy and hypocretin in cerebrospinal fluid.	Oyama K, Kanbayashi T, Et.al.	神経科精神科
Behav Brain Res. 2006;170(2):277-86.	Expression pattern of FOS in orexin neurons during sleep induced by an adenosine A2A receptor agonist.	Satoh S, Kanbayashi T, Et.al.	神経科精神科
Sleep. 2006;29(11):1439-43.	Narcolepsy without cataplexy: 2 subtypes based on CSF hypocretin-1/orexin-A findings.	Oka Y, Kanbayashi T, Et.al.	神経科精神科
Sleep Med. 2006;7(8):662.	Parkinson's disease comorbid with narcolepsy presenting low CSF hypocretin/orexin level.	Maeda T, Kanbayashi T, Et.al.	神経科精神科
J Neurol Sci. 2006;250(1-2):120-3.	CSF orexin levels of Parkinson's disease, dementia with Lewy bodies, progressive supranuclear palsy and corticobasal degeneration.	Yasui K, Kanbayashi T, Et.al.	神経科精神科
J Clin Psychiatry. 2006;67(10):1577-82.	Switching to olanzapine after unsuccessful treatment with risperidone during the first episode of schizophrenia: an open-label trial.	Takahashi H, Yoshida K, Et.al.	神経科精神科
J Psychopharmacol. 2006;	The G196A polymorphism of the brain-derived neurotrophic factor gene and the antidepressant effect of milnacipran and fluvoxamine.	Yoshida K, Et.al.	神経科精神科

Prog Neuropsychopharmacol Biol Psychiatry. 2006;30(6):1067-72.	Switching to risperidone after unsuccessful treatment of olanzapine in the first-episode schizophrenia: an open trial.	Takahashi H, Yoshida K, Et.al.	神経科精神科
Pharmacopsychiatry. 2006;39(3):114.	Dramatic remission of treatment-resistant depression after the cessation of tricyclic antidepressants.	Yoshida K, Et.al.	神経科精神科
Clin Neuropharmacol. 2006;29(1):6-9.	Response rate obtained using milnacipran depending on the severity of depression in the treatment of major depressive patients.	Sugawara Y, Yoshida K, Et.al.	神経科精神科
Narcolepsy and Hypersomnia 2006;287-316.	Symptomatic narcolepsy with cataplexy and without cataplexy or hypersomnia, with and without hypocretin (orexin) deficiency.	Kanbayashi T, Et.al.	神経科精神科
臨床脳波 2006;48(2)127-129	著明な入眠時ミオクロースを認めた6歳発症のナルコレプシー1女児例	橋本邦生, 神林崇, Et.al.	神経科精神科
精神薬理研究年報 2006;38:176-182	由来神経栄養因子(BDNF)遺伝子多型とセロトニン・ノルエピネフリン再取り込み阻害薬(SNRI)および選択的セロトニン再取り込み阻害薬(SSRI)の抗うつ効果との関連性	吉田契造, Et.al.	神経科精神科
臨床精神薬理 2006;9(6)1211-1235	統合失調症に対する aripiprazole の長期安全性試験 青森・岩手・秋田地区多施設共同非盲検試験	菱川泰夫, Et.al.	神経科精神科
精神医学 2006;48(9):993-995	Fluvoxamine の投与後アカシジアを呈し自殺企図に至った老年期うつ病の1症例	石川博康, Et.al.	神経科精神科

小計 8

脳と発達 2006;38(5):340-345	視床下部病変によりオレキシン神経障害を來した2次性過眠症8例の検討	神林崇, Et.al.	神経科精神科
Neuromodulation 9:234-8 (2006)	Electrical Stimulation using implantable R-F microstimulators to relieve pain associated with shoulder subluxation in chronic Hemiplegic stroke:a case report.	島田 洋一	整形外科
Tohoku J. Exp. Med., 209, 117-123 (2006)	Hybrid functional electrical stimulation with medial linkage knee-ankle-foot orthoses in complete paraplegics.	島田 洋一	整形外科
Akita J Med, 33:137-41 (2006)	Extreme lateral herniation of L5-S1 disc: characteristic 3-D CT findings.	島田 洋一	整形外科
J. Orthop. Sci., 11, 454-458 (2006)	Dural substitute with polyglycolic acid mesh and fibrin glue for dural repair:technical note and preliminary results.	島田 洋一	整形外科
J. Bone Miner Metab., 24, 491-497	Effects of alfacalcidol alone or in combination with elcatonin on incidence of osteoporotic vertebral fractures in postmenopausal women with spondylosis.	宮腰 尚久	整形外科
Neurol. Med. Chir (Tokyo), 46, 556-558	Ligamentum flavum hematoma in the cervical spine-case report.	宮腰 尚久	整形外科
Neurol India55: 64-66	Intraosseous malignant peripheral nerve sheath tumor with focal epithelioid differentiation of the thoracic spine.	宮腰 尚久	整形外科

小計 8

Ther Drug Monit. 2007, 29(3):299-304.	Influence of UGT1A7 and UGT1A9 Intrinsic I399 Genetic Polymorphisms on Mycophenolic Acid Pharmacokinetics in Japanese Renal Transplant Recipients.	Inoue K, Miura M, Satoh S, Kaga ya H, Saito M, Habuchi T, Suzuki T.	泌尿器科
Int J Clin Oncol. 2007;12(2):131-6.	Lymphatic invasion is a prognostic factor for bladder cancer treated with radical cystectomy.	Horikawa Y, Kumazawa T, Narita S, Inoue T, Yuasa T, Matsuura S, Nanjo H, Satoh S, Tsuchiya N, Habuchi T.	泌尿器科
Biopharm Drug Dispos. 2007;28(4):167-175	Influence of rabeprazole and lansoprazole on the pharmacokinetics of tacrolimus in relation to CYP2C19, CYP3A5 and MDR1 polymorphisms in renal transplant recipients.	Miura M, Inoue K, Kaga ya H, Satoh S, Tada H, Sagae Y, <u>Habuchi T</u> , Suzuki T	泌尿器科
Clin Drug Investig. 2007;27:251-8	Influence of Cytochrome P450 (CYP) 3A5 Polymorphisms on the Pharmacokinetics of Lansoprazole Enantiomers in CYP2C19 Extensive Metaboliser Renal Transplant Recipients.	Miura M, Inoue K, Satoh S, Itoh Y, Kagaya H, Tada H, Tanaka Y, <u>Habuchi T</u> , Suzuki T.	泌尿器科
Oncol Rep. 2007;17(4):761-7	Low concentrations of the histone deacetylase inhibitor, depsipeptide, enhance the effects of gemcitabine and docetaxel in hormone refractory prostate cancer cells	Kanzaki M, Kakinuma H, Kumazawa T, Inoue T, Saito M, Narita S, Yuasa T, Tsuchiya N, <u>Habuchi T</u>	泌尿器科

小計 5

Experimental Eye Res 83(7):1-9,2006.	1. Existence of small slow-cycling Langerhans cells in the limbal basal epithelium that express ABCG2.	Chen W , Hara K , Bu J , Zhao K , Yoshitomi T	眼科
Exp Eye Res 83:1317-1324,2006.	Pharmacological vascular reactivity in isolated diabetic rabbit ciliary artery.	2. Goseki T, Ishikawa H, Nishimoto H, Mashimo K, Uga S, <u>Yoshitomi T</u> , Shimizu K	眼科
Jpn J Oph50:504-508,2006.	Effect and mechanisms of Betaxolol and Timolol on Vascular Relaxation in Isolated Rabbit Ciliary Artery.	3. Dong Y, Ishikawa H, Wu Y, Shimizu K, Goseki T, <u>Yoshitomi T</u>	眼科
あたらしい眼科23:661-664 , 2006.	緑内障患者における瞳孔視野測定の有用性 .	浅川賢 , 庄司信行 , 田中館明博 , 石川均 , 直富健志	眼科
臨床眼科60:757~800, 2006.	虹彩隅角新生血管を伴う増殖糖尿病網膜症に対する手術成績.	早川宏一, 増山千佳子, 昆野清輝, 山木邦比古 , 吉富健志	眼科
臨床眼科:955-958,2006.	眼サルコイドーシスにおいて網膜裂孔を生じた1例.	澤田有, 高橋永幸 , 山木邦比古 , 吉富健志.	眼科
日本眼科紀要 57 : 124-127,2006.	球結膜に発生した形質細胞腫の一例 ,	池上正人 , 今井康雄 , 亀谷修平 , 山木邦比古 , 吉富健志 , 南條博	眼科

小計 7

Am J. Otolaryngol., 27, 64-67	Giant cell tumor at the lateral skull base.	○王 えん、 本田耕平、 鈴木真輔、 石川和夫	耳鼻咽喉科
Auris. Nasus. Larynx., 33, 251-257	Analysis of 95 case of squamous cell carcinoma of the external and middle ear.	○殷 敏、 石川和夫、 本田耕平他	耳鼻咽喉科
Otolaryngol. Head Neck Surg., 134, 204-209	Evaluation of type 3 portable monitoring in unattended home setting for suspected sleep apnea: factors that may affect its accuracy.	○殷敏 宮崎総一郎 、 石川和夫	耳鼻咽喉科
Auris. Nasus. Larynx., 33, 337-341	Sweat duct carcinoma of lip with multiple cervical lymphnodes metastasis.	○郎 軍添 、 鈴木真輔、 本田耕平、 藤吉達也、 石川和夫	耳鼻咽喉科
Equilibrium Res., 65, 84-90	高齢者のめまいとQOL.	○石川和夫	耳鼻咽喉科
Facial N. Res. Jpn., 26, 149-151	拡大耳下腺全摘における顔面神経再建の検討.	○ウォンウ エンホウ、 木村洋元、 本田耕平、 石川和夫	耳鼻咽喉科
日気食会報57(5), 439-445	輪状甲状腺帯穿刺によって生じた声門下狭窄症の1例.	○鈴木真輔 、 藤田達也、 池上謙次、 石川和夫	耳鼻咽喉科
Ann. Nucl. Med. 20, 107-114 2006	Comparison of 201-Tl-chloride SPECT with 99m-Tc-MIBI SPECT in the depiction of malignant head and neck tumors	Tomura, N. et al	放射線科 放射線部

J. Comput. Assist. Tomogr. 30, 496-500 2006	Diffusion changes in a tumor and peritumoral tissue after stereotactic irradiation for brain tumors: possible prediction of treatment response.	Tomura, N. et al	放射線科 放射線部
J. Comput. Assist. Tomogr. 30, 270-275 2006	Visualization of lymphatic basin from the tumor using magnetic resonance lymphography with supermagnetic iron oxide in patients with thoracic esophageal cancer.	Ishiyama, K. et al	放射線科 放射線部
Clin. Radiol. 61, 883-887. 2006	Air trapping on computed tomography images of healthy individuals: effects of respiration and body mass index.	Hashimoto, M. et al	放射線部 放射線科
Clin. Radiol. 61, 505-512. 2006	Postoperative three-dimensional CT Angiography after cerebral aneurysm clipping with titanium clips: detection with single detector CT. comparison with intra-arterial digital subtraction angiography.	Sakuma, I. et al	放射線部 放射線科
Biochemical and Biophysical Research Communications, 342, 718 - 724. 2006.	Phenotype properties of a novel spontaneously immortalized odontoblast-lineage cell line.	Arany, S. et al.	歯科口腔外科
The Journal of Craniomandibular Practice 24, 191-196.2006.	A psychological study on patients with masticatory muscle disorder and sleep bruxism.	Takemura, T. et al.	歯科口腔外科
日本口腔外科学会雑誌 52, 592 – 594, 2006.	頬部に生じた孤立性神経線維腫の1例.	永井宏和他	歯科口腔外科
日本歯科技工学会雑誌 27, 115 - 120, 2006.	硫酸カリウム水溶液による急速加熱型クリストバライト埋没材の鋳型放置時間の短縮—クラウン適合精度, 硬化膨張, 過熱膨張におよぼす影響—	成田玉彦他	歯科口腔外科

小計 8

Osteoarthritis and Cartilage, 15, 291-299. 2007.	Induction of osteoclast-like cells derived from the synovial lavage fluids of patients with temporomandibular joint disorders.	Takano, H. et al.	歯科口腔外科
Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology, and Endodontontology, 103, 260 – 266. 2007.	Visualization of anterior disc displacement in temporomandibular disorders on contrast-enhanced magnetic resonance imaging: comparison with T2-weighted, proton density-weighted, and precontrast T1-weighted imaging.	Tomura, N. et al.	歯科口腔外科
Allergy 62:415-422, 2007	Hepatocyte growth factor attenuates eotaxin and PGD ₂ -induced chemotaxis of human eosinophils.	Ito W, et al	中央検査部
Tohoku J Exp Med 211:127-132, 2007	Multiple clinical presentations of anal ultra slow waves and high anal pressure : megacolon, hemorrhoids and constipation.	Yoshino H, et al	中央検査部
Int Arch Allergy Immunol. 141:300-307, 2006.	Prostaglandin D ₂ Induces IL-8 and GM-CSF by Bronchial Epithelial Cells in a CRTH2-Independent Pathway.	Chiba T,et al	中央検査部
Allergology International 55:253-259, 2006	RANTES production from mononuclear cells in response to the specific allergen in asthma patients.	Oyamada H,et al	中央検査部
Int Arch Allergy Immunol. 140 S1:35 -41,2006	Procaterol upregulates peroxisome proliferator-activated receptor-gamma expression in human eosinophils	Ueki S, et al	中央検査部
In Arch Allergy Immunol 140(S1):28-34, 2006	The role of Platelet-Derived Growth Factor in Eotaxin Signaling of Eosinophils.	Adachi T, et al	中央検査部

<i>Pharmacology</i> . 77:3 3-37, 2006.	Theophylline and dexamethasone induce peroxi some proliferator-activated receptor-gamma exp ression in human eosinophils.	Usami A,et al	中央検査部
Ther Apher Dial	The dose of nafamostat mesilate during plasma exchange with continuous hemodiafiltration in the series-parallel circuit.	Nakae H	救急部
Ther Apher Dial.	Combining continuous endotoxin apheresis and c ontinuous hemodiafiltration in the treatment o f patients with septic multiple organ dysfunct ion syndrome.	Yonekawa C	救急部
医薬の門	劇症肝炎に対してPlasma Diafiltrationを施行した2例。	中永士師明	救急部
日本アフェレシス学会 雜誌 25 、 197-203,2006	歯科口腔外科領域における自己多血小板血漿ゲルの応用	面川 進	輸血部
自己血輸血19、12-17 ,2006	自己血輸血ガイドライン改訂と自己血輸血推進	面川 進	輸血部
自己血輸血19、34-39 ,2006	献血状況ー特にドナーフェレシスについてー	面川 進	輸血部
自己血輸血19、207-2 16,2006	日本自己血輸血学会・貯血式自己血輸血実施基準(2007)作成に当って	面川 進	輸血部

小計 8

日本輸血細胞治療学会誌52、711-716,2006	全国国立大学附属病院における輸血副作用調査体制－輸血副作用の原因製剤回収・保管についての調査報告－	能登谷武	輸血部
情報処理 48(4) 338-343 2007	医療情報システムとICタグの活用	近藤克幸	医療情報部
Experimental Molecular Pathology, 80:38-45, 2006	Intermittent short-duration exposure to low wall shear stress induces intimal thickening in arteries exposed to chronic high shear stress.	Nanjo H., Masuda H.	病理部
Annals Surgical Oncology, 13:1724-1731, 2006	EG I expression predicts long-term survival among locally advanced thoracic squamous cell esophageal cancer patients treated with neoadjuvant chemoradiotherapy followed by esophagectomy.	Motoyama S., Nanjo H.	呼吸器外科, 病理部
Urology, 68:972-975, 2006	Radical nephroureterectomy as initial treatment for carcinoma in situ of upper urinary tract.	Yuasa T., Nanjo H.	泌尿器科, 病理部
Surgical Today, 36:827-830, 2006	Long-term survival after salvage resection of recurrent esophageal cancer with anterior mediastinal lymph node involvement: report of a case.	Motoyama S., Nanjo H.	呼吸器外科, 病理部
Nephrology Dialysis Transplantation, 21:1727-1728, 2006	External iliac pseudoaneurysm ruptured into non-functioning intrarenal allograft abscessed mass.	Inoue T., Nanjo H.	泌尿器科, 病理部
Tohoku Journal of Experimental Medicine, 209:379-382, 2006	Split notochord syndrome: ileal duplication causing intermittent episodes of vomiting.	Tsuchida S., Nanjo H.	小児科, 病理部