

雑誌名	題名	発表者	所属部門
Journal of Gastroenterology 41:855-861, 2006.	Gastric electrical activity and cardiovascular risk factors in relation to autonomic nervous function, hormonal responses and health-related lifestyles in young men.	Nakao M	心療内科
Primary Care & Community Psychiatry 11:13-19, 2006.	Screening for major depression utilising a selected two-item questionnaire at workplace health examination.	Takeuchi T	心療内科
Internal Medicine 45:1279-1283, 2006.	Regular prescriptions for benzodiazepines: a cross-sectional study of outpatients at a university hospital.	Nomura K	心療内科
European Journal of Cancer Care 15:44-50, 2006.	Cost-effectiveness analysis of anti-fungal treatment for patients on chemotherapy.	Nomura K	心療内科
International Journal of Clinical Pharmacology and Therapeutics 45:30-35, 2007.	Prescription of benzodiazepine in comparison with SSRI and SNRI for outpatients attending a Japanese university hospital.	Nakao M	心療内科
Neuroscience Letters 415:185-189, 2007.	Somatosensory amplification and its relationship to somatosensory, auditory, and visual evoked and event-related potentials (P300).	Nakao M	心療内科
Tohoku Journal of Experimental Medicine 212:107-113, 2007.	Impact of glucose intolerance on coronary calcified lesions evaluated using multislice computed tomography.	Nomura K	心療内科
Tohoku Journal of Experimental Medicine 212:239-246, 2007.	The long-term prescription of benzodiazepines, psychotropic agents, to the elderly at a university hospital in Japan.	Nomura K	心療内科
Therapeutic Research 27:2001-2009, 2006.	ベンゾジアゼピン系抗不安薬を長期服用している内科外来患者へのパロキセチン処方.	中尾睦宏	心療内科
心身医学 46:1037-1042, 2006.	帝京大学病院外来におけるベンゾジアゼピン系薬剤の科別処方状況.	中尾睦宏	心療内科
心身医学 47:41-47, 2007.	帝京大学病院の外来処方データベース研究:ベンゾジアゼピン系薬物長期処方の特徴.	野村恭子	心療内科
心身医学 47:103-110, 2007.	ストレス自覚度ならびに社会生活指標が腰痛・関節痛、肩こりに及ぼす影響:都道府県別データの解析.	竹内武昭	心療内科

雑誌名	題名	発表者	所属部門
臨床脳波	腋窩神経鎖骨下レベルの伝導ブロックを認めた神経痛性筋萎縮症の1例	園生雅弘	神経内科
脊髄機能診断学	小脳梗塞14正中神経SEP IcP13 (lower cervical P13)成分の、局在診断におけるpitfallと有用性例の臨床的特徴の検討	園生雅弘	神経内科
J Hepatobiliary Pancreat Surg. 2007; 14: 1-10	Background: Tokyo Guidelines for the Management of Acute Cholangitis and Cholecystitis.	Takada T	外科
J Hepatobiliary Pancreat Surg. 2007; 14: 83-90	Antimicrobial therapy for Acute cholecystitis: Tokyo Guideline for Management of Acute Cholangitis and Cholecystitis.	Yoshida M	外科
Hepatogastroenterology. 2006; 53:435-7	Evaluation of CT during Arterial Portography for Preoperative Diagnosis of Intrahepatic Cholangiocarcinoma.	Miura F	外科
J Gastrointest Surg. 2006;10:519-522	Aortic Occlusion Balloon Catheter Technique Is Useful for Uncontrollable Massive Intraabdominal Bleeding After Hepato-Pancreato-Biliary-Surgery	Miura F	外科
HPB 2006;8:208-13	Diagnosis of Pancreatic Cancer	Miura F	外科
J Hepatobiliary Pancreat Surg. 2007; 14: 27-34	Flowchart of Diagnosis and Treatment of Acute Cholangitis and Cholecystitis – Tokyo Guidelines.	Miura F	外科
J Gastrointest Surg. 2007;11:179-186	Repeated pancreatectomy after pancreatoduodenectomy.	Miura F	外科
J Am Coll Surg. 2007; 204: 720-722	Middle-Segment-Preserving Pancreatectomy	Miura F	外科
J Hepatobiliary Pancreat Surg. 2006; 13(2):80-85.	Endoscopic naso-gallbladder drainage in the treatment of acute cholecystitis: alleviates inflammation and fixes operator's aim during early laparoscopic cholecystectomy.	Takada T	外科
J Hepatobiliary Pancreat Surg. 2007; 14: 52-58	Diagnostic Criteria and Severity Assessment of Acute Cholangitis: Tokyo Guidelines.	Wada K	外科
Hepatology Research 2007; 37: 444-153	Expression of vascular endothelial- cadherin in human hepatocellular carcinoma tissues	Takada T	外科
Oncology reports 2007; 17: 667-672	Prospective study of the quantitative carcinoembryonic antigen and cytokeratin 20 mRNA detection in peritoneal washes to predict peritoneal recurrence in gastric carcinoma patients	Tamura N	外科

雑誌名	題名	発表者	所属部門
W J Gastroenterology;2006 12(39): 6305-6309	Proposal of criteria to select candidates of hepatic resection for colorectal liver metastases; Comparison of our scoring system to the positive number of risk factors.	Nagashima I	外科
W J Gastroenterology;2006 12(43): 6961-6965	Proposal of a new and simple staging system of colorectal liver metastasis.	Nagashima I	外科
Surgery.2006 139(1):33-8.	Preferable operative age of choledochal dilation types to prevent patients with pancreaticobiliary maljunction from developing biliary tract carcinogenesis.	Asano T	外科
Anticancer Research 2006 26:4547-4652	Up-regulated Expression of the Uridine Phosphorylase Gene in Human Gastric Tumor is Correlates with a Favorable Prognosis	Asano T	外科
Surg Endosc. 21(8):1466-8. Epub 2007 Mar 14.	Laparoscopy-assisted hepatic lobectomy using hilar Glissonean pedicle transection.	Asano T	外科
The American Journal of Surgery 193:1-4	Relationship between right portal and biliary systems based on reclassification of the liver.	Asano T	外科
Clin Cancer Res13(2):415- 420,2007	Gene expression signature and the prediction of ulcerative colitis - associated colorectal cancer by DNA microarray.	Watanabe T	外科
Cancer Res66(20):9804- 9808,2006	Distal colorectal cancers with microsatellite instability (MSI) display distinct gene expression profiles that are different from proximal MSI cancers.	Watanabe T	外科
Cancer Res66(7):3370- 3374,2006	Prediction of sensitivity of rectal cancer cells in response to preoperative radiotherapy by DNA microarray analysis of gene expression profiles.	Watanabe T	外科
Gut56(6):863- 868,2007	Prognosis and risk factors of metastasis in colorectal carcinoids: results of a nationwide registry over 15 years .	Watanabe T	外科
Minimally Invasive Therapy & Allied Technologies 15(4):253-256,2006	One-stage completely laparoscopic restorative proctocolectomy for ulcerative colitis complicated with sigmoid colon cancer--a case report.	Watanabe T	外科
Gut55(7):1051- 1052.2006	Site distribution of gastrointestinal carcinoids differs between taces.	Watanabe T	外科

雑誌名	題名	発表者	所属部門
Hepato-Gastroenterology 53(68):188-191,2006	Telomerase subunit immunoreactivity and recurrence in colorectal cancer.	Watanabe T	外科
Oncology Reports 15(5):1293-1298,2006	hRFI overexpressed in HCT116 cells modulates Bc1-2 family proteins when treated with 5-Fluorouracil.	Watanabe T	外科
Cancer Letters 241(2):256-262,2006	Effect of cystathionine beta-synthase variant 844ins68bp and methylenetetrahydrofolate reductase A1298C polymorphism in xenografts on 5-FU efficacy and doubling time.	Watanabe T	外科
Oncology Reports 15(6):1485-1490,2006	Chronic colitis promotes tumor development.	Watanabe T	外科
British Journal of Cancer 95(11):1562-1567,2006	Chromosome 18q deletion and Smad4 protein inactivation correlate with liver metastasis :a study matched for T- and N- classification.	Watanabe T	外科
Int. J. Oncol. 8(2):297-306, 2006	Usefulness and clinical significance of quantitative real-time RT-PCR to detect isolated tumor cells in the peripheral blood and tumor drainage blood of patients with colorectal cancer.	linuma H	外科
J Immunol. 176(6):3461-3469, 2006	Superior protective and therapeutic effects of IL-12 and IL-18 gene-transduced dendritic neuroblastoma fusion cells on liver metastasis of murine neuroblastoma.	linuma H	外科
J. Exp. Clin. Cancer Res. 25(3):339-349, 2006	Effect of immunotherapy and spleen preservation on immunological function in patients with gastric cancer.	linuma H	外科
Oncol Reports 17:667-672, 2007	Prospective study of the quantitative carcinoembryonic antigen and cytokeratin 20 mRNA detection in peripheral washes to predict peritoneal recurrence in gastric carcinoma patients.	linuma H	外科
Fertil.Steril	Prompt diagnosis of ectopic pregnancy with the human chorionic gonadotropin test using exuded extract from endometrial curettings.	Ryo,E	産婦人科
J Reprod Med	Radiofrequency ablation for cystic adenomyosis, a case report.	Ryo,E	産婦人科

## 2 論文発表等の実績

雑誌名	題名	発表者	所属部門
Mod Rheumatol 17:81 82, 2007.	HLA-B51 and cigarette smoking as risk factors for chronic progressive neurological manifestations in Behcet's disease.	Aramaki K	内科
Medical Education, 40: 1180-1187 (2006)	"Evaluating medical students' non-verbal communication during the objective structured clinical examination. "	Kinoshita M	内科
J. Atheroscler. Thromb. 14(1): 12-18 (2007)	"Plasmalogens in Human Serum Positively Correlate with High-Density Lipoprotein and Decrease with Aging"	Kinoshita M	内科
Int Immunol. 18(11):1575-83. 2006	Trans-basement membrane migration of human basophils: role of matrix metalloproteinase-9.	Ohta K	内科
Allergy. 61(9):1086- 96. 2006	Pharmacologic and anti-IgE treatment of allergic rhinitis ARIA update (in collaboration with GA2LEN). Allergy.	Ohta K	内科
Int Arch Allergy Immunol. 140 Suppl 1:23-7. 2006	Expression and function of toll-like receptors in human basophils.	Ohta K	内科
J Allergy Clin Immunol. 117(5):1040-6. 2006	Role of CCL21 and CCL19 in allergic inflammation in the ovalbumin-specific murine asthmatic model.	Ohta K	内科
Am J Physiol Lung Cell Mol Physiol. 290(6):L1045-51. 2006	Involvement of GATA-3-dependent Th2 lymphocyte activation in airway hyperresponsiveness.	Ohta K	内科
Respir Med. 100(3):542-50. 2006	Aminophilline suppress the release of chemical mediators in treatment of acute asthma.	Ohta K	内科
日本小児アレルギー学会 誌20(1):66-70,2006.	小児アレルギー疾患のEarly Intervention 気管支喘息 内科の立場から.	大田 健	内科
アレルギー・免疫13(10): 1440-1449,2006.	キシナホ酸サルメテロール喘息に対する吸入ステロイド薬との併用効果.	大田 健	内科
医薬ジャーナル 42(8):2144- 2153,2006	喘息コントロールテストの有用性 喘息患者を対象としたインターネット調査による.	大田 健	内科
アレルギー・免疫 13(4):39-43,2006	経口の喘息治療薬を中心とした治療法からキシナホ酸サルメテロールとプロピオン酸フルチカゾン併用療法に切り替えた場合の喘息治療目標への到達割合の検討.	大田 健	内科

雑誌名	題名	発表者	所属部門
アレルギー・免疫13(4): 1440-1449,2006	気管支喘息患者に対するキシナホ酸サルメテロールとプロピオン酸フルチカゾン併用治療における喘息エピソード並びに喘息QOLに対する効果の検討(FIRST study).	大田 健	内科
アレルギー・免疫 13(4):548-554,2006	成人気管支喘息における感作アレルゲンの全国調査.	大田 健	内科
Int Arch Allergy Immunol 140 (suppl. 1): 28-34, 2006.	The role of platelet-derived growth factor receptor in eotaxin signaling of eosinophils.	Adachi T	内科
Annual Review 呼吸器: 44-50, 2006.	好酸球と呼吸器疾患.	足立哲也	内科
Medical Postgraduates 44(4):67-72,2006	Opsonic activity assessment of human intravenous immunoglobulin in preparations against <i>Candida albicans</i> .	斧 康雄	内科
Catheter Cardiovascular Intervention,Vol.68 (1): 1-7,July 2006	Impact of 16-slice computed tomography in percutaneous coronary intervention of chronic total occlusions.	Yokoyama N	循環器科
Circulation,Vol.115 (1):e1-2.No abstract available,Jan 2007	Image in cardiovascular medicine.Serial assessment of liquefaction necrosis of mitral annular calcification by echocardiography and multislice computed tomography.	Yokoyama N	循環器科
Journal of Affective Disorders 90:29-35, 2006.	Prediction of major depression in Japanese adults: somatic manifestation of depression in annual health examinations.	Nakao M	心療内科
Bulletin of the World Health Organization 84:492-493, 2006.	The suicide epidemic in Japan and strategies of depression screening for its prevention.	Nakao M	心療内科
Psychiatry and Clinical Neuroscience 60:219- 225, 2006.	Somatic symptoms for predicting depression: one-year follow-up study in annual health examinations.	Nakao M	心療内科
Psychiatry and Clinical Neuroscience 60:605- 610, 2006.	Clinical application of paroxetine for tapering benzodiazepine use in non-major-depressive outpatients visiting internal medicine clinic.	Nakao M	心療内科
Public Health 120:373- 379, 2006.	A comparative study of behavioral, physical, and mental health status between term-limited and tenure-tracking employees in a population of Japanese male researchers.	Nakao M	心療内科

雑誌名	題名	発表者	所属部門
Journal of Gastroenterology 41:855-861, 2006.	Gastric electrical activity and cardiovascular risk factors in relation to autonomic nervous function, hormonal responses and health-related lifestyles in young men.	Nakao M	心療内科
Primary Care & Community Psychiatry 11:13-19, 2006.	Screening for major depression utilising a selected two-item questionnaire at workplace health examination.	Takeuchi T	心療内科
Internal Medicine 45:1279-1283, 2006.	Regular prescriptions for benzodiazepines: a cross-sectional study of outpatients at a university hospital.	Nomura K	心療内科
European Journal of Cancer Care 15:44-50, 2006.	Cost-effectiveness analysis of anti-fungal treatment for patients on chemotherapy.	Nomura K	心療内科
International Journal of Clinical Pharmacology and Therapeutics 45:30-35, 2007.	Prescription of benzodiazepine in comparison with SSRI and SNRI for outpatients attending a Japanese university hospital.	Nakao M	心療内科
Neuroscience Letters 415:185-189, 2007.	Somatosensory amplification and its relationship to somatosensory, auditory, and visual evoked and event-related potentials (P300).	Nakao M	心療内科
Tohoku Journal of Experimental Medicine 212:107-113, 2007.	Impact of glucose intolerance on coronary calcified lesions evaluated using multislice computed tomography.	Nomura K	心療内科
Tohoku Journal of Experimental Medicine 212:239-246, 2007.	The long-term prescription of benzodiazepines, psychotropic agents, to the elderly at a university hospital in Japan.	Nomura K	心療内科
Therapeutic Research 27:2001-2009, 2006.	ベンゾジアゼピン系抗不安薬を長期服用している内科外来患者へのパロキセチン処方.	中尾睦宏	心療内科
心身医学 46:1037-1042, 2006.	帝京大学病院外来におけるベンゾジアゼピン系薬剤の科別処方状況.	中尾睦宏	心療内科
心身医学 47:41-47, 2007.	帝京大学病院の外来処方データベース研究:ベンゾジアゼピン系薬物長期処方の特徴.	野村恭子	心療内科
心身医学 47:103-110, 2007.	ストレス自覚度ならびに社会生活指標が腰痛・関節痛、肩こりに及ぼす影響:都道府県別データの解析.	竹内武昭	心療内科

雑誌名	題名	発表者	所属部門
臨床脳波	腋窩神経鎖骨下レベルの伝導ブロックを認めた神経痛性筋萎縮症の1例	園生雅弘	神経内科
脊髄機能診断学	小脳梗塞14正中神経SEP IcP13 (lower cervical P13)成分の、局在診断におけるpitfallと有用性例の臨床的特徴の検討	園生雅弘	神経内科
J Hepatobiliary Pancreat Surg. 2007; 14: 1-10	Background: Tokyo Guidelines for the Management of Acute Cholangitis and Cholecystitis.	Takada T	外科
J Hepatobiliary Pancreat Surg.2007; 14: 83-90	Antimicrobial therapy for Acute cholecystitis:Tokyo Guideline for Management of Acute Cholangitis and Cholecystitis.	Yoshida M	外科
Hepatogastroenterology. 2006; 53:435-7	Evaluation of CT during Arterial Portography for Preoperative Diagnosis of Intrahepatic Cholangiocarcinoma.	Miura F	外科
J Gastrointest Surg. 2006;10:519-522	Aortic Occlusion Baloon Catheter Technique Is Useful for Uncontrollable Massive Intraabdominal Bleeding After Hepato-Pancreato-Biliary-Surgery	Miura F	外科
HPB 2006;8:208-13	Diagnosis of Pancreatic Cancer	Miura F	外科
J Hepatobiliary Pancreat Surg. 2007; 14: 27-34	Flowchart of Diagnosis and Treatment of Acute Cholangitis and Cholecystitis – Tokyo Guidelines.	Miura F	外科
J Gastrointest Surg. 2007;11:179-186	Repeated pancreatectomy after pancreatoduodenectomy.	Miura F	外科
J Am Coll Surg.2007; 204: 720-722	Middle-Segment-Preserving Pancreatectomy	Miura F	外科
J Hepatobiliary Pancreat Surg. 2006; 13(2):80-85.	Endoscopic naso-gallbladder drainage in the treatment of acute cholecystitis: alleviates inflammation and fixes operator's aim during early laparoscopic cholecystectomy.	Takada T	外科
J Hepatobiliary Pancreat Surg. 2007; 14: 52-58	Diagnostic Criteria and Severity Assessment of Acute Cholangitis: Tokyo Guidelines.	Wada K	外科
Hepatology Research 2007; 37: 444-153	Expression of vascular endothelial- cadherin in human hepatocellular carcinoma tissues	Takada T	外科
Oncology reports 2007; 17: 667-672	Prospective study of the quantitative carcinoembryonic antigen and cytokeratin 20 mRNA detection in peritoneal washes to predict peritoneal recurrence in gastric carcinoma patients	Tamura N	外科

雑誌名	題名	発表者	所属部門
W J Gastroenterology;2006 12(39): 6305-6309	Proposal of criteria to select candidates of hepatic resection for colorectal liver metastases; Comparison of our scoring system to the positive number of risk factors.	Nagashima I	外科
W J Gastroenterology;2006 12(43): 6961-6965	Proposal of a new and simple staging system of colorectal liver metastasis.	Nagashima I	外科
Surgery.2006 139(1):33-8.	Preferable operative age of choledochal dilation types to prevent patients with pancreaticobiliary maljunction from developing biliary tract carcinogenesis.	Asano T	外科
Anticancer Research 2006 26:4547-4652	Up-regulated Expression of the Uridine Phosphorylase Gene in Human Gastric Tumor is Correlates with a Favorable Prognosis	Asano T	外科
Surg Endosc. 21(8):1466-8. Epub 2007 Mar 14.	Laparoscopy-assisted hepatic lobectomy using hilar Glissonean pedicle transection.	Asano T	外科
The American Journal of Surgery 193:1-4	Relationship between right portal and biliary systems based on reclassification of the liver.	Asano T	外科
Clin Cancer Res13(2):415- 420,2007	Gene expression signature and the prediction of ulcerative colitis - associated colorectal cancer by DNA microarray.	Watanabe T	外科
Cancer Res66(20):9804- 9808,2006	Distal colorectal cancers with microsatellite instability (MSI) display distinct gene expression profiles that are different from proximal MSI cancers.	Watanabe T	外科
Cancer Res66(7):3370- 3374,2006	Prediction of sensitivity of rectal cancer cells in response to preoperative radiotherapy by DNA microarray analysis of gene expression profiles.	Watanabe T	外科
Gut56(6):863- 868,2007	Prognosis and risk factors of metastasis in colorectal carcinoids: results of a nationwide registry over 15 years .	Watanabe T	外科
Minimally Invasive Therapy & Allied Technologies 15(4):253-256,2006	One-stage completely laparoscopic restorative proctocolectomy for ulcerative colitis complicated with sigmoid colon cancer--a case report.	Watanabe T	外科
Gut55(7):1051- 1052.2006	Site distribution of gastrointestinal carcinoids differs between taces.	Watanabe T	外科

雑誌名	題名	発表者	所属部門
Hepato-Gastroenterology 53(68):188-191,2006	Telomerase subunit immunoreactivity and recurrence in colorectal cancer.	Watanabe T	外科
Oncology Reports 15(5):1293-1298,2006	hRFI overexpressed in HCT116 cells modulates Bc1-2 family proteins when treated with 5-Fluorouracil.	Watanabe T	外科
Cancer Letters 241(2):256-262,2006	Effect of cystathionine beta-synthase variant 844ins68bp and methylenetetrahydrofolate reductase A1298C polymorphism in xenobrafts on 5-FU efficacy and doubling time.	Watanabe T	外科
Oncology Reports 15(6):1485-1490,2006	Chronic colitis promotes tumor development.	Watanabe T	外科
British Journal of Cancer 95(11):1562-1567,2006	Chromosome 18q deletion and Smad4 protein inactivation correlate with liver metastasis :a study matched for T- and N- classification.	Watanabe T	外科
Int. J. Oncol. 8(2):297-306, 2006	Usefulness and clinical significance of quantitative real-time RT-PCR to detect isolated tumor cells in the peripheral blood and tumor drainage blood of patients with colorectal cancer.	linuma H	外科
J Immunol. 176(6):3461-3469, 2006	Superior protective and therapeutic effects of IL-12 and IL-18 gene-transduced dendritic neuroblastoma fusion cells on liver metastasis of murine neuroblastoma.	linuma H	外科
J. Exp. Clin. Cancer Res. 25(3):339-349, 2006	Effect of immunotherapy and spleen preservation on immunological function in patients with gastric cancer.	linuma H	外科
Oncol Reports 17:667-672, 2007	Prospective study of the quantitative carcinoembryonic antigen and cytokeratin 20 mRNA detection in peripheral washes to predict peritoneal recurrence in gastric carcinoma patients.	linuma H	外科
Fertil.Steril	Prompt diagnosis of ectopic pregnancy with the human chorionic gonadotropin test using exuded extract from endometrial curettings.	Ryo,E	産婦人科
J Reprod Med	Radiofrequency ablation for cystic adenomyosis, a case report.	Ryo,E	産婦人科

雑誌名	題名	発表者	所属部門
Int J Gynecol Cancer	Uterine metastasis from hepatocellular carcinoma: a case report.	Ryo,E	産婦人科
日本婦人科腫瘍学会雑誌	巨大腫瘤形成型の子宮頸癌の治療について	竹下 茂樹	産婦人科
Brain Dev.	The first reported case of Menkes disease caused by an Alu insertion mutation	Kodama H	小児科
日本小児栄養紹介肝臓学会雑誌	治療開始後9年間肝機能が正常化せずに脂肪肝炎像を呈するWilson病の17歳肥満男児	児玉浩子	小児科
日本先天代謝異常学会誌	日本のMenkes病に関するTwo-source capture recapture methodを用いた発症率の検討	児玉浩子	小児科
小児科臨床別冊	感染性心内膜炎を契機に左冠動脈右房ろうを発見された7歳女児例	脇田 傑	小児科
Progress in Medicine	成長ホルモン治療のコンプライアンスの検討	加賀文彩	小児科
Pediatr. Res.	Renal effects of b2-adrenoceptor agonist and clinical analysis in children.	Nakamura A	小児科
Pediatr. Nephrol	Renal hypouricemia in school-aged children: screening of serum uric acid level before physical training	Nakamura A	小児科
J Orthop Sci 11:254-258,2006	Method to reduce variations of inclination angle of the acetabular component during mini-incision hip arthroplasty	Nakamura S	整形外科
MEDICAL REHABILITATION69:22-27	顔面頸部熱傷	松井恒太郎 平林慎一	形成外科
実践 救急医療135:287-288	凍傷	松井恒太郎 平林慎一	形成外科
日本形成外科学会誌26(6):365-370	頬骨正中哆開創に対する陰圧閉鎖療法の検討	江口 智明	形成外科
形成外科49(11):1187-1191	術式に基づいた新しい分類の試み	天方将人 平林慎一	形成外科
日本形成外科学会誌26:791-794	Eccrine Angiomatous Hamartomaの1例	草野貴子 平林慎一	形成外科
形成外科49(増)	四肢 損傷部位・形態からみた処置法 特殊型損傷 高圧注入損傷	天方将人 山岡尚代	形成外科
形成外科49(増)	四肢 複合性局所疼痛症候群	江口智明	形成外科

雑誌名	題名	発表者	所属部門
言語聴覚士のための基礎知識「臨床歯科医学・口腔外科学」	中枢性疾患による口腔機能障害	江口智明	形成外科
Int.J.Oral Maxillofac. Surg. (35)594-597	A2-stage procedure combining maxillary advancement by distraction technique with mandibular setback surgery in patients with cleft lip and palate	Eguchi.T	形成外科
Asian J Oral Maxillofac Surg. :18(1)46-50	Simplified Nasoalveolar Moulding Technique for Treatment of Infants with Cleft Lip and Palate	Eguchi.T	形成外科
日本形成外科学会誌27(7):514-518	顔面多発骨折、軟口蓋挫創による外傷性鼻咽閉鎖機能不全に対し咽頭弁形成術を行なった1例	松井恒太郎 江口智明	形成外科
形成外科50(5):543-549	クルーゾン症候群に対する Le Fort III midface advancement	平林慎一	形成外科
形成外科50(7):796-774	手掌皮弁による指尖部再建	南 和彦 平林慎一	形成外科
日本頭蓋顎顔面外科学会誌23(1)32-38	顔面びまん性神経線維腫が Malignant Transformationをきたしたレックリングハウゼン病の1例	天方将人 平林慎一	形成外科
J Biomed Mater Res A 2006 Jul;78(1):1-11	Cartilage tissue engineering using human auricular chondrocytes embedded in different hydrogel materials.	Yamaoka H	形成外科
医療薬学32(7) 648-656	広範囲な口腔内疾患に適応可能なメフェナム酸鎮痛スプレーの調整と臨床評価	平林慎一 山岡桂子	形成外科
眼科48:179-186, 2006.	特集・薬物療法の論点 眼圧下降薬	鈴木康之	眼科
Eye Surgeryバトルロイヤル1,	緑内障手術	鈴木康之	眼科
眼科プラクティス11 緑内障診療の進めかた40-41,2006	疫学-諸外国との比較-	鈴木康之	眼科
老年医44,1237-1239, 2006	高齢者に多い眼疾患-診断と治療 予防-3)緑内障,	鈴木康之	眼科
Ophthalmology113	Risk factors for open-angle glaucoma in a Japanese population,	Suzuki Y	眼科
眼科プラクティス 8 いまずぐ役立つ眼病理	挙筋群の検体の扱い方	根本裕次	眼科

雑誌名	題名	発表者	所属部門
眼科プラクティス8 いますぐ役立つ眼病理	眼輪筋,眼瞼挙筋腱膜,Müller筋の正常組織	根本裕次	眼科
眼科プラクティス9 いますぐ役立つ眼病理	眼瞼下垂 先天単純 VS 動眼神経麻痺 VS ミトコンドリア脳筋症 VS 老人性	根本裕次	眼科
形成外科49	眼外傷における眼科的知識,顔面・四肢外傷治療のABC	根本裕次	眼科
眼臨99,190-193,2006	遠視性不同視弱視における中心窩網膜厚と隔凹度の検討	佐野 海	眼科
日本視能訓練士協会誌35, 107-112,2006	長期弱視訓練により心因性視覚障害をきたした1例	兵藤 維	眼科
Acta Otolaryngol. 2007 Mar 9;:1-6	Changes in the audiograms of a nasopharyngeal cancer patient during the course of treatment: a temporal bone histopathological study.	Tsuzuku T	耳鼻咽喉科
Equilibrium Research(0385- 5716)65巻3号	Video-oculographyによるメニエール病症例の電気性眼振の解析	都筑俊寛	耳鼻咽喉科
Otol Neurotol. 2007 Jan;28(1):44-7.	Influence of chronic middle ear diseases on gustatory function:an electrogustometric study.	Sano M	耳鼻咽喉科
音声言語医学47(3): 306-313,2006	補聴器装用児における乳幼児期の言語訓練の成果と問題点	斎藤 宏	耳鼻咽喉科
Visual Dermatology 5 (2):116-121, 2006	エビデンスに基づいたニキビ治療にはどのようなものがあるか	渡辺晋一	皮膚科
化学療法の領域 22 (2): 223-229, 2006	皮膚科領域(最近の伝染性膿痂疹とMRSA)	渡辺晋一	皮膚科
皮膚臨床 48 (2): 213- 216, 2006	脂腺母斑に続発したTrichoblastomaの1例	根本いずみ	皮膚科
Med Mycol 44 (2): 127- 132, 2006.	Capsule-associated genes of serotypes of Cryptococcus neoformans,especially serotype AD.	Watanabe S	皮膚科
香粧会誌 30 (1):10- 17, 2006	美容皮膚・形成外科ではどのような治療が行われているか	渡辺晋一	皮膚科