

雑誌名	題名	発表者氏名	診療グループ名
Nephron Clinical Practice 103:c71-c76, 2006	Electron paramagnetic resonance imaging of oxidative stress in renal disease.	Hirayama A. Nagase S.	腎臓内科
Acta Physiologica 186:119-125, 2006	Effect of spontaneous exercise on antioxidant capacity in rat muscles determined by electron spin resonance.	Tanabe K. Masuda K. Hirayama A. Nagase S. Kono S. Kuno S.	腎臓内科
International Journal of Sport and Health Science 4(special issue2): 515-527, 2006	Relationships between age, daily activity, antioxidant capacity and oxidative stress among middle-aged and elderly people.	Tanabe K. Masuda K. Ajisaka R. Matsuda M. Hirayama A. Nagase S. Kono S. Kuno S.	腎臓内科
Nephron Clinical Practice (in press)	Elimination of lipid peroxide during hemodialysis.	Obara M. Hirayama A. Gotoh M. Ueda A. Ishizu T. Taru Y. Shimozawa Y. Yamagata K. Nagase S. Koyama A.	腎臓内科
The proceedings of the XIII congress of the society for free radical research international. Medimond International Proceedings. 273-277, 2006	Nitric oxide from inducible nitric-oxide synthase dose not exacerbate adriamycin-induced tubulointerstitial injury.	Oteki T. Nagase S. Hirayama A. Ueda A. Ykoyama H. Yoshimura T.	腎臓内科
Mol. Ther. 15(3):560-565	Stable transgene expression in mice generated from netcorirally transduced embryonic stem cells.	Usui J.	腎臓内科

6件

雑誌名	題名	発表者氏名	診療グループ名
Clin Exp Nephrol 10(3):216-221, 2006	Tubulointerstitial nephritis and uveitis syndrome associated with hyperthyroidism.	Ebihara I. Hirayama K. Usui J. Seki M. Yamagata K.	腎臓内科
Blood 107(11): 4317-4325, 2006	Genetic marking of hematopoietic stem and endothelial cells: identification of the <i>Tmtsp</i> gene encoding a novel cell surface protein with the thrombospondin-1 domain	Usui J.	腎臓内科
Kidney Int. 69(7):1146-1152 2006	Mitochondrial dysfunction in focal segmental glomerulosclerosis of puromycin aminonucleoside nephrosis.	Hagiwara M. Yamagata K. Capaldi RA. Koyama A.	腎臓内科
J Nephrol. 19(2):215-219, 2006	Post-MRSA infection glomerulonephritis with marked <i>Staphylococcus aureus</i> cell envelope antigen deposition in glomeruli.	Kai H. Shimizu Y. Hagiwara M. Yoh K., Hirayama K. Yamagata K. Ohba S. Nagata M. Koyama A.	腎臓内科
Nephrol Dial Transplant. 21(6):1582-1587, 2006	Tissue-specific distribution of an alternatively spliced COL4A5 isoform and non-random X chromosome inactivation reflect phenotypic variation in heterozygous X-linked Alport syndrome.	Shimizu Y. Nagata M. Usui J. Hirayama K. Yoh K. Yamagata K. Kobayasi M. Koyama A.	腎臓内科

5件

雑誌名	題名	発表者氏名	診療グループ名
Nephrol Dial Transplant. 21(5):1448-1449, 2006	Polyclonal activation of IgA subclass against <i>Staphylococcus aureus</i> cell membrane antigen in post-methicillin-resistant <i>S. aureus</i> infection glomerulonephritis.	Arakawa Y. Shimizu Y. Sakurai H. Kawamura S. Hashimoto Y. Kai H. Hagiwara M. Usui J. Yoh K. Hirayama K. Yamagata K. Koyama A.	腎臓内科
Clin Exp Nephrol 11(1):41-50 2007	Estimation of glomerular filtration rate by the MDRD study equation modified for Japanese patients with chronic kidney disease.	Imai E. Horio M. Nitta K. Yamagata K. Iseki K. et al.	腎臓内科
Nippon Jinzo Gakkai Shi 49(2):82-87, 2007	Pathological roles of mitochondrial dysfunction in podocyte injury.	Yamagata K. Hagiwara M.	腎臓内科
Kidney Int. 71(2):159-166, 2007	Risk factors for chronic disease in a community-based population : a 10-year follow-up study.	Yamagata K. Ishida K. Sairenchi T. Takahashi H. Ohba S. Shiigai T. Narita M. Koyama A.	腎臓内科
Ren Fail 28(6):519-522, 2006	Chronic renal failure with severe mesangiolytic in a hematopoietic stem cell transplant recipient.	Nishi H. Tomida C. Gotoh M. Yamagata K. Ohba S. Nagata M. Koyama A.	腎臓内科

5件

雑誌名	題名	発表者氏名	診療グループ名
Nippon Rinsho 64(suppl 2): 422-426, 2006	Focal segmental glomerulosclerosis : Patogenesis, pathophysiology, and therapy.	Hirayama K. Hagiwara M. Yamagata K. Koyama A.	腎臓内 科
Nippon Rinsho 64(suppl 2): 403-407, 2006	Rapidly progressive glomerulonephritis (RPGN) : Patogenesis, pathophysiology, and therapy.	Shimizu Y. Yamagata K. Koyama A.	腎臓内 科
BJU Int 99 (supl 1): 6-9, 2007	Global update on defining and treating high-risk localized prostate cancer with leuprorelin: an Asian perspective	Mizokami A, Namiki M, Akaza H	腎泌尿 器外科
BJU Int 99 (Supl 1):10-12, 2007	Global update on defining and treating high-risk localized prostate cancer with leuprorelin: a Japanese perspective - the effect of primary androgen deprivation therapy on stage C prostate cancer	Akaza H	腎泌尿 器外科
Int J Urol 14:54-59, 2007	Long-term results of first-line sequential high-dose carboplatin, etoposide and ifosfamide chemotherapy with peripheral blood stem cell support for patients with advanced testicular germ cell tumor	Akaza H, The Japan Blood Cell Transplantation Study Group for Testicular Germ Cell Tumor	腎泌尿 器外科
J Urol 176:S47-S49, 2006	Case for Androgen Deprivation as Primary Therapy for Early Stage Disease: Results From J-CaP and CaPSURETM	Akaza H, Hinotsu S, Namiki M	腎泌尿 器外科
Int J Urol 13:1514-1518, 2006	Tissue elasticity imaging for diagnosis of prostate cancer: A preliminary report	Miyanaga N, Akaza H, Shimazui T	腎泌尿 器外科
Int J Urol 13:1539-1541, 2006	Splenogonadal fusion: Case report and review of published works	Ando S, Shimazui T, Kuriyagawa K, Akaza H	腎泌尿 器外科
Jpn J Clin Oncol 36 (11):723-730, 2006	Treatment outcome of metastatic testicular cancer at a single institution in Japan, a country with low incidence of germ cell tumor	Kawai K, Hinotsu S, Shimazui T, Akaza H	腎泌尿 器外科
Int J Clin Oncol 11:434-440, 2006	A low-dose combination therapy of interleukin-2 and interferon- α is effective for lung metastasis of renal cell carcinoma: a multicenter open study	Akaza H, Kinouchi T, Naito S	腎泌尿 器外科

10件

雑誌名	題名	発表者氏名	診療グループ名
Int J Urol 13:1276-1279, 2006	How many uncomplicated male and female overactive bladder patients reveal detrusor overactivity during urodynamic study?	Sekido N, Shimazui T, Akaza H	腎泌尿器外科
Jpn J Clin Oncol 36(10):665-667, 2006	A case of metastatic testicular cancer complicated by tumour lysis syndrome and choriocarcinoma syndrome	Kawai K, Shimazui T, Akaza H	腎泌尿器外科
BJU Int 98(3):573-579, 2006	Efficacy of primary hormone therapy for localized or locally advanced prostate cancer: results of a 10-year follow-up	Akaza H, Aso Y, the Prostate Cancer Study Group	腎泌尿器外科
Jpn J Clin Oncol 36(7):425-431, 2006	Completion and toxicity of induction chemotherapy for metastatic testicular cancer: An updated evaluation of Japanese patients	Kawai K, Shimazui T, Akaza H	腎泌尿器外科
J Cancer Res Clin Oncol 132:499-504, 2006	Prospective randomized trial of natural interferon-alpha versus natural interferon-alpha plus cimetidine in advanced renal cell carcinoma with pulmonary metastasis	Kinouchi T, Akaza H, Immunotherapy Oncology Group for Renal Cell Carcinoma	腎泌尿器外科
BJU Int 97(5):997-1001, 2006	Institutional variability in the accuracy of urinary cytology for predicting recurrence of transitional cell carcinoma of the bladder	Karakiewicz PI., Akaza H, Miyayama N, Shariat SF.	腎泌尿器外科
Int J Radiat Oncol Biol Phys 64(5):1371-1379, 2006	Proton beam therapy for invasive bladder cancer: A prospective study of bladder-preserving therapy with combined radiotherapy and intra-arterial chemotherapy	Hata M, Miyayama N, Akaza H, Akine Y	腎泌尿器外科
Int J Urol 13:529-537, 2006	Bladder reconstruction using a collagen patch prefabricated within the omentum	Hattori K, Akaza H	腎泌尿器外科
BJU Int 97:860-864, 2006	Uroepithelial cells can directly respond to mycobacterium bovis bacillus calmette-guerin through toll-like receptor signalling	Miyazaki J, Akaza H	腎泌尿器外科
J Urol 173:1518-1525, 2005.	Nomograms including nuclear matrix protein 22 for prediction of disease recurrence and progression in patients with Ta, T1 or CIS transitional cell carcinoma of the bladder	Shariat SF, Akaza H	腎泌尿器外科

10件

雑 誌 名	題 名	発表者氏名	診療ケ -フ名
Int J Urol 12:751-756, 2005.	Serum creatinine and cholesterol levels of testicular cancer patients in long-term follow up	Hisamatsu E, Akaza H	腎泌尿 器外科
Int J Urol 12:765-767, 2005.	Retroperitoneal extragonadal germ cell tumor in a patient with Klinefelter's syndrome	Inai H, Akaza H	腎泌尿 器外科
Intern Med 44:1084-1087, 2005.	Acute multifocal bacterial nephritis complicated with acute renal failure and thrombocytopenia	Muto H, Akaza H	腎泌尿 器外科
J Nephrol 18:436-441, 2005.	Crescentic glomerulonephritis associated with renal cell carcinoma after cancer immunotherapy	Kai H, Akaza H	腎泌尿 器外科
泌尿器外科 18:1381-1384, 2005.	Ho-YAG レーザーにて切除し得た尿管ポリープの1例	宮川友明, 赤座英之	腎泌尿 器外科
J Urol 175:348-352, 2006	Persistence of prostatic intraepithelial neoplasia after effective chemoprevention of microscopic prostate cancer with antiandrogen in a rat model	Yamauchi A, Akaza H	腎泌尿 器外科
JJCO 36:60-63, 2006.	Neutropenic colitis during standard dose combination chemotherapy with nedaplatin and irinotecan for testicular cancer	Takaoka E, Akaza H	腎泌尿 器外科
Cancer Sci 97:243-247, 2006	Trends in primary androgen depletion therapy for patients with localized and locally advanced prostate cancer: Japanese perspective	Akaza H	腎泌尿 器外科
J Thromb Haemost 4:581-586, 2006.	Incidence of venous thromboembolism following major abdominal surgery: a multi-center, prospective epidemiological study in Japan	Sakon M, Akaza H	腎泌尿 器外科
Urology 67:545-549, 2006.	Sustained prophylactic effect of intravesical bacille calmette-guerin for superficial bladder cancer: A smoothed hazard analysis in a randomized prospective study	Hinotsu S, Akaza H	腎泌尿 器外科
日泌尿会誌 97:64-67, 2006.	下血を契機に発見された, 両側副腎, 小腸転移を伴った腎細胞癌の1例	安東 聡, 赤座英之	腎泌尿 器外科

11 件

雑誌名	題名	発表者氏名	診療グループ名
Diabetes Metab Res Rev. 22: 38-45, 2006	Antioxidants and an inhibitor of advanced glycation ameliorate death of retinal microvascular cells in diabetic retinopathy.	Yatoh S, Mizutani M, Yokoo T, Kozawa T, Sone H, Toyoshima H, Suzuki S, Shimano H, Kawakami Y, Okuda Y, Yamada N.	内分泌代謝・糖尿病内科
Nature Medicine 12(1): 107-113, 2006	TFE3 transcriptionally activates hepatic IRS-2, participates in insulin signaling and ameliorates diabetes.	Nakagawa Y, Shimano H, Yoshikawa T, Ide T, Mariko Tamura M, Furusawa M, Yamamoto T, Inoue N, Matsuzaka T, Takahashi A, Hasty A-H, Suzuki H, Sone H, Toyoshima H, Yahagi N, Yamada N.	内分泌代謝・糖尿病内科
Diabetes 55: 2091-2097, 2006:	Identification of a Novel Member of the Carboxylesterase Family That Hydrolyzes Triacylglycerol: A Potential Role in Adipocyte Lipolysis.	Okazaki H, Igarashi M, Nishi M, Tajima M, Sekiya M, Okazaki S, Yahagi N, Ohashi K, Tsukamoto K, Amemiya-Kudo M, Matsuzaka T, Shimano H, Yamada N, Aoki J, Morikawa R, Takanezawa Y, Arai H, Nagai R, Kadowaki T, Osuga J, Ishibashi S.	内分泌代謝・糖尿病内科

3件

雑誌名	題名	発表者氏名	診療グループ名
Cell Metabolism 4: 143-154, 2006.	Granuphilin is activated by SREBP-1c and involved in impaired insulin secretion in diabetic mice.	Kato T, Shimano H, Yamamoto T, Yokoo T, Endo Y, Ishikawa M, Matsuzaka T, Nakagawa Y, Kumadaki S, Yahagi N, Takahashi A, Sone H, Suzuki H, Toyoshima H, Hastly AH, Takahashi S, Gomi H, Izumi T, Yamada N.	内分泌代謝・糖尿病内科
J Atheroscler Thromb 13(6): 329-335, 2006	Distinct Effects of Pravastatin, Atorvastatin, and Simvastatin on Insulin Secretion from a β -cell Line, MIN6 Cells.	Ishikawa M, Okajima F, Inoue N, Motomura K, Kato T, Takahashi A, Oikawa S, Yamada N, Shimano H.	内分泌代謝・糖尿病内科
J Endocrinol 189(3): 643-653, 2006	The effect of exercise training on adiponectin receptor expression in KKAY obese/diabetic mice.	Huang H, Iida KT, Sone H, Yokoo T, Yamada N, Ajisaka R.	内分泌代謝・糖尿病内科
FASEB J 20(14): 2642-2644, 2006	Regulation of hepatic cholesterol synthesis by a novel protein (SPF) that accelerates cholesterol biosynthesis.	Shibata N, Jishage K, Arita M, Watanabe M, Kawase Y, Nishikawa K, Natori Y, Inoue H, Shimano H, Yamada N, Tsujimoto M, Arai H.	内分泌代謝・糖尿病内科
J Clin Biochem Nutr 40: 123-30, 2007	Abdominal irradiation ameliorates obesity in ob/ob mice.	Okada S, Kobayashi K, Ishikawa M, Inoue N, Yamada N, Shimano H.	内分泌代謝・糖尿病内科

5件

雑 誌 名	題 名	発表者氏名	診療グループ名
Int J Mol Med 17(1):101-109, 2006	T cell receptor BV gene repertoire of lymphocytes in bronchoalveolar lavage fluid of Polymyositis / Dermatomyositis patients with interstitial pneumonitis	Chino Y, Murata H, <u>Goto D</u> , <u>Matsumoto I</u> , <u>Tsutsumi A</u> , Sakamoto T, Ohtsuka M, Sekisawa K, <u>Ito S</u> , <u>Sumida T</u> .	膠原病 リウマチ アレルギー 内
Ann. Rheum. Dis. 65: 269-271, 2006	Altered peptide ligands regulate muscarinic acetylcholine receptor reactive T cells of patients with Sjogren' s Syndrome	Naito Y, <u>Matsumoto I</u> , <u>Wakamatsu E</u> , <u>Goto D</u> , <u>Ito S</u> , <u>Tsutsumi A</u> , <u>Sumida T</u> :	膠原病 リウマチ アレルギー 内
Int. J. Mol. Med. 17(5)801-809, 2006	Gene transduction of tristetraprolin or its active domain reduces TNF- α production in Jurkat T cells.	Suzuki E, <u>Tsutsumi A</u> , <u>Goto D</u> , <u>Matsumoto I</u> , <u>Ito S</u> , Otsu M, Onodera M, Takahashi S, Sato Y, <u>Sumida T</u> .	膠原病 リウマチ アレルギー 内
Int. J. Mol. Med. 18:273-278, 2006	Expression of TNF- α , tristetraprolin, T-cell intracellular antigen-1 and Hu antigen R genes in synobium of patients with rheumatoid arthritis.	Suzuki E, <u>Tsutsumi A</u> , Sugihara M, Mamura M, <u>Goto D</u> , <u>Matsumoto I</u> , <u>Ito S</u> , Ikeda K, Ochiai N, Sato Y, <u>Sumida T</u> .	膠原病 リウマチ アレルギー 内
Arthritis Rheum 54:3476-3484, 2006	Overexpression of phosphorylated stat1- α in labial salivary glands of patients with Sjogren' s Syndrome	Wakamatsu E, <u>Matsumoto I</u> , Yasukochi T, Naito Y, <u>Goto D</u> , Mamura M, <u>Ito S</u> , <u>Tsutsumi A</u> , <u>Sumida T</u> .	膠原病 リウマチ アレルギー 内

5件

雑誌名	題名	発表者氏名	診療グループ名
Nature. 441(7096):1015-1019, 2006	Smad4 signalling in T cells is required for suppression of gastrointestinal cancer	Byung-Gyu Kim, Cuiling Li, Wenhui Qiao, <u>Mizuko Mamura</u> , Barbara Kasperczak, Miriam Anver, Lawrence Wolfraim, Suntaek Hong, Elizabeth Mushinski, Michael Potter, Seong-Jin Kim, Xin-Yuan Fu, Chuxia Deng, John J. Letterio.:	膠原病 リウマ チアレ ルギー 内
Bone Marrow Transplant 2006; 38:237-242	A prospective study to evaluate a new dental management protocol before hematopoietic stem cell transplantation	長谷川雄一、小島 寛	血液
Int J Hematol 2006; 84:182-185.	Successful treatment of a patient with POEMS syndrome by tandem high-dose chemotherapy with autologous CD34-positive purged stem cell rescue.	小島 寛、鈴木和 己、長谷川雄一	血液
J Thromb Haemost 2006; 4:2433-2442.	Characterization of a patient with glycoprotein VI (GPVI)-deficiency possessing neither anti-GPVI autoantibody nor genetic aberration.	小島 寛、鈴木和 己	血液
Jpn J Clin Oncol 2006; 36:723-730	Treatment outcome of metastatic testicular cancer at a single institution in Japan, a country with low incidence of germ cell tumor.	長谷川雄一、小島 寛	血液

5件

雑 誌 名	題 名	発表者氏名	診療ケル -ブ名
J Infect Chemother 2006; 12:391-395.	Quinupristin/dalfopristin and voriconazole controlled Staphylococcus epidermidis pneumonia and chronic necrotizing aspergillosis in a patient with severe lung degradation consequent to multiple treatments for Hodgkin's lymphoma.	金子 新、大越 靖、向井陽美	血液
Bone Marrow Transplant. 2007; 39:513-514.	Hepatosplenic alphabeta T-cell lymphoma successfully treated with allogeneic bone marrow transplantation	大越 靖、金子 新、小原 直	血液
Pathol Int 2007; 57:108-114.	Gastric T-cell lymphoma with cytotoxic phenotype	小島 寛	血液
1. Pathol Int 2007; 57:53-59.	Development-dependent expression of cyclin D3 in precursor T-cell lymphoblastic leukemia/lymphoma	長谷川雄一、小島 寛	血液
Bipolar Disorder 4 : 13-18, 2006	反復経頭蓋磁気刺激が著効した難治性双極性障害の1例-維持療法付加の試み-	片野綱大、川西洋一、水上勝義、朝田隆	精神神 経科
臨床精神医学 35 : 1363-1369、2006	気分障害患者に対する反復経頭蓋磁気刺激 (rTMS) の有効性と安全性	中村 大介、川西洋一、水上 勝義、朝田 隆	精神神 経科
臨床精神医学 35 : 1371-1376、2006	気分障害患者に対する反復経頭蓋磁気刺激 (rTMS) による維持療法の試み	片野 綱大、川西洋一、水上 勝義、朝田 隆	精神神 経科
Exp Dermatol 2007;16:143-50	The combination of ubiquitous transcription factors AP-1 and Sp1 directs keratinocyte-specific and differentiation-specific gene expression in vitro.	Fujio Otsuka	皮膚科
J Am Acad Dermatol 2007;56:873-7	Deep cutaneous infection by Fusarium solani in a healthy child successful treatment with local heat therapy.	Fujio Otsuka	皮膚科
Eur J Dermatol 2007;17:94-5	IgA/IgG pemphigus positive for anti-desmoglein 1 autoantibody.	Fujio Otsuka	皮膚科

10件

雑誌名	題名	発表者氏名	診療グループ名
J Am Acad Dermatol 2006;55(5 Suppl):S81-5	Chemoradiation using low-dose cisplatin and 5-fluorouracil in locally advanced squamous cell carcinoma of the skin: a report of two cases.	Fujio Otsuka	皮膚科
Br J Dermatol 2006;154:375-6	Metastatic extramammary Paget's disease successfully controlled with tumor dormancy therapy using docetaxel.	Fujio Otsuka	皮膚科
日皮会誌 2007;117:31-5	高発癌性皮膚疾患 遺伝と皮膚癌 高発癌遺伝性皮膚疾患としての汗孔角化症	大塚藤男	皮膚科
Pediatr Surg Int 22:289-292, 2006	Rare association of severe hypoplasia of the abdominal aorta with imperforate anus, colonic atresia and choledochal cyst	Hiroaki Komuro, Tetsuo Hori, Michio Kaneko et al.	小児外科
小児外科 38:621-626, 2006	神経芽腫群腫瘍の病理組織学的分類 - International Neuroblastoma Pathology Classification.	小林千恵、金子道夫、他	小児外科
外科 68(4):442-447, 2006	成人期に達した小児外科手術症例の現状	金子道夫、他	小児外科
J Immunol 176:3461-3469, 2006	Superior protective and therapeutic effects of IL-12 and IL-18 gene-transduced dendritic neuroblastoma fusion cells on liver metastasis of murine neuroblastoma.	Hisae Iinuma, Michio Kaneko et al.	小児外科
Transplantation 2006 Jun 15;81(11):1589-95	Immunomodulatory effects of mesenchymal stem cells in a rat organ transplant model.	Inoue S, et al.	小児外科
Paediatric Anesth, 16:1285-1288, 2006	MYCN gene amplification is a powerful prognostic factor even in infantile neuroblastoma detected by mass screening	Tomoko Iehara, Michio Kaneko, et al	小児外科

9件

雑誌名	題名	発表者氏名	診療グループ名
J Plast Reconst & Aesth Surg 59:752-758, 2006	A new surgical method for treating lateral ray polydactyly with brachydactyly of the foot	Togashi S	形成外科
Ophthalm Plast Reconst Surg 22(4):299-301, 2006	Conjunctival Squamous Cell Carcinoma of the Orbit 40 Year After Enucleation	Endo T	形成外科
形成外科 49(11):1272-1275, 2006	簡単で確実な患肢挙上シーネの作製方法	富樫真二	形成外科
J Neurosci Res. 54: 24-29, 2006	Beta-site APP cleaving enzyme 1 (BACE1) is increased in remaining neurons in Alzheimer's disease brains	Tamaoka A	脳神経内科
Neurology 66:131-132, 2006	Upward gaze-evoked nystagmus with organoarsenic poisoning	Nakamagoe K Tamaoka A	脳神経内科
臨床神経 46: 768, 2006	茨城県神栖町における有機砒素中毒の臨床神経学的検討	石井一弘	脳神経内科
JMDD 16: 1-6, 2006	慢性血液透析患者における restless legs syndrome の調査	渡邊雅彦	脳神経内科
J Neurochem. 98:518-29, 2006	Sodium channel beta4 subunit: down-regulation and possible involvement in neuritic degeneration in Huntington's disease transgenic mice	Oyama F	脳神経内科
Clin Pharmacology & Therapeutics 80:715-720, 2006	Drug interaction of tizanidine and ciprofloxacin: Case report	Momo K	脳神経内科
Journal of the Neurological Sciences 254:44-48, 2007	A Japanese family with early-onset ataxia with motor and sensory neuropathy	Takuma H	脳神経内科
神経内科 64:355-360, 2006	Stiff-person 症候群の病因	石井亜紀子	脳神経内科
Pediatr Neurosurg	Excision of juvenile pilocytic astrocytoma of the midbrain after radiotherapy	Tsuboi K	脳神経外科
J Clinical Neuroscience	Brain abscess following intracerebral haemorrhage	Nakai K	脳神経外科

13件

雑誌名	題名	発表者氏名	診療グループ名
C I 研究	赤外線蛍光によるマウス髄液腔、髄液循環の画像化	柴田 靖	脳神経外科
医療マネジメント学会雑誌	急性期軽症脳梗塞クリティカルパスのパリアンス分析	柴田 靖	脳神経外科
脳神経外科	『解剖を中心とした脳神経手術手技』眼窩腫瘍の解剖と手術アプローチ；経頭蓋アプローチについて	坪井康次	脳神経外科
Biotherapy	悪性神経膠腫再発例に対するホルマリン固定自家腫瘍ワクチン療法	坪井康次	脳神経外科
脳神経外科	脳腫瘍に対する血管新生抑制療法	高野晋吾	脳神経外科
Advances in Neutron capture therapy	A new NEDO research project towards hospital based accelerator BNCT using advanced DDS system.	Akira Matsumura	脳神経外科
Advances in Neutron capture therapy	201Tl/99mTc-MIBI SPECT to Evaluate Therapy Effect of BNCT with BSH and BPA for malignant brain tumor	Yasushi Shibata	脳神経外科
Advances in Neutron capture therapy	Combination of fractionated photon radiation and BNCT.	Tetsuya Yamamoto	脳神経外科
Advances in Neutron capture therapy	Application of HVJ envelope system to boron neutron capture therapy(BNCT)	Kei Nakai	脳神経外科
脳卒中	脳内出血急性期の全身合併症の解析と対策	鈴木謙介	脳神経外科
Int J Radiat Oncol Biol Phys. 64; 1179-1182, 2006.	Early determination of uterine cervical squamous cell carcinoma radioresponse identifies high- and low-response tumors.	Ohara K, Oki A, Satoh T, Tsunoda H, Yoshikawa H et al.	婦人・産科
Cancer Lett 231:309-313, 2006.	IgG antibodies to HPV16, 52, 58 and 6 L1-capsids and spontaneous regression of cervical intraepithelial neoplasia.	Matsumoto K, Oki A, Yoshikawa H et al.	婦人・産科
Proc Natl Acad Sci U S A. 103:224-229, 2006.	Premature ovarian failure in androgen receptor-deficient mice.	Shiina H, Sato T, , Yoshikawa H et al.	婦人・産科

13件

雑誌名	題名	発表者氏名	診療グループ名
J Thromb Haemost. 4: 581-586, 2006.	Incidence of venous thromboembolism following major abdominal surgery: a multi-center, prospective epidemiological study in Japan.	Sakon M, Yoshikawa H, et al.	婦人・周産期
Cancer Sci. 97:106-112, 2006.	Phenotypic characterization of endometrial stromal sarcoma of the uterus.	Yamada K, Tsunoda H, Yoshikawa H et al.	婦人・周産期
Mol Cell Biochem. 288: 47-57, 2006	Inhibitory cis-element-mediated decay of human papillomavirus type 16 L1-transcript in undifferentiated cells.	Mori S, Yoshikawa H, et al.	婦人・周産期
J Gene Med. 8:990-997, 2006	Inhibitory cis-element-mediated decay of human papillomavirus type 16 L1-transcript in undifferentiated cells.	Ogura T, Hamada H, <u>Yoshikawa H</u> , et al.	婦人・周産期
Int J Cancer, 119: 2713-2715, 2006	Do we need a different strategy for HPV screening and vaccination in East Asia?	Miura S, Matsumoto K, Oki A, Satoh T, Tsunoda H, Yoshikawa H et al.	婦人・周産期
Cancer Letters, in press	Combined phospho-Akt and PTEN expressions associated with post-treatment hysterectomy after conservative progestin therapy in complex atypical hyperplasia and stage Ia, G1 adenocarcinoma of the endometrium.	Minaguchi T, Yoshikawa H, et al.	婦人・周産期
Virology. 2006 Sep 27; [Epub ahead of print]	Neutralization of HPV16, 18, 31, and 58 pseudovirions with antisera induced by immunizing rabbits with synthetic peptides representing segments of the HPV16 minor capsid protein L2 surface region.	Kondo K, <u>Yoshikawa H</u> , et al.	婦人・周産期
Gynecol Oncol. 104:32-35, 2007.	Treatment with paclitaxel plus carboplatin, alone or with irradiation, of advanced or recurrent endometrial carcinoma.	Arimoto T, <u>Yoshikawa H</u> , et al.	婦人・周産期

8件

雑 誌 名	題 名	発表者氏名	診療ケル ーフ名
Br J Cancer. 29; 96: 290-295. 2007	Tissue factor expression as a possible determinant of thromboembolism in ovarian cancer. Br J Cancer.	Uno K, Satoh T, Matsumoto K, Oki A, Tsunoda H, Yoshikawa H, et al.	婦人・周産期
Pediatric Research, 59: 121-125, 2006	Standardization of the PQRST waveform and analysis of arrhythmias in the fetus using vector magnetocardiography	Hamada H	婦人・周産期
Journal of Gene Medicine, 8: 990-997, 2006	Utility of intraperitoneal administration as a route of AAV serotype 5 vector-mediated neonatal gene transfer	Hamada H	婦人・周産期
耳鼻咽喉科・頭頸部外科 78(1): 63-67	耳下腺基底細胞腺癌の1例	田中秀峰、原晃等	耳鼻咽喉科
耳鼻咽喉科・頭頸部外科 78(1): 69-72	無自覚の頸部木片異物の1例	飛田忠道、原晃等	耳鼻咽喉科
Hearing Research 209: 86-90	Protective effect of calcineurin inhibitors on acoustic injury of the cochlea	Isao Uemaetomari, Akira Hara, et al	耳鼻咽喉科
耳鼻咽喉科・頭頸部外科	聴神経腫瘍診断—発見にはどの検査が必要か	原 晃	耳鼻咽喉科
耳鼻咽喉科・頭頸部外科	中耳手術の皮切法（耳内法）	原 晃	耳鼻咽喉科
Hearing Research 214: 1-6	The effect of tempol, 3-aminobenzamide and nitric oxide synthase inhibitors on acoustic injury of the mouse cochlea	Hidekazu Murashita, Akira Hara, et al	耳鼻咽喉科
Auris Nasus Larynx 33: 231-233	Coexistence of pemphigus vulgaris and bullous pemphigoid in the upper aerodigestive tract	Keiji Tabuchi, Akira Hara, et al	耳鼻咽喉科
JOHNS 22: 923-926	薬物による聴覚障害の基礎—生理学的所見	田淵経司、原 晃	耳鼻咽喉科
The Journal of Otolaryngology 35: 281-283	Basal cell carcinoma involving the bilateral temporal bone	Keiji Tabuchi, Akira Hara, et al	耳鼻咽喉科
The Laryngoscope 116: 182-186	Temporal bone histopathologic abnormalities associated with mitochondrial mutation T7511C	Kotaro Ishikawa, Akira Hara, et al	耳鼻咽喉科

13 件

雑誌名	題名	発表者氏名	診療グループ名
Auris Nasus Larynx 33: 455-460	Successful treatment of eosinophilic otitis media using ramatroban: Report of two cases	Tetsuro Wada, Akira Hara, et al	耳鼻咽喉科
Anesth Analg 2006;102:38-44	Effects of sevoflurane on carotid-cardiac baroreflex responses in humans	Umehara S, Tanaka, M, Nishikawa T	麻酔科
日本臨床麻酔学会誌	麻酔と心臓迷走神経反射	田中 誠	麻酔科
Anesth Analg 2006;102:1298	Cautious use of trachlight in infants	Inomata S	麻酔科
Cereb Cortex2007;17(3):653-60	Innserion of alghp7 nicotinic receptors at neocortical layer V GABAergic syrapses is induced by a benzodiazepine, midazdam	Yamamoto S	麻酔科
J Anesth 2006:20;279-83	Systemic clonidine activates neurons of the dorsal horn, but not the low ceruleus (AG) or the the A7 area, after a florwdzntest	Fukuda A	麻酔科
J Anesth 2006:20;263-273	Site of fresh gas inlec and rations of delivered fraction and insired fraction of inholed isoflurane and sevoflurane in low-flow anesthsia	Fukuda A	麻酔科
Neuroso:Lett2006:403;20-3	Moderate hyper capnzer-induced anesthtsc effects and endogenous opiozds	Fukuda A	麻酔科
J Oral Maxillofacial Surg 64:81-86, 2006	Predictive factors for the histologic response to preoperative radiotherapy in advanced oral cancer.	Onizawa K, Yoshida H	歯・口腔外科
Head Face Med 2:(9)1-5, 2006	Administration of bisphosphonate for hypercaicemia associated with oral cancer.	Onizawa K, Yoshida H	歯・口腔外科
Bone Marrow Transplant 38:237-242, 2006	A prospective study to evaluate a new dental management protocol before hematopoietic stem cell trasplamtation.	Yamagata K, Onizawa K, Yanagawa T, Yoshida H	歯・口腔外科

11件

雑誌名	題名	発表者氏名	診療グループ名
Pediatr hematol Oncol 23:541-548, 2006	Dental management of pediatric patients undergoing hematopoietic stem cell transplant.	Yamagata K, Onizawa K, Yoshida H	歯・口腔 外科
日有病歯誌 15:3-8, 2006	肝疾患患者における全身麻酔下 口腔外科手術後の肝障害の検討	吉田 廣	歯・口腔 外科
Ann Thorac Surg 82(1) : 314-316, 2006	Two cases of chronic Pulmonary thromboembolism saved by postoperative use of a percutaneous cardiopulmonary support device.	Sato M	救急
Int J Radiat Oncol Biol Phys	Proton beam therapy for invasive bladder cancer: a prospective study of bladder-preserving therapy with combined radiotherapy and intra-arterial chemotherapy.	Hata M, et al	放射線 腫瘍科
Cancer	Proton beam therapy for hepatocellular carcinoma with limited treatment options.	Hata M, Tokuyue K, Et al	放射線 腫瘍科
Int J Radiat Oncol Biol Phys	Early determination of uterine cervical squamous cell carcinoma radioresponse identifies high- and low-response tumors.	Ohara K, et al	放射線 腫瘍科
Strahlenther Onkol	Proton beam therapy for hepatocellular carcinoma patients with severe cirrhosis.	Hata M, Tokuyue K, Et al	放射線 腫瘍科
Acta Oncol	A patient surviving for eight years after proton and x-ray irradiation for advanced esophageal cancer.	Fukumitsu N, Tokuyue K, et al	放射線 腫瘍科
Int J Radiat Oncol Biol Phys	Repeated proton beam therapy for hepatocellular carcinoma.	Hashimoto T, Tokuyue K., et al	放射線 腫瘍科

9件

雑 誌 名	題 名	発表者氏名	診療グループ名
ECHOCARDIOGRAPHY 2006; 23: 369-375	The wake of a large vortex is associated with intraventricular filling delay in impaired left ventricles with a pseudonormalized transmitral flow pattern	Tomoko Ishizu, Yoshihiro Seo	集中治療診療グループ
Circ J 2006; 70: 1290-1296	Peak C-reactive protein concentration correlates with left ventricular thrombus formation diagnosed by contrast echocardiographic left ventricular opacification in patients with a first anterior acute myocardial infarction	Yoshihiro Seo, Hiroshi Maeda	集中治療診療グループ
Circ J 2006; 70: 1629-1634	Echolucent carotid plaques as a feature in patients with acute coronary syndrome	Yoshihiro Seo, Shigeyuki Watanabe	集中治療診療グループ
医学のあゆみ 2006; 217(6): 682-688	心臓再同期療法の実際 - 適応と手技	瀬尾由広、青沼和隆	集中治療診療グループ
循環器科 2006; 59 suppl.3: 414-425	動脈硬化性疾患の診断基準の標準 - 虚血性心疾患	瀬尾由広、渡辺重行	集中治療診療グループ
Progress in Medicine 2006; 26(supple.1): 1499-1503	心不全薬物療法	瀬尾由広、河野了	集中治療診療グループ
Paediatr Anaesth, 2006; 16: 1285-8	Prolonged use of dexmedetomidine in an infant with respiratory failure following living donor liver transplantation	Enomoto Y, Mizutani, T	集中治療診療グループ

7件