

Journal of Infection and Chemotherapy	Relationship between initial dose of micafungin and its efficacy in patients with candidemia.	太田康男	感染症内科
Journal of Infection and Chemotherapy	Relationship between initial dose of micafungin and its efficacy in patients with candidemia.	太田康男	感染症内科
Life Science	Biphasic regulation of levofloxacin on lipopolysaccharide-induced IL-1 β production.	北沢貴利	感染症内科
immunology Letter	Macrophage tolerance induced by stimulation with Toll-like receptor 7/8 ligands.	塚田訓久	感染症内科
Internal Medicine	Successful vancomycin desensitization with a combination of rapid and slow infusion methods	北沢貴利	感染症内科
Cellular Microbiology	Bacterial flagellin inhibits T cell receptor-mediated activation of T cells by inducing SOCS-1.	奥川 周	感染症内科
Scandinavian Journal of Infectious Disease	A case of invasive central nervous system aspergillosis treated with micafungin with monitoring of micafungin concentrations in the cerebrospinal fluid.	奥川 周	感染症内科
J Gastroenterol	Drug resistance in antiviral treatment for infections with hepatitis B and C viruses	Yotsuyanagi H	感染症内科
Internal Medicine	Dengue Hemorrhagic Shock and Disseminated Candidiasis.	鈴木 智	感染症内科
Proc Natl Acad Sci USA	Critical role of PA28 γ in hepatitis C virus-associated steatogenesis and hepatocarcinogenesis.	Koike K	感染症内科
J Virol	Hepatitis C Virus Core Protein Induces Insulin Resistance through a PA28 γ -Dependent Pathway	Koike K	感染症内科
Annals of Neurology	Noisy vestibular stimulation improves autonomic and motor responsiveness in central neuro-degenerative disorders.	Yamamoto Y	神経内科
Movement Disorders	Power-law temporal autocorrelation of activity reflects severity of parkinsonism	Yamamoto Y	神経内科
Radiation Medicine	Quantitative evaluation of the pyramidal tract segmented by diffusion tensor tractography: feasibility study in patients with amyotrophic lateral sclerosis.	Tsuji S	神経内科

Cerebral Cortex	Interhemispheric transmission of visuomotor information for motor implementation.	Terao Y	神経内科
Journal of Cognitive Neuroscience	Modifying the cortical processing for motor preparation by repetitive transcranial magnetic stimulation.	Terao Y	神経内科
Clinical Neurophysiology	Origin of facilitation in repetitive, 1.5ms interval, paired pulse transcranial magnetic stimulation (rPPS) of the human motor cortex.	Hamada M	神経内科
J Cardiovasc Pharmacol	Statins blunt thrombin-induced downregulation of endothelial nitric oxide synthase expression in human endothelial cells.	江頭正人	老年病科
Curr Ther Res	Influences of age, sex, and LDL-C change on cardiovascular risk reduction with pravastatin treatment in elderly Japanese patients	大内尉義	老年病科
Circ Res	Statins protect human aortic smooth muscle cells from inorganic phosphate-induced calcification by restoring Gas6-Axl survival pathway.	大内尉義	老年病科
Oncogene	Sirt1 inhibitor, Sirtinol, induces senescence-like growth arrest with attenuated Ras-MAPK signaling in human cancer cells.	大田秀隆	老年病科
Eur Respir J	Nasogastric tube feeding is a cause of aspiration pneumonia in ventilated patients.	寺本信嗣	老年病科
Respirology	Reference values for 6-min walk distance in Asian adults may not be different from that of Caucasian adults.	寺本信嗣	老年病科
Eur Respir J	Heart rate variation analysis may not effectively detect sleep apnoeas in heart failure.	寺本信嗣	老年病科
分子精神医学	Bayer ADL質問票による認知症重症度評価	亀山祐美	老年病科
臨床呼吸生理	COPDの臨床的な合併症としての胃潰瘍,胃食道逆流,体重減少,骨粗鬆症などと解毒酵素遺伝子群の遺伝子多型性との関連性の検討	寺本信嗣	老年病科
臨床呼吸生理	新規吸入抗コリン薬の運動時呼吸困難感への効果短時間作用型吸入薬と長時間作用型吸入薬との比較	寺本信嗣	老年病科
Am J Surg	Complete coverage of in situ aortograft by total omental pedicle flap as the most reliable treatment of aortoesophageal fistula	北山丈二	大腸・肛門外科

Ann Surg	Elective colon and rectal surgery differ in risk factors for wound infection: results of prospective surveillance	小西 毅	大腸・肛門外科
Surgery	Preservation of thick middle hepatic vein tributary during right paramedian sectoriectomy	Hashimoto M	肝・胆・膵外科
World J Gastroenterol	Current surgical treatment for bile duct cancer.	Seyama Y	肝・胆・膵外科
Arch Surg	Simplified staging system for predicting the prognosis of patients with resectable liver metastasis: development and validation.	Minagawa M	肝・胆・膵外科
Clin Transplant	Histologic eosinophilia as an aid to diagnose acute cellular rejection after living donor liver transplantation.	Kishi Y	肝・胆・膵外科
J Gastroenterol Hepatol	Education and imaging. Hepatobiliary and pancreatic: acute Budd-Chiari syndrome treated by systemic thrombolytic therapy.	Sakata H	肝・胆・膵外科
Pancreas	A long-term survivor of metastatic acinar cell carcinoma.	Hashimoto M	肝・胆・膵外科
Am J Surg	Selective versus total biliary drainage for obstructive jaundice caused by a hepatobiliary malignancy.	Ishizawa T	肝・胆・膵外科
Liver Int	Recurrence of primary sclerosing cholangitis after living donor liver transplantation.	Tamura S	肝・胆・膵外科
Surgery	Hepatic venous thrombus formation during liver transection exposing major hepatic vein	Arita J	肝・胆・膵外科
Transplantation	One orifice vein reconstruction in left liver plus caudate lobe grafts.	Hashimoto T	肝・胆・膵外科
Hepatogastroenterology	Sialoglycoconjugate expression in primary colorectal cancer and metastatic lymph node tissues.	Inagaki Y	肝・胆・膵外科
Liver Transpl.	Choledochotomy in live liver donors	Tamura S	肝・胆・膵外科
Surg Today.	Late mortality from thrombotic microangiopathy after liver transplantation: report of a case.	Akamatsu N	肝・胆・膵外科

World J Gastroenterol	Treatment of hepatocellular carcinoma accompanied by portal vein tumor thrombus.	Minagawa M	肝・胆・膵外科
Transpl Infect Dis.	Successful treatment of disseminated <i>Nocardia farcinica</i> infection in a living-donor liver transplantation recipient.	Shin N	肝・胆・膵外科
Transpl Int.	Systematic grading of surgical complications in live liver donors according to Clavien's system.	Tamura S	肝・胆・膵外科
World J Gastroenterol.	Late-onset acute rejection after living donor liver transplantation.	Akamatsu N	肝・胆・膵外科
Am J Surg	Right inferior phrenic vein indicating the right hepatic vein confluence into the inferior vena cava.	Makuuchi M	肝・胆・膵外科
Hepatogastroenterology.	Volumetric analyses of venous variations in the left liver using 3D-CT venography.	Shindoh J	肝・胆・膵外科
J Gastroenterol Hepatol.	Estimation of standard liver volume in Japanese living liver donors.	Hashimoto T	肝・胆・膵外科
Transplant Proc.	New-onset diabetes mellitus after living donor liver transplantation: possible association with hepatitis C.	Kishi Y	肝・胆・膵外科
Transplant Proc.	Impact of celiac axis stenosis on living donor hepatectomy.	Akamatsu N	肝・胆・膵外科
Arch Surg.	Selection criteria for simultaneous resection in patients with synchronous liver metastasis.	Minagawa M	肝・胆・膵外科
Br J Surg.	Ultrasonographically guided surgical approach to liver tumours involving the hepatic veins close to the caval confluence.	Makuuchi M	肝・胆・膵外科
J Surg Oncol.	Clinical significance of extrahepatic bile duct resection for advanced gallbladder cancer.	Makuuchi M	肝・胆・膵外科
Oncogene.	Molecular karyotyping of human hepatocellular carcinoma using single-nucleotide polymorphism arrays.	Midorikawa Y	肝・胆・膵外科
J Gastroenterol.	Simultaneous resection of liver cell adenomas and an intrahepatic portosystemic venous shunt with elevation of serum PIVKA-II level.	Seyama Y	肝・胆・膵外科

J Gastroenterol.	A modified Japan Integrated Stage score for prognostic assessment in patients with hepatocellular carcinoma.	Makuuchi M	肝・胆・膵外科
Transpl Int.	Impact of incidentally found hepatocellular carcinoma on the outcome of living donor liver transplantation.	Kishi Y	肝・胆・膵外科
World J Gastroenterol.	Efficacy of mycophenolate mofetil for steroid-resistant acute rejection after living donor liver transplantation.	Akamatsu N	肝・胆・膵外科
Dig Dis Sci.	Expression of transforming growth factor-alpha and -beta in hepatic lobes after hemihepatic portal vein embolization.	Imamura H	肝・胆・膵外科
Gastroenterology.	Prospective cohort study of transarterial chemoembolization for unresectable hepatocellular carcinoma in 8510 patients.	Makuuchi M	肝・胆・膵外科
Transplantation	Liver transplantation using donors with Gilbert syndrome.	Kaneko J	肝・胆・膵外科
Am J Surg.	Usefulness of LigaSure for liver resection: analysis by randomized clinical trial.	Kokudo N	肝・胆・膵外科
J Gastroenterol Hepatol.	Hepatobiliary and pancreatic splenic artery aneurysm after liver transplantation.	Ishizawa T	肝・胆・膵外科
Liver Transpl.	Selection of liver transplant candidates for adult-to-adult living donor liver transplantation as the only surgical option for end-stage liver disease.	Yamashiki N	肝・胆・膵外科
Surgery.	Regeneration and function of hemiliver graft: right versus left.	Akamatsu N	肝・胆・膵外科
Transplant Proc.	Renal impairment after living donor liver transplantation.	Akamatsu N	肝・胆・膵外科
Transplant Proc.	Hemophagocytic syndrome after adult-to-adult living donor liver transplantation.	Akamatsu N	肝・胆・膵外科
Transplant Proc.	Preoperative estimation of right lateral sector graft by three-dimensional computed tomography.	Sato S	肝・胆・膵外科
Dig Surg.	Morphological regeneration and hepatic functional mass after right hemihepatectomy.	Imamura H	肝・胆・膵外科

Transplantation. 2007 Jan 27;83(2):225-7	One orifice vein reconstruction in left liver plus caudate lobe grafts.	Hashimoto Takuya	肝・胆・膵外科
Clin Transplant. 2007 Jan-Feb;21(1):13-7.	Short hepatic vein reconstruction in biliary atresia patients with absent inferior vena cava.	Dulundu E	肝・胆・膵外科
European Journal of Vascular and Endovascular Surgery	Objective Assessment of Nerve Injury after Greater Saphenous Vein Stripping	赤木大輔	血管外科
Circulation	Inflammation in Atherosclerosis: visualizing Matrix Metalloproteinase action in macrophages in vivo	出口順夫	血管外科
The Journal of Japanese Colledge of Angiology	Predictors of clinical severity in post-thrombotic syndrome	石井誠之	血管外科
Journal of Vascular Surgery	Inflammatory responses involving tumor necrosis factor receptor-associated factor 6 contribute to in-stent lesion formation in a stent implantation model of rabbit carotid artery	宮原拓也	血管外科
International Angiology	Reduced vascular reserve measured by stressed single photon emission computed tomography carries a high risk for stroke in patients with carotid stenosis	山本晃太	血管外科
Journal of Vascular Surgery	Clinical outcome and complications of temporary inferior vena cava filter placement	宮原拓也	血管外科
Clin Transplant.	Short hepatic vein reconstruction in biliary atresia patients with absent inferior vena cava.	Sugawara Y	人工臓器・移植外科
Transplantation.	Branch patch reconstruction in living donor liver transplantation: arterialization of grafts with replaced type arteries.	Sugawara Y	人工臓器・移植外科
J Infect.	Aspergillus thyroiditis in a living donor liver transplant recipient.	Matsui Y	人工臓器・移植外科
World J Gastroenterol.	Inhibition of human gastric carcinoma cell growth by atofluding derivative N3-o-toluyyl-fluorouracil.	Liu J	人工臓器・移植外科
Am J Gastroenterol.	Endoscopic management of biliary complications after adult living donor liver transplantation.	Sugawara Y	人工臓器・移植外科
Hepatology.	Uracil-tegafur as an adjuvant for hepatocellular carcinoma: a randomized trial.	Hasegawa K	人工臓器・移植外科

Hepatogastroenterology.	Model for End Stage Liver Disease score does not predict graft survival after living donor liver transplantation.	Sugawara Y	人工臓器・移植外科
Hepatogastroenterology.	Phrenic vein dissection in partial liver graft harvesting.	Sugawara Y	人工臓器・移植外科
Liver Transpl.	Adult liver transplantation using live ABO-incompatible grafts in Western countries.	Sugawara Y	人工臓器・移植外科
Transplantation.	Cyclosporin a for treatment of hepatitis C virus after liver transplantation.	Sugawara Y	人工臓器・移植外科
Liver Transpl.	Portal vein reconstruction in adult living donor liver transplantation using cryopreserved vein grafts.	Sugawara Y	人工臓器・移植外科
World J Gastroenterol.	Living donor liver transplantation to patients with hepatitis C virus cirrhosis.	Sugawara Y	人工臓器・移植外科
Clin J Am Soc Nephrol.	Clinical outcome of thrombotic microangiopathy after living-donor liver transplantation treated with plasma exchange therapy.	Sugawara Y	人工臓器・移植外科
Liver Transpl.	Safe liver harvesting from living donors.	Sugawara Y	人工臓器・移植外科
Liver Transpl.	Which is better to overcome the portal steal phenomenon in auxiliary partial orthotopic liver transplantation: inflow or outflow occlusion?	Hasegawa K	人工臓器・移植外科
Liver Transpl. 2006 Aug;12(8):1233-6.	Portal vein reconstruction in adult living donor liver transplantation using cryopreserved vein grafts.	Sugawara Yasuhiko	人工臓器・移植外科
Cryobiology. 2006 Apr;52(2):251-60.	Cryopreservation does not alter the allogenicity and development of vasculopathy in post-transplant rat aortas.	Saito Aya	心臓外科
J Jpn Coll Angiol, 2006, 46: 817-822	Clinical Experience with Cryopreserved Allografts for Aortic Infection	Morota Tetsuro	心臓外科
The Circulation Frontier Vol.11. No.2	Acute coronary syndorome 7 months after aortic root replacement using an allograft	Noboru Motomura	心臓外科
Journal of Thoracic & Cardiovascular Surgery. 132(3):705-6, 2006	Successful perioperative management of a middle mediastinal paraganglioma.	Matsumoto J	呼吸器外科

Asian Cardiovascular and Thoracic Annals 14 (5): 14:412-415, 2006	Thoracoscopic surgery for pulmonary arteriovenous malformation.	Nakajima J	呼吸器外科
Cardiovascular Med-Surg 8 (4): 444-446, 2006	【胸部外科医の処遇および処遇改善の将来展望】 胸部外科医の処遇と処遇改善の将来展望	中島 淳	呼吸器外科
胸部外科60巻1号 Page79-81(2007.01)	統合失調症患者に発症した肺切除後肺血栓塞栓症の2例	佐野 厚	呼吸器外科
治療学94: 569-577, 2006	肺門部・縦隔 -単純X線写真でどこまでわかるか- -胸部単純レントゲン写真 -読影から診断へ-	中島 淳	呼吸器外科
外科 68: 382-386, 2006	呼吸器合併症を有する肺癌の治療	中島 淳	呼吸器外科
胸部外科 58:1030-1031, 2006	純赤芽球癆と重症筋無力症を合併した胸腺腫 討論2	中島 淳	呼吸器外科
Surgery Today 37: 14-18, 2007	A. Interstitial pneumonia caused by collagen diseases: A contraindication for lung cancer surgery?	Nakajima J	呼吸器外科
Journal of Neurosurgery	Visualization of the frontotemporal language fibers by tractography combined with functional magnetic resonance imaging and magnetoencephalography	鎌田 恭輔	脳神経外科
Journal of Neurosurgery	Dissociated expressive and receptive language functions on magnetoencephalography, functional magnetic resonance imaging, and amobarbital studies. Case report and review of the literature	鎌田 恭輔	脳神経外科
Human Gene Therapy	Keratinocyte Growth Factor Gene Transduction Ameliorates Acute Lung Injury and Mortality in Mice.	山田芳嗣	麻酔科・痛みセンター
Anesthesia and Analgesia	Antithrombin can modulate coagulation, cytokine production, and expression of adhesion molecules in abdominal aortic aneurysm repair surgery	西山友貴	麻酔科・痛みセンター
Eur Urol. 2006 May;49(5):839-45	The prognostic value of E-cadherin, alpha-, beta-, and gamma-catenin in urothelial cancer of the upper urinary tract.	富田京一	泌尿器科・男性科
Am J Physiol Heart Circ Physiol. 2005 Apr;288(4):H1770-6.	Endothelial dysfunction and hypercontractility of vascular myocytes are ameliorated by fluvastatin in obese Zucker rats	西松寛明	泌尿器科・男性科
BJU Int. 2006 Jun;97(6):1314-21.	Neutralization of interleukin-2 retards the growth of mouse renal cancer.	福原 浩	泌尿器科・男性科

Curr Cancer Drug Targets. 2007 Mar;7(2):149-55.	Oncolytic herpes simplex virus type 1 and host immune responses	福原 浩	泌尿器科・男性科
日本皮膚科学会雑誌	アトピー性皮膚炎の病勢指標としての血清 TARC/CCL17値についての臨床的検討	玉置邦彦	皮膚科・皮膚光線レーザー科
Ophthalmology	Prevalence and causes of low vision and blindness in a Japanese adult population: the Tajimi Study.	Araie M	眼科・視覚矯正科
American J Ophthal	Correlation between hemifield visual field damage and corresponding parapapillary atrophy in normal-tension glaucoma.	Araie M	眼科・視覚矯正科
Invest Ophthalmol Vis Sci	The Effects of Prostaglandin Analogues on Prostanoid EP1, EP2, and EP3 Receptor-Deficient Mice.	Aiharra M	眼科・視覚矯正科
Ophthalmology	Optic disc topography and peripapillary retinal nerve fiber layer thickness in nonarteritic ischemic optic neuropathy and open-angle glaucoma.	Saito H	眼科・視覚矯正科
J Glaucoma	Long-term follow-up of initial trabeculectomy with mitomycin C for primary open-angle glaucoma in Japanese patients.	Shigeeda T	眼科・視覚矯正科
Ophthalmology	Risk factors for open-angle glaucoma in a Japanese population: the Tajimi Study.	Araie M	眼科・視覚矯正科
Exp Eye Res	Properties of growth and molecular profiles of rat progenitor cells from ciliary epithelium.	Yanagi Y	眼科・視覚矯正科
British J Ophthalmol	A2e mediated phototoxic effects of endoilluminators.	Yanagi Y	眼科・視覚矯正科
Arzneim.-Forsch/Drug Res	Phase III long-term study and comparative clinical study of nipradilol ophthalmic solution in patients with open-angle glaucoma and ocular hypertension.	Araie M	眼科・視覚矯正科
Invest Ophthalmol Vis Sci	Effects of peroxisome proliferator-activated receptor gamma and its ligand in on blood retinal barrier in streptozotocin-induced diabetic model.	Tamaki Y	眼科・視覚矯正科
Ann NY Acad Sci.	Molecular mechanism of the life and death of the osteoclast.	田中 栄	整形外科・脊椎外科
Rev Endocr Metab Disord	Molecular backgrounds of age-related osteoporosis from mouse genetics approaches.	川口 浩	整形外科・脊椎外科

J Bone Miner Metab	Physiological role of bone morphogenetic proteins in osteogenesis.	釘宮典孝	整形外科・脊椎外科
Medical Engineering & Physics	A New Method for Measurement of Bone Deformation by Echo Tracking.	松山順太郎	整形外科・脊椎外科
Nature Medicine	Carminerin contributes to chondrocyte calcification during endochondral ossification.	山田高嗣	整形外科・脊椎外科
Spine	Neurologic Level Diagnosis of Cervical Stenotic Myelopathy.	星地亜都司	整形外科・脊椎外科
Stud Health Technol Inform.	Validity and reliability of SRSI and SF-36 in Japanese patients with scoliosis.	竹下克志	整形外科・脊椎外科
Eur Spine J	Results of posterior surgery with intraoperative radiotherapy for spinal metastases.	斉藤 琢	整形外科・脊椎外科
Res into Spinal Deformities	Correction of scoliosis using segmental pedicle screw instrumentation versus hybrid constructs with hooks and screws.	竹下克志	整形外科・脊椎外科
Arthritis Rheum	Contribution of runt-related transcription factor 2 to the pathogenesis of osteoarthritis in mice after induction of knee joint instability. Runx2 contributes to pathogenesis of osteoarthritis in mice after induction of knee joint instability.	亀倉 暁	整形外科・脊椎外科
Clin Orthop Rel Res	Grafting of biocompatible polymer for longevity of artificial hip joints.	茂呂 徹	整形外科・脊椎外科
J Orthop Sci	Symptomatic cyclops lesion after rupture of the anteromedial bundle of the anterior cruciate ligament.	中川 匠	整形外科・脊椎外科
Mol Neurobiol.	Signaling Axis in Proliferation and Differentiation of Schwann Cell.	緒方 徹	整形外科・脊椎外科
J Cell Biochem	Regulation of bone formation by adiponectin through autocrine/paracrine and endocrine pathways.	篠田祐介	整形外科・脊椎外科
Spine	Analysis of patients with nonambulatory neuromuscular scoliosis patients surgically treated to the pelvis with intraoperative Halo-femoral traction.	竹下克志	整形外科・脊椎外科
Cell Mol Biol	Signal transduction pathways of calcitonin/calcitonin receptor regulating cytoskeletal organization and bone-resorbing activity of osteoclasts.	田中 栄	整形外科・脊椎外科

Spine	Nonlinear finite element model predicts vertebral bone strength and fracture site.	今井一博	整形外科・脊椎外科
日本整形外科学会雑誌	早期硬化性と体内での耐崩壊性を有する新しい生体活性骨ペースト	星地亜都司	整形外科・脊椎外科
バイオマテリアル	ポリマーナノグラフト表面構築を基盤とした耐摩耗人工股関節の創製	茂呂 徹	整形外科・脊椎外科
東日本整形災害外科学会雑誌	外科的切除・放射線治療が不能な再発軟部肉腫に対する経皮的エタノール注入療法の治療経験	秋山 達	整形外科・脊椎外科
Spine	Spine and rib abnormalities and stature in spondylocostal dysostosis	芳賀信彦	リハビリテーション科
日本老年医学会雑誌	慢性透析患者における健康関連QOLに関連する要因	江藤文夫	リハビリテーション科
日本小児整形外科学会雑誌	小児専門病院における脳性麻痺児療育の現状	芳賀信彦	リハビリテーション科
Asian. J. Oral. Maxillofac. Surg.	Cyclooxygenase-2 Regulates Bone Marrow Stromal Cell Differentiation by Bone Morphogenetic Protein 2.	近津大地	顎口腔外科・歯科矯正歯科
J Artif Organs.	Tailor-made tricalcium phosphate bone implant directly fabricated by a three-dimensional ink-jet printer.	井川和代	顎口腔外科・歯科矯正歯科
J Bone Miner Res.	Suppression of Adjuvant-Induced Arthritic Bone Destruction by Cyclooxygenase-2 Selective Agents with and without Inhibitory Potency against Carbonic Anhydrase II.	片桐末佳	顎口腔外科・歯科矯正歯科
J Oral Rehabil.	The vibratory characteristics of obturators with different bulb height and form designs.	大木明子	顎口腔外科・歯科矯正歯科
Journal of Orthodontics	Segmental alveolar distraction for the correction of unilateral open-bite caused by multiple ankylosed teeth	須佐美隆史	顎口腔外科・歯科矯正歯科
Cleft Palate-Craniofacial J	Assessment of dental arch relationships in Japanese patients with unilateral cleft lip and palate.	須佐美隆史	顎口腔外科・歯科矯正歯科
J Craniomand Pract	Multicenter fact-finding survey on the clinical status and effect of treatment of intermittent closed lock in the temporomandibular joint.	依田哲也	顎口腔外科・歯科矯正歯科

Asian. J. Oral Maxillofac. Surg.	Simplified nasopalveolar molding (NAM) technique in Infants with cleft lip and palate.	引地尚子	顎口腔外科・歯科矯正歯科
Int J Oral Maxillofac Surg.	A 2-stage procedure combining maxillary advancement by distraction technique with mandibular setback surgery in patients with cleft lip and palate.	森 良之	顎口腔外科・歯科矯正歯科
日本形成外科学会誌	クリアソフトティッシュ画像を用いた鼻軟骨形態の評価	西條英人	顎口腔外科・歯科矯正歯科
J Heart Lung Transplant.	Change from Cyclosporine A to the Combination Therapy of Mycophenolic Acid with a New Sphingosine-1-Phosphate Receptor Agonist, KRP-203, Prevents Host Nephrotoxicity and Transplant Vasculopathy in Rats.	藤代 準	小児外科
Transplantation	Use of sphingosine-1-phosphate 1 receptor agonist, KRP-203, in combination with a subtherapeutic dose of cyclosporine A for rat renal transplantation.	藤代 準	小児外科
Reproductive Medicine and Biology, vol.6, p.39-43, 2007	High incidence of tubal dysfunction is determined by laparoscopy in cases with positive Chlamydia trachomatis antibody despite negative finding in prior hysterosalpingography.	H. Hiroi	女性診療科・産科
Prog Neuropsychopharmacol Biol Psychiatry	Perospirone in the treatment of schizophrenia: effect on verbal memory organization	Araki T	精神神経科
Prog Neuropsychopharmacol Biol Psychiatry	The effect of perospirone on auditory P300 in schizophrenia: a preliminary study	Araki T	精神神経科
Schizophr Res	Auditory P300 latency prolongation with age in schizophrenia: gender and subcomponent effects	Araki T	精神神経科
J Pharmacol Sci	Circadian rhythms in the CNS and peripheral clock disorders: Human sleep disorders and clock genes	Ebisawa T	精神神経科
Journal of Nuclear Medicine	Quantitative analyses of [18F]FEDAA1106 binding to peripheral benzodiazepine receptors in living human brain	Fujimura Y	精神神経科
Behav Brain Funct	No association of DRD2, DRD3, and tyrosine hydroxylase gene polymorphisms with personality traits in the Japanese population	Hibino H	精神神経科
Epilepsy Research	Paroxysmal Knesigenic Choreoathetosis: From first discovery in 1892 to genetic linkage with benign familial infantile convulsions	Kato N	精神神経科
Prog Neuropsychopharmacol Biol Psychiatry	Support for an association between mismatch negativity and social functioning in schizophrenia	Kawakubo Y	精神神経科

J Nerv Ment Dis	Procedural memory predicts social skills in persons with schizophrenia	Kawakubo Y	精神神経科
Neuroreport	Phonetic mismatch negativity predicts verbal memory deficits in schizophrenia	Kawakubo Y	精神神経科
Int J Neuropsychopharmacol	Maternal separation stress drastically decreases expression of transthyretin in the brains of adult rat offspring	Kohda K	精神神経科
Neurosci Res	Multiple-time repeatability of near-infrared spectroscopy recording during prefrontal activation task in healthy men	Kono T	精神神経科
Biol Psychol	Comparison between mismatch negativity amplitude and magnetic mismatch field strength in normal adults	Kudo N	精神神経科
Behav Brain Res	Decreased prefrontal activation during letter fluency task in adults with pervasive developmental disorders: a near-infrared spectroscopy study	Kuwabara H	精神神経科
Psychiatr Serv	The relationship between subjective reasoning for medication adherence and neurocognition in persons with schizophrenia	Maeda K	精神神経科
Psychiatr Genet	No association between the CNTF null mutation and schizophrenia or personality	Nishiyama J	精神神経科
Psychiatr Clin Neurosci	Sensitivity to seasonal changes in panic disorder patients	Ohtani T	精神神経科
Neurosci Lett	Insertional polymorphism of endogenous retrovirus HERV-K115 in schizophrenia	Otowa T	精神神経科
Neurosci Res	Combined analysis of association between personality traits and three functional polymorphisms in the tyrosine hydroxylase, monoamine oxidase A, and catechol-O-methyltransferase genes	Tochigi M	精神神経科
Neurosci Lett	Association between Dopamine D4 Receptor (DRD4) Exon III polymorphism and Neuroticism in the Japanese Population	Tochigi M	精神神経科
Neurosci Lett	No association of 5-HT2C, 5-HT6, and tryptophan hydroxylase-1 gene polymorphisms with personality traits in the Japanese population	Tochigi M	精神神経科
Prog Neuropsychopharmacol Biol Psychiatry	No association between the Clara cell secretory protein (CC16) gene polymorphism and personality traits	Tochigi M	精神神経科

Psychiatry Clin Neurosci	Association between the Corticotropin-Releasing Hormone Receptor 2 (CRHR2) Gene Polymorphism and Personality Traits	Tochigi M	精神神経科
Neurosci Res	Association study of the dysbindin (DTNBP1) gene in schizophrenia from the Japanese population	Tochigi M	精神神経科
Schizophr Res	No evidence for an association between the BDNF Val66Met polymorphism and schizophrenia or personality traits	Tochigi M	精神神経科
Schizophr Res	No association between the metabotropic glutamate receptor type 3 gene (GRM3) and schizophrenia in a Japanese population	Tochigi M	精神神経科
精神医学	統合失調症におけるペロスピロン置換前後の事象関連電位と精神症状の変化—予備的検討—	荒木 剛	精神神経科
臨床脳波	精神疾患における事象関連電位P300成分異常と脳解剖学的基盤	荒木 剛	精神神経科
精神医学	日本語版National Adult Reading Test (JART)を用いた統合失調症患者の発病前知能推定の検討	植月美希	精神神経科
呼吸	時計遺伝子	海老澤 尚	精神神経科
医学のあゆみ	ゲノム医学とリズム異常—時計遺伝子多型はヒトに何をもたらすか	海老澤 尚	精神神経科
実験医学	ヒトの睡眠障害と時計タンパク質のリン酸化異常	海老澤 尚	精神神経科
神経研究の進歩	睡眠覚醒リズム障害の遺伝子解析	海老澤 尚	精神神経科
老年精神医学雑誌	加齢による体温調節・概日リズムの変化	海老澤 尚	精神神経科
こころの科学	PTSDの生物学—脳画像を中心に—	笠井清登	精神神経科
臨床脳波	精神疾患における事象関連電位とMRIの相関解析の意義	笠井清登	精神神経科