

高度の医療技術の開発及び評価の実績

2 論文発表等の実績

雑誌名	題名	発表者名	所属部門
Am J Transpl., 6:1004-1011,2006.	Feasibility of left-lobe living donor liver transplantation between adults: a single center experience of 107 cases.	Soejima Y., et al.	第二外科
Int J Cancer,118:284-289,2006.	Akt is frequently activated in HER2/neu-positive breast cancers and associated with poor prognosis among hormone-treated patients.	Tokunaga E., et al.	第二外科
European J Cancer,42:629-635,2006	The association between Akt activation and	Tokunaga E., et al.	第二外科
Ann Thorac Cardiovasc Surg,12:355-357,2006.	Extension of liver tissue into the thorax following a right extrapleural pneumonectomy for malignant pleural mesothelioma	Yoshino I., et al.	第二外科
Anticancer Res, 26:2243-2248,2006.	Expression of FHIT in esophageal epithelium and carcinoma: Reference to drinking, smoking and multicentric carcinogenesis.	Morita M., et al	第二外科
Nature Medicine2006. 7	Conditional ablation of Stat3 or Socs3 discloses a dual role for reactive astrocytes after spinal cord injury.	岡田誠司	整形外科
Journal ofArthroplasty2006. 4	Anteroposterior stability in posterior cruciate ligament-retaining total knee arthroplasty.	水内秀樹	整形外科
Journal ofCellular Biochemistry2006. 4	A promoter element of the CD-RAP gene is required for repression of gene expression in non-cartilage tissues in vitro and in vivo.	岡崎 賢	整形外科
Arthroscopy2006. 9	Arthroscopic resection of the discoid lateral meniscus : Long-term follow-up for 16 years.	岡崎 賢	整形外科
Connective Tissue Research 2006. 4	Transient exposure of fibroblast growth factor-2 induced proliferative but not destructive changes in mouse knee joints.	神宮司誠也	整形外科

高度の医療技術の開発及び評価の実績

2 論文発表等の実績

雑誌名	題名	発表者名	所属部門
Journal of Bone and Joint Surgery American Volume2006.12	The effect of ankle rotation on cutting of the tibia in total knee arthroplasty.	水内秀樹	整形外科
Surgical Neurology 65:563-568,2006 Jun	Factors that affect the surgical outcomes of the spinal dural arteriovenous fistulas	Nagata SSasaki T	脳神経外科
British Journal of Neurosurgery20:146-149,2006 Jun.	Surgical indications for arteriovenous malformations in patients over the age of 60 years: retrospective analysis of 33 patients	Nagata SSasaki T	脳神経外科
Neurosurgery59:830-837,2006 Oct.	Unilaterally symptomatic moyamoya diseases in children. Long-term follow -up of 20 patients	Nagata SSasaki T	脳神経外科
Surgical Neurology 66:50-55,2006 Jul	Retrospective analysis of the surgically treated temporal lobe arteriovenous malformation with focus on the visual field defects and epilepsy.	Nagata SSasaki T	脳神経外科
Epilepsia 47(2):365-370, 2006 Feb	Epileptogenicity of supratentorial medullary venous malformation	Morioka TSasaki T	脳神経外科
Clinical Chemistry52:370-378, 2006 Mar.	Allelic losses of chromosome 10 in glioma tissues detected by quantitative single-strand conformation polymorphism analysis	Hata NSasaki T	脳神経外科
J Neuropathology Experimental Neurology65(12): 1181-1188, 2006 Dec.	Activation of STAT3, MAPK, and AKT in Malignant Astrocytic Glioma: Correlation With EGFR status, Tumor Grade, and Survival	Mizoguchi M	脳神経外科
Asian Cardiovasc Thorac Ann 14(5) : 422-424, 2006	Cardiac tamponade due to spontaneous rupture of large coronary artery aneurysms	Kimura S	心臓外科
Pediatric Cardiology 27: 13-18, 2006	Different responses in adult and neonatal hearts to changes in coronary perfusion pressure	Ishiyama N	心臓外科

高度の医療技術の開発及び評価の実績

2 論文発表等の実績

雑誌名	題名	発表者名	所属部門
Asian Cardiovasc Thorac Ann 14(2):145-149, 2006	Bilateral axillary arterial perfusion to reduce brain damage in surgery on thoracic aorta	Kurisu K	心臓外科
J Immunol 177: 8400-8409, 2006	Regulatory roles of NKT cells in the induction and maintenance of cyclophosphamide-induced tolerance	Iwai T	心臓外科
Interact Cardiovasc Thorac Surg 5: 9-10, 2006	Venous cannulation for extracorporeal circulation after total cavopulmonary connection with extracardiac conduit	Tanoue Y	心臓外科
J Heart Lung Transplant 25(2):219-225, 2006	A comparative study of cardiac preservation with leisior UW soluwion with or without proceeding administration of cardioplegia	Boku N	心臓外科
Jpn J Thorac Cardiovasc Surg 54(4) : 149-154, 2006	Prostaglandin E1 attenuates impairment of cellular immunity after cardiopulmonary bypass	Sano T	心臓外科
Scand J Immunol 63: 435-443, 2006	Sequential analysis of anti- α Gal Natural antibody-producing B cells in GalT knockout mice in cyclophosphamide-induced tolerance	Shimizu I	心臓外科
Transplantation 81: 95-100, 2006	Decay-acceleratin factor prevents acute humoral rejection induced by low levels of anti- α Gal natural antibodies	Shimizu I	心臓外科
Eur J Cardio-thorac Surg 29: 1056-1058, 2006	Modified Damus-Kaye-Stansel procedure using aortic flap tecnique for systemic ventricular outflow tract obstruction in functionally univentricular heart	Masuda M	心臓外科
Jpn J Cardiovasc Surg 35:321-234, 2006	Rupture of the inferior Vena Cava associated with complete thrombotic occlusion after placement of a caval filter	Imasaka K	心臓外科
Jpn J Thorac Cardiovasc Surg 54(7):304-307, 2006	Obstruction of the left ventricular outflow tract due to Pannus formation after the implantation of a CarboMedics aortic valve	Imasaka K	心臓外科

高度の医療技術の開発及び評価の実績

2 論文発表等の実績

雑誌名	題名	発表者名	所属部門
Eur J Cardio-thorac Surg 29(5): 784-789, 2006	The UW solution has greater potential for longer preservation periods than the Celsior solution: comparative study for ventricular and coronary endothelial function after 24-h heart preservation	Kajihara N	心臓外科
Circulation Journal 70(7): 909-912, 2006	Impact of atrial septal defect closure on right ventricular performance	Tanoue Y	心臓外科
Surg Today 36(7):602-607, 2006	Surgical experience of cardiac tumors: Early and late results	Kajihara N	心臓外科
Eur J Cardio-thorac Surg 30(4): 578-582, 2006	The logistic EuroSCORE predicts the hospital mortality of the thoracic aortic surgery in consecutive 327 Japanese patients better than the additive EuroSCORE	Nishida T	心臓外科
Pediatr Cardiol 27(4): 490-492, 2006	Redirection of the hepatic venous flow for the treatment of pulmonary arteriovenous malformations after Fontan operation	Imoto Y	心臓外科
Scand J Immunol 64:392-397, 2006	Application of chimerism-based drug-induced tolerance to rat into mouse xenotransplantation	Tomita Y	心臓外科
Histopathology 48:588-595, 2006	The distribution of matrix metalloproteinases and tissue inhibitors of metalloproteinases in the lungs of congenital diaphragmatic hernia patients and age-matched controls	Masumoto K, de Rooij JD, Suita S, Rottier R, Tibboel D, de Krijger RR	小児外科
J Pediatr Surg 41:1501-1505, 2006	Clinical characteristics and outcome of Wilms tumors with a favorable histology in Japan: a report from the study group for pediatric solid malignant tumors in the Kyushu Area, Japan	Suita S, Kinoshita Y, Tajiri T, et al	小児外科
J Pediatr Surg 41:560-566, 2006	Biological diagnosis for neuroblastoma using a highly sensitive analysis of prognostic factors	Tajiri T, Tanaka S, et al	小児外科
Pediatr Surg Int Epub ahead of print, 2006	A case of an inflammatory myofibroblastic tumor in the lung which expressed TPM3-ALK gene fusion	Kinoshita Y, Tajiri T, Taguchi T, et al	小児外科

高度の医療技術の開発及び評価の実績

2 論文発表等の実績

雑誌名	題名	発表者名	所属部門
Pediatr Surg Int 22:891–896, 2006	Association between the HER2 expression and histological differentiation in Wilms tumor	Salem M, Kinoshita Y, Tajiri T, et al	小児外科
J Pediatr Surg 41:830–836, 2006	Increased expression of c-fos and c-jun in the rat small intestinal epithelium after ischemia-reperfusion injury: a possible correlation with the proliferation or apoptosis of intestinal epithelial cells	Shima Y, Tajiri T, Taguchi T, Suita S	小児外科
J Pediatr Surg 41:2046–2051, 2006	New classification of hypoganglionosis: congenital and acquired hypoganglionosis	Taguchi T, Masumoto K, Ieiri S, Nakatsuji T, Akiyoshi J	小児外科
Clin Dysmorphol 15:213–217, 2006	Oesophageal atresia with a terminal deletion of chromosome 2q37.1	Masumoto K, Suita S, Taguchi T	小児外科
Transplantation Proc 38:1851–1852, 2006	The relationship between real-time monitoring of the graft motility and mucosal histology in swine intestinal transplantation	Matsuura T, Taguchi T, Ogita K, et al	小児外科
Transplant Proc 38:1830–1835, 2006	The effect of a valine-rich diet on intestinal adaptation to massive small bowel resection in the rat	Takada N, Ogita K, Taguchi T, Masumoto K, Suita S	小児外科
Pediatr Hematol Oncol 23:531–540, 2006	Safe techniques for inserting the Hickman catheter in pediatric patients	Masumoto K, Uesugi T, Taguchi T, et al	小児外科
J Pediatr Urol 2:464–467, 2006	Differential development of ectopic testes based on their location in rats	Shono T, Kondo T, Suita S	小児外科
J Pediatr Surg 41:1610–1612, 2006	A case of an abdominoscrotal hydrocele surgically treated under laparoscopic assistance	Kinoshita Y, Shono T, Taguchi T, et al	小児外科
J Pediatr Surg 41:1290–1293, 2006	Age-specific effect of phthalate ester on testicular development in rats	Kondo T, Shono T, Suita S	小児外科

高度の医療技術の開発及び評価の実績

2 論文発表等の実績

雑誌名	題名	発表者名	所属部門
Asian J Surg 29:202-206, 2006	Experimental study concerning safety dosage of OK-432 for intrauterine treatment	Ogita K, Taguchi T, Saita S	小児外科
J Dermatol	Prevention of postoperative pressure ulcers by a polyurethane film patch.	古江増隆	皮膚科
Int Immunol	Differential induction of Th1-prone immunity by human dendritic cells activated with <i>Sporothrix schenckii</i> of cutaneous and visceral origins to determine their different virulence.	上ノ土 武	皮膚科
Eur J Dermatol	Incidence of atopic dermatitis in nursery school children - a follow-up study from 2001 to 2004, Kyushu University Ishigaki Atopic Dermatitis Study (KIDS).	吹譯紀子	皮膚科
J Cutan Pathol	Expression of p16 and hTERT protein is associated with the presence of high-risk human papillomavirus in Bowenoid papulosis.	占部和敬	皮膚科
Am J Med Sci	Pneumatosis cystoides intestinalis with systemic sclerosis, limited type resulting in a poor prognosis.	濱田美奈子	皮膚科
J Invest Dermatol	Chemical peeling by SA-PEG remodels photo-damaged skin: suppressing p53 expression and normalizing keratinocyte differentiation.	大日輝記	皮膚科
Eur J Dermatol	Overexpression of phosphorylated-STAT3 and phosphorylated-ERK protein in dermofibrosarcoma protuberans.	占部和敬	皮膚科
Urology 67 (2): 306-310, 2006	Predictives regarding outcome after transurethral resection for prostatic adenoma associated with detrusor underactivity.	Seki N, Kai N, Seguchi H, Takei M, Yamaguchi A, Naito S:	泌尿器科
Int J Urol 13 (6): 671-676, 2006	Clinical outcomes and learning curve of a laparoscopic adrenalectomy in 103 consecutive cases at a single institute.	Eto M, Harano M, Koga H, Tanaka M, Naito S:	泌尿器科

高度の医療技術の開発及び評価の実績

2 論文発表等の実績

雑誌名	題名	発表者名	所属部門
Pathol Int 56 (7): 390-396, 2006	Histopathological approach to prostatic contour alterations with the concept of left-right asymmetry.	Kiyoshima K, Oda Y, Tamiya S, Hori Y, Yamada T, Naito S, Tsuneyoshi M:	泌尿器科
BJU Int 98 (3): 549-553, 2006	Percentage of positive biopsy cores, preoperative prostate-specific antigen (PSA) level, pT and Gleason score as predictors of PSA recurrence after radical prostatectomy: a multi-institutional outcome study in Japan.	Yokomizo A, Murai M, Baba S, Ogawa O, Tsukamoto T, Niwakawa M, Tobisu K, Kinukawa N, Naito S:	泌尿器科
Neurorol Urodyn 25 (5): 428-432, 2006	Analysis of prognostic factors regarding the outcome after a transurethral resection for symptomatic benign prostatic enlargement.	Seki N, Takei M, Yamaguchi A, Naito S:	泌尿器科
Br J Cancer 95 (5): 601-606, 2006	NK105, a paclitaxel-incorporating micellar nanoparticle, is a more potent radiosensitising agent compared to free paclitaxel.	Negishi T, Koizumi F, Uchino H, Kuroda J, Kawaguchi T, Naito S, Matsumura Y:	泌尿器科
J Urol 176 (1): 40-43, 2006	Collecting duct (Bellini duct) renal cell carcinoma: A nationwide survey in Japan.	Tokuda N, Naito S, Matsuzaki O, Nagashima Y, Ozono S, Igarashi T:	泌尿器科
Urology 67 (3): 545-549, 2006	Sustained prophylactic effect of intravesical bacille calmette-guerin for superficial bladder cancer: a smoothed hazard analysis in a randomized prospective study.	Hinotsu S, Akaza H, Isaka S, Kanetake H, Kubota Y, Kuroda M, Sinohara N, Shinka T, Tachibana M, Naito S, Hirao Y:	泌尿器科
J Urol 176 (5): 2168-2172, 2006	The endoscopic surgical skill qualification system in urological laparoscopy: a novel system in Japan.	Matsuda T, Ono Y, Terachi T, Naito S, Baba S, Miki T, Hirao Y, Okuyama A:	泌尿器科

高度の医療技術の開発及び評価の実績

2 論文発表等の実績

雑誌名	題名	発表者名	所属部門
Prostate Cancer Prostatic Dis Jan 2: 1-8, 2006	Bicalutamide 80mg combined with a luteinizing hormone-releasing hormone agonist (LHRH-A) versus LHRH-A monotherapy in advanced prostate cancer: findings from a phase III randomized, double-blind, multicenter trial in Japanese patients.	Usami M, Akaza H, Arai Y, Hirano Y, Kagawa S, Kanetake H, Naito S, Sumiyoshi Y, Takimoto Y, Terai A, Yoshida H, Ohashi Y:	泌尿器科
J Urol 176 (6 pt 2): S47-S49, 2006	The case for androgen deprivation as primary therapy for early stage diseases: results from J-CaP and CaPSURETM.	Akaza H, Hinotsu S, Usami M, Ogawa O, Kagawa S, Kitamura T, Tsukamoto T, Naito S, Hirao Y, Murai M, Yamanaka H, Namiki M:	泌尿器科
Int J Clin Oncol 11 (6): 434-440, 2006	A low-dose combination therapy of interleukin-2 and interferon- α is effective for lung metastasis of renal cell carcinoma: a multicenter open study.	Akaza H, Tsukamoto T, Onishi T, Miki T, Kinouchi T, Naito S:	泌尿器科
Int J Urol 13 (Suppl 1): A14, 2006	The members of National research Project on Endocrine-Radiation Combination Therapy for Locally Advanced Prostate Cancer: Longitudinal Assessment of Quality of Life in Men Treated with External Beam Radiotherapy Combined with Neoadjuvant and Adjuvant Endocrine Therapy for Locally Advanced Prostate Cancer.	Koga H, Ito K, Yamanaka H, Naito S:	泌尿器科
Epilepsy Behav, 9(1): 189-192, 2006	Different SPECT findings before and after Capgras' syndrome in interictal psychosis.	Horikawa H, Monji A, Sasaki M, Maekawa T, Onitsuka T, Nitazaka Y, Hirano Y, Hirano S, Hashioka S, Kato T, Yoshida I, Kanba S	精神科神経科
Eur Arch Psychiatr Clin Neurosci, 256(5): 326-328, 2006	Impairment of theory of mind in patients in remission following first episode of schizophrenia.	Inoue Y, Yamada K, Hirano M, Shinohara M, Tamaoki T, Iguchi H, Tonooka Y, Kanba S	精神科神経科

高度の医療技術の開発及び評価の実績

2 論文発表等の実績

雑誌名	題名	発表者名	所属部門
J Affect Disord, 95(1-3): 125-127, 2006	Deficit in theory of mind is a risk for relapse of major depression.	Inoue Y, Yamada K, Kanba S	精神科神経科
J Neurochem, 99: 198-205, 2006	Styrylbenzoazole derivatives for imaging of prion plaques and treatment of transmissible spongiform encephalopathies.	Ishikawa K, Kudo Y, Nishida N, Suemoto T, Sawada T, Iwaki T, Doh-ura K	精神科神経科
J Neurosci, 26(6): 1688-1698, 2006	MTH1, an oxidized purine nucleoside triphosphatase, suppresses the accumulation of oxidative damage of nucleic acids in the hippocampal microglia during kainate-induced excitotoxicity.	Kajitani K, Yamaguchi H, Dan Y, Furuichi M, Kang D, Nakabepu Y	精神科神経科
Arch Womens Ment Health, 9: 121-130, 2006	Multicentre Prospective study of perinatal depression in Japan: incidence and correlates of antenatal and postnatal depression.	Kitamura T, Yoshida K, Okano T, Kinoshita K, Hayashi M, Toyoda N, Ito M, Kudo N, Tada K, Kanazawa K, Sakumoto K, Satoh S, Furukawa T, Nakano H	精神科神経科
Neuropsychopharmacology, 31(1): 212-220, 2006	Assessment of the dexamethasone/CRH test as a state-dependent marker for hypothalamic-pituitary-adrenal (HPA) axis abnormalities in major depressive episode: A multicenter study.	Kunugi H, Ida I, Owashi M, Kimura M, Inoue Y, Nakagawa S, Yabana T, Urushibara T, Kanai R, Aihara M, Yuuki N, Otsubo T, Oshima A, Kudo K, Inoue T, Kitaichi Y, Shirakawa O, Isogawa K, Nagayama H, Kamijima K, Nanko S, Kanba S, Higuchi T, Mikuni M	精神科神経科
Am J Psychiat, 163: 2103-2110, 2006	Middle and inferior temporal gyrus gray matter volume in first-episode schizophrenia: an MRI Study.	Kuroki N, Shenton ME, Salisbury DF, Hirayasu Y, Onitsuka T, Ersner-Hershfield H, Yurgelun-Todd D, Kikins R, Jolesz FA, Mc Carley RW	精神科神経科
Protein Sci, 15(10): 2448-2452, 2006	Amyloid formation in denatured single-mutant lysozymes where residual structures are modulated.	Mishima T, Ohkuri T, Monji A, Imoto T, Ueda T	精神科神経科

高度の医療技術の開発及び評価の実績

2 論文発表等の実績

雑誌名	題名	発表者名	所属部門
DNA Repair, 5: 761-772, 2006	MTH1, an oxidized purine nucleoside triphosphatase, prevents the cytotoxicity and neurotoxicity of oxidized purine nucleotides.	Nakabeppu Y, Kajitani K, Sakamoto K, Yamaguchi H, Tsuchimoto D	精神科神経科
Emerg Med J, 23: 468-469, 2006	Mental health service requirements in a Japanese medical centre emergency department.	Nishi D, Matsuoka Y, Kawase E, Nakajima S, Kim Y	精神科神経科
Neuropathology, 26 (6): 508-518, 2006	Quantitative analysis of neurofibrillary pathology in a general population to reappraise neuropathological criteria for senile dementia of the neurofibrillary tangle type (tangle-only dementia): The Hisayama study.	Noda K, Sasaki K, Fujimi K, Wakisaka Y, Tanizaki Y, Wakugawa Y, Kiyohara Y, Iida M, Aizawa H, Iwaki T	精神科神経科
J Neuropsychiatry Clin Neurosci, 18(4): 557-559, 2006	Interictal psychosis after stroke with forced normalization.	Ohara T, Monji A, Onitsuka T, Maekawa T, Hirano Y, Hirano S, Hashioka S, Kato T, Yoshida I, Kanba S	精神科神経科
Am J Psychiat, 163: 455-462, 2006	Functional and structural deficits in brain regions subserving face perception in schizophrenia.	Onitsuka T, Niznikiewicz MA, Spencer KM, Frumin M, Kuroki N, Lucia LC, Shenton ME, Mc Carley RW	精神科神経科
J Pathol, 209: 484-491, 2006	Clusterin expression in follicular dendritic cells associated with prion protein accumulation.	Sasaki K, Doh-ura K, Ironside JW, Mabbott NA, Iwaki T	精神科神経科
Child Abuse Review, 15: 204-218, 2006	The mental health of mothers of physically abused children: The relationship with children's behavioural problems-report from Japan.	Takei T, Yamashita H, Yoshida K	精神科神経科

高度の医療技術の開発及び評価の実績

2 論文発表等の実績

雑誌名	題名	発表者名	所属部門
Psychiat Clin Neurosci, 60: 182-189, 2006	Impact of infant-related problems on postpartum depression: Pilot study to evaluate a health visiting system.	Ueda M, Yamashita H, Yoshida K	精神科神経科
Neurosci Lett, 399: 171-174, 2006	A decreased survival of proliferated cells in the hippocampus is associated with a decline in spatial memory in aged rats.	Wati H, Kudo K, Qiao C, Kuroki T, Kanba S	精神科神経科
Brain Res, 1131(1): 88-96, 2007, 2006	The dopamine D1 receptor agonist, but not the D2 receptor agonist, induces gene expression of Homer 1a in rat striatum and nucleus accumbens.	Yamada H, Kuroki T, Nakahara T, Hashimoto K, Tsutsumi T, Hirano M, Maeda H	精神科神経科
Psychiat Res 141: 61-69, 2006	Prediction of medication noncompliance in outpatients with schizophrenia: 2-year follow up study.	Yamada K, Watanabe K, Nemoto N, Fujita H, Chikaraishi C, Yamauchi K, Yagi G, Asai M, Kanba S	精神科神経科
Neurochem Int, 48(8): 696-702, 2006	Depletion of intracellular Ca ²⁺ store itself may be a major factor in thapsigargin-induced ER stress and apoptosis in PC12cells.	Yoshida I, Monji A, Kato T, Nakamura K, Inoue R, Kanba S	精神科神経科
Psychiat Clin Neurosci, 60: 778-779, 2006	Prescription pattern of antipsychotic drugs for schizophrenic inpatients in Japan: Research on East Asia Psychotropic Prescription Pattern-Antipsychotics (REAP-AP) study.	Yoshimura R, Okamoto T, Nakamura J, Tateno M, Otsuka K, Takahashi H, Fujisawa D, Takamatsu T, Fujii S, Sato S, Inoue M, Sasaki H, Kuroki T, Shinjuku T	精神科神経科
Acad Radiol, 13(11): 1373-1378, 2006	Cerebral white matter degeneration in frontotemporal dementia detected by diffusion-weighted magnetic resonance imaging.	Yoshiura T, Miura F, Koga H, Noguchi T, Togao O, Ohayagi Y, Ogomori K, Ichimiya A, Kanba S, Honda H	精神科神経科

高度の医療技術の開発及び評価の実績

2 論文発表等の実績

雑誌名	題名	発表者名	所属部門
Acad Radiol, 13: 1460-1464, 2006	Mapping of subcortical white matter abnormality in Alzheimer's disease using diffusion-weighted magnetic resonance imaging.	Yoshiura T, Mihara F, Koga H, Ohyagi Y, Noguchi T, Togao O, Ogomori K, Miyoshi K, Yamasaki T, Kaneko K, Ichimiya A, Kanba S, Honda H	精神科神経科
Molecular Vision 12: 1558-1564, 2006	Novel triple missense mutations of GUCY2D gene in Japanese family with cone-rod dystrophy: possible use of genotyping microarray.	Yoshida S, Yamaji Y, et al	眼科
Exp Eye Res 83: 1031-1040, 2006	The regulation of vascular endothelial growth factors (VEGF-A, -C, and -D) expression in the retinal pigment epithelium.	Ikeda Y, Yonemitsu Y, et al	眼科
Retina 26: 623-630, 2006.	Preclinical investigation of Internal limiting membrane peeling and staining using intravitreal Brilliant Blue G	Enaida H, Hisatomi T, et al	眼科
Retina 26: 631-636, 2006	Brilliant blue G selectively stains the Internal Limiting Membrane/Brilliant Blue G-assisted Membrane Peeling.	Enaida H, Hisatomi T, et al	眼科
European Journal of Ophthalmology 16: 279-286, 2006	Evaluating adjunctive surgical procedures during vitrectomy for diabetic macular edema.	Mochizuki Y, Hata Y, et al	眼科
Head Neck. 28(1):24-30, 2006.	Role of Squamous Cell Carcinoma Antigen 1 expression in the invasive potential of head and neck squamous cell carcinoma.	Nakashima T	耳鼻咽喉科 頭頸部外科
Am J Physiol Lung Cell Mol Physiol. 291(4):L619-L627, 2006.	SERPINB1 up-regulation is associated with in vivo complex formation with neutrophil elastase and cathepsin G in a baboon model of bronchopulmonary dysplasia.	Yasumatsu R	耳鼻咽喉科 頭頸部外科
Life Sci. 79:1021-1026, 2006.	Run down of GABAergic depolarization during metabolic inhibition of rat hippocampal CA1 neurons.	Matsumoto N	耳鼻咽喉科 頭頸部外科

高度の医療技術の開発及び評価の実績

2 論文発表等の実績

雑誌名	題名	発表者名	所属部門
European Journal of Radiology 2007 March (Epub 2006 Nov 16.)	Significance of mesenteric lymphadenopathy after pancreaticoduodenectomy for periampullary carcinomas: evaluation with serial MDCT studies.	Ishigami K	放射線科
American Journal of Roentgenology. 2006 October	Accessory left gastric artery from left hepatic artery shown on MDCT and conventional angiography: correlation with CT hepatic arteriography.	Ishigami K	放射線科
Journal of Computer Assisted Tomography. 2007 March-April	Poorly versus moderately differentiated hepatocellular carcinoma: vascularity assessment by computed tomographic hepatic angiography in correlation with histologically counted number of unpaired arteries.	Asayama Y	放射線科
American Journal of Neuroradiology 27 (2)February 2006.	Cerebral hemodynamics in Moyamoya disease: correlation between perfusion-weighted MR imaging and cerebral angiography.	Togao O	放射線科
Academic Radiology 13 (11) November 2006.	Cerebral white matter degeneration in frontotemporal dementia detected by diffusion-weighted magnetic resonance imaging.	Yoshiura T	放射線科
American Journal of Neuroradiology 27(10)October 2006.	MR imaging of human herpesvirus-6 encephalopathy after hematopoietic stem cell transplantation in adults.	Noguchi T	放射線科
Academic Radiology 13 (12): December 2006.	Mapping of subcortical white matter degeneration using diffusion-weighted magnetic resonance imaging.	Yoshiura T	放射線科
Academic Radiology 2006 January	Fractional Anisotropy is higher in Heschl's gyrus than in superior temporal gyrus in normal subjects.	Hiwatashi A	放射線科

高度の医療技術の開発及び評価の実績

2 論文発表等の実績

雑誌名	題名	発表者名	所属部門
European Radiology 2007;17(5)May.	Detection of masses and microcalcifications of breast cancer on digital mammograms: comparison among hard-copy film, 3-megapixel liquid crystal display (LCD) monitors and 5-megapixel LCD monitors: an observer performance study.	Kamitani T	放射線科
European Journal of Radiology (Epub ahead of print).	Optimal gradation processing parameter for soft-copy reading of digital mammogram: comparison between the parameter recommended for hard-copy and other parameters.	Kamitani T	放射線科
Nuclear Medicine Commun. 2007 July	Clinical role of ¹²³ I-IMP SPECT for the differential diagnosis of ocular malignant melanoma: a time-course analysis.	Abe K	放射線科
Acta Radiologica. 2006 December.	O-(2-[¹⁸ F]fluoroethyl)-L-tyrosine (¹⁸ F-FET) uptake in mouse thymoma cells, and its biodistribution in mice and human volunteers.	Abe K	放射線科
Nuclear Medicine Commun. 2006 November	Pre-surgical identification of epileptogenic areas in temporal lobe epilepsy by ¹²³ I-iomazenil SPECT: a comparison with IMP SPECT and FDG PET.	Kaneko K	放射線科
Radiation Medicine.25(1)January 2007.	Erythema multiforme and Stevens-Johnson syndrome following radiotherapy.	Yoshitake T	放射線科
Radiation 24(4)April2006.	Long-term local control of recurrent adenoid cystic carcinoma in the parotid gland with radiotherapy and intraarterial infusion chemotherapy.	Terashima K	放射線科
Japanese Journal of Oncology.36(11)November 2006	Long-term functional outcome of brachytherapy for carcinoma of the mobile tongue: focus on the atrophic change of irradiated tongue.	Urashima Y	放射線科
International Journal of Radiation Oncology Biology Physics. 65(4)April 2006	Multi-institutional analysis of early squamous cell carcinoma of the hypopharynx treated with radical radiotherapy.	Nakamura K	放射線科

高度の医療技術の開発及び評価の実績

2 論文発表等の実績

雑誌名	題名	発表者名	所属部門
Japanese Journal of Clinical Oncology. 36(1)January 2006.	Is glossectomy necessary for late nodal metastases without clinical local recurrence after initial brachytherapy for N0 tongue cancer? A retrospective experience in 111 patients who received salvage therapy for cervical failure.	Urashima Y	放射線科
麻酔 55 (8) : 1031~1038, 2006	2004年周術期肺血栓塞栓症発症アンケート調査結果からみた本邦における発症頻度とその特徴	入田和男	麻酔科蘇生科
Transplantation 82 (2):241-250, 2006	Liver regeneration is suppressed in small-for-size liver grafts after transplantation: Involvement of c-Jun N-terminal kinase, cyclin D1, and defective energy supply.	甲斐陽一郎	麻酔科蘇生科
Mitochondrion 6: 299~304, 2006	Rapid and random turnover of mitochondrial DNA in rat hepatocytes of primary culture	甲斐陽一郎	麻酔科蘇生科
Cancer Gene Ther 2006	Antiangiogenic activity of BAI1 in vivo: implications for gene therapy of human glioblastomas	Kurita, R.Tani K. et al	先端分子・細胞治療科
J Gene Med.2006	p51/p63, a novel p53 homologue, potentiates p53 activity and is a human cancer gene therapy candidate .	Maeda, T., Nakazaki, Y., Kurita, R.Tani, K., et al	先端分子・細胞治療科
Mol Ther 2006	Serial analysis of gene expression in progressing and regressing mouse tumors implicates the involvement of RANTES and TARC in antitumor immune responses.	Nakazaki, Y., Inoue, H., Sakaguchi, G., Kurita, R., Tani, K. et al	先端分子・細胞治療科
Cancer Biother Radiopharm. 2006.	Protective effect of irradiated renal carcinoma expressing hepatitis B surface antigen against renal-cell carcinoma-mediated tumors.	Tani K et al	先端分子・細胞治療科
Cancer Res 2006.	Fhit Modulates the DNA Damage Checkpoint Response.	Tani, K., et al.	先端分子・細胞治療科