

(様式第11)

高度の医療技術の開発及び評価の実績

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
Int Arch Allergy Immunol 145(4): 324-339, 2007	Growth factors temporally associate with airway responsiveness and inflammation in allergen-exposed mice	Tanimoto M	血液・腫瘍内科 呼吸器内科
Am J Hematol 67(16): 7807-7814, 2007	Monitoring serum hepatitis C virus HCV RNA in patients with HCV-infected CD20-positive B-cell lymphoma undergoing rituximab combination chemotherapy	Tanimoto M	血液・腫瘍内科 呼吸器内科
Int J Cancer 120(10): 2191-2195, 2007	Aberrant promoter methylation in pleural fluid DNA for diagnosis of malignant pleural effusion	Tanimoto M	血液・腫瘍内科 呼吸器内科
Blood Coagul Fibrinolysis 18(5): 425-433, 2007	Induction of urokinase-type plasminogen activator, interleukin-8 and early growth response-1 by STI571 through activating mitogen activated protein kinase in human small cell lung cancer cells	Tanimoto M	血液・腫瘍内科 呼吸器内科
日本臨牀 65(1) 474-478, 2007	急性リンパ性白血病の治療:概論	谷本 光音	血液・腫瘍内科 呼吸器内科
Int Cancer 120(6): 1239-1247, 2007	The impact of epidermal growth factor receptor gene status on gefitinib-treated Japanese patients with non-small-cell lung cancer	Kiura K	血液・腫瘍内科 呼吸器内科
Lung Cancer 56(3): 445-448, 2007	EGFR mutation status in pleural fluid predicts tumor responsiveness and resistance to gefitinib	Kiura K	血液・腫瘍内科 呼吸器内科
J Clin Oncol 25(25): 3952-3957, 2007	Epidermal growth factor receptor mutation status and adjuvant chemotherapy with uracil-tegafur for adenocarcinoma of the lung	Kiura K	血液・腫瘍内科 呼吸器内科
Clin Cancer Res 13(19): 5763-5768, 2007	The impact of sex and smoking status on the mutational spectrum of epidermal growth factor receptor gene in non-small cell lung cancer	Kiura K	血液・腫瘍内科 呼吸器内科
Int J Cancer 121(5): 1162-1167	Impact of HER2 and EGFR gene status on gefitinib-treated patients with nonsmall-cell lung cancer	Kiura K	血液・腫瘍内科 呼吸器内科
J Thorac Oncol 2(1): 44-50, 2007	Triple combination chemotherapy with cisplatin, docetaxel, and Irinotecan for advanced non-small cell lung cancer: a phase I/II trial	Kiura K	血液・腫瘍内科 呼吸器内科
CT検診 14(2): 91-95, 2007	CTによる造船所近隣住民の胸膜プラークについての検討	木浦 勝行	血液・腫瘍内科 呼吸器内科
癌と化学療法 34(4): 597-600, 2007	外科的治療とPaclitaxel, Cisplatin, 5-FluorouracilによるAdjuvant Chemotherapyが奏効した下顎歯肉癌肺転移症例	木浦 勝行	血液・腫瘍内科 呼吸器内科
Experimental Hematology 35(2): 274-286, 2007	Lymphopenia-induced proliferation of donor T cells reduces their capacity for causing acute graft-versus-host disease	Maeda Y	血液・腫瘍内科
Biochemical and Biophysical Research Communication 355(4): 970-975, 2007	Rapid hematopoietic progenitor mobilization by sulfated colominic acid	Kubonishi S	血液・腫瘍内科
Allergy 62: 415-422, 2007	Hepatocyte growth factor attenuates eotaxin and PGD2-induced chemotaxis of human eosinophils	Kanehiro A	呼吸器内科

(様式第11)

高度の医療技術の開発及び評価の実績

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
岡山医学雑誌 118: 243-249, 2007	成人気管支喘息の病態と治療	金廣 有彦	呼吸器内科
Am J Respir Cell Mol Biol 36(3): 324-332, 2007	IL-2 and IL-18 Attenuation of airway hyperresponsiveness requires STAT4, Interferon- $\gamma$ , and NK Cells	Miyahara N	呼吸器内科
J Immunol 178: 1433-1442, 2007	Naturally occurring lung CD4 <sup>+</sup> CD25 <sup>+</sup> T cell regulation of airway allergic responses depends on IL-10 induction of TGF- $\beta$ <sup>1</sup>	Miyahara N	呼吸器内科
J Allergy Clin Immunol 119(5):1241-1250, 2007	IL-10-treated dendritic cells decrease airway hyperresponsiveness and airway inflammation in mice	Miyahara N	呼吸器内科
Am J Respir Crit Care Med 176(1):10-19, 2007	Arhgef1 is required by T cells for the development of airway hyperreactivity and inflammation	Miyahara N	呼吸器内科
J Immunol 179(5): 2787-2796, 2007	CD8 <sup>+</sup> T cell-mediated airway hyperresponsiveness and inflammation is dependent on CD4 <sup>+</sup> IL-4 <sup>+</sup> T cells	Miyahara N	呼吸器内科
J Immunol 179(5): 2961-2968, 2007	Airway hyperresponsiveness through synergy of $\gamma\delta$ T cells and NKT cells	Miyahara N	呼吸器内科
Proc Natl Acad Sci USA 104(38): 15057-15062, 2007	Activation of naturally occurring lung CD4 <sup>+</sup> CD25 <sup>+</sup> regulatory T cells requires CD8 and MHC I interaction	Miyahara N	呼吸器内科
Respir Med 101: 561-567, 2007	Distance and oxygen desaturation in 6-min walk test predict prognosis in COPD patients	Takigawa N	呼吸器内科
Oncology Reports 17: 983-987, 2007	Combination of SN-38 with gefitinib or imatinib overcomes SN-38-resistant small-cell lung cancer cells	Takigawa N	呼吸器内科
J Cancer Res Clin Oncol 133(8): 519-524, 2007	Serum level of arginine-vasopressin influences the prognosis of extensive-disease small-cell lung cancer	Umemura S	呼吸器内科
Endocrinology 148: 337-345, 2007	Differential regulation of steroidogenesis by bone morphogenetic proteins in granulosa cells: Involvement of extracellularly regulated kinase signaling and oocyte actions in follicle-stimulating hormone-induced estrogen production.	Otsuka, F	腎臓・糖尿病・ 内分泌内科
Regulatory Peptides 138: 133-140, 2007	Regulatory expression of bone morphogenetic protein-6 system in aldosterone production by human adrenocortical cells.	Otsuka, F	腎臓・糖尿病・ 内分泌内科
Diabetes 56: 363-372, 2007	Macrophage scavenger receptor-a-deficient mice are resistant against diabetic nephropathy through amelioration of microinflammation.	Shikata, K	腎臓・糖尿病・ 内分泌内科
Kidney Int 71: 227-238, 2007	Endostatin peptide, an inhibitor of angiogenesis, prevents the progression of peritoneal sclerosis in a mouse experimental model.	Maeshima, Y	腎臓・糖尿病・ 内分泌内科

(様式第11)

高度の医療技術の開発及び評価の実績

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
PLoS ONE 2: e414, 2007	The Role for HNF-1beta-Targeted Collectrin in Maintenance of Primary Cilia and Cell Polarity in Collecting Duct Cells.	Wada, J	腎臓・糖尿病・内分泌内科
J Clin Endocr Metab 92: 1145-1154, 2007	Functional single-nucleotide polymorphisms in the secretogranin III (SCG3) gene that form secretory granules with appetite-related neuropeptides are associated with obesity.	Wada, J	腎臓・糖尿病・内分泌内科
Hum Mol Genet 16: 3017-3026, 2007	Association of single-nucleotide polymorphisms in MTMR9 gene with obesity.	Wada, J	腎臓・糖尿病・内分泌内科
Diabetes Res Clin Pract 76: 358-367, 2007	Urinary PGDS levels are associated with vascular injury in type 2 diabetes patients.	Wada, J	腎臓・糖尿病・内分泌内科
Clin Exp Nephrol 11: 156-163, 2007	Prevalence of chronic kidney disease (CKD) in the Japanese general population predicted by the MDRD equation modified by a Japanese coefficient.	Makino, H	腎臓・糖尿病・内分泌内科
Clin Exp Nephrol 11: 41-50, 2007	Estimation of glomerular filtration rate by the MDRD study equation modified for Japanese patients with chronic kidney disease.	Makino, H	腎臓・糖尿病・内分泌内科
Nephron Clin Pract 106: c43-c50, 2007	Elevated Serum sFlt-1/Ang-2 Ratio in Women with Preeclampsia.	Maeshima, Y	腎臓・糖尿病・内分泌内科
IgA Nephropathy Today. Contrib Nephrol. 157: 120-124, 2007	Downregulation of the $\beta$ 1,3-Galactosyltransferase Gene in Tonsillar B Lymphocytes and Aberrant Lectin Bindings to Tonsillar IgA as a Pathogenesis of IgA as a Pathogenesis of IgA Nephropathy.	Sugiyama, H	腎臓・糖尿病・内分泌内科
Diabetes Res Clin Pract 77: 314-319, 2007	Comparison of ventilator threshold and exercise habits between Japanese men with and without metabolic syndrome.	Wada, J	腎臓・糖尿病・内分泌内科
Biochem Biophys Res Commun 356: 1004-1010, 2007	TNF- $\alpha$ inhibits BMP-induced osteoblast differentiation through activating SAPK/JNK signaling.	Otsuka, F	腎臓・糖尿病・内分泌内科
Hypertens Res 30: 367-373, 2007	Primary Aldosteronism Caused by a Unilateral Adrenal Adenoma Accompanied by Autonomous Cortisol Secretion.	Otsuka, F	腎臓・糖尿病・内分泌内科
Acta Med Okayama 61: 89-98, 2007	Recruitment of CD16 <sup>+</sup> Monocytes into Synovial Tissues Is Mediated by Fractalkine and CX3CR1 in Rheumatoid Arthritis Patients.	Yano, R	腎臓・糖尿病・内分泌内科
Diabetes Care 30: 1577-1578, 2007	Prevention of Transition From Incipient to Overt Nephropathy With Telmisartan in Patients With Type 2 Diabetes.	Makino, H	腎臓・糖尿病・内分泌内科
Clinical Nephrol 68: 73-80, 2007	Desmin as a marker of proteinuria in early stages of membranous nephropathy in elderly patients.	Sugiyama, H	腎臓・糖尿病・内分泌内科
J Lipid Res 48: 768-781, 2007	The association of C-reactive protein with an oxidative metabolite of LDL and its Implication in atherosclerosis.	Shikata, K	腎臓・糖尿病・内分泌内科

(様式第11)

高度の医療技術の開発及び評価の実績

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
J Endocrinol 194: 87-99, 2007	Effects of peroxisome proliferator-activated receptor activation on gonadotropin transcription and cell mitosis induced by bone morphogenetic proteins in mouse gonadotrope L $\beta$ T2 cells.	Otsuka, F	腎臓・糖尿病・内分泌内科
Am J Physiol Renal Physiol 292: F1513-F1525, 2007	Antagonistic effects of bone morphogenetic protein-4 and -7 on renal mesangial cell proliferation induced by aldosterone through MAPK activation.	Otsuka, F	腎臓・糖尿病・内分泌内科
Am J Physiol Cell Physiol 293: C1523-C1531, 2007	Edaravone mimics sphingosine-1-phosphate-induced endothelial barrier enhancement in human microvascular endothelial cells.	Shikata, K	腎臓・糖尿病・内分泌内科
Am J Physiol Renal Physiol 292: F1141-F1150, 2007	Thiazolidinedione ameliorates renal injury in experimental diabetic rats through anti-inflammatory effects mediated by inhibition of NF-kappaB activation.	Shikata, K	腎臓・糖尿病・内分泌内科
J Renin Angiotensin Aldosterone Syst 8: 45-50, 2007	Changes of gene expression profiles in macrophages stimulated by angiotensin II Angiotensin II induces MCP-2 through AT1-receptor.	Shikata, K	腎臓・糖尿病・内分泌内科
Am J Hypertens 20: 104-107, 2007	Apparent mineralocorticoid excess manifested in an elderly patient with hypothyroidism.	Otsuka, F	腎臓・糖尿病・内分泌内科
Heart Rhythm. 4(4):512-5,2007	Electrophysiologic characteristics of an Andersen syndrome patient with KCNJ2 mutation.	Nagase S	循環器内科
Circulation. 115(25):3165-72,2007	Intramyocardial transplantation of autologous CD34+ stem cells for intractable angina: a phase I/IIa double-blind, randomized controlled trial.	Kusano KF	循環器内科
Nephrol Dial Transplant. 22(4):1190-7,2007	The predictors of central and obstructive sleep apnoea in haemodialysis patients.	Kusano KF	循環器内科
Molecular Therapy 15(1); 69-75, 2007	Therapeutic Angiogenesis Inhibits or Rescues Chemotherapy-induced Peripheral Neuropathy: Taxol-and Thalidomide-induced Injury of Vasa Nervorum is Ameliorated by VEGF	Kusano KF	循環器内科
J Mol Cell Cardiol. 42(2):390-9,2007	Long-term stable expression of human growth hormone by rAAV promotes myocardial protection post-myocardial infarction.	Kusano KF	循環器内科
Intern Med 46:633-635,2007	Granulocytic sarcoma with orbit, cauda equine, muscle and peripheral nerve extension but without bone marrow involvement.	Abe K	神経内科
Eur. J. Neurol. 14:819-822,2007	A unique case of limb-girdle muscular dystrophy type 2A carrying novel compound heterozygous mutations in the human CAPN3 gene.	Abe K	神経内科
J. Neurol. Neurosurg. Psychiatry 78:653-654,2007	PINK1, a gene product of PARK6, accumulates in alpha-synucleinopathy brains	Abe K	神経内科

(様式第11)

高度の医療技術の開発及び評価の実績

2 論文発表等の実績

雑 誌 名	題 名	発表者氏名	所属部門
Neurol. Res. 29:767-771,2007	Increased ER stress during motor neuron degeneration in a transgenic mouse model of ALS.	Abe K	神経内科
Neurol. Res. 29:772-776,2007	Elevation of MCP-1 and MCP-1/VEGF ratio in cerebrospinal fluid of ALS.	Abe K	神経内科
Brain Res. 1176:143-150,2007	Prevention of neuronal damage by calcium channel blockers with antioxidative effects after transient focal ischemia in rats.	Kamiya T	神経内科
Intern. Med. 46 (2007) 751-755	Two cases of spinocerebellar ataxia accompanied by involvement of the skeletal motor neuron system and bulbar palsy.	Kamiya T	神経内科
Brain Res. 1151:142-149,2007	Potential of neurogenesis and angiogenesis by G-CSF after focal cerebral ischemia in rats.	Kamiya T	神経内科
J. Neurosci. Res. 85:2167-2174,2007	Decreased focal inflammatory response by G-CSF may improve stroke outcome after transient middle cerebral artery occlusion in rats	Kamiya T	神経内科
Brain Res. 1159; 1-7,2007	Expression of netrin-1 and its receptors DCC and neogenin in rat brain after ischemia	Kamiya T	神経内科
Curr. Neurovasc. Res. 4:268-273, 2007	Macrophage infiltration, Lectin-Like Oxidized-LDL Receptor-1, and Monocyte Chemoattractant Protein-1 are Reduced by Chronic HMG-CoA Reductase Inhibition.	Kamiya T	神経内科
Brain Res. 1132:29-35,2007	Vascular endothelial growth factor promotes brain tissue regeneration with a novel biomaterial polydimethylsiloxane-tetraethoxysilane	Kamiya T	神経内科
脳卒中 29:748-75,2007	シンポジウムV 傷害された脳神経細胞の修復と再生への期待 脳梗塞に対する遺伝子治療. New frontier in gene therapy for acute stroke	神谷 達司	神経内科
Neuropathology 27:49-61,2007	Protein-bound crotonaldehyde accumulates in the spinal cord of superoxide dismutase-1 mutation-associated familial amyotrophic lateral sclerosis and its transgenic mouse model	Takehisa Y	神経内科
Brain Res. 1167:112-117,2007	Increased autophagy in transgenic mice with a G93A mutant SOD1 gene	Nagai M	神経内科
Brain Res. 1150:182-189,2007	Early decrease of mitochondrial DNA repair enzymes in spinal motor neurons of presymptomatic transgenic mice carrying a mutant SOD1 gene.	Nagai M	神経内科
Nat. Neurosci. 10:615-622,2007	Astrocytes expressing ALS-linked mutated SOD1 release factors selectively toxic to motor neurons	Nagai M	神経内科
J. Neuropathol. Exp. Neurol. 66:517-524,2007	Motor neuron disease in transgenic mice with an H46R mutant SOD1 gene	Nagai M	神経内科
J. Neuropathol. Exp. Neurol. 66, 1037-1044, 2007	Intrathecal delivery of hepatocyte growth factor from amyotrophic lateral sclerosis onset suppresses disease progression in rat amyotrophic lateral sclerosis model.	Nagai M	神経内科